

Cuiping Han

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7748809/publications.pdf>

Version: 2024-02-01

66
papers

6,714
citations

70961

41
h-index

106150

65
g-index

67
all docs

67
docs citations

67
times ranked

7493
citing authors

#	ARTICLE	IF	CITATIONS
1	Advanced rechargeable zinc-based batteries: Recent progress and future perspectives. <i>Nano Energy</i> , 2019, 62, 550-587.	8.2	817
2	An extremely safe and wearable solid-state zinc ion battery based on a hierarchical structured polymer electrolyte. <i>Energy and Environmental Science</i> , 2018, 11, 941-951.	15.6	731
3	Challenges and perspectives of garnet solid electrolytes for all solid-state lithium batteries. <i>Journal of Power Sources</i> , 2018, 389, 120-134.	4.0	359
4	Facile synthesis of Li ₄ Ti ₅ O ₁₂ /C composite with super rate performance. <i>Energy and Environmental Science</i> , 2012, 5, 9595.	15.6	323
5	Organic quinones towards advanced electrochemical energy storage: recent advances and challenges. <i>Journal of Materials Chemistry A</i> , 2019, 7, 23378-23415.	5.2	248
6	Graphene-based materials with tailored nanostructures for energy conversion and storage. <i>Materials Science and Engineering Reports</i> , 2016, 102, 1-72.	14.8	221
7	<i>In-Situ</i> Crafting of ZnFe ₂ O ₄ Nanoparticles Impregnated within Continuous Carbon Network as Advanced Anode Materials. <i>ACS Nano</i> , 2016, 10, 2728-2735.	7.3	192
8	Graphene-Containing Nanomaterials for Lithium-Ion Batteries. <i>Advanced Energy Materials</i> , 2015, 5, 1500400.	10.2	184
9	Enhancement on Cycle Performance of Zn Anodes by Activated Carbon Modification for Neutral Rechargeable Zinc Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2015, 162, A1439-A1444.	1.3	164
10	Germanium-Based Nanomaterials for Rechargeable Batteries. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 7898-7922.	7.2	162
11	A review of gassing behavior in Li ₄ Ti ₅ O ₁₂ -based lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 6368-6381.	5.2	157
12	NaCl-templated synthesis of hierarchical porous carbon with extremely large specific surface area and improved graphitization degree for high energy density lithium ion capacitors. <i>Journal of Materials Chemistry A</i> , 2018, 6, 17057-17066.	5.2	149
13	Redox-Active Organic Sodium Anthraquinone-2-Sulfonate (AQS) Anchored on Reduced Graphene Oxide for High-Performance Supercapacitors. <i>Advanced Energy Materials</i> , 2018, 8, 1802088.	10.2	147
14	A high performance Li-ion capacitor constructed with Li ₄ Ti ₅ O ₁₂ /C hybrid and porous graphene macroform. <i>Journal of Power Sources</i> , 2015, 282, 174-178.	4.0	144
15	Combining Fast Li-Ion Battery Cycling with Large Volumetric Energy Density: Grain Boundary Induced High Electronic and Ionic Conductivity in Li ₄ Ti ₅ O ₁₂ Spheres of Densely Packed Nanocrystallites. <i>Chemistry of Materials</i> , 2015, 27, 5647-5656.	3.2	142
16	Fe ₃ O ₄ nanoparticles encapsulated in electrospun porous carbon fibers with a compact shell as high-performance anode for lithium ion batteries. <i>Carbon</i> , 2015, 87, 347-356.	5.4	131
17	Hybrid Electrolyte with Dual-Anion-Aggregated Solvation Sheath for Stabilizing High-Voltage Lithium-Metal Batteries. <i>Advanced Materials</i> , 2021, 33, e2007945.	11.1	130
18	A honeycomb-cobweb inspired hierarchical core-shell structure design for electrospun silicon/carbon fibers as lithium-ion battery anodes. <i>Carbon</i> , 2016, 98, 582-591.	5.4	128

#	ARTICLE	IF	CITATIONS
19	Pseudocapacitive anthraquinone modified with reduced graphene oxide for flexible symmetric all-solid-state supercapacitors. <i>Carbon</i> , 2018, 127, 459-468.	5.4	123
20	Self-Healing Materials for Energy Storage Devices. <i>Advanced Functional Materials</i> , 2020, 30, 1909912.	7.8	121
21	Proton-assisted calcium-ion storage in aromatic organic molecular crystal with coplanar stacked structure. <i>Nature Communications</i> , 2021, 12, 2400.	5.8	107
22	Energy density issues of flexible energy storage devices. <i>Energy Storage Materials</i> , 2020, 28, 264-292.	9.5	106
23	Sandwich-like CNTs/Si/C nanotubes as high performance anode materials for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 14797-14804.	5.2	103
24	Nanostructured Anode Materials for Non-aqueous Lithium Ion Hybrid Capacitors. <i>Energy and Environmental Materials</i> , 2018, 1, 75-87.	7.3	97
25	Electrochemically induced NiCoSe ₂ @NiOOH/CoOOH heterostructures as multifunctional cathode materials for flexible hybrid zn batteries. <i>Energy Storage Materials</i> , 2021, 36, 427-434.	9.5	92
26	The rise of aqueous rechargeable batteries with organic electrode materials. <i>Journal of Materials Chemistry A</i> , 2020, 8, 15479-15512.	5.2	90
27	Biopolymer-assisted synthesis of 3D interconnected Fe ₃ O ₄ @carbon core@shell as anode for asymmetric lithium ion capacitors. <i>Carbon</i> , 2018, 140, 296-305.	5.4	88
28	Constructing Effective Interfaces for Li _{1.5} Al _{0.5} Ge _{1.5} (PO ₄) ₃ Pellets To Achieve Room-Temperature Hybrid Solid-State Lithium Metal Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 9911-9918.	4.0	77
29	Hollow titanium dioxide spheres as anode material for lithium ion battery with largely improved rate stability and cycle performance by suppressing the formation of solid electrolyte interface layer. <i>Journal of Materials Chemistry A</i> , 2015, 3, 13340-13349.	5.2	71
30	Enabling flexible solid-state Zn batteries via tailoring sulfur deficiency in bimetallic sulfide nanotube arrays. <i>Nano Energy</i> , 2020, 77, 105165.	8.2	65
31	Transition metal assisted synthesis of tunable pore structure carbon with high performance as sodium/lithium ion battery anode. <i>Carbon</i> , 2018, 129, 667-673.	5.4	58
32	Boost Anion Storage Capacity Using Conductive Polymer as a Pseudocapacitive Cathode for High-Energy and Flexible Lithium Ion Capacitors. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 10479-10489.	4.0	57
33	Highly Crystalline Lithium Titanium Oxide Sheets Coated with Nitrogen-Doped Carbon enable High-Rate Lithium-Ion Batteries. <i>ChemSusChem</i> , 2014, 7, 2567-2574.	3.6	55
34	Electrospun N-Doped Hierarchical Porous Carbon Nanofiber with Improved Degree of Graphitization for High-Performance Lithium Ion Capacitor. <i>Chemistry - A European Journal</i> , 2018, 24, 10460-10467.	1.7	55
35	Ether-Water Hybrid Electrolyte Contributing to Excellent Mg Ion Storage in Layered Sodium Vanadate. <i>ACS Nano</i> , 2022, 16, 6093-6102.	7.3	54
36	Suppressing passivation layer of Al anode in aqueous electrolytes by complexation of H ₂ PO ₄ ³⁻ to Al ₃ ⁺ and an electrochromic Al ion battery. <i>Energy Storage Materials</i> , 2021, 39, 412-418.	9.5	52

#	ARTICLE	IF	CITATIONS
37	Suppression of interfacial reactions between $\text{Li}_4\text{Ti}_5\text{O}_{12}$ electrode and electrolyte solution via zinc oxide coating. <i>Electrochimica Acta</i> , 2015, 157, 266-273.	2.6	51
38	Large Polarization of $\text{Li}_4\text{Ti}_5\text{O}_{12}$ Lithiated to 0 V at Large Charge/Discharge Rates. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 18788-18796.	4.0	51
39	Carbon coated MoS_2 nanosheets vertically grown on carbon cloth as efficient anode for high-performance sodium ion hybrid capacitors. <i>Electrochimica Acta</i> , 2018, 283, 36-44.	2.6	50
40	Human joint-inspired structural design for a bendable/foldable/stretchable/twistable battery: achieving multiple deformabilities. <i>Energy and Environmental Science</i> , 2021, 14, 3599-3608.	15.6	49
41	Sequentially-processed $\text{Na}_3\text{V}_2(\text{PO}_4)_3$ for cathode material of aprotic sodium ion battery. <i>Nano Energy</i> , 2018, 50, 323-330.	8.2	43
42	High-Energy and High-Power Nonaqueous Lithium-Ion Capacitors Based on Polypyrrole/Carbon Nanotube Composites as Pseudocapacitive Cathodes. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 15646-15655.	4.0	43
43	The different Li/Na ion storage mechanisms of nano Sb_2O_3 anchored on graphene. <i>Journal of Power Sources</i> , 2018, 385, 114-121.	4.0	41
44	Conductive Polyacrylic Acid-Polyaniline as a Multifunctional Binder for Stable Organic Quinone Electrodes of Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 39630-39638.	4.0	37
45	Smart construction of multifunctional $\text{Li}_{1.5}\text{Al}_0.5\text{Ge}_{1.5}(\text{PO}_4)_3$ Li intermediate interfaces for solid-state batteries. <i>Energy Storage Materials</i> , 2022, 46, 68-75.	9.5	34
46	Initiating a wearable solid-state Mg hybrid ion full battery with high voltage, high capacity and ultra-long lifespan in air. <i>Energy Storage Materials</i> , 2020, 31, 451-458.	9.5	29
47	Recent progress and challenges on the bismuth-based anode for sodium-ion batteries and potassium-ion batteries. <i>Materials Today Physics</i> , 2021, 21, 100486.	2.9	29
48	Crystallized lithium titanate nanosheets prepared <i>via</i> spark plasma sintering for ultra-high rate lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2019, 7, 455-460.	5.2	26
49	High-Rate Aqueous Aluminum-Ion Batteries Enabled by Confined Iodine Conversion Chemistry. <i>Small Methods</i> , 2021, 5, e2100611.	4.6	26
50	The rise of metal-organic frameworks for electrolyte applications. <i>Journal of Materials Chemistry A</i> , 2021, 9, 20837-20856.	5.2	26
51	The magnetohydrodynamic effect enables a dendrite-free Zn anode in alkaline electrolytes. <i>Journal of Materials Chemistry A</i> , 2022, 10, 11971-11979.	5.2	24
52	Al-Si Alloy as a Diffusion Barrier for GeTe-Based Thermoelectric Legs with High Interfacial Reliability and Mechanical Strength. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 18562-18569.	4.0	23
53	Phosphorus-doped lithium- and manganese-rich layered oxide cathode material for fast charging lithium-ion batteries. <i>Journal of Energy Chemistry</i> , 2021, 62, 538-545.	7.1	23
54	A Comparative Investigation of Single Crystal and Polycrystalline Ni-Rich NCMs as Cathodes for Lithium-Ion Batteries. <i>Energy and Environmental Materials</i> , 2023, 6, .	7.3	23

#	ARTICLE	IF	CITATIONS
55	Promoting the reversibility of lithium ion/lithium metal hybrid graphite anode by regulating solid electrolyte interface. Nano Energy, 2021, 90, 106510.	8.2	20
56	Dendrite-free lithium deposition enabled by a vertically aligned graphene pillar architecture. Carbon, 2021, 185, 152-160.	5.4	14
57	Identical cut-off voltage <i>versus</i> equivalent capacity: an objective evaluation of the impact of dopants in layered oxide cathodes. Journal of Materials Chemistry A, 2021, 9, 11219-11227.	5.2	12
58	Electrospinning-derived [C/Fe3O4]@C coaxial nanocables with tuned magnetism, electrical conduction and highly efficient adsorption trifunctionality. Journal of Materials Science: Materials in Electronics, 2015, 26, 8054-8064.	1.1	9
59	Conjugated cobalt polyphthalocyanine with defective ĩ-ĩ extended structure for enhanced rechargeable li-oxygen batteries. Chemical Engineering Journal, 2022, 444, 136544.	6.6	7
60	Synthesis design of a 3D interfacial structure for highly reversible lithium deposition. Journal of Materials Chemistry A, 2021, 9, 25004-25012.	5.2	6
61	Germaniumbasierte Nanomaterialien f¼r wiederaufladbare Batterien. Angewandte Chemie, 2016, 128, 8028-8054.	1.6	5
62	H₂-Inhibited Organic Anodes for Fast and Long-Life Aqueous Aluminum Ion Batteries with a 3.5-Month Calendar Life. Small, 2022, 18, e2200463.	5.2	5
63	In situ synthesis of porous Fe3O4/C composite nanobelts with tunable magnetism, electrical conduction and highly efficient adsorption characteristics. Journal of Materials Science: Materials in Electronics, 2015, 26, 2457-2465.	1.1	4
64	A green water-induced spinel heterostructure interface enabling high performance lithium and manganese rich oxides. Journal of Materials Chemistry A, 2021, 9, 20576-20584.	5.2	3
65	Lithium-Ion Batteries: Graphene-Containing Nanomaterials for Lithium-Ion Batteries (Adv. Energy Mater.) Tj ETQq1 1 0.784314 r gB 10.2 1	10.2	1
66	Graphene-Based Materials with Tailored Nanostructures for Lithium-Ion Batteries. , 2021, , 473-490.		0