
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7750111/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Uniformity of rotavirus strain nomenclature proposed by the Rotavirus Classification Working Group (RCWG). Archives of Virology, 2011, 156, 1397-1413.	0.9	827
2	Full Genome-Based Classification of Rotaviruses Reveals a Common Origin between Human Wa-Like and Porcine Rotavirus Strains and Human DS-1-Like and Bovine Rotavirus Strains. Journal of Virology, 2008, 82, 3204-3219.	1.5	791
3	Recommendations for the classification of group A rotaviruses using all 11 genomic RNA segments. Archives of Virology, 2008, 153, 1621-1629.	0.9	642
4	Zoonotic aspects of rotaviruses. Veterinary Microbiology, 2010, 140, 246-255.	0.8	479
5	RotaC: A web-based tool for the complete genome classification of group A rotaviruses. BMC Microbiology, 2009, 9, 238.	1.3	365
6	VP6-sequence-based cutoff values as a criterion for rotavirus species demarcation. Archives of Virology, 2012, 157, 1177-1182.	0.9	344
7	Rotavirus disease and vaccination: impact on genotype diversity. Future Microbiology, 2009, 4, 1303-1316.	1.0	280
8	Modular approach to customise sample preparation procedures for viral metagenomics: a reproducible protocol for virome analysis. Scientific Reports, 2015, 5, 16532.	1.6	277
9	Evolutionary History and Global Spread of the Emerging G12 Human Rotaviruses. Journal of Virology, 2007, 81, 2382-2390.	1.5	276
10	Genotype constellation and evolution of group A rotaviruses infecting humans. Current Opinion in Virology, 2012, 2, 426-433.	2.6	255
11	Phylodynamic Analyses of Rotavirus Genotypes G9 and G12 Underscore Their Potential for Swift Global Spread. Molecular Biology and Evolution, 2010, 27, 2431-2436.	3.5	253
12	STAT2 signaling restricts viral dissemination but drives severe pneumonia in SARS-CoV-2 infected hamsters. Nature Communications, 2020, 11, 5838.	5.8	225
13	Full Genomic Analysis of Human Rotavirus Strain B4106 and Lapine Rotavirus Strain 30/96 Provides Evidence for Interspecies Transmission. Journal of Virology, 2006, 80, 3801-3810.	1.5	206
14	Rotavirus incidence and genotype distribution before and after national rotavirus vaccine introduction in Belgium. Vaccine, 2010, 28, 7507-7513.	1.7	206
15	Rotavirus genotypes co-circulating in Europe between 2006 and 2009 as determined by EuroRotaNet, a pan-European collaborative strain surveillance network. Epidemiology and Infection, 2011, 139, 895-909.	1.0	204
16	Are Human P[14] Rotavirus Strains the Result of Interspecies Transmissions from Sheep or Other Ungulates That Belong to the Mammalian Order <i>Artiodactyla</i> ?. Journal of Virology, 2009, 83, 2917-2929.	1.5	202
17	Review of group A rotavirus strains reported in swine and cattle. Veterinary Microbiology, 2013, 165, 190-199.	0.8	195
18	Evolutionary Dynamics of Human Rotaviruses: Balancing Reassortment with Preferred Genome Constellations. PLoS Pathogens, 2009, 5, e1000634.	2.1	178

#	Article	IF	CITATIONS
19	Prevalence of G2P[4] and G12P[6] Rotavirus, Bangladesh. Emerging Infectious Diseases, 2007, 13, 18-24.	2.0	161
20	Genetic Analyses Reveal Differences in the VP7 and VP4 Antigenic Epitopes between Human Rotaviruses Circulating in Belgium and Rotaviruses in Rotarix and RotaTeq. Journal of Clinical Microbiology, 2012, 50, 966-976.	1.8	160
21	A single-dose live-attenuated YF17D-vectored SARS-CoV-2 vaccine candidate. Nature, 2021, 590, 320-325.	13.7	148
22	Effectiveness of rotavirus vaccination in prevention of hospital admissions for rotavirus gastroenteritis among young children in Belgium: case-control study. BMJ, The, 2012, 345, e4752-e4752.	3.0	124
23	Characterization of a Novel P[25],G11 Human Group A Rotavirus. Journal of Clinical Microbiology, 2005, 43, 3208-3212.	1.8	121
24	Molecular and biological characterization of the 5 human-bovine rotavirus (WC3)-based reassortant strains of the pentavalent rotavirus vaccine, RotaTeq®. Virology, 2010, 403, 111-127.	1.1	114
25	A robust human norovirus replication model in zebrafish larvae. PLoS Pathogens, 2019, 15, e1008009.	2.1	112
26	G8 Rotavirus Strains Isolated in the Democratic Republic of Congo Belong to the DS-1-Like Genogroup. Journal of Clinical Microbiology, 2006, 44, 1801-1809.	1.8	109
27	Stable distinct core eukaryotic viromes in different mosquito species from Guadeloupe, using single mosquito viral metagenomics. Microbiome, 2019, 7, 121.	4.9	109
28	Multiple reassortment and interspecies transmission events contribute to the diversity of feline, canine and feline/canine-like human group A rotavirus strains. Infection, Genetics and Evolution, 2011, 11, 1396-1406.	1.0	105
29	Rapid detection and high occurrence of porcine rotavirus A, B, and C by RT-qPCR in diagnostic samples. Journal of Virological Methods, 2014, 209, 30-34.	1.0	94
30	Cameroonian fruit bats harbor divergent viruses, including rotavirus H, bastroviruses, and picobirnaviruses using an alternative genetic code. Virus Evolution, 2018, 4, vey008.	2.2	90
31	Reassortment of Human Rotavirus Gene Segments into G11 Rotavirus Strains. Emerging Infectious Diseases, 2010, 16, 625-630.	2.0	84
32	Two out of the 11 genes of an unusual human G6P[6] rotavirus isolate are of bovine origin. Journal of General Virology, 2008, 89, 2630-2635.	1.3	81
33	Predominance of rotavirus G9 genotype in children hospitalized for rotavirus gastroenteritis in Belgium during 1999–2003. Journal of Clinical Virology, 2005, 33, 1-6.	1.6	80
34	Detection of substantial porcine group B rotavirus genetic diversity in the United States, resulting in a modified classification proposal for G genotypes. Virology, 2012, 433, 85-96.	1.1	74
35	A proposal for new criteria for the classification of hantaviruses, based on S and M segment protein sequences. Infection, Genetics and Evolution, 2009, 9, 813-820.	1.0	71
36	Identification, phylogenetic analysis and classification of porcine group C rotavirus VP7 sequences from the United States and Canada. Virology, 2013, 446, 189-198.	1.1	71

#	Article	IF	CITATIONS
37	Complete Genome Sequence of a Porcine Epidemic Diarrhea Virus from a Novel Outbreak in Belgium, January 2015. Genome Announcements, 2015, 3, .	0.8	70
38	Reassortment among bovine, porcine and human rotavirus strains results in G8P[7] and G6P[7] strains isolated from cattle in South Korea. Veterinary Microbiology, 2011, 152, 55-66.	0.8	64
39	Whole genome sequencing and phylogenetic analysis of a zoonotic human G8P[14] rotavirus strain. Infection, Genetics and Evolution, 2010, 10, 1140-1144.	1.0	63
40	Characterization of a Novel G3P[3] Rotavirus Isolated from a Lesser Horseshoe Bat: a Distant Relative of Feline/Canine Rotaviruses. Journal of Virology, 2013, 87, 12357-12366.	1.5	63
41	Simian Rotaviruses Possess Divergent Gene Constellations That Originated from Interspecies Transmission and Reassortment. Journal of Virology, 2010, 84, 2013-2026.	1.5	60
42	Zoonotic transmission of reassortant porcine G4P[6] rotaviruses in Hungarian pediatric patients identified sporadically over a 15year period. Infection, Genetics and Evolution, 2013, 19, 71-80.	1.0	60
43	Nanopore sequencing as a revolutionary diagnostic tool for porcine viral enteric disease complexes identifies porcine kobuvirus as an important enteric virus. Scientific Reports, 2018, 8, 9830.	1.6	59
44	Gut Virome Analysis of Cameroonians Reveals High Diversity of Enteric Viruses, Including Potential Interspecies Transmitted Viruses. MSphere, 2019, 4, .	1.3	57
45	Complete molecular genome analyses of equine rotavirus A strains from different continents reveal several novel genotypes and a largely conserved genotype constellation. Journal of General Virology, 2012, 93, 866-875.	1.3	56
46	Group A rotavirus universal mass vaccination: how and to what extent will selective pressure influence prevalence of rotavirus genotypes?. Expert Review of Vaccines, 2012, 11, 1347-1354.	2.0	55
47	Full genome characterization of a porcine-like human G9P[6] rotavirus strain isolated from an infant in Belgium. Infection, Genetics and Evolution, 2012, 12, 1492-1500.	1.0	54
48	Higher proportion of G2P[4] rotaviruses in vaccinated hospitalized cases compared with unvaccinated hospitalized cases, despite high vaccine effectiveness against heterotypic G2P[4] rotaviruses. Clinical Microbiology and Infection, 2014, 20, O702-O710.	2.8	50
49	Widespread Rotavirus H in Commercially Raised Pigs, United States. Emerging Infectious Diseases, 2014, 20, 1203-1206.	2.0	48
50	Successional Stages in Infant Gut Microbiota Maturation. MBio, 2021, 12, e0185721.	1.8	48
51	A feline rotavirus G3P[9] carries traces of multiple reassortment events and resembles rare human G3P[9] rotaviruses. Journal of General Virology, 2011, 92, 1214-1221.	1.3	47
52	What is (not) known about the dynamics of the human gut virome in health and disease. Current Opinion in Virology, 2019, 37, 52-57.	2.6	47
53	Complete Genome Characterization of Recent and Ancient Belgian Pig Group A Rotaviruses and Assessment of Their Evolutionary Relationship with Human Rotaviruses. Journal of Virology, 2015, 89, 1043-1057.	1.5	46
54	Low eukaryotic viral richness is associated with faecal microbiota transplantation success in patients with UC. Gut, 2018, 67, 1558-1559.	6.1	46

#	Article	IF	CITATIONS
55	Genomic characterization of a novel group A lamb rotavirus isolated in Zaragoza, Spain. Virus Genes, 2008, 37, 250-265.	0.7	45
56	Evolution of DS-1-like human G2P[4] rotaviruses assessed by complete genome analyses. Journal of General Virology, 2014, 95, 91-109.	1.3	44
5 7	Novel highly divergent reassortant bat rotaviruses in Cameroon, without evidence of zoonosis. Scientific Reports, 2016, 6, 34209.	1.6	44
58	Novel highly divergent sapoviruses detected by metagenomics analysis in straw-colored fruit bats in Cameroon. Emerging Microbes and Infections, 2017, 6, 1-7.	3.0	44
59	Unusual Assortment of Segments in 2 Rare Human Rotavirus Genomes. Emerging Infectious Diseases, 2010, 16, 859-862.	2.0	43
60	Rotavirus Surveillance in Kisangani, the Democratic Republic of the Congo, Reveals a High Number of Unusual Genotypes and Gene Segments of Animal Origin in Non-Vaccinated Symptomatic Children. PLoS ONE, 2014, 9, e100953.	1.1	43
61	Genome-Wide Evolutionary Analyses of G1P[8] Strains Isolated Before and After Rotavirus Vaccine Introduction. Genome Biology and Evolution, 2015, 7, 2473-2483.	1.1	43
62	Genetic heterogeneity in human G6P[14] rotavirus strains detected in Hungary suggests independent zoonotic origin. Journal of Infection, 2009, 59, 213-215.	1.7	42
63	Highly diverse population of Picornaviridae and other members of the Picornavirales, in Cameroonian fruit bats. BMC Genomics, 2017, 18, 249.	1.2	42
64	Stability of the Virome in Lab- and Field-Collected Aedes albopictus Mosquitoes across Different Developmental Stages and Possible Core Viruses in the Publicly Available Virome Data of <i>Aedes</i> Mosquitoes. MSystems, 2020, 5, .	1.7	40
65	Global distribution of group A rotavirus strains in horses: A systematic review. Vaccine, 2013, 31, 5627-5633.	1.7	39
66	Full-length genomic analysis of porcine G9P[23] and G9P[7] rotavirus strains isolated from pigs with diarrhea in South Korea. Infection, Genetics and Evolution, 2012, 12, 1427-1435.	1.0	37
67	Equine G3P[3] rotavirus strain E3198 related to simian RRV and feline/canine-like rotaviruses based on complete genome analyses. Veterinary Microbiology, 2013, 161, 239-246.	0.8	37
68	Phylogenetic analyses of typical bovine rotavirus genotypes G6, G10, P[5] and P[11] circulating in Argentinean beef and dairy herds. Infection, Genetics and Evolution, 2013, 18, 18-30.	1.0	36
69	Did Large-Scale Vaccination Drive Changes in the Circulating Rotavirus Population in Belgium?. Scientific Reports, 2015, 5, 18585.	1.6	36
70	Honey-bee–associated prokaryotic viral communities reveal wide viral diversity and a profound metabolic coding potential. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 10511-10519.	3.3	36
71	Experimental feline enteric coronavirus infection reveals an aberrant infection pattern and shedding of mutants with impaired infectivity in enterocyte cultures. Scientific Reports, 2016, 6, 20022.	1.6	35
72	Typing of human rotaviruses: nucleotide mismatches between the VP7 gene and primer are associated with genotyping failure. Virology Journal, 2005, 2, 24.	1.4	34

#	Article	IF	CITATIONS
73	Genetic diversity in three bovine-like human G8P[14] and G10P[14] rotaviruses suggests independent interspecies transmission events. Journal of General Virology, 2015, 96, 1161-1168.	1.3	34
74	NetoVIR: Modular Approach to Customize Sample Preparation Procedures for Viral Metagenomics. Methods in Molecular Biology, 2018, 1838, 85-95.	0.4	33
75	Genetic Characterization of the Belgian Nephropathogenic Infectious Bronchitis Virus (NIBV) Reference Strain B1648. Viruses, 2015, 7, 4488-4506.	1.5	32
76	Presence and characterization of pig group A and C rotaviruses in feces of Belgian diarrheic suckling piglets. Virus Research, 2016, 213, 172-183.	1.1	32
77	Sequence and phylogenetic analyses of human rotavirus strains: Comparison of VP7 and VP8â^— antigenic epitopes between Tunisian and vaccine strains before national rotavirus vaccine introduction. Infection, Genetics and Evolution, 2013, 18, 132-144.	1.0	31
78	At Least Seven Distinct Rotavirus Genotype Constellations in Bats with Evidence of Reassortment and Zoonotic Transmissions. MBio, 2021, 12, .	1.8	31
79	Discovery and molecular characterization of a group A rotavirus strain detected in an Argentinean vicuña (Vicugna vicugna). Veterinary Microbiology, 2013, 161, 247-254.	0.8	30
80	Identification of an enterovirus recombinant with a torovirus-like gene insertion during a diarrhea outbreak in fattening pigs. Virus Evolution, 2017, 3, vex024.	2.2	30
81	Molecular characterization of human group A rotavirus genotypes circulating in Rawalpindi, Islamabad, Pakistan during 2015-2016. PLoS ONE, 2019, 14, e0220387.	1.1	30
82	Comparative analysis of pentavalent rotavirus vaccine strains and G8 rotaviruses identified during vaccine trial in Africa. Scientific Reports, 2015, 5, 14658.	1.6	30
83	The virota and its transkingdom interactions in the healthy infant gut. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, e2114619119.	3.3	30
84	Human infection with a P[14], G3 lapine rotavirus. Virology, 2004, 325, 11-17.	1.1	29
85	The complete genome sequence of a G3P[10] Chinese bat rotavirus suggests multiple bat rotavirus inter-host species transmission events. Infection, Genetics and Evolution, 2014, 28, 1-4.	1.0	29
86	Fecal virome analysis of three carnivores reveals a novel nodavirus and multiple gemycircularviruses. Virology Journal, 2015, 12, 79.	1.4	29
87	Intestinal and extra-intestinal pathogenicity of a bovine reassortant rotavirus in calves and piglets. Veterinary Microbiology, 2011, 152, 291-303.	0.8	28
88	Epidemiology and phylogenetic analysis of VP7 and VP4 genes of rotaviruses circulating in Rawalpindi, Pakistan during 2010. Infection, Genetics and Evolution, 2013, 14, 161-168.	1.0	28
89	Porcine group a rotaviruses with heterogeneous VP7 and VP4 genotype combinations can be found together with enteric bacteria on Belgian swine farms. Veterinary Microbiology, 2014, 172, 23-34.	0.8	28
90	Viral gut metagenomics of sympatric wild and domestic canids, and monitoring of viruses: Insights from an endangered wolf population. Ecology and Evolution, 2017, 7, 4135-4146.	0.8	28

#	Article	IF	CITATIONS
91	Group A Rotaviruses in Chinese Bats: Genetic Composition, Serology, and Evidence for Bat-to-Human Transmission and Reassortment. Journal of Virology, 2017, 91, .	1.5	28
92	In-season and out-of-season variation of rotavirus genotype distribution and age of infection across 12 European countries before the introduction of routine vaccination, 2007/08 to 2012/13. Eurosurveillance, 2016, 21, .	3.9	28
93	Molecular characterization of genotype G6 human rotavirus strains detected in Italy from 1986 to 2009. Infection, Genetics and Evolution, 2011, 11, 1449-1455.	1.0	27
94	Rabbit colony infected with a bovine-like G6P[11] rotavirus strain. Veterinary Microbiology, 2013, 166, 154-164.	0.8	27
95	Emerging OP354-Like P[8] Rotaviruses Have Rapidly Dispersed from Asia to Other Continents. Molecular Biology and Evolution, 2015, 32, 2060-2071.	3.5	27
96	Loop model: Mechanism to explain partial gene duplications in segmented dsRNA viruses. Biochemical and Biophysical Research Communications, 2006, 340, 140-144.	1.0	26
97	Prevalence and genomic characterization of G2P[4] group A rotavirus strains during monovalent vaccine introduction in Brazil. Infection, Genetics and Evolution, 2014, 28, 486-494.	1.0	26
98	VP6 genetic diversity, reassortment, intragenic recombination and classification of rotavirus B in American and Japanese pigs. Veterinary Microbiology, 2014, 172, 359-366.	0.8	26
99	Distinct evolutionary origins of G12P[8] and G12P[9] group A rotavirus strains circulating in Brazil. Infection, Genetics and Evolution, 2014, 28, 385-388.	1.0	25
100	Characterization of a genetically heterogeneous porcine rotavirus C, and other viruses present in the fecal virome of a non-diarrheic Belgian piglet. Infection, Genetics and Evolution, 2016, 43, 135-145.	1.0	25
101	Genomic evolution, host-species barrier, reassortment and classification of rotaviruses. Future Virology, 2010, 5, 385-390.	0.9	24
102	Genetic diversity of the VP7, VP4 and VP6 genes of Korean porcine group C rotaviruses. Veterinary Microbiology, 2015, 176, 61-69.	0.8	24
103	Reassortment among picobirnaviruses found in wolves. Archives of Virology, 2016, 161, 2859-2862.	0.9	24
104	Novel genome sequences of cell-fusing agent virus allow comparison of virus phylogeny with the genetic structure of Aedes aegypti populations. Virus Evolution, 2020, 6, veaa018.	2.2	24
105	Chromatography Paper Strip Method for Collection, Transportation, and Storage of Rotavirus RNA in Stool Samples. Journal of Clinical Microbiology, 2004, 42, 1605-1608.	1.8	23
106	Complete genomic analysis of a Bangladeshi G1P[8] rotavirus strain detected in 2003 reveals a close evolutionary relationship with contemporary human Wa-like strains. Infection, Genetics and Evolution, 2010, 10, 746-754.	1.0	23
107	Epidemiology and genetic diversity of human astrovirus infection among hospitalized patients with acute diarrhea in Bangladesh from 2010 to 2012. Journal of Clinical Virology, 2013, 58, 612-618.	1.6	23
108	Complete genetic characterization of human G2P[6] and G3P[6] rotavirus strains. Infection, Genetics and Evolution, 2013, 13, 27-35.	1.0	23

#	Article	IF	CITATIONS
109	Genetic characterization of a rare bovine-like human VP4 mono-reassortant G6P[8] rotavirus strain detected from an infant in Bangladesh. Infection, Genetics and Evolution, 2013, 19, 120-126.	1.0	23
110	Metagenomics in Virology. , 2021, , 133-140.		23
111	Sustained Decline in Cases of Rotavirus Gastroenteritis Presenting to the Children's Hospital of Philadelphia in the New Rotavirus Vaccine Era. Pediatric Infectious Disease Journal, 2010, 29, 699-702.	1.1	22
112	The first caprine rotavirus detected in Argentina displays genomic features resembling virus strains infecting members of the Bovidae and Camelidae. Veterinary Microbiology, 2014, 171, 189-197.	0.8	22
113	A Previously Undescribed Highly Prevalent Phage Identified in a Danish Enteric Virome Catalog. MSystems, 2021, 6, e0038221.	1.7	22
114	Symptomatic and Subclinical Infection with Rotavirus P[8]G9, Rural Ecuador. Emerging Infectious Diseases, 2007, 13, 574-580.	2.0	21
115	Complete Genome Analysis of a Rabbit Rotavirus Causing Gastroenteritis in a Human Infant. Viruses, 2015, 7, 844-856.	1.5	21
116	Sequence analysis and evolution of group B rotaviruses. Virus Research, 2007, 125, 219-225.	1.1	20
117	Genetic diversity of G9P[8] rotavirus strains circulating in Italy in 2007 and 2010 as determined by whole genome sequencing. Infection, Genetics and Evolution, 2013, 16, 426-432.	1.0	20
118	Molecular detection of bovine Noroviruses in Argentinean dairy calves: Circulation of a tentative new genotype. Infection, Genetics and Evolution, 2016, 40, 144-150.	1.0	20
119	Canine rotavirus C strain detected in Hungary shows marked genotype diversity. Journal of General Virology, 2015, 96, 3059-3071.	1.3	20
120	Feline Origin of Rotavirus Strain, Tunisia, 2008. Emerging Infectious Diseases, 2013, 19, 630-634.	2.0	19
121	Establishment of <i>Culex modestus</i> in Belgium and a Glance into the Virome of Belgian Mosquito Species. MSphere, 2021, 6, .	1.3	19
122	Characterization of human rotaviruses circulating in Iraq in 2008: Atypical G8 and high prevalence of P[6] strains. Infection, Genetics and Evolution, 2013, 16, 212-217.	1.0	18
123	Human P[6] Rotaviruses From Sub-Saharan Africa and Southeast Asia Are Closely Related to Those of Human P[4] and P[8] Rotaviruses Circulating Worldwide. Journal of Infectious Diseases, 2016, 214, 1039-1049.	1.9	18
124	Different virulence of porcine and porcine-like bovine rotavirus strains with genetically nearly identical genomes in piglets and calves. Veterinary Research, 2013, 44, 88.	1.1	17
125	Novel intergenotype human norovirus recombinant GII.16/GII.3 in Bangladesh. Infection, Genetics and Evolution, 2013, 20, 325-329.	1.0	17
126	Cold case: The disappearance of Egypt bee virus, a fourth distinct master strain of deformed wing virus linked to honeybee mortality in 1970's Egypt. Virology Journal, 2022, 19, 12.	1.4	17

#	Article	IF	CITATIONS
127	Temporal changes of rotavirus strain distribution in a city in the northwest of China, 1996–2005. International Journal of Infectious Diseases, 2008, 12, e11-e17.	1.5	16
128	Molecular characterization of the NSP4 gene of human group A rotavirus strains circulating in Tunisia from 2006 to 2008. Infection, Genetics and Evolution, 2012, 12, 997-1004.	1.0	16
129	High incidence of reassortant G9P[4] rotavirus strain in Bangladesh: Fully heterotypic from vaccine strains. Journal of Clinical Virology, 2013, 58, 755-756.	1.6	16
130	Differences in lineage replacement dynamics of G1 and G2 rotavirus strains versus G9 strain over a period of 22years in Bangladesh. Infection, Genetics and Evolution, 2014, 28, 214-222.	1.0	16
131	Molecular epidemiology of Korean porcine sapeloviruses. Archives of Virology, 2014, 159, 1175-1180.	0.9	16
132	Molecular characterization of equine rotaviruses isolated in Europe in 2013: Implications for vaccination. Veterinary Microbiology, 2015, 176, 179-185.	0.8	16
133	Metagenomic Approach with the NetoVIR Enrichment Protocol Reveals Virus Diversity within Ethiopian Honey Bees (Apis mellifera simensis). Viruses, 2020, 12, 1218.	1.5	16
134	Comparative analysis of the Rotarixâ,,¢ vaccine strain and G1P[8] rotaviruses detected before and after vaccine introduction in Belgium. PeerJ, 2017, 5, e2733.	0.9	16
135	Complete genomic sequence analyses of the first group A giraffe rotavirus reveals close evolutionary relationship with rotaviruses infecting other members of the Artiodactyla. Veterinary Microbiology, 2014, 170, 151-156.	0.8	14
136	Use of Next-Generation Sequencing for Diagnosis of West Nile Virus Infection in Patient Returning to Belgium from Hungary. Emerging Infectious Diseases, 2018, 24, 2380-2382.	2.0	14
137	Emerging G9 rotavirus strains in the northwest of China. Virus Research, 2008, 137, 157-162.	1.1	13
138	Phylogenetic analysis of G1P[6] group A rotavirus strains detected in Northeast Brazilian children fully vaccinated with Rotarixâ,,¢. Infection, Genetics and Evolution, 2013, 19, 395-402.	1.0	13
139	Pathogenicity of porcine G9P[23] and G9P[7] rotaviruses in piglets. Veterinary Microbiology, 2013, 166, 123-137.	0.8	13
140	Comparison of pathogenicities and nucleotide changes between porcine and bovine reassortant rotavirus strains possessing the same genotype constellation in piglets and calves. Veterinary Microbiology, 2014, 172, 51-62.	0.8	13
141	Complete genome analyses of the first porcine rotavirus group H identified from a South African pig does not provide evidence for recent interspecies transmission events. Infection, Genetics and Evolution, 2016, 38, 1-7.	1.0	13
142	Exploration of the virome of the European brown shrimp (Crangon crangon). Journal of General Virology, 2020, 101, 651-666.	1.3	13
143	Complete Genome Sequence of Equid Herpesvirus 3. Genome Announcements, 2014, 2, .	0.8	12
144	G1P[8] Rotavirus in children with severe diarrhea in the post-vaccine introduction era in Brazil: Evidence of reassortments and structural modifications of the antigenic VP7 and VP4 regions. Infection, Genetics and Evolution, 2019, 69, 255-266.	1.0	12

#	Article	IF	CITATIONS
145	Emergence of human G2P[4] rotaviruses containing animal derived gene segments in the post-vaccine era. Scientific Reports, 2016, 6, 36841.	1.6	11
146	Distribution of rotavirus genotypes causing nosocomial and community-acquired acute gastroenteritis at The Children's Hospital of Philadelphia in the new rotavirus vaccine era. Hum Vaccin, 2011, 7, 1118-1123.	2.4	10
147	Molecular analysis of non structural rotavirus group A enterotoxin gene of bovine origin from India. Infection, Genetics and Evolution, 2014, 25, 20-27.	1.0	10
148	Rotavirus NSP1 Contributes to Intestinal Viral Replication, Pathogenesis, and Transmission. MBio, 2021, 12, e0320821.	1.8	10
149	High Prevalence of Coinfecting Enteropathogens in Suspected Rotavirus Vaccine Breakthrough Cases. Journal of Clinical Microbiology, 2021, 59, e0123621.	1.8	9
150	A single bat species in Cameroon harbors multiple highly divergent papillomaviruses in stool identified by metagenomics analysis. Virology Reports, 2016, 6, 74-80.	0.4	8
151	Whole Genome Analysis of Selected Human Group A Rotavirus Strains Revealed Evolution of DS-1-Like Single- and Double-Gene Reassortant Rotavirus Strains in Pakistan During 2015–2016. Frontiers in Microbiology, 2019, 10, 2641.	1.5	8
152	NetoVIR: a reproducible protocol for virome analysis. Protocol Exchange, 0, , .	0.3	8
153	Frequent rearrangement may explain the structural heterogeneity in the 11th genome segment of lapine rotaviruses — Short communication. Acta Veterinaria Hungarica, 2009, 57, 453-461.	0.2	7
154	Genotypes of rotavirus strains circulating in Amman, Jordan, in 2006/07 and their significance for the potential effectiveness of future rotavirus vaccination. Archives of Virology, 2011, 156, 1543-1550.	0.9	7
155	The Virome of Healthy Honey Bee Colonies: Ubiquitous Occurrence of Known and New Viruses in Bee Populations. MSystems, 2022, 7, e0007222.	1.7	7
156	A decade of G3P[8] and G9P[8] rotaviruses in Brazil: Epidemiology and evolutionary analyses. Infection, Genetics and Evolution, 2014, 28, 389-397.	1.0	6
157	Assessing <i>In Vitro</i> Resistance Development in Enterovirus A71 in the Context of Combination Antiviral Treatment. ACS Infectious Diseases, 2021, 7, 2801-2806.	1.8	6
158	Evidence of zoonotic transmission of VP6 and NSP4 genes into human species A rotaviruses isolated in Pakistan in 2010. Archives of Virology, 2019, 164, 1781-1791.	0.9	5
159	ITN—VIROINF: Understanding (Harmful) Virus-Host Interactions by Linking Virology and Bioinformatics. Viruses, 2021, 13, 766.	1.5	5
160	Complete coding sequence of a novel picorna-like virus in a blackbird infected with Usutu virus. Archives of Virology, 2018, 163, 1701-1703.	0.9	4
161	A reassortant G3P[12] rotavirus A strain associated with severe enteritis in donkeys (<i>Equus) Tj ETQq1 1 0.</i>	784314 rgBT 0.9	-/Overlock 10
162	Enteric viral infection in human and animal. VirusDisease, 2014, 25, 145-146.	1.0	3

10

#	Article	IF	CITATIONS
163	Sequence and structural analyses of NSP4 proteins from human group A rotavirus strains detected in Tunisia. Pathologie Et Biologie, 2014, 62, 146-151.	2.2	3
164	Host switching pathogens, infectious outbreaks and zoonosis: A Marie SkÅ,odowska-Curie innovative training network (HONOURs). Virus Research, 2018, 257, 120-124.	1.1	2
165	Molecular characterization of group A rotavirus strains detected in alpacas (Vicugna pacos) from Peru. Journal of General Virology, 2021, 102, .	1.3	2
166	Whole genome analysis of Aichivirus A, isolated from a child, suffering from gastroenteritis, in Pakistan. Virus Research, 2021, 299, 198437.	1.1	2
167	Genome Diversity and Evolution of Rotaviruses. , 0, , 214-241.		2
168	Whole genomic characterization of Korean porcine G8P[7] reassortant rotaviruses. Archives of Virology, 2016, 161, 2835-2841.	0.9	1
169	A18 Random amplification with next-generation sequencing to cover HIV and HCV full-length genomes. Virus Evolution, 2017, 3, .	2.2	1
170	Phylogenetic analysis of open reading frame of 11 gene segments of novel humanâ€bovine reassortant RVA G6P[1] strain in Pakistan. Journal of Medical Virology, 2020, 92, 3179-3186.	2.5	1
171	Molecular characterization of the gastrointestinal eukaryotic virome in elderly people in Belem, Para, Brazil. Infection, Genetics and Evolution, 2022, 99, 105241.	1.0	1
172	Evaluation of a reverse line blot assay for genotyping common human rotaviruses. Journal of Virological Methods, 2013, 193, 597-602.	1.0	0
173	The Role of the Virome in the Gut-Liver Axis. , 2019, , 121-131.		0
174	Best Practices for Successfully Writing and Publishing a Genome Announcement in <i>Microbiology Resource Announcements</i> . Microbiology Resource Announcements, 2020, 9, .	0.3	0
175	Discovery of a Novel Class of Norovirus Inhibitors with High Barrier of Resistance. Pharmaceuticals, 2021, 14, 1006.	1.7	0