

Min-Chan Park

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7750482/publications.pdf>

Version: 2024-02-01

63
papers

1,458
citations

430843

18
h-index

330122

37
g-index

67
all docs

67
docs citations

67
times ranked

2451
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of statins on the prevention of recurrent thrombosis in thrombotic antiphospholipid syndrome. <i>Rheumatology</i> , 2022, 61, 1548-1555.	1.9	6
2	BASDAI cut-off values corresponding to ASDAS cut-off values. <i>Rheumatology</i> , 2022, 61, 2369-2374.	1.9	9
3	Selection of X-ray <i>versus</i> magnetic resonance imaging as a first-line imaging modality for diagnosing axial spondyloarthritis. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2022, 14, 1759720X2110729.	2.7	0
4	Distinct Gut Microbiota in Patients with Asymptomatic Hyperuricemia: A Potential Protector against Gout Development. <i>Yonsei Medical Journal</i> , 2022, 63, 241.	2.2	14
5	Vascular Uptake on ¹⁸ F-FDG PET/CT During the Clinically Inactive State of Takayasu Arteritis Is Associated with a Higher Risk of Relapse. <i>Yonsei Medical Journal</i> , 2021, 62, 814.	2.2	3
6	Tumour necrosis factor inhibitor tapering in patients with ankylosing spondylitis at low disease activity: factors associated with flare. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2021, 13, 1759720X2098673.	2.7	3
7	Factors affecting drug survival of an alternative TNF inhibitor and secukinumab in patients with ankylosing spondylitis switching from the first TNF inhibitor. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2021, 13, 1759720X2110090.	2.7	1
8	Clinical characteristics of non-radiographic axial spondyloarthritis: Results of the Korean Nonradiographic Axial SPondyloArthritis (KONASPA) data. <i>International Journal of Rheumatic Diseases</i> , 2021, 24, 1137-1147.	1.9	4
9	Discovery of urine biomarkers for lupus nephritis via quantitative and comparative proteome analysis. <i>Clinical and Translational Medicine</i> , 2021, 11, e638.	4.0	4
10	Positive conversion of interferon- γ release assay in patients with rheumatic diseases treated with biologics. <i>Rheumatology International</i> , 2020, 40, 471-479.	3.0	7
11	Frequency of peripheral diseases in Korean patients with ankylosing spondylitis and the effectiveness of adalimumab. <i>International Journal of Rheumatic Diseases</i> , 2020, 23, 1175-1183.	1.9	3
12	Disease-specific factors associated with cardiovascular events in patients with Takayasu arteritis. <i>Arthritis Research and Therapy</i> , 2020, 22, 180.	3.5	9
13	Effect of Vitamin D Supplementation on Bone Mineral Density in Rheumatoid Arthritis Patients With Osteoporosis. <i>Frontiers in Medicine</i> , 2020, 7, 443.	2.6	6
14	Non-histologic factors discriminating proliferative lupus nephritis from membranous lupus nephritis. <i>Arthritis Research and Therapy</i> , 2020, 22, 138.	3.5	5
15	Plasma immunoglobulin binding protein 1 as a predictor of development of lupus nephritis. <i>Lupus</i> , 2020, 29, 547-553.	1.6	6
16	Seroconversion to antinuclear antibody negativity and its association with disease flare in patients with systemic lupus erythematosus. <i>Lupus</i> , 2020, 29, 697-704.	1.6	8
17	Worse Renal Presentation and Prognosis in Initial-Onset Lupus Nephritis than Early-Onset Lupus Nephritis. <i>Yonsei Medical Journal</i> , 2020, 61, 951.	2.2	4
18	Non-steroidal anti-inflammatory drugs in patients with stable ankylosing spondylitis receiving tumor necrosis factor inhibitor: continued vs withdrawn. <i>Clinical Rheumatology</i> , 2020, 39, 3669-3675.	2.2	2

#	ARTICLE	IF	CITATIONS
19	A Propensity Score Matching Analysis Showed the Significant Association of Anterior Uveitis With Radiographic Progression in Axial Spondyloarthritis. <i>Journal of Rheumatic Diseases</i> , 2020, 27, 1.	1.1	0
20	MiR-451 suppresses inflammatory responses in ankylosing spondylitis by targeting macrophage migration inhibitory factor. <i>Clinical and Experimental Rheumatology</i> , 2020, 38, 275-281.	0.8	4
21	Evaluation of macrophage activation syndrome in hospitalised patients with Kikuchi-Fujimoto disease based on the 2016 EULAR/ACR/PRINTO classification criteria. <i>PLoS ONE</i> , 2019, 14, e0219970.	2.5	8
22	Fate of Abstracts Presented at the Korean College of Rheumatology Annual Scientific Meetings. <i>Journal of Rheumatic Diseases</i> , 2019, 26, 41.	1.1	1
23	A cost per responder analysis of secukinumab vs adalimumab for the treatment of ankylosing spondylitis from the Korean perspective. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1630-1637.	1.9	5
24	Long-term efficacy, safety and immunogenicity in patients with rheumatoid arthritis continuing on an etanercept biosimilar (LBEC0101) or switching from reference etanercept to LBEC0101: an open-label extension of a phase III multicentre, randomised, double-blind, parallel-group study. <i>Arthritis Research and Therapy</i> , 2019, 21, 122.	3.5	12
25	Reply to: Challenging therapeutic goal in large vessel vasculitis. <i>International Journal of Cardiology</i> , 2019, 287, 127.	1.7	0
26	Statins reduce relapse rate in Takayasu arteritis. <i>International Journal of Cardiology</i> , 2019, 287, 111-115.	1.7	21
27	FRI0282...STATINS REDUCE RELAPSE RATE IN TAKAYASU ARTERITIS. , 2019, , .		0
28	SAT0196...RENAL FLARE IN CLASS V LUPUS NEPHRITIS: INCREASED RISK IN PATIENTS WITH TUBULOINTERSTITIAL LESIONS. , 2019, , .		0
29	Rapid onset of efficacy predicts response to therapy with certolizumab plus methotrexate in patients with active rheumatoid arthritis. <i>Korean Journal of Internal Medicine</i> , 2018, 33, 1224-1233.	1.7	5
30	Defective autophagy activity and its association with spinal damage in patients with ankylosing spondylitis. <i>Joint Bone Spine</i> , 2017, 84, 583-587.	1.6	12
31	Cost-effectiveness of Non-steroidal Anti-inflammatory Drugs Adjusting for Upper and Lower Gastrointestinal Toxicities in Rheumatoid Arthritis Patients. <i>Journal of Rheumatic Diseases</i> , 2017, 24, 27.	1.1	0
32	Application of the 2013 ACR/EULAR classification criteria for systemic sclerosis to patients with Raynaud's phenomenon. <i>Arthritis Research and Therapy</i> , 2015, 17, 77.	3.5	20
33	Active Tuberculosis Risk With Tumor Necrosis Factor Inhibitors After Treating Latent Tuberculosis. <i>Journal of Clinical Rheumatology</i> , 2014, 20, 68-73.	0.9	12
34	Inhibition of glycogen synthase kinase-3 β suppresses inflammatory responses in rheumatoid arthritis fibroblast-like synoviocytes and collagen-induced arthritis. <i>Joint Bone Spine</i> , 2014, 81, 240-246.	1.6	29
35	The concomitant use of meloxicam and methotrexate does not clearly increase the risk of silent kidney and liver damages in patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2014, 34, 833-840.	3.0	4
36	Concurrent use of methotrexate and celecoxib increases risk of silent liver fibrosis in rheumatoid arthritis patients with subclinical reduced kidney function. <i>Clinical Rheumatology</i> , 2014, 33, 1415-1423.	2.2	9

37	Secreted frizzled-related protein 5 suppresses inflammatory response in rheumatoid arthritis fibroblast-like synoviocytes through down-regulation of c-Jun N-terminal kinase. Rheumatology, 2014, 53, 1704-1711.	1.9	24
38	Activation of Liver X Receptors Suppresses Inflammatory Gene Expressions and Transcriptional Corepressor Clearance in Rheumatoid Arthritis Fibroblast Like Synoviocytes. Journal of Clinical Immunology, 2013, 33, 190-199.	3.8	11
39	Maintenance, reduction, or withdrawal of etanercept after treatment with etanercept and methotrexate in patients with moderate rheumatoid arthritis (PRESERVE): a randomised controlled trial. Lancet, The, 2013, 381, 918-929.	13.7	311
40	Adjusted neutropenia is associated with early serious infection in systemic lupus erythematosus. Modern Rheumatology, 2013, 23, 509-515.	1.8	4
41	Galic acid, a natural polyphenolic acid, induces apoptosis and inhibits proinflammatory gene expressions in rheumatoid arthritis fibroblast-like synoviocytes. Joint Bone Spine, 2013, 80, 274-279.	1.6	116
42	Adjusted neutropenia is associated with early serious infection in systemic lupus erythematosus. Modern Rheumatology, 2013, 23, 509-515.	1.8	2
43	Etanercept-induced Clinical Remission of Type II Pityriasis Rubra Pilaris With Rheumatoid Arthritis. Acta Dermato-Venereologica, 2012, 92, 399-400.	1.3	10
44	Patients with early arthritis who fulfil the 1987 ACR classification criteria for rheumatoid arthritis but not the 2010 ACR/EULAR criteria. Annals of the Rheumatic Diseases, 2012, 71, 1097-1098.	0.9	16
45	Hepatitis B virus reactivation in rheumatoid arthritis and ankylosing spondylitis patients treated with anti-TNF α agents: A retrospective analysis of 49 cases. Clinical Rheumatology, 2012, 31, 931-936.	2.2	61
46	Alleviation of rheumatoid arthritis by cell-transducible methotrexate upon transcutaneous delivery. Biomaterials, 2012, 33, 1563-1572.	11.4	29
47	The role of ¹⁸ F-fluorodeoxyglucoseâ€“positron emission tomography in the assessment of disease activity in patients with Takayasu arteritis. Arthritis and Rheumatism, 2012, 64, 866-875.	6.7	88
48	The Correlation between Increased Serum Concentrations of Interleukin-6 Family Cytokines and Disease Activity in Rheumatoid Arthritis Patients. Yonsei Medical Journal, 2011, 52, 113.	2.2	60
49	R�ponse � la correspondance du Dr Paul Legoff � l'�article original intitul� "�ffet pro-inflammatoire de la leptine sur les cellules mononucl��es de sang des patients atteints de spondylarthrite ankylosante". Revue Du Rhumatisme (Edition Francaise), 2010, 77, 114.	0.0	0
50	Reply to the correspondence by Dr. Paul Legoff on the original article entitled "Pro-inflammatory effect of leptin on peripheral blood mononuclear cells of patients with ankylosing spondylitis". Joint Bone Spine, 2010, 77, 91.	1.6	0
51	A Case of Sacroiliitis Diagnosed with Positron-Emission Tomography with Normal Magnetic Resonance Imaging Finding. The Journal of the Korean Rheumatism Association, 2010, 17, 223.	0.1	0
52	Peroxisome Proliferator-activated Receptor-� Agonist Inhibits Pro-inflammatory Gene Expressions and Cellular Proliferation of Fibroblast Like Synoviocytes from Patients with Rheumatoid Arthritis by Down-regulation of NF-kappaB. The Journal of the Korean Rheumatism Association, 2010, 17, 153.	0.1	7
53	Liver X receptor agonist prevents the evolution of collagen-induced arthritis in mice. Rheumatology, 2010, 49, 882-890.	1.9	63

#	ARTICLE	IF	CITATIONS
55	Pro-inflammatory effect of leptin on peripheral blood mononuclear cells of patients with ankylosing spondylitis. Joint Bone Spine, 2009, 76, 170-175.	1.6	51
56	Effet pro-inflammatoire de la leptine sur les cellules mononucléées de sang de patients atteints de spondylarthrite ankylosante. Revue Du Rhumatisme (Edition Francaise), 2009, 76, 261-267.	0.0	0
57	A Case of Paget's Disease of Bone on Skull. The Journal of the Korean Rheumatism Association, 2009, 16, 344.	0.1	0
58	Bone and Cartilage Turnover Markers, Bone Mineral Density, and Radiographic Damage in Men with Ankylosing Spondylitis. Yonsei Medical Journal, 2008, 49, 288.	2.2	38
59	Serum Amyloid A as a Useful Indicator of Disease Activity in Patients with Ankylosing Spondylitis. Yonsei Medical Journal, 2007, 48, 218.	2.2	48
60	Measurement of the serum leptin level could assist disease activity monitoring in rheumatoid arthritis. Rheumatology International, 2007, 27, 537-540.	3.0	89
61	Surgical outcomes and risk factors for postoperative complications in patients with Behcet's disease. Clinical Rheumatology, 2007, 26, 1475-1480.	2.2	47
62	Malignancies in Korean Patients with Inflammatory Myopathy. Yonsei Medical Journal, 2006, 47, 519.	2.2	34
63	Derivation and Validation of a New Disease Activity Assessment Tool With Higher Accuracy for Takayasu Arteritis. Frontiers in Immunology, 0, 13, .	4.8	0