

Min-Chan Park

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7750482/publications.pdf>

Version: 2024-02-01

63
papers

1,458
citations

489802

18
h-index

371746

37
g-index

67
all docs

67
docs citations

67
times ranked

2595
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of statins on the prevention of recurrent thrombosis in thrombotic antiphospholipid syndrome. <i>Rheumatology</i> , 2022, 61, 1548-1555.	0.9	6
2	BASDAI cut-off values corresponding to ASDAS cut-off values. <i>Rheumatology</i> , 2022, 61, 2369-2374.	0.9	9
3	Selection of X-ray versus magnetic resonance imaging as a first-line imaging modality for diagnosing axial spondyloarthritis. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2022, 14, 1759720X2110729.	1.2	0
4	Distinct Gut Microbiota in Patients with Asymptomatic Hyperuricemia: A Potential Protector against Gout Development. <i>Yonsei Medical Journal</i> , 2022, 63, 241.	0.9	14
5	Vascular Uptake on ¹⁸ F-FDG PET/CT During the Clinically Inactive State of Takayasu Arteritis Is Associated with a Higher Risk of Relapse. <i>Yonsei Medical Journal</i> , 2021, 62, 814.	0.9	3
6	Tumour necrosis factor inhibitor tapering in patients with ankylosing spondylitis at low disease activity: factors associated with flare. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2021, 13, 1759720X2098673.	1.2	3
7	Factors affecting drug survival of an alternative TNF inhibitor and secukinumab in patients with ankylosing spondylitis switching from the first TNF inhibitor. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2021, 13, 1759720X2110090.	1.2	1
8	Clinical characteristics of non-radiographic axial spondyloarthritis: Results of the Korean Nonradiographic Axial SPondyloArthritis (KONASPA) data. <i>International Journal of Rheumatic Diseases</i> , 2021, 24, 1137-1147.	0.9	4
9	Discovery of urine biomarkers for lupus nephritis via quantitative and comparative proteome analysis. <i>Clinical and Translational Medicine</i> , 2021, 11, e638.	1.7	4
10	Positive conversion of interferon- γ release assay in patients with rheumatic diseases treated with biologics. <i>Rheumatology International</i> , 2020, 40, 471-479.	1.5	7
11	Frequency of peripheral diseases in Korean patients with ankylosing spondylitis and the effectiveness of adalimumab. <i>International Journal of Rheumatic Diseases</i> , 2020, 23, 1175-1183.	0.9	3
12	Disease-specific factors associated with cardiovascular events in patients with Takayasu arteritis. <i>Arthritis Research and Therapy</i> , 2020, 22, 180.	1.6	9
13	Effect of Vitamin D Supplementation on Bone Mineral Density in Rheumatoid Arthritis Patients With Osteoporosis. <i>Frontiers in Medicine</i> , 2020, 7, 443.	1.2	6
14	Non-histologic factors discriminating proliferative lupus nephritis from membranous lupus nephritis. <i>Arthritis Research and Therapy</i> , 2020, 22, 138.	1.6	5
15	Plasma immunoglobulin binding protein 1 as a predictor of development of lupus nephritis. <i>Lupus</i> , 2020, 29, 547-553.	0.8	6
16	Seroconversion to antinuclear antibody negativity and its association with disease flare in patients with systemic lupus erythematosus. <i>Lupus</i> , 2020, 29, 697-704.	0.8	8
17	Worse Renal Presentation and Prognosis in Initial-Onset Lupus Nephritis than Early-Onset Lupus Nephritis. <i>Yonsei Medical Journal</i> , 2020, 61, 951.	0.9	4
18	Non-steroidal anti-inflammatory drugs in patients with stable ankylosing spondylitis receiving tumor necrosis factor inhibitor: continued vs withdrawn. <i>Clinical Rheumatology</i> , 2020, 39, 3669-3675.	1.0	2

#	ARTICLE	IF	CITATIONS
19	A Propensity Score Matching Analysis Showed the Significant Association of Anterior Uveitis With Radiographic Progression in Axial Spondyloarthritis. <i>Journal of Rheumatic Diseases</i> , 2020, 27, 1.	0.4	0
20	MiR-451 suppresses inflammatory responses in ankylosing spondylitis by targeting macrophage migration inhibitory factor. <i>Clinical and Experimental Rheumatology</i> , 2020, 38, 275-281.	0.4	4
21	Evaluation of macrophage activation syndrome in hospitalised patients with Kikuchi-Fujimoto disease based on the 2016 EULAR/ACR/PRINTO classification criteria. <i>PLoS ONE</i> , 2019, 14, e0219970.	1.1	8
22	Fate of Abstracts Presented at the Korean College of Rheumatology Annual Scientific Meetings. <i>Journal of Rheumatic Diseases</i> , 2019, 26, 41.	0.4	1
23	A cost per responder analysis of secukinumab vs adalimumab for the treatment of ankylosing spondylitis from the Korean perspective. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1630-1637.	0.9	5
24	Long-term efficacy, safety and immunogenicity in patients with rheumatoid arthritis continuing on an etanercept biosimilar (LBEC0101) or switching from reference etanercept to LBEC0101: an open-label extension of a phase III multicentre, randomised, double-blind, parallel-group study. <i>Arthritis Research and Therapy</i> , 2019, 21, 122.	1.6	12
25	Reply to: Challenging therapeutic goal in large vessel vasculitis. <i>International Journal of Cardiology</i> , 2019, 287, 127.	0.8	0
26	Statins reduce relapse rate in Takayasu arteritis. <i>International Journal of Cardiology</i> , 2019, 287, 111-115.	0.8	21
27	FRI0282â€¦STATINS REDUCE RELAPSE RATE IN TAKAYASU ARTERITIS. , 2019, , .		0
28	SAT0196â€¦RENAL FLARE IN CLASS V LUPUS NEPHRITIS: INCREASED RISK IN PATIENTS WITH TUBULOINTERSTITIAL LESIONS. , 2019, , .		0
29	Rapid onset of efficacy predicts response to therapy with certolizumab plus methotrexate in patients with active rheumatoid arthritis. <i>Korean Journal of Internal Medicine</i> , 2018, 33, 1224-1233.	0.7	5
30	Defective autophagy activity and its association with spinal damage in patients with ankylosing spondylitis. <i>Joint Bone Spine</i> , 2017, 84, 583-587.	0.8	12
31	Cost-effectiveness of Non-steroidal Anti-inflammatory Drugs Adjusting for Upper and Lower Gastrointestinal Toxicities in Rheumatoid Arthritis Patients. <i>Journal of Rheumatic Diseases</i> , 2017, 24, 27.	0.4	0
32	Application of the 2013 ACR/EULAR classification criteria for systemic sclerosis to patients with Raynaudâ€™s phenomenon. <i>Arthritis Research and Therapy</i> , 2015, 17, 77.	1.6	20
33	Active Tuberculosis Risk With Tumor Necrosis Factor Inhibitors After Treating Latent Tuberculosis. <i>Journal of Clinical Rheumatology</i> , 2014, 20, 68-73.	0.5	12
34	Inhibition of glycogen synthase kinase-3 β suppresses inflammatory responses in rheumatoid arthritis fibroblast-like synoviocytes and collagen-induced arthritis. <i>Joint Bone Spine</i> , 2014, 81, 240-246.	0.8	29
35	The concomitant use of meloxicam and methotrexate does not clearly increase the risk of silent kidney and liver damages in patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2014, 34, 833-840.	1.5	4
36	Concurrent use of methotrexate and celecoxib increases risk of silent liver fibrosis in rheumatoid arthritis patients with subclinical reduced kidney function. <i>Clinical Rheumatology</i> , 2014, 33, 1415-1423.	1.0	9

#	ARTICLE	IF	CITATIONS
37	Secreted frizzled-related protein 5 suppresses inflammatory response in rheumatoid arthritis fibroblast-like synoviocytes through down-regulation of c-Jun N-terminal kinase. <i>Rheumatology</i> , 2014, 53, 1704-1711.	0.9	24
38	Activation of Liver X Receptors Suppresses Inflammatory Gene Expressions and Transcriptional Corepressor Clearance in Rheumatoid Arthritis Fibroblast Like Synoviocytes. <i>Journal of Clinical Immunology</i> , 2013, 33, 190-199.	2.0	11
39	Maintenance, reduction, or withdrawal of etanercept after treatment with etanercept and methotrexate in patients with moderate rheumatoid arthritis (PRESERVE): a randomised controlled trial. <i>Lancet, The</i> , 2013, 381, 918-929.	6.3	311
40	Adjusted neutropenia is associated with early serious infection in systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2013, 23, 509-515.	0.9	4
41	Gallic acid, a natural polyphenolic acid, induces apoptosis and inhibits proinflammatory gene expressions in rheumatoid arthritis fibroblast-like synoviocytes. <i>Joint Bone Spine</i> , 2013, 80, 274-279.	0.8	116
42	Adjusted neutropenia is associated with early serious infection in systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2013, 23, 509-515.	0.9	2
43	Etanercept-induced Clinical Remission of Type II Pityriasis Rubra Pilaris With Rheumatoid Arthritis. <i>Acta Dermato-Venereologica</i> , 2012, 92, 399-400.	0.6	10
44	Patients with early arthritis who fulfil the 1987 ACR classification criteria for rheumatoid arthritis but not the 2010 ACR/EULAR criteria. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1097-1098.	0.5	16
45	Hepatitis B virus reactivation in rheumatoid arthritis and ankylosing spondylitis patients treated with anti-TNF α agents: A retrospective analysis of 49 cases. <i>Clinical Rheumatology</i> , 2012, 31, 931-936.	1.0	61
46	Alleviation of rheumatoid arthritis by cell-transducible methotrexate upon transcutaneous delivery. <i>Biomaterials</i> , 2012, 33, 1563-1572.	5.7	29
47	The role of ¹⁸ F-fluorodeoxyglucose positron emission tomography in the assessment of disease activity in patients with Takayasu arteritis. <i>Arthritis and Rheumatism</i> , 2012, 64, 866-875.	6.7	88
48	The Correlation between Increased Serum Concentrations of Interleukin-6 Family Cytokines and Disease Activity in Rheumatoid Arthritis Patients. <i>Yonsei Medical Journal</i> , 2011, 52, 113.	0.9	60
49	Réponse à la correspondance du Dr Paul Legoff à l'article original intitulé «Effet pro-inflammatoire de la leptine sur les cellules mononucléaires de sang des patients atteints de spondylarthrite ankylosante». <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2010, 77, 114.	0.0	0
50	Reply to the correspondence by Dr. Paul Legoff on the original article entitled "Pro-inflammatory effect of leptin on peripheral blood mononuclear cells of patients with ankylosing spondylitis". <i>Joint Bone Spine</i> , 2010, 77, 91.	0.8	0
51	A Case of Sacroiliitis Diagnosed with Positron-Emission Tomography with Normal Magnetic Resonance Imaging Finding. <i>The Journal of the Korean Rheumatism Association</i> , 2010, 17, 223.	0.1	0
52	Peroxisome Proliferator-activated Receptor- β Agonist Inhibits Pro-inflammatory Gene Expressions and Cellular Proliferation of Fibroblast Like Synoviocytes from Patients with Rheumatoid Arthritis by Down-regulation of NF-kappaB. <i>The Journal of the Korean Rheumatism Association</i> , 2010, 17, 153.	0.1	7
53	Liver X receptor agonist prevents the evolution of collagen-induced arthritis in mice. <i>Rheumatology</i> , 2010, 49, 882-890.	0.9	63
54	Reactivation of Hepatitis B Viral Infection in Inactive HBsAg Carriers Following Anti-Tumor Necrosis Factor- α Therapy. <i>Journal of Rheumatology</i> , 2009, 36, 2416-2420.	1.0	109

#	ARTICLE	IF	CITATIONS
55	Pro-inflammatory effect of leptin on peripheral blood mononuclear cells of patients with ankylosing spondylitis. <i>Joint Bone Spine</i> , 2009, 76, 170-175.	0.8	51
56	Effet pro-inflammatoire de la leptine sur les cellules mononucléées de sang de patients atteints de spondylarthrite ankylosante. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2009, 76, 261-267.	0.0	0
57	A Case of Paget's Disease of Bone on Skull. <i>The Journal of the Korean Rheumatism Association</i> , 2009, 16, 344.	0.1	0
58	Bone and Cartilage Turnover Markers, Bone Mineral Density, and Radiographic Damage in Men with Ankylosing Spondylitis. <i>Yonsei Medical Journal</i> , 2008, 49, 288.	0.9	38
59	Serum Amyloid A as a Useful Indicator of Disease Activity in Patients with Ankylosing Spondylitis. <i>Yonsei Medical Journal</i> , 2007, 48, 218.	0.9	48
60	Measurement of the serum leptin level could assist disease activity monitoring in rheumatoid arthritis. <i>Rheumatology International</i> , 2007, 27, 537-540.	1.5	89
61	Surgical outcomes and risk factors for postoperative complications in patients with Behcet's disease. <i>Clinical Rheumatology</i> , 2007, 26, 1475-1480.	1.0	47
62	Malignancies in Korean Patients with Inflammatory Myopathy. <i>Yonsei Medical Journal</i> , 2006, 47, 519.	0.9	34
63	Derivation and Validation of a New Disease Activity Assessment Tool With Higher Accuracy for Takayasu Arteritis. <i>Frontiers in Immunology</i> , 0, 13, .	2.2	0