

Carmen Hernandez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7751878/publications.pdf>

Version: 2024-02-01

58
papers

2,650
citations

186265

28
h-index

182427

51
g-index

63
all docs

63
docs citations

63
times ranked

1063
citing authors

#	ARTICLE	IF	CITATIONS
1	In memoriam of Ricardo Flores: The career, achievements, and legacy of an inspirational plant virologist. <i>Virus Research</i> , 2022, 312, 198718.	2.2	2
2	Carmo-Like Viruses (Tombusviridae). , 2021, , 285-292.		0
3	Genetic evidence for the involvement of Dicer-like 2 and 4 as well as Argonaute 2 in the <i>Nicotiana benthamiana</i> response against Pelargonium line pattern virus. <i>Journal of General Virology</i> , 2021, 102, .	2.9	6
4	Epigenetic Changes in Host Ribosomal DNA Promoter Induced by an Asymptomatic Plant Virus Infection. <i>Biology</i> , 2020, 9, 91.	2.8	5
5	New Insights into the Nucleolar Localization of a Plant RNA Virus-Encoded Protein That Acts in Both RNA Packaging and RNA Silencing Suppression: Involvement of Importins Alpha and Relevance for Viral Infection. <i>Molecular Plant-Microbe Interactions</i> , 2018, 31, 1134-1144.	2.6	13
6	<i>Nicotiana benthamiana</i> plants asymptotically infected by Pelargonium line pattern virus show unusually high accumulation of viral small RNAs that is neither associated with DCL induction nor RDR6 activity. <i>Virology</i> , 2017, 501, 136-146.	2.4	13
7	Molecular and biological characterization of an isolate of Tomato mottle mosaic virus (ToMMV) infecting tomato and other experimental hosts in eastern Spain. <i>European Journal of Plant Pathology</i> , 2017, 149, 261-268.	1.7	23
8	Peach Latent Mosaic Viroid in Infected Peach. , 2017, , 307-316.		1
9	Evidence supporting a premature termination mechanism for subgenomic RNA transcription in Pelargonium line pattern virus: identification of a critical long-range RNA-RNA interaction and functional variants through mutagenesis. <i>Journal of General Virology</i> , 2016, 97, 1469-1480.	2.9	7
10	Efficient Translation of Pelargonium line pattern virus RNAs Relies on a TED-Like 3'âTranslational Enhancer that Communicates with the Corresponding 5'âRegion through a Long-Distance RNA-RNA Interaction. <i>PLoS ONE</i> , 2016, 11, e0152593.	2.5	21
11	Pelarspovirus, a proposed new genus in the family Tombusviridae. <i>Archives of Virology</i> , 2015, 160, 2385-2393.	2.1	39
12	Key Importance of Small RNA Binding for the Activity of a Glycine-Tryptophan (GW) Motif-containing Viral Suppressor of RNA Silencing. <i>Journal of Biological Chemistry</i> , 2015, 290, 3106-3120.	3.4	40
13	Analysis of the subcellular targeting of the smaller replicase protein of Pelargonium flower break virus. <i>Virus Research</i> , 2012, 163, 580-591.	2.2	5
14	Population differentiation and selective constraints in Pelargonium line pattern virus. <i>Virus Research</i> , 2011, 155, 274-282.	2.2	6
15	An Internal Ribosome Entry Site Directs Translation of the 3'âGene from Pelargonium Flower Break Virus Genomic RNA: Implications for Infectivity. <i>PLoS ONE</i> , 2011, 6, e22617.	2.5	20
16	A membrane-associated movement protein of Pelargonium flower break virus shows RNA-binding activity and contains a biologically relevant leucine zipper-like motif. <i>Virology</i> , 2011, 413, 310-319.	2.4	15
17	Identification and characterization of RNA-binding activity in the ORF1-encoded replicase protein of Pelargonium flower break virus. <i>Journal of General Virology</i> , 2010, 91, 3075-3084.	2.9	9
18	Inhibition of RNA silencing by the coat protein of Pelargonium flower break virus: distinctions from closely related suppressors. <i>Journal of General Virology</i> , 2009, 90, 519-525.	2.9	33

#	ARTICLE	IF	CITATIONS
19	Insights into the translational regulation of biologically active open reading frames of Pelargonium line pattern virus. <i>Virology</i> , 2009, 386, 417-426.	2.4	31
20	Characterization of the subgenomic RNAs produced by Pelargonium flower break virus: Identification of two novel RNAs species. <i>Virus Research</i> , 2009, 142, 100-107.	2.2	9
21	Sequences of the smallest double-stranded RNAs associated with cherry chlorotic rusty spot and Amasya cherry diseases. <i>Archives of Virology</i> , 2008, 153, 759-762.	2.1	19
22	Pelargonium chlorotic ring pattern virus: first report in Spain. <i>Plant Pathology</i> , 2008, 57, 396-396.	2.4	2
23	Monomeric Linear RNA of <i>Citrus Exocortis Viroid</i> Resulting from Processing In Vivo Has 5'-Phosphomonoester and 3'-Hydroxyl Termini: Implications for the RNase and RNA Ligase Involved in Replication. <i>Journal of Virology</i> , 2008, 82, 10321-10325.	3.4	42
24	Analysis of Viroid Replication. <i>Methods in Molecular Biology</i> , 2008, 451, 167-183.	0.9	11
25	Processing of Nuclear Viroids In Vivo: An Interplay between RNA Conformations. <i>PLoS Pathogens</i> , 2007, 3, e182.	4.7	107
26	Molecular characterization of CEVd strains that induce different phenotypes in <i>Gynura aurantiaca</i> : structure-pathogenicity relationships. <i>Archives of Virology</i> , 2007, 152, 1283-1294.	2.1	15
27	Biological activity of transcripts from cDNA of Pelargonium line pattern virus. <i>Acta Virologica</i> , 2007, 51, 271-4.	0.8	8
28	Peach latent mosaic viroid: not so latent. <i>Molecular Plant Pathology</i> , 2006, 7, 209-221.	4.2	36
29	Insights into the Selective Pressures Restricting Pelargonium Flower Break Virus Genome Variability: Evidence for Host Adaptation. <i>Journal of Virology</i> , 2006, 80, 8124-8132.	3.4	56
30	Molecular characterization of the largest mycoviral-like double-stranded RNAs associated with Amasya cherry disease, a disease of presumed fungal aetiology. <i>Journal of General Virology</i> , 2006, 87, 3113-3117.	2.9	22
31	An Element of the Tertiary Structure of Peach Latent Mosaic Viroid RNA Revealed by UV Irradiation. <i>Journal of Virology</i> , 2006, 80, 9336-9340.	3.4	14
32	Complete nucleotide sequence and genome organization of Pelargonium line pattern virus and its relationship with the family Tombusviridae. <i>Archives of Virology</i> , 2005, 150, 949-965.	2.1	31
33	A Short Double-Stranded RNA Motif of Peach Latent Mosaic Viroid Contains the Initiation and the Self-Cleavage Sites of Both Polarity Strands. <i>Journal of Virology</i> , 2005, 79, 12934-12943.	3.4	52
34	Viroids and Viroid-Host Interactions. <i>Annual Review of Phytopathology</i> , 2005, 43, 117-139.	7.8	395
35	Cherry chlorotic rusty spot and Amasya cherry diseases are associated with a complex pattern of mycoviral-like double-stranded RNAs. I. Characterization of a new species in the genus <i>Chrysovirus</i> . <i>Journal of General Virology</i> , 2004, 85, 3389-3397.	2.9	65
36	Cherry chlorotic rusty spot and Amasya cherry diseases are associated with a complex pattern of mycoviral-like double-stranded RNAs. II. Characterization of a new species in the genus <i>Partitivirus</i> . <i>Journal of General Virology</i> , 2004, 85, 3399-3403.	2.9	37

#	ARTICLE	IF	CITATIONS
37	Development of a Non-radioactive Dot-blot Hybridisation Assay for the Detection of Pelargonium Flower Break Virus and Pelargonium line Pattern Virus. <i>European Journal of Plant Pathology</i> , 2004, 110, 275-283.	1.7	19
38	Complete nucleotide sequence and genome organization of Pelargonium flower break virus. <i>Archives of Virology</i> , 2004, 149, 641-651.	2.1	25
39	Peach latent mosaic viroid variants inducing peach calico (extreme chlorosis) contain a characteristic insertion that is responsible for this symptomatology. <i>Virology</i> , 2003, 313, 492-501.	2.4	90
40	Two Chloroplastic Viroids Induce the Accumulation of Small RNAs Associated with Posttranscriptional Gene Silencing. <i>Journal of Virology</i> , 2002, 76, 13094-13096.	3.4	146
41	Hammerhead Ribozyme Structure and Function in Plant RNA Replication. <i>Methods in Enzymology</i> , 2001, 341, 540-552.	1.0	48
42	The DNA of a Plant Retroviroid-Like Element Is Fused to Different Sites in the Genome of a Plant Pararetrovirus and Shows Multiple Forms with Sequence Deletions. <i>Journal of Virology</i> , 2000, 74, 10390-10400.	3.4	30
43	Avsunviroidae family: Viroids containing hammerhead ribozymes. <i>Advances in Virus Research</i> , 2000, 55, 271-323.	2.1	113
44	Rapid generation of genetic heterogeneity in progenies from individual cDNA clones of peach latent mosaic viroid in its natural host. <i>Journal of General Virology</i> , 1999, 80, 2239-2252.	2.9	62
45	Genomic Structure of Three Phenotypically Different Isolates of Peach Latent Mosaic Viroid: Implications of the Existence of Constraints Limiting the Heterogeneity of Viroid Quasispecies. <i>Journal of Virology</i> , 1998, 72, 7397-7406.	3.4	95
46	Viroids: The Noncoding Genomes. <i>Seminars in Virology</i> , 1997, 8, 65-73.	3.9	93
47	Transmission of tobacco rattle virus isolate PpK20 by its nematode vector requires one of the two non-structural genes in the viral RNA 2.. <i>Journal of General Virology</i> , 1997, 78, 465-467.	2.9	51
48	Serial passage of tobacco rattle virus under different selection conditions results in deletion of structural and nonstructural genes in RNA 2. <i>Journal of Virology</i> , 1996, 70, 4933-4940.	3.4	53
49	Sequence of RNA 2 of a nematode-transmissible isolate of tobacco rattle virus. <i>Journal of General Virology</i> , 1995, 76, 2847-2851.	2.9	39
50	Replication of avocado sunblotch viroid: evidence for a symmetric pathway with two rolling circles and hammerhead ribozyme processing.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 12813-12817.	7.1	148
51	Plus and minus RNAs of peach latent mosaic viroid self-cleave in vitro via hammerhead structures.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 3711-3715.	7.1	194
52	Pear Blister Canker Viroid is a Member of the Apple Scar Skin Subgroup (apscaviroids) and also has Sequence Homology with Viroids from other Subgroups. <i>Journal of General Virology</i> , 1992, 73, 2503-2507.	2.9	39
53	The strands of both polarities of a small circular RNA from carnation self-cleave in vitro through alternative double- and single-hammerhead structures. <i>Nucleic Acids Research</i> , 1992, 20, 6323-6329.	14.5	52
54	STUDIES ON THE DETECTION, TRANSMISSION AND DISTRIBUTION OF PEACH LATENT MOSAIC VIROID IN PEACH TREES. <i>Acta Horticulturae</i> , 1992, , 325-330.	0.2	20

#	ARTICLE	IF	CITATIONS
55	Population structure and mitochondrial DNA gene flow in Old World populations of <i>Drosophila subobscura</i> . <i>Heredity</i> , 1992, 68, 15-24.	2.6	48
56	EVIDENCES SUPPORTING A VIROID ETIOLOGY FOR PEAR BLISTER CANCKER DISEASE. <i>Acta Horticulturae</i> , 1992, , 319-324.	0.2	1
57	Identification of a new viroid as the putative causal agent of pear blister canker disease. <i>Journal of General Virology</i> , 1991, 72, 1199-1204.	2.9	24
58	Some properties of the viroid inducing peach latent mosaic disease. <i>Research in Virology</i> , 1990, 141, 109-118.	0.7	36