
## Jeanne M Clark

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7752533/publications.pdf Version: 2024-02-01



| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Pioglitazone, Vitamin E, or Placebo for Nonalcoholic Steatohepatitis. New England Journal of<br>Medicine, 2010, 362, 1675-1685.  | 13.9 | 2,718     |
| 2  | 10-year follow-up of diabetes incidence and weight loss in the Diabetes Prevention Program Outcomes<br>Study. Lancet, The, 2009, 374, 1677-1686.   | 6.3  | 2,501     |
| 3  | Cardiovascular Effects of Intensive Lifestyle Intervention in Type 2 Diabetes. New England Journal of<br>Medicine, 2013, 369, 145-154.   | 13.9 | 2,294     |
| 4  | Farnesoid X nuclear receptor ligand obeticholic acid for non-cirrhotic, non-alcoholic<br>steatohepatitis (FLINT): a multicentre, randomised, placebo-controlled trial. Lancet, The, 2015, 385,<br>956-965. | 6.3  | 1,840     |
| 5  | Reduction in Weight and Cardiovascular Disease Risk Factors in Individuals With Type 2 Diabetes:<br>One-year results of the Look AHEAD trial. Diabetes Care, 2007, 30, 1374-1383.                          | 4.3  | 1,369     |
| 6  | The prevalence and etiology of elevated aminotransferase levels in the United States. American<br>Journal of Gastroenterology, 2003, 98, 960-967.  | 0.2  | 1,164     |
| 7  | Diagnostic accuracy and reliability of ultrasonography for the detection of fatty liver: A meta-analysis. Hepatology, 2011, 54, 1082-1090.   | 3.6  | 1,128     |
| 8  | Comparison of Noninvasive Markers of Fibrosis in Patients With Nonalcoholic Fatty Liver Disease.<br>Clinical Gastroenterology and Hepatology, 2009, 7, 1104-1112.  | 2.4  | 1,065     |
| 9  | Effect of Vitamin E or Metformin for Treatment of Nonalcoholic Fatty Liver Disease in Children and Adolescents. JAMA - Journal of the American Medical Association, 2011, 305, 1659.                       | 3.8  | 926       |
| 10 | n–3 Fatty Acids and Cardiovascular Outcomes in Patients with Dysglycemia. New England Journal of<br>Medicine, 2012, 367, 309-318.  | 13.9 | 810       |
| 11 | Nonalcoholic fatty liver disease. Gastroenterology, 2002, 122, 1649-1657.  | 0.6  | 801       |
| 12 | Genome-Wide Association Analysis Identifies Variants Associated with Nonalcoholic Fatty Liver<br>Disease That Have Distinct Effects on Metabolic Traits. PLoS Genetics, 2011, 7, e1001324.                 | 1.5  | 796       |
| 13 | Long-term Effects of a Lifestyle Intervention on Weight and Cardiovascular Risk Factors in Individuals<br>With Type 2 Diabetes Mellitus. Archives of Internal Medicine, 2010, 170, 1566-75.                | 4.3  | 764       |
| 14 | Prevalence of Nonalcoholic Fatty Liver Disease in the United States: The Third National Health and<br>Nutrition Examination Survey, 1988–1994. American Journal of Epidemiology, 2013, 178, 38-45.         | 1.6  | 693       |
| 15 | Comparative Effectiveness of Weight-Loss Interventions in Clinical Practice. New England Journal of Medicine, 2011, 365, 1959-1968.  | 13.9 | 666       |
| 16 | The Epidemiology of Nonalcoholic Fatty Liver Disease: A Global Perspective. Seminars in Liver Disease, 2008, 28, 339-350.  | 1.8  | 624       |
| 17 | Association of an Intensive Lifestyle Intervention With Remission of Type 2 Diabetes. JAMA - Journal of the American Medical Association, 2012, 308, 2489.   | 3.8  | 571       |
| 18 | Genome-wide association study identifies loci influencing concentrations of liver enzymes in plasma.<br>Nature Genetics, 2011, 43, 1131-1138.  | 9.4  | 501       |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Association of the magnitude of weight loss and changes in physical fitness with long-term cardiovascular disease outcomes in overweight or obese people with type 2 diabetes: a post-hoc analysis of the Look AHEAD randomised clinical trial. Lancet Diabetes and Endocrinology,the, 2016, 4, 913-921. | 5.5  | 473       |
| 20 | Prospective Study of Outcomes in Adults with Nonalcoholic Fatty Liver Disease. New England Journal of Medicine, 2021, 385, 1559-1569.  | 13.9 | 406       |
| 21 | Clinical, laboratory and histological associations in adults with nonalcoholic fatty liver disease.<br>Hepatology, 2010, 52, 913-924.  | 3.6  | 397       |
| 22 | The epidemiology of nonalcoholic fatty liver disease in adults. Journal of Clinical Gastroenterology, 2006, 40 Suppl 1, S5-10.   | 1.1  | 369       |
| 23 | Serum Ferritin and Risk of the Metabolic Syndrome in U.S. Adults. Diabetes Care, 2004, 27, 2422-2428.  | 4.3  | 363       |
| 24 | Fourâ€Year Weight Losses in the Look AHEAD Study: Factors Associated With Longâ€Term Success. Obesity,<br>2011, 19, 1987-1998.   | 1.5  | 356       |
| 25 | Nonalcoholic Fatty Liver Disease. JAMA - Journal of the American Medical Association, 2003, 289, 3000.   | 3.8  | 353       |
| 26 | Glucagonlike Peptide 1–Based Therapies and Risk of Hospitalization for Acute Pancreatitis in Type 2<br>Diabetes Mellitus. JAMA Internal Medicine, 2013, 173, 534.  | 2.6  | 347       |
| 27 | Physical Activity Recommendations, Exercise Intensity, and Histological Severity of Nonalcoholic<br>Fatty Liver Disease. American Journal of Gastroenterology, 2011, 106, 460-468.   | 0.2  | 346       |
| 28 | Portal chronic inflammation in nonalcoholic fatty liver disease (NAFLD): A histologic marker of<br>advanced NAFLD-Clinicopathologic correlations from the nonalcoholic steatohepatitis clinical<br>research network. Hepatology, 2009, 49, 809-820.  | 3.6  | 335       |
| 29 | Non-alcoholic fatty liver disease and mortality among US adults: prospective cohort study. BMJ:<br>British Medical Journal, 2011, 343, d6891-d6891.  | 2.4  | 314       |
| 30 | Effect of a 12-Month Intensive Lifestyle Intervention on Hepatic Steatosis in Adults With Type 2<br>Diabetes. Diabetes Care, 2010, 33, 2156-2163.  | 4.3  | 313       |
| 31 | Efficacy of Commercial Weight-Loss Programs. Annals of Internal Medicine, 2015, 162, 501-512.  | 2.0  | 281       |
| 32 | Effect of a long-term behavioural weight loss intervention on nephropathy in overweight or obese<br>adults with type 2 diabetes: a secondary analysis of the Look AHEAD randomised clinical trial. Lancet<br>Diabetes and Endocrinology,the, 2014, 2, 801-809.   | 5.5  | 247       |
| 33 | Meta-analysis: vitamin D and non-alcoholic fatty liver disease. Alimentary Pharmacology and Therapeutics, 2013, 38, 246-254.   | 1.9  | 220       |
| 34 | Obstructive Sleep Apnea, Insulin Resistance, and Steatohepatitis in Severe Obesity. American Journal of<br>Respiratory and Critical Care Medicine, 2009, 179, 228-234.   | 2.5  | 184       |
| 35 | Prevalence of Prediabetes and Type 2 Diabetes in Children With Nonalcoholic Fatty Liver Disease. JAMA<br>Pediatrics, 2016, 170, e161971.   | 3.3  | 178       |
| 36 | Can imaging modalities diagnose and stage hepatic fibrosis and cirrhosis accurately?. Journal of<br>Hepatology, 2009, 50, 17-35.   | 1.8  | 177       |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Rouxâ€en‥ Gastric Bypass Improves Liver Histology in Patients with Nonâ€Alcoholic Fatty Liver Disease.<br>Obesity, 2005, 13, 1180-1186.  | 4.0 | 166       |
| 38 | Vitamin <scp>E</scp> and changes in serum alanine aminotransferase levels in patients with nonâ€alcoholic steatohepatitis. Alimentary Pharmacology and Therapeutics, 2013, 38, 134-143.  | 1.9 | 163       |
| 39 | Higher dietary fructose is associated with impaired hepatic adenosine triphosphate homeostasis in obese individuals with type 2 diabetes. Hepatology, 2012, 56, 952-960.   | 3.6 | 150       |
| 40 | Barriers to and Facilitators of Postpartum Follow-Up Care in Women with Recent Gestational<br>Diabetes Mellitus: A Qualitative Study. Journal of Women's Health, 2011, 20, 239-245.  | 1.5 | 145       |
| 41 | Diagnostic Accuracy of Noninvasive Fibrosis Models to Detect Change in Fibrosis Stage. Clinical<br>Gastroenterology and Hepatology, 2019, 17, 1877-1885.e5.  | 2.4 | 145       |
| 42 | Surgical Site Infections and Cost in Obese Patients Undergoing Colorectal Surgery. Archives of Surgery, 2011, 146, 1068.   | 2.3 | 144       |
| 43 | Utilization of Primary and Obstetric Care After Medically Complicated Pregnancies: An Analysis of<br>Medical Claims Data. Journal of General Internal Medicine, 2014, 29, 636-645.   | 1.3 | 144       |
| 44 | Impact of an Intensive Lifestyle Intervention on Use and Cost of Medical Services Among Overweight<br>and Obese Adults With Type 2 Diabetes: The Action for Health in Diabetes. Diabetes Care, 2014, 37,<br>2548-2556.                                     | 4.3 | 144       |
| 45 | Effect of Gastric Bypass Surgery on Kidney Stone Disease. Journal of Urology, 2009, 181, 2573-2577.  | 0.2 | 139       |
| 46 | Comparing the 5-Year Diabetes Outcomes of Sleeve Gastrectomy and Gastric Bypass. JAMA Surgery, 2020, 155, e200087.   | 2.2 | 138       |
| 47 | The Association of Obesity and Cervical Cancer Screening: A Systematic Review and Metaâ€analysis.<br>Obesity, 2009, 17, 375-381.   | 1.5 | 137       |
| 48 | Physician Respect for Patients with Obesity. Journal of General Internal Medicine, 2009, 24, 1236-1239.  | 1.3 | 136       |
| 49 | Quality of life in adults with nonalcoholic fatty liver disease: Baseline data from the nonalcoholic steatohepatitis clinical research network. Hepatology, 2009, 49, 1904-1912.   | 3.6 | 133       |
| 50 | Nonalcoholic fatty liver disease is associated with cognitive function in adults. Neurology, 2016, 86, 1136-1142.  | 1.5 | 130       |
| 51 | Association Between Variants in or Near PNPLA3, GCKR, and PPP1R3B With Ultrasound-Defined<br>Steatosis Based on Data From the Third National Health and Nutrition Examination Survey. Clinical<br>Gastroenterology and Hepatology, 2013, 11, 1183-1190.e2. | 2.4 | 128       |
| 52 | A longer duration of estrogen deficiency increases fibrosis risk among postmenopausal women with nonalcoholic fatty liver disease. Hepatology, 2016, 64, 85-91.  | 3.6 | 128       |
| 53 | The Impact of Obesity on Breast Surgery Complications. Plastic and Reconstructive Surgery, 2011, 128, 395e-402e.   | 0.7 | 123       |
| 54 | Brief Communication: Clinical Implications of Short-Term Variability in Liver Function Test Results.<br>Annals of Internal Medicine, 2008, 148, 348.   | 2.0 | 121       |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Obesity and Mammography: A Systematic Review and Meta-Analysis. Journal of General Internal<br>Medicine, 2009, 24, 665-677.  | 1.3 | 119       |
| 56 | Impact of Bariatric Surgery on Health Care Costs of Obese Persons. JAMA Surgery, 2013, 148, 555.   | 2.2 | 119       |
| 57 | Prevalence of and risk factors for hypoglycemic symptoms after gastric bypass and sleeve gastrectomy. Obesity, 2015, 23, 1079-1084.  | 1.5 | 113       |
| 58 | A Prospective Study of Plasma Ferritin Level and Incident Diabetes: The Atherosclerosis Risk in<br>Communities (ARIC) Study. American Journal of Epidemiology, 2007, 165, 1047-1054.                       | 1.6 | 110       |
| 59 | Teaching the teachers. Journal of General Internal Medicine, 2004, 19, 205-214.  | 1.3 | 105       |
| 60 | The Long-term Effectiveness of a Lifestyle Intervention in Severely Obese Individuals. American Journal of Medicine, 2013, 126, 236-242.e2.  | 0.6 | 104       |
| 61 | Correlation of Vitamin E, Uric Acid, and Diet Composition With Histologic Features of Pediatric NAFLD. Journal of Pediatric Gastroenterology and Nutrition, 2012, 54, 90-96.                               | 0.9 | 102       |
| 62 | Racial differences in nonalcoholic fatty liver disease in the U.S. population. Obesity, 2014, 22, 292-299.   | 1.5 | 100       |
| 63 | In Children With Nonalcoholic Fatty Liver Disease, Cysteamine Bitartrate Delayed Release Improves<br>Liver Enzymes but Does Not Reduce Disease Activity Scores. Gastroenterology, 2016, 151, 1141-1154.e9. | 0.6 | 100       |
| 64 | Hepatic steatosis and type 2 diabetes mellitus. Current Diabetes Reports, 2002, 2, 210-215.  | 1.7 | 97        |
| 65 | The Pharmacogenetics of Type 2 Diabetes: A Systematic Review. Diabetes Care, 2014, 37, 876-886.  | 4.3 | 95        |
| 66 | Prompt Reduction in Use of Medications for Comorbid Conditions After Bariatric Surgery. Obesity Surgery, 2009, 19, 1646-1656.  | 1.1 | 94        |
| 67 | Medication Utilization and Annual Health Care Costs in Patients With Type 2 Diabetes Mellitus Before and After Bariatric Surgery. Archives of Surgery, 2010, 145, 726.                                     | 2.3 | 93        |
| 68 | Long-Term Weight Loss With Metformin or Lifestyle Intervention in the Diabetes Prevention Program<br>Outcomes Study. Annals of Internal Medicine, 2019, 170, 682.  | 2.0 | 92        |
| 69 | Effectiveness of an Activity Tracker- and Internet-Based Adaptive Walking Program for Adults: A<br>Randomized Controlled Trial. Journal of Medical Internet Research, 2016, 18, e34.                       | 2.1 | 92        |
| 70 | Prevalence and Correlates of Obesity in a Community Sample of Individuals with Severe and Persistent<br>Mental Illness. Journal of Nervous and Mental Disease, 2003, 191, 799-805.                         | 0.5 | 91        |
| 71 | Association of Weight Loss Maintenance and Weight Regain on 4-Year Changes in CVD Risk Factors: the<br>Action for Health in Diabetes (Look AHEAD) Clinical Trial. Diabetes Care, 2016, 39, 1345-1355.      | 4.3 | 91        |
| 72 | Low and High Birth Weights Are Risk Factors for Nonalcoholic Fatty Liver Disease in Children. Journal of Pediatrics, 2017, 187, 141-146.e1.  | 0.9 | 91        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Impact of bariatric surgery on hypertensive disorders in pregnancy: retrospective analysis of insurance claims data. BMJ: British Medical Journal, 2010, 340, c1662-c1662.  | 2.4 | 84        |
| 74 | Screening and Diagnosis of Micronutrient Deficiencies Before and After Bariatric Surgery. Obesity Surgery, 2013, 23, 1581-1589.   | 1.1 | 83        |
| 75 | Effects of a long-term lifestyle modification programme on peripheral neuropathy in overweight or obese adults with type 2 diabetes: the Look AHEAD study. Diabetologia, 2017, 60, 980-988.                         | 2.9 | 82        |
| 76 | Interventions and Operations 5 Years After Bariatric Surgery in a Cohort From the US National<br>Patient-Centered Clinical Research Network Bariatric Study. JAMA Surgery, 2020, 155, 194.                          | 2.2 | 82        |
| 77 | Multicenter Validation of Association Between Decline in MRIâ€₽DFF and Histologic Response in NASH.<br>Hepatology, 2020, 72, 1219-1229.   | 3.6 | 79        |
| 78 | rs641738C>T near MBOAT7 is associated with liver fat, ALT and fibrosis in NAFLD: A meta-analysis.<br>Journal of Hepatology, 2021, 74, 20-30.  | 1.8 | 77        |
| 79 | Quantitative comparison and evaluation of software packages for assessment of abdominal adipose tissue distribution by magnetic resonance imaging. International Journal of Obesity, 2008, 32, 100-111.             | 1.6 | 75        |
| 80 | Disparity in Physician Perception of Patients' Adherence to Medications by Obesity Status. Obesity, 2010, 18, 1932-1937.  | 1.5 | 75        |
| 81 | Treatment of nonalcoholic fatty liver disease in children: TONIC trial design. Contemporary Clinical<br>Trials, 2010, 31, 62-70.  | 0.8 | 73        |
| 82 | Reduced Incidence of Gestational Diabetes with Bariatric Surgery. Journal of the American College of<br>Surgeons, 2010, 211, 169-175.   | 0.2 | 72        |
| 83 | Suboptimal control of glycemia, blood pressure, and LDL cholesterol in overweight adults with diabetes: the Look AHEAD Study. Journal of Diabetes and Its Complications, 2008, 22, 1-9.                             | 1.2 | 71        |
| 84 | Racial and Socioeconomic Differences in the Weight-Loss Experiences of Obese Women. American<br>Journal of Public Health, 2005, 95, 1539-1543.  | 1.5 | 68        |
| 85 | Patient Sex, Reproductive Status, and Synthetic Hormone Use Associate With Histologic Severity of<br>NonalcoholicÂSteatohepatitis. Clinical Gastroenterology and Hepatology, 2017, 15, 127-131.e2.                  | 2.4 | 66        |
| 86 | Histologic Findings of Advanced Fibrosis and Cirrhosis in Patients With Nonalcoholic Fatty Liver<br>Disease Who Have Normal Aminotransferase Levels. American Journal of Gastroenterology, 2019, 114,<br>1626-1635. | 0.2 | 65        |
| 87 | The Long-Term Risk of Venous Thromboembolism Following Bariatric Surgery. Obesity Surgery, 2011, 21, 1371-1376.   | 1.1 | 60        |
| 88 | Effect of a long-term intensive lifestyle intervention on prevalence of cognitive impairment.<br>Neurology, 2017, 88, 2026-2035.  | 1.5 | 59        |
| 89 | Liver enzymes, race, gender and diabetes risk: the Atherosclerosis Risk in Communities (ARIC) Study.<br>Diabetic Medicine, 2013, 30, 926-933.   | 1.2 | 57        |
| 90 | Survey of primary care providers' knowledge of screening for, diagnosing and managing prediabetes.<br>Journal of General Internal Medicine, 2017, 32, 1172-1178.  | 1.3 | 57        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | The Effect of Intentional Weight Loss on Fracture Risk in Persons With Diabetes: Results From the<br>Look AHEAD Randomized Clinical Trial. Journal of Bone and Mineral Research, 2017, 32, 2278-2287.     | 3.1 | 57        |
| 92  | Changes in body composition over 8 years in a randomized trial of a lifestyle intervention: The look<br>AHEAD study. Obesity, 2015, 23, 565-572.  | 1.5 | 55        |
| 93  | Cardiovascular and Other Outcomes Postintervention With Insulin Glargine and Omega-3 Fatty Acids<br>(ORIGINALE). Diabetes Care, 2016, 39, 709-716.  | 4.3 | 55        |
| 94  | Development and Validation of a Model for Predicting Inpatient Hospitalization. Medical Care, 2012, 50, 131-139.  | 1.1 | 54        |
| 95  | Association between serum uric acid and nonalcoholic fatty liver disease in the US population.<br>Journal of the Formosan Medical Association, 2015, 114, 314-320.  | 0.8 | 54        |
| 96  | Clinical and metabolic effects associated with weight changes and obeticholic acid in nonâ€alcoholic steatohepatitis. Alimentary Pharmacology and Therapeutics, 2018, 47, 645-656.                        | 1.9 | 54        |
| 97  | Intensive Weight Loss Intervention in Older Individuals: Results from the Action for Health in<br>Diabetes Type 2 Diabetes Mellitus Trial. Journal of the American Geriatrics Society, 2013, 61, 912-922. | 1.3 | 52        |
| 98  | Effects of Metformin and Weight Loss on Serum Alanine Aminotransferase Activity in the Diabetes<br>Prevention Program. Obesity, 2010, 18, 1762-1767.  | 1.5 | 51        |
| 99  | The Effect of a Probiotic on Hepatic Steatosis. Journal of Clinical Gastroenterology, 2008, 42, 1117-1119.  | 1.1 | 49        |
| 100 | Risk of postâ€gastric bypass surgery hypoglycemia in nondiabetic individuals: A single center experience.<br>Obesity, 2016, 24, 1342-1348.  | 1.5 | 49        |
| 101 | Progression of Fatty Liver Disease in Children Receiving Standard of Care Lifestyle Advice.<br>Gastroenterology, 2020, 159, 1731-1751.e10.  | 0.6 | 49        |
| 102 | Effect of Exercise on Blood Pressure in Type 2 Diabetes: A Randomized Controlled Trial. Journal of<br>General Internal Medicine, 2012, 27, 1453-1459.   | 1.3 | 48        |
| 103 | Race and comorbid factors predict nonalcoholic fatty liver disease histopathology in severely obese patients. Surgery for Obesity and Related Diseases, 2005, 1, 6-11.                                    | 1.0 | 47        |
| 104 | Intensive Weight Loss Intervention and Cancer Risk in Adults with Type 2 Diabetes: Analysis of the Look<br>AHEAD Randomized Clinical Trial. Obesity, 2020, 28, 1678-1686.                                 | 1.5 | 47        |
| 105 | PaTH: towards a learning health system in the Mid-Atlantic region. Journal of the American Medical<br>Informatics Association: JAMIA, 2014, 21, 633-636.  | 2.2 | 46        |
| 106 | Changes in Gut Microbiome after Bariatric Surgery Versus Medical Weight Loss in a Pilot Randomized<br>Trial. Obesity Surgery, 2019, 29, 3239-3245.  | 1.1 | 46        |
| 107 | Changes in Adipose Tissue Depots and Metabolic Markers Following a 1-Year Diet and Exercise<br>Intervention in Overweight and Obese Patients With Type 2 Diabetes. Diabetes Care, 2014, 37, 3325-3332.    | 4.3 | 45        |
| 108 | Weight regain in patients with symptoms of post–bariatric surgery hypoglycemia. Surgery for Obesity<br>and Related Diseases, 2017, 13, 1728-1734.   | 1.0 | 45        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Weight loss as a treatment for nonalcoholic fatty liver disease. Journal of Clinical<br>Gastroenterology, 2006, 40 Suppl 1, S39-43.   | 1.1 | 45        |
| 110 | Lower serum hepcidin and greater parenchymal iron in nonalcoholic fatty liver disease patients with C282Y <i>HFE</i> mutations. Hepatology, 2012, 56, 1730-1740.  | 3.6 | 44        |
| 111 | Clinical Outcomes after Bariatric Surgery: A Five-Year Matched Cohort Analysis in Seven US States.<br>Obesity Surgery, 2012, 22, 749-763.   | 1.1 | 44        |
| 112 | Early Response to Preventive Strategies in the Diabetes Prevention Program. Journal of General<br>Internal Medicine, 2013, 28, 1629-1636.   | 1.3 | 44        |
| 113 | Greater weight loss with increasing age in the weight loss maintenance trial. Obesity, 2014, 22, 39-44.   | 1.5 | 44        |
| 114 | Hepatic 31P magnetic resonance spectroscopy: a hepatologist's user guide. Liver International, 2005, 25, 490-500.   | 1.9 | 43        |
| 115 | Commentary: Coming to America: The Integration of International Medical Graduates into the American Medical Culture. Academic Medicine, 2006, 81, 176-178.  | 0.8 | 43        |
| 116 | Aging and Physical Function in Type 2 Diabetes: 8 Years of an Intensive Lifestyle Intervention. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2015, 70, 345-353.   | 1.7 | 43        |
| 117 | Weight Loss Strategies Associated With BMI in Overweight Adults With Type 2 Diabetes at Entry Into the Look AHEAD (Action for Health in Diabetes) Trial. Diabetes Care, 2008, 31, 1299-1304.  | 4.3 | 42        |
| 118 | Does Genetic Ancestry Explain Higher Values of Glycated Hemoglobin in African Americans?. Diabetes, 2011, 60, 2434-2438.  | 0.3 | 41        |
| 119 | A randomized trial of exercise for blood pressure reduction in type 2 diabetes: Effect on<br>flow-mediated dilation and circulating biomarkers of endothelial function. Atherosclerosis, 2012,<br>224, 446-453.                                       | 0.4 | 41        |
| 120 | Outpatient metformin use is associated with reduced severity of COVIDâ€19 disease in adults with overweight or obesity. Journal of Medical Virology, 2021, 93, 4273-4279.   | 2.5 | 41        |
| 121 | Body Mass Index and Colon Cancer Screening: A Systematic Review and Meta-Analysis. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 737-746.  | 1.1 | 39        |
| 122 | Physical Function Following a Long-Term Lifestyle Intervention Among Middle Aged and Older Adults<br>With Type 2 Diabetes: The Look AHEAD Study. Journals of Gerontology - Series A Biological Sciences<br>and Medical Sciences, 2018, 73, 1552-1559. | 1.7 | 39        |
| 123 | Effect of improved fitness beyond weight loss on cardiovascular risk factors in individuals with type<br>2 diabetes in the Look AHEAD study. European Journal of Preventive Cardiology, 2014, 21, 608-617.  | 0.8 | 38        |
| 124 | The association of liver enzymes with biomarkers of subclinical myocardial damage and structural heart disease. Journal of Hepatology, 2015, 62, 841-847.   | 1.8 | 37        |
| 125 | National Survey of Primary Care Physicians' Knowledge, Practices, and Perceptions of Prediabetes.<br>Journal of General Internal Medicine, 2019, 34, 2475-2481.   | 1.3 | 37        |
| 126 | Doctor shopping by overweight and obese patients is associated with increased healthcare utilization.<br>Obesity, 2013, 21, 1328-1334.  | 1.5 | 36        |

| #   | Article  | lF          | CITATIONS      |
|-----|--|-------------|----------------|
| 127 | Estimation of Fish and ωâ€3 Fatty Acid Intake in Pediatric Nonalcoholic Fatty Liver Disease. Journal of<br>Pediatric Gastroenterology and Nutrition, 2013, 57, 627-633.                                | 0.9         | 35             |
| 128 | Primary care providers' communication with patients during weight counseling: A focus group study.<br>Patient Education and Counseling, 2012, 89, 152-157.   | 1.0         | 34             |
| 129 | Insights from the POWER Practice-Based Weight Loss Trial: A Focus Group Study on the PCP's Role in<br>Weight Management. Journal of General Internal Medicine, 2014, 29, 50-58.                        | 1.3         | 34             |
| 130 | Iron Deficiency in Patients With Nonalcoholic Fatty Liver Disease Is Associated With Obesity, Female<br>Gender, and Low Serum Hepcidin. Clinical Gastroenterology and Hepatology, 2014, 12, 1170-1178. | 2.4         | 34             |
| 131 | Effect of zinc supplementation on insulin secretion: interaction between zinc and SLC30A8 genotype in<br>Old Order Amish. Diabetologia, 2015, 58, 295-303.   | 2.9         | 34             |
| 132 | The incidence and risk factors associated with developing symptoms of hypoglycemia after bariatric surgery. Surgery for Obesity and Related Diseases, 2018, 14, 797-802.                               | 1.0         | 33             |
| 133 | Changes in weight and health behaviors after pregnancies complicated by gestational diabetes mellitus: The CARDIA study. Obesity, 2013, 21, 1269-1275.   | 1.5         | 32             |
| 134 | Satisfaction with primary care provider involvement is associated with greater weight loss: Results from the practice-based POWER trial. Patient Education and Counseling, 2015, 98, 1099-1105.        | 1.0         | 32             |
| 135 | Hemochromatosis gene and nonalcoholic fatty liver disease: A systematic review and meta-analysis.<br>Journal of Hepatology, 2011, 55, 1079-1085.   | 1.8         | 31             |
| 136 | Oral contraceptive pill use is associated with reduced odds of nonalcoholic fatty liver disease in menstruating women: results from NHANES III. Journal of Gastroenterology, 2013, 48, 1151-1159.      | 2.3         | 31             |
| 137 | Through a Gender Lens: A View of Gender and Leadership Positions in a Department of Medicine.<br>Journal of Women's Health, 2015, 24, 837-842.   | 1.5         | 31             |
| 138 | Genetic Modulation of Lipid Profiles following Lifestyle Modification or Metformin Treatment: The<br>Diabetes Prevention Program. PLoS Genetics, 2012, 8, e1002895.                                    | 1.5         | 29             |
| 139 | Impact of Bariatric Surgery on Health Care Utilization and Costs Among Patients With Diabetes.<br>Medical Care, 2012, 50, 58-65.   | 1.1         | 29             |
| 140 | Elevated ALT and GGT predict all-cause mortality and hepatocellular carcinoma in Taiwanese male: a<br>case-cohort study. Hepatology International, 2013, 7, 1040-1049.                                 | 1.9         | 29             |
| 141 | Laboratory Testing for and Diagnosis of Nutritional Deficiencies in Pregnancy Before and After<br>Bariatric Surgery. Journal of Women's Health, 2014, 23, 129-137.                                     | 1.5         | 29             |
| 142 | Partial Meal Replacement Plan and Quality of the Diet at 1 Year: Action for Health in Diabetes (Look) Tj ETQq0 (   | ) 0 rgBT /C | overlock 10 Tf |
| 143 | Faculty development needs. Journal of General Internal Medicine, 2004, 19, 375-379.  | 1.3         | 28             |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Independent but coordinated trials: insights from the Practice-based Opportunities for Weight<br>Reduction Trials Collaborative Research Group. Clinical Trials, 2010, 7, 322-332.  | 0.7 | 28        |
| 146 | Changes in the Prevalence of Symptoms of Depression, Loneliness, and Insomnia in U.S. Older Adults<br>With Type 2 Diabetes During the COVID-19 Pandemic: The Look AHEAD Study. Diabetes Care, 2022, 45,<br>74-82.                                   | 4.3 | 28        |
| 147 | The challenge of obesity-related chronic diseases. Journal of General Internal Medicine, 2000, 15, 828-829.   | 1.3 | 27        |
| 148 | Low Glycated Hemoglobin and Liver Disease in the U.S. Population. Diabetes Care, 2011, 34, 2548-2550.   | 4.3 | 27        |
| 149 | Racial/ethnic and socioeconomic disparities in the use of newer diabetes medications in the Look<br>AHEAD study. The Lancet Regional Health Americas, 2022, 6, 100111.  | 1.5 | 26        |
| 150 | Nonalcoholic fatty liver disease across ethnoâ€racial groups: Do Asianâ€American adults represent a new<br>atâ€risk population?. Journal of Gastroenterology and Hepatology (Australia), 2011, 26, 501-509.   | 1.4 | 25        |
| 151 | Community Testing and SARS-CoV-2 Rates for Latinxs in Baltimore. American Journal of Preventive Medicine, 2021, 60, e281-e286.  | 1.6 | 25        |
| 152 | Prospective association of a genetic risk score and lifestyle intervention with cardiovascular<br>morbidity and mortality among individuals with type 2 diabetes: the Look AHEAD randomised<br>controlled trial. Diabetologia, 2015, 58, 1803-1813. | 2.9 | 24        |
| 153 | Clinically Actionable Hypercholesterolemia and Hypertriglyceridemia in Children with Nonalcoholic<br>Fatty Liver Disease. Journal of Pediatrics, 2018, 198, 76-83.e2.   | 0.9 | 24        |
| 154 | Relationship between resolution of nonâ€alcoholic steatohepatitis and changes in lipoprotein<br>subâ€fractions: a postâ€hoc analysis of the <scp>PIVENS</scp> trial. Alimentary Pharmacology and<br>Therapeutics, 2019, 49, 1205-1213.              | 1.9 | 24        |
| 155 | Weight Change 2 Years After Termination of the Intensive Lifestyle Intervention in the Look AHEAD<br>Study. Obesity, 2020, 28, 893-901.   | 1.5 | 24        |
| 156 | Sociodemographic Trends in Bariatric Surgery Utilization in the USA. Obesity Surgery, 2012, 22, 838-842.  | 1.1 | 23        |
| 157 | Increased parenchymal damage and steatohepatitis in Caucasian non-alcoholic fatty liver disease<br>patients with common IL1B and IL6 polymorphisms. Alimentary Pharmacology and Therapeutics, 2016, 44,<br>1253-1264.                               | 1.9 | 23        |
| 158 | Effects of Intensive Lifestyle Intervention on All-Cause Mortality in Older Adults With Type 2 Diabetes and Overweight/Obesity: Results From the Look AHEAD Study. Diabetes Care, 2022, 45, 1252-1259.  | 4.3 | 23        |
| 159 | Negative trials in nonalcoholic steatohepatitis: Why they happen and what they teach us. Hepatology, 2004, 39, 602-603.   | 3.6 | 22        |
| 160 | Prospective Association of <i>GLUL</i> rs10911021 With Cardiovascular Morbidity and Mortality Among Individuals With Type 2 Diabetes: The Look AHEAD Study. Diabetes, 2016, 65, 297-302.  | 0.3 | 21        |
| 161 | Longitudinal Accuracy of Web-Based Self-Reported Weights: Results From the Hopkins POWER Trial.<br>Journal of Medical Internet Research, 2014, 16, e173.  | 2.1 | 21        |
| 162 | Benefits of commercial weight-loss programs on blood pressure and lipids: a systematic review.<br>Preventive Medicine, 2016, 90, 86-99.   | 1.6 | 20        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Validation of the accuracy of the FASTâ"¢ score for detecting patients with at-risk nonalcoholic<br>steatohepatitis (NASH) in a North American cohort and comparison to other non-invasive algorithms.<br>PLoS ONE, 2022, 17, e0266859. | 1.1 | 20        |
| 164 | Morbidity Trajectories as Predictors of Utilization. Medical Care, 2011, 49, 918-923.   | 1.1 | 19        |
| 165 | Systolic Blood Pressure Control Among Individuals With Type 2 Diabetes: A Comparative Effectiveness<br>Analysis of Three Interventions. American Journal of Hypertension, 2015, 28, 995-1009.   | 1.0 | 18        |
| 166 | Islet autoantibody positivity in overweight and obese adults with type 2 diabetes. Autoimmunity, 2018, 51, 408-416.   | 1.2 | 18        |
| 167 | Perceived Diet and Exercise Behaviors Among Social Network Members With Personal Lifestyle Habits of Public Housing Residents. Health Education and Behavior, 2018, 45, 808-816.  | 1.3 | 18        |
| 168 | Measurement characteristics of the ankle–brachial index: results from the Action for Health in<br>Diabetes study. Vascular Medicine, 2008, 13, 225-233.   | 0.8 | 17        |
| 169 | The association of arterial shear and flow-mediated dilation in diabetes. Vascular Medicine, 2011, 16, 267-274.   | 0.8 | 17        |
| 170 | Sex Differences Among Career Development Awardees in the Attainment of Independent Research<br>Funding in a Department of Medicine. Journal of Women's Health, 2015, 24, 933-939.   | 1.5 | 17        |
| 171 | Does Bariatric Surgery Affect Urinary Incontinence?. Urology, 2013, 82, 547-551.  | O.5 | 16        |
| 172 | Prior doctor shopping resulting from differential treatment correlates with differences in current patientâ€provider relationships. Obesity, 2014, 22, 1952-1955.   | 1.5 | 16        |
| 173 | Guidelineâ€concordant weightâ€loss programs in an urban area are uncommon and difficult to identify through the internet. Obesity, 2016, 24, 583-588.   | 1.5 | 16        |
| 174 | A Pilot Genomeâ€Wide Analysis Study Identifies Loci Associated With Response to Obeticholic Acid in<br>Patients With NASH. Hepatology Communications, 2019, 3, 1571-1584.   | 2.0 | 16        |
| 175 | Perspectives of pregnant and postpartum women and obstetric providers to promote healthy lifestyle<br>in pregnancy and after delivery: a qualitative in-depth interview study. BMC Women's Health, 2020, 20,<br>44.                     | 0.8 | 16        |
| 176 | Risk of complications after bariatric surgery among individuals with and without type 2 diabetes mellitus. Surgery for Obesity and Related Diseases, 2012, 8, 305-330.  | 1.0 | 15        |
| 177 | Increased TLR/MyD88 signaling in patients with obesity: is there a link to COVID-19 disease severity?.<br>International Journal of Obesity, 2021, 45, 1152-1154.  | 1.6 | 15        |
| 178 | Lifetime Weight Patterns in Male Physicians: The Effects of Cohort and Selective Survival*. Obesity, 2006, 14, 902-908.   | 1.5 | 13        |
| 179 | Efficacy of Commercial Weight-Loss Programs. Annals of Internal Medicine, 2015, 163, 399.   | 2.0 | 13        |
| 180 | Prevalence and characteristics of individuals without diabetes and hypertension who underwent<br>bariatric surgery: lessons learned about metabolically healthy obese. Surgery for Obesity and Related<br>Diseases, 2015, 11, 142-146.  | 1.0 | 13        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | A systematic review of commercial weight loss programmes' effect on glycemic outcomes among<br>overweight and obese adults with and without type 2 diabetes mellitus. Obesity Reviews, 2016, 17,<br>758-769.                           | 3.1 | 13        |
| 182 | Factors associated with early dropout in an employerâ€based commercial weightâ€loss program. Obesity<br>Science and Practice, 2018, 4, 545-553.  | 1.0 | 13        |
| 183 | A National Collaboration to Disseminate Skills for Outpatient Teaching in Internal Medicine: Program Description and Preliminary Evaluation. Academic Medicine, 2006, 81, 193-202.   | 0.8 | 12        |
| 184 | Hepatic fat and adenosine triphosphate measurement in overweight and obese adults using<br><sup>1</sup> H and <sup>31</sup> P magnetic resonance spectroscopy. Liver International, 2008, 28,<br>675-681.                              | 1.9 | 12        |
| 185 | Trends in and Patterns of Obesity Reduction Medication Use in an Insured Cohort. Obesity, 2010, 18, 206-209.   | 1.5 | 12        |
| 186 | Implications of Look <scp>AHEAD</scp> for clinical trials and clinical practice. Diabetes, Obesity and Metabolism, 2014, 16, 1183-1191.  | 2.2 | 12        |
| 187 | Direct comparisons of commercial weight-loss programs on weight, waist circumference, and blood pressure: a systematic review. BMC Public Health, 2016, 16, 460.   | 1.2 | 12        |
| 188 | Patient Recruitment Into a Multicenter Clinical Cohort Linking Electronic Health Records From 5<br>Health Systems: Cross-sectional Analysis. Journal of Medical Internet Research, 2021, 23, e24003.                                   | 2.1 | 12        |
| 189 | Electronic Health Record–Based Recruitment and Retention and Mobile Health App Usage: Multisite<br>Cohort Study. Journal of Medical Internet Research, 2022, 24, e34191.   | 2.1 | 12        |
| 190 | Perceived helpfulness of the individual components of a behavioural weight loss program: results from the Hopkins POWER Trial. Obesity Science and Practice, 2015, 1, 23-32.   | 1.0 | 11        |
| 191 | Feasibility and acceptability of a remotelyâ€delivered behavioural health coaching intervention to limit gestational weight gain. Obesity Science and Practice, 2020, 6, 484-493.  | 1.0 | 11        |
| 192 | Commercial Programs' Online Weight‣oss Claims Compared to Results from Randomized Controlled<br>Trials. Obesity, 2017, 25, 1885-1893.  | 1.5 | 10        |
| 193 | Predictors of Insulin Initiation in Patients with Type 2 Diabetes: An Analysis of the Look AHEAD<br>Randomized Trial. Journal of General Internal Medicine, 2018, 33, 839-846.   | 1.3 | 10        |
| 194 | The Role of Laboratory Testing in Differentiating Type 1 Diabetes from Type 2 Diabetes in Patients<br>Undergoing Bariatric Surgery. Obesity Surgery, 2018, 28, 25-30.  | 1.1 | 10        |
| 195 | Effects of Education and Experience on Primary Care Providers' Perspectives of Obesity Treatments during a Pragmatic Trial. Obesity, 2018, 26, 1532-1538.  | 1.5 | 10        |
| 196 | Within-Trial Cost-Effectiveness of a Structured Lifestyle Intervention in Adults With<br>Overweight/Obesity and Type 2 Diabetes: Results From the Action for Health in Diabetes (Look AHEAD)<br>Study. Diabetes Care, 2021, 44, 67-74. | 4.3 | 10        |
| 197 | Implementing the Comprehensive Unit-Based Safety Program (CUSP) to Improve Patient Safety in an Academic Primary Care Practice. Joint Commission Journal on Quality and Patient Safety, 2017, 43, 591-597.                             | 0.4 | 10        |
| 198 | Association Between Change in Accelerometer-Measured and Self-Reported Physical Activity and Cardiovascular Disease in the Look AHEAD Trial. Diabetes Care, 2022, 45, 742-749.   | 4.3 | 10        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Bariatric Surgery and Diabetes: Access Denied. Diabetes Technology and Therapeutics, 2013, 15, S-83-S-87.  | 2.4 | 9         |
| 200 | Association of personal vehicle access with lifestyle habits and food insecurity among public housing residents. Preventive Medicine Reports, 2019, 13, 341-345.   | 0.8 | 9         |
| 201 | Provider Counseling About and Risk Perception for Future Chronic Disease Among Women with<br>Gestational Diabetes and Preeclampsia. Journal of Women's Health, 2020, 29, 1168-1175.  | 1.5 | 9         |
| 202 | Nonalcoholic fatty liver disease risk and histologic severity are associated with genetic polymorphisms in children. Hepatology, 2023, 77, 197-212.  | 3.6 | 8         |
| 203 | Development of a Claims-Based Risk Score to Identify Obese Individuals. Population Health<br>Management, 2010, 13, 201-207.  | 0.8 | 7         |
| 204 | Prepregnancy body mass index and cardiovascular disease mortality: The child health and development studies. Obesity, 2014, 22, 1149-1156.   | 1.5 | 7         |
| 205 | Endâ€ofâ€Trial Health Outcomes in Look AHEAD Participants who Elected to have Bariatric Surgery.<br>Obesity, 2019, 27, 581-590.  | 1.5 | 7         |
| 206 | Interaction Between Alcohol Consumption and PNPLA3 Variant in the Prevalence of Hepatic Steatosis in the US Population. Clinical Gastroenterology and Hepatology, 2021, 19, 2606-2614.e4.  | 2.4 | 7         |
| 207 | What influences the "when―of eating and sleeping?A qualitative interview study. Appetite, 2021, 156,<br>104980.  | 1.8 | 7         |
| 208 | Development of a Mobile App for Ecological Momentary Assessment of Circadian Data: Design<br>Considerations and Usability Testing. JMIR Formative Research, 2021, 5, e26297.   | 0.7 | 7         |
| 209 | Role of Commercial Weight-Loss Programs in Medical Management of Obesity. Endocrinology and<br>Metabolism Clinics of North America, 2020, 49, 275-287.   | 1.2 | 7         |
| 210 | Impact of weight loss on ankleâ€brachial index and interartery blood pressures. Obesity, 2014, 22, 1032-1041.  | 1.5 | 6         |
| 211 | Self-Reported Gastrointestinal Symptoms in Type 2 Diabetes Improve With an Intensive Lifestyle<br>Intervention: Results From the Action for Health in Diabetes (Look AHEAD) Clinical Trial. Clinical<br>Diabetes, 2015, 33, 181-188. | 1.2 | 6         |
| 212 | Changes in metformin use and other antihyperglycemic therapies after insulin initiation in patients with type 2 diabetes. Diabetes Research and Clinical Practice, 2018, 139, 221-229.   | 1.1 | 6         |
| 213 | Social Network Intervention Reduces Added Sugar Intake Among Baltimore Public Housing Residents: A<br>Feasibility Study. Nutrition and Metabolic Insights, 2020, 13, 117863882090932.  | 0.8 | 6         |
| 214 | 37-OR: Racial and Socioeconomic Disparities in the Use of Newer Classes of Diabetes Medications.<br>Diabetes, 2020, 69, .  | 0.3 | 6         |
| 215 | Factors associated with palliative care knowledge among internal medicine house staff. Journal of Palliative Care, 2003, 19, 253-7.  | 0.4 | 6         |
| 216 | Adherence to Diet and Meal Timing in a Randomized Controlled Feeding Study of Time-Restricted Feeding. Nutrients, 2022, 14, 2283.  | 1.7 | 6         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Role of PCP referral and weight loss in the Hopkins POWER trial. Preventive Medicine Reports, 2015, 2, 968-972.   | 0.8 | 5         |
| 218 | Expression of MYD88 in Adipose Tissue of Obese People: Is There Some Role in the Development of Metabolic Syndrome?. Metabolic Syndrome and Related Disorders, 2017, 15, 80-85.   | 0.5 | 5         |
| 219 | Overweight/obesity among social network members has an inverse relationship with Baltimore public housing residents' BMI. Preventive Medicine Reports, 2019, 14, 100809.  | 0.8 | 5         |
| 220 | Changes in mood and healthâ€related quality of life in Look AHEAD 6 years after termination of the lifestyle intervention. Obesity, 2021, 29, 1294-1308.  | 1.5 | 5         |
| 221 | Incidence of Type 2 Diabetes in Children With Nonalcoholic Fatty Liver Disease. Clinical<br>Gastroenterology and Hepatology, 2023, 21, 1261-1270.   | 2.4 | 5         |
| 222 | Willingness to pay for continued delivery of a lifestyle-based weight loss program: The Hopkins POWER trial. Obesity, 2015, 23, 282-285.  | 1.5 | 4         |
| 223 | Comparative Effects of Medical Versus Surgical Weight Loss on Body Composition: a Pilot Randomized Trial. Obesity Surgery, 2019, 29, 2503-2510.   | 1.1 | 4         |
| 224 | Cost of behavioral weight loss programs implemented in clinical practice: The POWER trial at Johns<br>Hopkins. Translational Behavioral Medicine, 2020, 10, 103-113.  | 1.2 | 4         |
| 225 | Understanding the Bariatric Patient Perspective in the National Patient-Centered Clinical Research<br>Network (PCORnet) Bariatric Study. Obesity Surgery, 2020, 30, 1837-1847.  | 1.1 | 4         |
| 226 | Factors Associated with Weight Loss Maintenance and Weight Regain Among African American and<br>White Adults Initially Successful at Weight Loss. Journal of Racial and Ethnic Health Disparities, 2022,<br>9, 546-565. | 1.8 | 4         |
| 227 | Hepatic Fat in Participants With and Without Incident Diabetes in the Diabetes Prevention Program<br>Outcome Study. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e4746-e4765.                           | 1.8 | 4         |
| 228 | Impact of COVIDâ $\in 19$ on life experiences reported by a diverse cohort of older adults with diabetes and obesity. Obesity, 2022, , .  | 1.5 | 4         |
| 229 | A Screening Tool to Assess and Manage Behavioral Risk in the Postoperative Bariatric Surgery Patient:<br>The WATCH. Journal of Clinical Psychology in Medical Settings, 2013, 20, 456-463.                              | 0.8 | 3         |
| 230 | Effects of visceral adipose tissue reduction on CVD risk factors independent of weight loss: The Look<br>AHEAD study. Endocrine Research, 2017, 42, 86-95.  | 0.6 | 3         |
| 231 | Access to a scale and selfâ€weighing habits among public housing residents. Clinical Obesity, 2018, 8, 258-264.   | 1.1 | 3         |
| 232 | Social network factors and cardiovascular health among baltimore public housing residents.<br>Preventive Medicine Reports, 2020, 20, 101192.  | 0.8 | 3         |
| 233 | You are What You Think Your Social Network Eats: Public Housing, Social Networks, and Fast-Food<br>Consumption. Journal of Health Care for the Poor and Underserved, 2020, 31, 1712-1726.                               | 0.4 | 3         |
| 234 | Minority and lowâ€income patients are less likely to have a scale for selfâ€weighing in their home: A<br>survey in primary care. Clinical Obesity, 2020, 10, e12363.  | 1.1 | 3         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Comparative Effects of Medical vs. Surgical Weight Loss on Body Composition in a Randomized Trial.<br>Diabetes, 2018, 67, .  | 0.3 | 3         |
| 236 | Clinical Care Among Individuals with Prediabetes in Primary Care: a Retrospective Cohort Study.<br>Journal of General Internal Medicine, 2022, , 1.  | 1.3 | 3         |
| 237 | From efficacy to effectiveness: lessons learned from the Practice-Based Opportunities for Weight Reduction (POWER) trial. Journal of Comparative Effectiveness Research, 2012, 1, 213-216.                                   | 0.6 | 2         |
| 238 | Team-Based Health Information Exchange Use Increased Mammography Documentation and Referral in<br>an Academic Primary Care Practice: An Interrupted Time Series. Journal of General Internal Medicine,<br>2018, 33, 710-714. | 1.3 | 2         |
| 239 | Understanding Primary Care Patients' Self-weighing Habits: Cohort Analysis from the PaTH Clinical<br>Data Research Network. Journal of General Internal Medicine, 2019, 34, 1775-1781.                                       | 1.3 | 2         |
| 240 | Long-term retention in an employer-based, commercial weight-loss programme. Clinical Obesity, 2019, 9, e12284.   | 1.1 | 2         |
| 241 | Validation of the Use of Electronic Medical Records for Identification of Post-gastric Bypass<br>Hypoglycemia Cases. Obesity Surgery, 2019, 29, 2126-2131.   | 1.1 | 2         |
| 242 | Nonalcoholic fatty liver disease and type 2 diabetes: a burgeoning problem with unclear solutions.<br>Hepatobiliary Surgery and Nutrition, 2020, 9, 514-517.   | 0.7 | 2         |
| 243 | Abstract MP14: The Effect Of Time-restricted Feeding On 24-hour Ambulatory Blood Pressure: Results<br>From The Time-restricted Intake Of Meals (TRIM) Study. Circulation, 2021, 143, .                                       | 1.6 | 2         |
| 244 | Association between the soluble receptor for advanced glycation end products (sRAGE) and NAFLD in participants in the Atherosclerosis Risk in Communities Study. Digestive and Liver Disease, 2021, 53, 873-878.             | 0.4 | 2         |
| 245 | 389-P: Comparison of Hormonal Response to a Mixed-Meal Challenge in Individuals with Hypoglycemia<br>after Sleeve Gastrectomy vs. Gastric Bypass. Diabetes, 2019, 68, 389-P.   | 0.3 | 2         |
| 246 | Variation in Provider Identification of Obesity by Individual- and Neighborhood-Level Characteristics among an Insured Population. Journal of Obesity, 2010, 2010, 1-7.  | 1.1 | 1         |
| 247 | Measurement of Weight in Clinical Trials: Is One Day Enough?. Journal of Obesity, 2010, 2010, 1-3.   | 1.1 | 1         |
| 248 | PSY47 WILLINGNESS TO PAY (WTP) FOR WEIGHT LOSS COACHING: RESULTS FROM THE POWER TRIAL. Value in Health, 2011, 14, A67-A68.   | 0.1 | 1         |
| 249 | Physical Activity and Exercise. Diabetes Technology and Therapeutics, 2014, 16, S-92-S-99.   | 2.4 | 1         |
| 250 | Influence of subsidies and promotional strategies on outcomes in a beneficiaryâ€based commercial<br>weightâ€loss programme. Clinical Obesity, 2019, 9, e12307.   | 1.1 | 1         |
| 251 | Parents lose less weight than nonparents in an intensive lifestyle intervention. Obesity Science and Practice, 2020, 6, 494-506.   | 1.0 | 1         |
| 252 | Potential for unintended consequences: The association between smoking and body mass index among public housing residents in Baltimore, MD. Preventive Medicine Reports, 2020, 18, 101081.                                   | 0.8 | 1         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | Evaluation of Bedside Delivery of Medications Before Discharge: Effect on 30-Day Readmission. Journal of Managed Care & Specialty Pharmacy, 2020, 26, 296-304.   | 0.5 | 1         |
| 254 | Abstract 017: Meal Intervals And Weight Trajectories In Adults Using The Daily24 Mobile Application: A<br>Prospective Cohort Study. Circulation, 2021, 143, .  | 1.6 | 1         |
| 255 | 143-OR: All-Cause Mortality over 16 Years in Look AHEAD. Diabetes, 2020, 69, .   | 0.3 | 1         |
| 256 | Eating breakfast is associated with weight loss during an intensive lifestyle intervention for overweight/obesity. Obesity, 2022, 30, 378-388.   | 1.5 | 1         |
| 257 | Impact of Bariatric Surgery on Hypertensive Disorders in Pregnancy: Retrospective Analysis of<br>Insurance Claims Data. Obstetrical and Gynecological Survey, 2010, 65, 615-616.   | 0.2 | 0         |
| 258 | Effect Of A 6-month Exercise Intervention On Flow-mediated Dilation And Endothelial Biomarkers In<br>Adults With Type 2 Diabetes. Medicine and Science in Sports and Exercise, 2010, 42, 649.  | 0.2 | 0         |
| 259 | 941 Birth Weight is an Important Life Stage Factor for Children With Nonalcoholic Fatty Liver Disease.<br>Gastroenterology, 2016, 150, S1053.  | 0.6 | 0         |
| 260 | Provider Advice and Patient Perceptions on Weight Across Five Health Systems. American Journal of<br>Preventive Medicine, 2020, 59, e105-e114.   | 1.6 | 0         |
| 261 | Back Cover Image, Volume 93, Number 7, July 2021. Journal of Medical Virology, 2021, 93, ii.   | 2.5 | 0         |
| 262 | Exercise and QUality diet After Leukemia (The EQUAL Study): An intervention trial in the Childhood Cancer Survivor Study (CCSS) Journal of Clinical Oncology, 2021, 39, 10015-10015.   | 0.8 | 0         |
| 263 | Drawing Conclusions about Short-Term Variability in Liver Function Test Results. Annals of Internal<br>Medicine, 2008, 149, 145.   | 2.0 | 0         |
| 264 | The Associations of Diabetes with Digestive, Oral, and Liver Disease, and Autonomic Neuropathy. , 2010, , 247-266.   |     | 0         |
| 265 | Abstract P009: The Association of Liver Enzymes with Subclinical Myocardial Damage. Circulation, 2012, 125, .  | 1.6 | 0         |
| 266 | Continuous Glucose Monitoring in Patients With or Without Symptoms of Hypoglycemia after<br>Bariatric Surgery. Diabetes, 2018, 67, 376-P.  | 0.3 | 0         |
| 267 | 2007-P: Weight Change and Intentionality of Weight Loss Relate to Mortality Risk in the<br>Postintervention (Years 8-16) Phase of Look AHEAD. Diabetes, 2020, 69, .  | 0.3 | 0         |
| 268 | Abstract 14192: Breakfast Consumption is Associated With Weight Loss During an Intensive Lifestyle<br>Intervention for Adults With Overweight/Obesity and Type 2 Diabetes: Results From the Look AHEAD<br>Trial. Circulation, 2020, 142, . | 1.6 | 0         |
| 269 | GDF15 and Cortisol Response to Meal Tolerance Test in Post-Sleeve Gastrectomy Patients with Weight<br>Regain. Obesity Surgery, 0, , .  | 1.1 | 0         |