

Jeanne M Clark

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7752533/jeanne-m-clark-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

248
papers

27,401
citations

68
h-index

164
g-index

275
ext. papers

32,150
ext. citations

7.3
avg, IF

6.9
L-index

#	Paper	IF	Citations
248	Pioglitazone, vitamin E, or placebo for nonalcoholic steatohepatitis. <i>New England Journal of Medicine</i> , 2010 , 362, 1675-85	59.2	2119
247	10-year follow-up of diabetes incidence and weight loss in the Diabetes Prevention Program Outcomes Study. <i>Lancet, The</i> , 2009 , 374, 1677-86	40	2008
246	Cardiovascular effects of intensive lifestyle intervention in type 2 diabetes. <i>New England Journal of Medicine</i> , 2013 , 369, 145-54	59.2	1738
245	Farnesoid X nuclear receptor ligand obeticholic acid for non-cirrhotic, non-alcoholic steatohepatitis (FLINT): a multicentre, randomised, placebo-controlled trial. <i>Lancet, The</i> , 2015 , 385, 956-65	40	1421
244	Reduction in weight and cardiovascular disease risk factors in individuals with type 2 diabetes: one-year results of the look AHEAD trial. <i>Diabetes Care</i> , 2007 , 30, 1374-83	14.6	1154
243	The prevalence and etiology of elevated aminotransferase levels in the United States. <i>American Journal of Gastroenterology</i> , 2003 , 98, 960-7	0.7	1014
242	Diagnostic accuracy and reliability of ultrasonography for the detection of fatty liver: a meta-analysis. <i>Hepatology</i> , 2011 , 54, 1082-1090	11.2	774
241	Comparison of noninvasive markers of fibrosis in patients with nonalcoholic fatty liver disease. <i>Clinical Gastroenterology and Hepatology</i> , 2009 , 7, 1104-12	6.9	734
240	Effect of vitamin E or metformin for treatment of nonalcoholic fatty liver disease in children and adolescents: the TONIC randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 305, 1659-68	27.4	721
239	Nonalcoholic fatty liver disease. <i>Gastroenterology</i> , 2002 , 122, 1649-57	13.3	689
238	n-3 fatty acids and cardiovascular outcomes in patients with dysglycemia. <i>New England Journal of Medicine</i> , 2012 , 367, 309-18	59.2	659
237	Genome-wide association analysis identifies variants associated with nonalcoholic fatty liver disease that have distinct effects on metabolic traits. <i>PLoS Genetics</i> , 2011 , 7, e1001324	6	629
236	Long-term effects of a lifestyle intervention on weight and cardiovascular risk factors in individuals with type 2 diabetes mellitus: four-year results of the Look AHEAD trial. <i>Archives of Internal Medicine</i> , 2010 , 170, 1566-75		580
235	Prevalence of nonalcoholic fatty liver disease in the United States: the Third National Health and Nutrition Examination Survey, 1988-1994. <i>American Journal of Epidemiology</i> , 2013 , 178, 38-45	3.8	569
234	Comparative effectiveness of weight-loss interventions in clinical practice. <i>New England Journal of Medicine</i> , 2011 , 365, 1959-68	59.2	554
233	The epidemiology of nonalcoholic fatty liver disease: a global perspective. <i>Seminars in Liver Disease</i> , 2008 , 28, 339-50	7.3	547
232	Genome-wide association study identifies loci influencing concentrations of liver enzymes in plasma. <i>Nature Genetics</i> , 2011 , 43, 1131-8	36.3	415

231	Association of an intensive lifestyle intervention with remission of type 2 diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 308, 2489-96	27.4	390
230	Clinical, laboratory and histological associations in adults with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2010 , 52, 913-24	11.2	309
229	Serum ferritin and risk of the metabolic syndrome in U.S. adults. <i>Diabetes Care</i> , 2004 , 27, 2422-8	14.6	304
228	The epidemiology of nonalcoholic fatty liver disease in adults. <i>Journal of Clinical Gastroenterology</i> , 2006 , 40 Suppl 1, S5-10	3	300
227	Glucagonlike peptide 1-based therapies and risk of hospitalization for acute pancreatitis in type 2 diabetes mellitus: a population-based matched case-control study. <i>JAMA Internal Medicine</i> , 2013 , 173, 534-9	11.5	290
226	Nonalcoholic fatty liver disease: an underrecognized cause of cryptogenic cirrhosis. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 289, 3000-4	27.4	284
225	Association of the magnitude of weight loss and changes in physical fitness with long-term cardiovascular disease outcomes in overweight or obese people with type 2 diabetes: a post-hoc analysis of the Look AHEAD randomised clinical trial. <i>Lancet Diabetes and Endocrinology</i> , 2016 , 4, 913-921	18.1	282
224	Four-year weight losses in the Look AHEAD study: factors associated with long-term success. <i>Obesity</i> , 2011 , 19, 1987-98	8	277
223	Physical activity recommendations, exercise intensity, and histological severity of nonalcoholic fatty liver disease. <i>American Journal of Gastroenterology</i> , 2011 , 106, 460-8; quiz 469	0.7	271
222	Portal chronic inflammation in nonalcoholic fatty liver disease (NAFLD): a histologic marker of advanced NAFLD-Clinicopathologic correlations from the nonalcoholic steatohepatitis clinical research network. <i>Hepatology</i> , 2009 , 49, 809-20	11.2	265
221	Non-alcoholic fatty liver disease and mortality among US adults: prospective cohort study. <i>BMJ, The</i> , 2011 , 343, d6891	5.9	253
220	Effect of a 12-month intensive lifestyle intervention on hepatic steatosis in adults with type 2 diabetes. <i>Diabetes Care</i> , 2010 , 33, 2156-63	14.6	250
219	Efficacy of commercial weight-loss programs: an updated systematic review. <i>Annals of Internal Medicine</i> , 2015 , 162, 501-12	8	209
218	Effect of a long-term behavioural weight loss intervention on nephropathy in overweight or obese adults with type 2 diabetes: a secondary analysis of the Look AHEAD randomised clinical trial. <i>Lancet Diabetes and Endocrinology</i> , 2014 , 2, 801-9	18.1	174
217	Meta-analysis: vitamin D and non-alcoholic fatty liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2013 , 38, 246-54	6.1	169
216	Obstructive sleep apnea, insulin resistance, and steatohepatitis in severe obesity. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2009 , 179, 228-34	10.2	148
215	Can imaging modalities diagnose and stage hepatic fibrosis and cirrhosis accurately?. <i>Journal of Hepatology</i> , 2009 , 50, 17-35	13.4	145
214	Roux-en-Y gastric bypass improves liver histology in patients with non-alcoholic fatty liver disease. <i>Obesity</i> , 2005 , 13, 1180-6		139

213	Vitamin E and changes in serum alanine aminotransferase levels in patients with non-alcoholic steatohepatitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2013 , 38, 134-43	6.1	125
212	Higher dietary fructose is associated with impaired hepatic adenosine triphosphate homeostasis in obese individuals with type 2 diabetes. <i>Hepatology</i> , 2012 , 56, 952-60	11.2	125
211	Impact of an intensive lifestyle intervention on use and cost of medical services among overweight and obese adults with type 2 diabetes: the action for health in diabetes. <i>Diabetes Care</i> , 2014 , 37, 2548-56	14.6	123
210	Prevalence of Prediabetes and Type 2 Diabetes in Children With Nonalcoholic Fatty Liver Disease. <i>JAMA Pediatrics</i> , 2016 , 170, e161971	8.3	123
209	Surgical site infections and cost in obese patients undergoing colorectal surgery. <i>Archives of Surgery</i> , 2011 , 146, 1068-72		120
208	Physician respect for patients with obesity. <i>Journal of General Internal Medicine</i> , 2009 , 24, 1236-9	4	115
207	Barriers to and facilitators of postpartum follow-up care in women with recent gestational diabetes mellitus: a qualitative study. <i>Journal of Women's Health</i> , 2011 , 20, 239-45	3	112
206	Effect of gastric bypass surgery on kidney stone disease. <i>Journal of Urology</i> , 2009 , 181, 2573-7	2.5	112
205	The association of obesity and cervical cancer screening: a systematic review and meta-analysis. <i>Obesity</i> , 2009 , 17, 375-81	8	104
204	Impact of bariatric surgery on health care costs of obese persons: a 6-year follow-up of surgical and comparison cohorts using health plan data. <i>JAMA Surgery</i> , 2013 , 148, 555-62	5.4	101
203	Quality of life in adults with nonalcoholic fatty liver disease: baseline data from the nonalcoholic steatohepatitis clinical research network. <i>Hepatology</i> , 2009 , 49, 1904-12	11.2	100
202	The impact of obesity on breast surgery complications. <i>Plastic and Reconstructive Surgery</i> , 2011 , 128, 395e-402e	2.7	98
201	Obesity and mammography: a systematic review and meta-analysis. <i>Journal of General Internal Medicine</i> , 2009 , 24, 665-77	4	98
200	A prospective study of plasma ferritin level and incident diabetes: the Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Epidemiology</i> , 2007 , 165, 1047-54	3.8	97
199	Utilization of primary and obstetric care after medically complicated pregnancies: an analysis of medical claims data. <i>Journal of General Internal Medicine</i> , 2014 , 29, 636-45	4	95
198	Association between variants in or near PNPLA3, GCKR, and PPP1R3B with ultrasound-defined steatosis based on data from the third National Health and Nutrition Examination Survey. <i>Clinical Gastroenterology and Hepatology</i> , 2013 , 11, 1183-1190.e2	6.9	95
197	Brief communication: clinical implications of short-term variability in liver function test results. <i>Annals of Internal Medicine</i> , 2008 , 148, 348-52	8	93
196	A longer duration of estrogen deficiency increases fibrosis risk among postmenopausal women with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2016 , 64, 85-91	11.2	87

195	Hepatic steatosis and type 2 diabetes mellitus. <i>Current Diabetes Reports</i> , 2002 , 2, 210-5	5.6	87
194	Prevalence of and risk factors for hypoglycemic symptoms after gastric bypass and sleeve gastrectomy. <i>Obesity</i> , 2015 , 23, 1079-84	8	86
193	Prompt reduction in use of medications for comorbid conditions after bariatric surgery. <i>Obesity Surgery</i> , 2009 , 19, 1646-56	3.7	85
192	The pharmacogenetics of type 2 diabetes: a systematic review. <i>Diabetes Care</i> , 2014 , 37, 876-86	14.6	83
191	Racial differences in nonalcoholic fatty liver disease in the U.S. population. <i>Obesity</i> , 2014 , 22, 292-9	8	82
190	Correlation of vitamin E, uric acid, and diet composition with histologic features of pediatric NAFLD. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 54, 90-6	2.8	80
189	Nonalcoholic fatty liver disease is associated with cognitive function in adults. <i>Neurology</i> , 2016 , 86, 1136-42	6.4	79
188	The long-term effectiveness of a lifestyle intervention in severely obese individuals. <i>American Journal of Medicine</i> , 2013 , 126, 236-42, 242.e1-2	2.4	79
187	Teaching the teachers: national survey of faculty development in departments of medicine of U.S. teaching hospitals. <i>Journal of General Internal Medicine</i> , 2004 , 19, 205-14	4	78
186	Medication utilization and annual health care costs in patients with type 2 diabetes mellitus before and after bariatric surgery. <i>Archives of Surgery</i> , 2010 , 145, 726-31		75
185	In Children With Nonalcoholic Fatty Liver Disease, Cysteamine Bitartrate Delayed Release Improves Liver Enzymes but Does Not Reduce Disease Activity Scores. <i>Gastroenterology</i> , 2016 , 151, 1141-1154.e9	13.3	73
184	Prevalence and correlates of obesity in a community sample of individuals with severe and persistent mental illness. <i>Journal of Nervous and Mental Disease</i> , 2003 , 191, 799-805	1.8	73
183	Screening and diagnosis of micronutrient deficiencies before and after bariatric surgery. <i>Obesity Surgery</i> , 2013 , 23, 1581-9	3.7	71
182	Impact of bariatric surgery on hypertensive disorders in pregnancy: retrospective analysis of insurance claims data. <i>BMJ, The</i> , 2010 , 340, c1662	5.9	69
181	Quantitative comparison and evaluation of software packages for assessment of abdominal adipose tissue distribution by magnetic resonance imaging. <i>International Journal of Obesity</i> , 2008 , 32, 100-11	5.5	67
180	Effectiveness of an Activity Tracker- and Internet-Based Adaptive Walking Program for Adults: A Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016 , 18, e34	7.6	65
179	Low and High Birth Weights Are Risk Factors for Nonalcoholic Fatty Liver Disease in Children. <i>Journal of Pediatrics</i> , 2017 , 187, 141-146.e1	3.6	64
178	Diagnostic Accuracy of Noninvasive Fibrosis Models to Detect Change in Fibrosis Stage. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 1877-1885.e5	6.9	63

177	Association of Weight Loss Maintenance and Weight Regain on 4-Year Changes in CVD Risk Factors: the Action for Health in Diabetes (Look AHEAD) Clinical Trial. <i>Diabetes Care</i> , 2016 , 39, 1345-55	14.6	63
176	Reduced incidence of gestational diabetes with bariatric surgery. <i>Journal of the American College of Surgeons</i> , 2010 , 211, 169-75	4.4	62
175	Treatment of nonalcoholic fatty liver disease in children: TONIC trial design. <i>Contemporary Clinical Trials</i> , 2010 , 31, 62-70	2.3	60
174	Comparing the 5-Year Diabetes Outcomes of Sleeve Gastrectomy and Gastric Bypass: The National Patient-Centered Clinical Research Network (PCORNet) Bariatric Study. <i>JAMA Surgery</i> , 2020 , 155, e200087	5.4	59
173	Racial and socioeconomic differences in the weight-loss experiences of obese women. <i>American Journal of Public Health</i> , 2005 , 95, 1539-43	5.1	59
172	Suboptimal control of glycemia, blood pressure, and LDL cholesterol in overweight adults with diabetes: the Look AHEAD Study. <i>Journal of Diabetes and Its Complications</i> , 2008 , 22, 1-9	3.2	57
171	Disparity in physician perception of patients' adherence to medications by obesity status. <i>Obesity</i> , 2010 , 18, 1932-7	8	53
170	The long-term risk of venous thromboembolism following bariatric surgery. <i>Obesity Surgery</i> , 2011 , 21, 1371-6	3.7	51
169	Effects of a long-term lifestyle modification programme on peripheral neuropathy in overweight or obese adults with type 2 diabetes: the Look AHEAD study. <i>Diabetologia</i> , 2017 , 60, 980-988	10.3	48
168	Cardiovascular and Other Outcomes Postintervention With Insulin Glargine and Omega-3 Fatty Acids (ORIGALE). <i>Diabetes Care</i> , 2016 , 39, 709-16	14.6	48
167	Changes in body composition over 8 years in a randomized trial of a lifestyle intervention: the look AHEAD study. <i>Obesity</i> , 2015 , 23, 565-72	8	46
166	Clinical and metabolic effects associated with weight changes and obeticholic acid in non-alcoholic steatohepatitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2018 , 47, 645-656	6.1	46
165	Effect of a long-term intensive lifestyle intervention on prevalence of cognitive impairment. <i>Neurology</i> , 2017 , 88, 2026-2035	6.5	45
164	Long-Term Weight Loss With Metformin or Lifestyle Intervention in the Diabetes Prevention Program Outcomes Study. <i>Annals of Internal Medicine</i> , 2019 , 170, 682-690	8	45
163	Effects of metformin and weight loss on serum alanine aminotransferase activity in the diabetes prevention program. <i>Obesity</i> , 2010 , 18, 1762-7	8	42
162	Interventions and Operations 5 Years After Bariatric Surgery in a Cohort From the US National Patient-Centered Clinical Research Network Bariatric Study. <i>JAMA Surgery</i> , 2020 , 155, 194-204	5.4	41
161	The Effect of Intentional Weight Loss on Fracture Risk in Persons With Diabetes: Results From the Look AHEAD Randomized Clinical Trial. <i>Journal of Bone and Mineral Research</i> , 2017 , 32, 2278-2287	6.3	41
160	Clinical outcomes after bariatric surgery: a five-year matched cohort analysis in seven US states. <i>Obesity Surgery</i> , 2012 , 22, 749-63	3.7	41

159	Liver enzymes, race, gender and diabetes risk: the Atherosclerosis Risk in Communities (ARIC) Study. <i>Diabetic Medicine</i> , 2013 , 30, 926-33	3.5	41
158	Race and comorbid factors predict nonalcoholic fatty liver disease histopathology in severely obese patients. <i>Surgery for Obesity and Related Diseases</i> , 2005 , 1, 6-11	3	41
157	Development and validation of a model for predicting inpatient hospitalization. <i>Medical Care</i> , 2012 , 50, 131-9	3.1	40
156	The effect of a probiotic on hepatic steatosis. <i>Journal of Clinical Gastroenterology</i> , 2008 , 42, 1117-9	3	40
155	Multicenter Validation of Association Between Decline in MRI-PDFF and Histologic Response in NASH. <i>Hepatology</i> , 2020 , 72, 1219-1229	11.2	39
154	Changes in adipose tissue depots and metabolic markers following a 1-year diet and exercise intervention in overweight and obese patients with type 2 diabetes. <i>Diabetes Care</i> , 2014 , 37, 3325-32	14.6	38
153	Survey of primary care providers knowledge of screening for, diagnosing and managing prediabetes. <i>Journal of General Internal Medicine</i> , 2017 , 32, 1172-1178	4	38
152	Patient Sex, Reproductive Status, and Synthetic Hormone Use Associate With Histologic Severity of Nonalcoholic Steatohepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2017 , 15, 127-131.e2	6.9	38
151	Effect of exercise on blood pressure in type 2 diabetes: a randomized controlled trial. <i>Journal of General Internal Medicine</i> , 2012 , 27, 1453-9	4	38
150	A national collaboration to disseminate skills for outpatient teaching in internal medicine: program description and preliminary evaluation. <i>Academic Medicine</i> , 2006 , 81, 193-202	3.9	38
149	Risk of post-gastric bypass surgery hypoglycemia in nondiabetic individuals: A single center experience. <i>Obesity</i> , 2016 , 24, 1342-8	8	38
148	Association between serum uric acid and nonalcoholic fatty liver disease in the US population. <i>Journal of the Formosan Medical Association</i> , 2015 , 114, 314-20	3.2	37
147	Weight loss as a treatment for nonalcoholic fatty liver disease. <i>Journal of Clinical Gastroenterology</i> , 2006 , 40 Suppl 1, S39-43	3	37
146	Does genetic ancestry explain higher values of glycated hemoglobin in African Americans?. <i>Diabetes</i> , 2011 , 60, 2434-8	0.9	36
145	Weight loss strategies associated with BMI in overweight adults with type 2 diabetes at entry into the Look AHEAD (Action for Health in Diabetes) trial. <i>Diabetes Care</i> , 2008 , 31, 1299-304	14.6	36
144	Early response to preventive strategies in the Diabetes Prevention Program. <i>Journal of General Internal Medicine</i> , 2013 , 28, 1629-36	4	35
143	Lower serum hepcidin and greater parenchymal iron in nonalcoholic fatty liver disease patients with C282Y HFE mutations. <i>Hepatology</i> , 2012 , 56, 1730-40	11.2	35
142	Hepatic 31P magnetic resonance spectroscopy: a hepatologist's user guide. <i>Liver International</i> , 2005 , 25, 490-500	7.9	34

141	Histologic Findings of Advanced Fibrosis and Cirrhosis in Patients With Nonalcoholic Fatty Liver Disease Who Have Normal Aminotransferase Levels. <i>American Journal of Gastroenterology</i> , 2019 , 114, 1626-1635	0.7	34
140	A randomized trial of exercise for blood pressure reduction in type 2 diabetes: effect on flow-mediated dilation and circulating biomarkers of endothelial function. <i>Atherosclerosis</i> , 2012 , 224, 446-53	3.1	33
139	Intensive weight loss intervention in older individuals: results from the Action for Health in Diabetes Type 2 diabetes mellitus trial. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 912-22	5.6	33
138	Prospective Study of Outcomes in Adults with Nonalcoholic Fatty Liver Disease. <i>New England Journal of Medicine</i> , 2021 , 385, 1559-1569	59.2	33
137	Aging and physical function in type 2 diabetes: 8 years of an intensive lifestyle intervention. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015 , 70, 345-53	6.4	31
136	Weight regain in patients with symptoms of post-bariatric surgery hypoglycemia. <i>Surgery for Obesity and Related Diseases</i> , 2017 , 13, 1728-1734	3	31
135	Insights from the POWER practice-based weight loss trial: a focus group study on the PCP's role in weight management. <i>Journal of General Internal Medicine</i> , 2014 , 29, 50-8	4	31
134	Primary care providers' communication with patients during weight counseling: a focus group study. <i>Patient Education and Counseling</i> , 2012 , 89, 152-7	3.1	31
133	Body mass index and colon cancer screening: a systematic review and meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 737-46	4	31
132	Non-alcoholic fatty liver disease (NAFLD) and risk of hospitalization for Covid-19 2020 ,		31
131	Effect of zinc supplementation on insulin secretion: interaction between zinc and SLC30A8 genotype in Old Order Amish. <i>Diabetologia</i> , 2015 , 58, 295-303	10.3	30
130	Effect of improved fitness beyond weight loss on cardiovascular risk factors in individuals with type 2 diabetes in the Look AHEAD study. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 608-17	3.9	30
129	PaTH: towards a learning health system in the Mid-Atlantic region. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2014 , 21, 633-6	8.6	29
128	Satisfaction with primary care provider involvement is associated with greater weight loss: Results from the practice-based POWER trial. <i>Patient Education and Counseling</i> , 2015 , 98, 1099-105	3.1	28
127	The association of liver enzymes with biomarkers of subclinical myocardial damage and structural heart disease. <i>Journal of Hepatology</i> , 2015 , 62, 841-7	13.4	28
126	Doctor shopping by overweight and obese patients is associated with increased healthcare utilization. <i>Obesity</i> , 2013 , 21, 1328-34	8	28
125	Hemochromatosis gene and nonalcoholic fatty liver disease: a systematic review and meta-analysis. <i>Journal of Hepatology</i> , 2011 , 55, 1079-85	13.4	27
124	Genetic modulation of lipid profiles following lifestyle modification or metformin treatment: the Diabetes Prevention Program. <i>PLoS Genetics</i> , 2012 , 8, e1002895	6	27

123	Laboratory testing for and diagnosis of nutritional deficiencies in pregnancy before and after bariatric surgery. <i>Journal of Womens Health</i> , 2014 , 23, 129-37	3	26
122	Independent but coordinated trials: insights from the practice-based Opportunities for Weight Reduction Trials Collaborative Research Group. <i>Clinical Trials</i> , 2010 , 7, 322-32	2.2	26
121	Greater weight loss with increasing age in the weight loss maintenance trial. <i>Obesity</i> , 2014 , 22, 39-44	8	25
120	Changes in weight and health behaviors after pregnancies complicated by gestational diabetes mellitus: the CARDIA study. <i>Obesity</i> , 2013 , 21, 1269-75	8	25
119	Changes in Gut Microbiome after Bariatric Surgery Versus Medical Weight Loss in a Pilot Randomized Trial. <i>Obesity Surgery</i> , 2019 , 29, 3239-3245	3.7	24
118	Oral contraceptive pill use is associated with reduced odds of nonalcoholic fatty liver disease in menstruating women: results from NHANES III. <i>Journal of Gastroenterology</i> , 2013 , 48, 1151-9	6.9	24
117	Estimation of fish and Ω fatty acid intake in pediatric nonalcoholic fatty liver disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2013 , 57, 627-33	2.8	24
116	Impact of bariatric surgery on health care utilization and costs among patients with diabetes. <i>Medical Care</i> , 2012 , 50, 58-65	3.1	24
115	Outcomes of a national faculty development program in teaching skills: prospective follow-up of 110 medicine faculty development teams. <i>Journal of General Internal Medicine</i> , 2004 , 19, 1220-7	4	24
114	rs641738C>T near MBOAT7 is associated with liver fat, ALT and fibrosis in NAFLD: A meta-analysis. <i>Journal of Hepatology</i> , 2021 , 74, 20-30	13.4	24
113	Through a Gender Lens: A View of Gender and Leadership Positions in a Department of Medicine. <i>Journal of Womens Health</i> , 2015 , 24, 837-42	3	23
112	Partial Meal Replacement Plan and Quality of the Diet at 1 Year: Action for Health in Diabetes (Look AHEAD) Trial. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2015 , 115, 731-742	3.9	23
111	Low glycated hemoglobin and liver disease in the U.S. population. <i>Diabetes Care</i> , 2011 , 34, 2548-50	14.6	23
110	Intensive Weight Loss Intervention and Cancer Risk in Adults with Type 2 Diabetes: Analysis of the Look AHEAD Randomized Clinical Trial. <i>Obesity</i> , 2020 , 28, 1678-1686	8	22
109	Iron deficiency in patients with nonalcoholic Fatty liver disease is associated with obesity, female gender, and low serum hepcidin. <i>Clinical Gastroenterology and Hepatology</i> , 2014 , 12, 1170-8	6.9	21
108	Faculty development needs. <i>Journal of General Internal Medicine</i> , 2004 , 19, 375-9	4	21
107	Physical Function Following a Long-Term Lifestyle Intervention Among Middle Aged and Older Adults With Type 2 Diabetes: The Look AHEAD Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018 , 73, 1552-1559	6.4	20
106	Sociodemographic trends in bariatric surgery utilization in the USA. <i>Obesity Surgery</i> , 2012 , 22, 838-42	3.7	19

105	Benefits of commercial weight-loss programs on blood pressure and lipids: a systematic review. <i>Preventive Medicine</i> , 2016 , 90, 86-99	4.3	18
104	National Survey of Primary Care Physicians Knowledge, Practices, and Perceptions of Prediabetes. <i>Journal of General Internal Medicine</i> , 2019 , 34, 2475-2481	4	17
103	The incidence and risk factors associated with developing symptoms of hypoglycemia after bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , 2018 , 14, 797-802	3	17
102	Clinically Actionable Hypercholesterolemia and Hypertriglyceridemia in Children with Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatrics</i> , 2018 , 198, 76-83.e2	3.6	17
101	Nonalcoholic fatty liver disease across ethno-racial groups: do Asian-American adults represent a new at-risk population?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26, 501-9	4	17
100	The association of arterial shear and flow-mediated dilation in diabetes. <i>Vascular Medicine</i> , 2011 , 16, 267-74	3.3	17
99	Progression of Fatty Liver Disease in Children Receiving Standard of Care Lifestyle Advice. <i>Gastroenterology</i> , 2020 , 159, 1731-1751.e10	13.3	17
98	Morbidity trajectories as predictors of utilization: multi-year disease patterns in Taiwan national health insurance program. <i>Medical Care</i> , 2011 , 49, 918-23	3.1	16
97	Outpatient metformin use is associated with reduced severity of COVID-19 disease in adults with overweight or obesity. <i>Journal of Medical Virology</i> , 2021 , 93, 4273-4279	19.7	16
96	Elevated ALT and GGT predict all-cause mortality and hepatocellular carcinoma in Taiwanese male: a case-cohort study. <i>Hepatology International</i> , 2013 , 7, 1040-9	8.8	15
95	Does bariatric surgery affect urinary incontinence?. <i>Urology</i> , 2013 , 82, 547-51	1.6	15
94	Prospective association of a genetic risk score and lifestyle intervention with cardiovascular morbidity and mortality among individuals with type 2 diabetes: the Look AHEAD randomised controlled trial. <i>Diabetologia</i> , 2015 , 58, 1803-13	10.3	15
93	Measurement characteristics of the ankle-brachial index: results from the Action for Health in Diabetes study. <i>Vascular Medicine</i> , 2008 , 13, 225-33	3.3	15
92	Increased parenchymal damage and steatohepatitis in Caucasian non-alcoholic fatty liver disease patients with common IL1B and IL6 polymorphisms. <i>Alimentary Pharmacology and Therapeutics</i> , 2016 , 44, 1253-1264	6.1	15
91	Relationship between resolution of non-alcoholic steatohepatitis and changes in lipoprotein sub-fractions: a post-hoc analysis of the PIVENS trial. <i>Alimentary Pharmacology and Therapeutics</i> , 2019 , 49, 1205-1213	6.1	14
90	Longitudinal accuracy of web-based self-reported weights: results from the Hopkins POWER Trial. <i>Journal of Medical Internet Research</i> , 2014 , 16, e173	7.6	14
89	Guideline-concordant weight-loss programs in an urban area are uncommon and difficult to identify through the internet. <i>Obesity</i> , 2016 , 24, 583-8	8	14
88	Perceived Diet and Exercise Behaviors Among Social Network Members With Personal Lifestyle Habits of Public Housing Residents. <i>Health Education and Behavior</i> , 2018 , 45, 808-816	4.2	14

87	Systolic Blood Pressure Control Among Individuals With Type 2 Diabetes: A Comparative Effectiveness Analysis of Three Interventions. <i>American Journal of Hypertension</i> , 2015 , 28, 995-1009	2.3	13
86	Prospective Association of GLUL rs10911021 With Cardiovascular Morbidity and Mortality Among Individuals With Type 2 Diabetes: The Look AHEAD Study. <i>Diabetes</i> , 2016 , 65, 297-302	0.9	13
85	Sex Differences Among Career Development Awardees in the Attainment of Independent Research Funding in a Department of Medicine. <i>Journal of Womens Health</i> , 2015 , 24, 933-9	3	13
84	Risk of complications after bariatric surgery among individuals with and without type 2 diabetes mellitus. <i>Surgery for Obesity and Related Diseases</i> , 2012 , 8, 305-30	3	13
83	Implications of Look AHEAD for clinical trials and clinical practice. <i>Diabetes, Obesity and Metabolism</i> , 2014 , 16, 1183-91	6.7	12
82	Hepatic fat and adenosine triphosphate measurement in overweight and obese adults using 1H and 31P magnetic resonance spectroscopy. <i>Liver International</i> , 2008 , 28, 675-81	7.9	12
81	Lifetime weight patterns in male physicians: the effects of cohort and selective survival. <i>Obesity</i> , 2006 , 14, 902-8	8	12
80	A systematic review of commercial weight loss programmesEffect on glycemic outcomes among overweight and obese adults with and without type 2 diabetes mellitus. <i>Obesity Reviews</i> , 2016 , 17, 758-69	10.6	12
79	Prior doctor shopping resulting from differential treatment correlates with differences in current patient-provider relationships. <i>Obesity</i> , 2014 , 22, 1952-5	8	11
78	Always follow what you preach!. <i>Academic Medicine</i> , 2006 , 81, 178	3.9	11
77	Direct comparisons of commercial weight-loss programs on weight, waist circumference, and blood pressure: a systematic review. <i>BMC Public Health</i> , 2016 , 16, 460	4.1	11
76	Factors associated with early dropout in an employer-based commercial weight-loss program. <i>Obesity Science and Practice</i> , 2018 , 4, 545-553	2.6	11
75	Islet autoantibody positivity in overweight and obese adults with type 2 diabetes. <i>Autoimmunity</i> , 2018 , 51, 408-416	3	11
74	Weight Change 2 Years After Termination of the Intensive Lifestyle Intervention in the Look AHEAD Study. <i>Obesity</i> , 2020 , 28, 893-901	8	10
73	Efficacy of Commercial Weight-Loss Programs. <i>Annals of Internal Medicine</i> , 2015 , 163, 399	8	10
72	Trends in and patterns of obesity reduction medication use in an insured cohort. <i>Obesity</i> , 2010 , 18, 206-98		10
71	Commercial ProgramsOnline Weight-Loss Claims Compared to Results from Randomized Controlled Trials. <i>Obesity</i> , 2017 , 25, 1885-1893	8	9
70	Predictors of Insulin Initiation in Patients with Type 2 Diabetes: An Analysis of the Look AHEAD Randomized Trial. <i>Journal of General Internal Medicine</i> , 2018 , 33, 839-846	4	8

69	The Role of Laboratory Testing in Differentiating Type 1 Diabetes from Type 2 Diabetes in Patients Undergoing Bariatric Surgery. <i>Obesity Surgery</i> , 2018 , 28, 25-30	3.7	8
68	Bariatric surgery and diabetes: access denied. <i>Diabetes Technology and Therapeutics</i> , 2013 , 15 Suppl 1, S83-7	8.1	8
67	Prevalence and characteristics of individuals without diabetes and hypertension who underwent bariatric surgery: lessons learned about metabolically healthy obese. <i>Surgery for Obesity and Related Diseases</i> , 2015 , 11, 142-6	3	8
66	Implementing the Comprehensive Unit-Based Safety Program (CUSP) to Improve Patient Safety in an Academic Primary Care Practice. <i>Joint Commission Journal on Quality and Patient Safety</i> , 2017 , 43, 591-597	1.4	8
65	A Pilot Genome-Wide Analysis Study Identifies Loci Associated With Response to Obeticholic Acid in Patients With NASH. <i>Hepatology Communications</i> , 2019 , 3, 1571-1584	6	8
64	Effects of Education and Experience on Primary Care Providers' Perspectives of Obesity Treatments during a Pragmatic Trial. <i>Obesity</i> , 2018 , 26, 1532-1538	8	8
63	Perspectives of pregnant and postpartum women and obstetric providers to promote healthy lifestyle in pregnancy and after delivery: a qualitative in-depth interview study. <i>BMC Women's Health</i> , 2020 , 20, 44	2.9	6
62	Perceived helpfulness of the individual components of a behavioural weight loss program: results from the Hopkins POWER Trial. <i>Obesity Science and Practice</i> , 2015 , 1, 23-32	2.6	6
61	Impact of weight loss on ankle-brachial index and interartery blood pressures. <i>Obesity</i> , 2014 , 22, 1032-48	8	6
60	Prepregnancy body mass index and cardiovascular disease mortality: the Child Health and Development Studies. <i>Obesity</i> , 2014 , 22, 1149-56	8	6
59	Development of a claims-based risk score to identify obese individuals. <i>Population Health Management</i> , 2010 , 13, 201-7	1.8	6
58	Community Testing and SARS-CoV-2 Rates for Latinxs in Baltimore. <i>American Journal of Preventive Medicine</i> , 2021 , 60, e281-e286	6.1	6
57	Increased TLR/MyD88 signaling in patients with obesity: is there a link to COVID-19 disease severity?. <i>International Journal of Obesity</i> , 2021 , 45, 1152-1154	5.5	6
56	Expression of MYD88 in Adipose Tissue of Obese People: Is There Some Role in the Development of Metabolic Syndrome?. <i>Metabolic Syndrome and Related Disorders</i> , 2017 , 15, 80-85	2.6	5
55	Overweight/obesity among social network members has an inverse relationship with Baltimore public housing residents' BMI. <i>Preventive Medicine Reports</i> , 2019 , 14, 100809	2.6	5
54	Provider Counseling About and Risk Perception for Future Chronic Disease Among Women with Gestational Diabetes and Preeclampsia. <i>Journal of Women's Health</i> , 2020 ,	3	5
53	Changes in metformin use and other antihyperglycemic therapies after insulin initiation in patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2018 , 139, 221-229	7.4	5
52	End-of-Trial Health Outcomes in Look AHEAD Participants who Elected to have Bariatric Surgery. <i>Obesity</i> , 2019 , 27, 581-590	8	4

51	Understanding the Bariatric Patient Perspective in the National Patient-Centered Clinical Research Network (PCORnet) Bariatric Study. <i>Obesity Surgery</i> , 2020 , 30, 1837-1847	3.7	4
50	Role of PCP referral and weight loss in the Hopkins POWER trial. <i>Preventive Medicine Reports</i> , 2015 , 2, 968-72	2.6	4
49	Social Network Intervention Reduces Added Sugar Intake Among Baltimore Public Housing Residents: A Feasibility Study. <i>Nutrition and Metabolic Insights</i> , 2020 , 13, 1178638820909329	1.9	3
48	Access to a scale and self-weighing habits among public housing residents. <i>Clinical Obesity</i> , 2018 , 8, 258-264	3.6	3
47	A screening tool to assess and manage behavioral risk in the postoperative bariatric surgery patient: The WATCH. <i>Journal of Clinical Psychology in Medical Settings</i> , 2013 , 20, 456-63	2	3
46	Willingness to pay for continued delivery of a lifestyle-based weight loss program: The Hopkins POWER trial. <i>Obesity</i> , 2015 , 23, 282-5	8	3
45	Racial/ethnic and socioeconomic disparities in the use of newer diabetes medications in the Look AHEAD study.. <i>The Lancet Regional Health Americas</i> , 2022 , 6,		3
44	Changes in the Prevalence of Symptoms of Depression, Loneliness, and Insomnia in U.S. Older Adults With Type 2 Diabetes During the COVID-19 Pandemic: The Look AHEAD Study. <i>Diabetes Care</i> , 2021 ,	14.6	3
43	37-OR: Racial and Socioeconomic Disparities in the Use of Newer Classes of Diabetes Medications. <i>Diabetes</i> , 2020 , 69, 37-OR	0.9	3
42	Patient Recruitment Into a Multicenter Clinical Cohort Linking Electronic Health Records From 5 Health Systems: Cross-sectional Analysis. <i>Journal of Medical Internet Research</i> , 2021 , 23, e24003	7.6	3
41	What influences the "when" of eating and sleeping?A qualitative interview study. <i>Appetite</i> , 2021 , 156, 104980	4.5	3
40	Within-Trial Cost-Effectiveness of a Structured Lifestyle Intervention in Adults With Overweight/Obesity and Type 2 Diabetes: Results From the Action for Health in Diabetes (Look AHEAD) Study. <i>Diabetes Care</i> , 2021 , 44, 67-74	14.6	3
39	Effects of visceral adipose tissue reduction on CVD risk factors independent of weight loss: The Look AHEAD study. <i>Endocrine Research</i> , 2017 , 42, 86-95	1.9	2
38	Long-term retention in an employer-based, commercial weight-loss programme. <i>Clinical Obesity</i> , 2019 , 9, e12284	3.6	2
37	Minority and low-income patients are less likely to have a scale for self-weighing in their home: A survey in primary care. <i>Clinical Obesity</i> , 2020 , 10, e12363	3.6	2
36	Self-Reported Gastrointestinal Symptoms in Type 2 Diabetes Improve With an Intensive Lifestyle Intervention: Results From the Action for Health in Diabetes (Look AHEAD) Clinical Trial. <i>Clinical Diabetes</i> , 2015 , 33, 181-8	2.9	2
35	Association Between Change in Accelerometer-Measured and Self-Reported Physical Activity and Cardiovascular Disease in the Look AHEAD Trial.. <i>Diabetes Care</i> , 2022 ,	14.6	2
34	Comparative Effects of Medical vs. Surgical Weight Loss on Body Composition in a Randomized Trial. <i>Diabetes</i> , 2018 , 67, 2460-PUB	0.9	2

33	Feasibility and acceptability of a remotely-delivered behavioural health coaching intervention to limit gestational weight gain. <i>Obesity Science and Practice</i> , 2020 , 6, 484-493	2.6	2
32	You are What You Think Your Social Network Eats: Public Housing, Social Networks, and Fast-Food Consumption. <i>Journal of Health Care for the Poor and Underserved</i> , 2020 , 31, 1712-1726	1.4	2
31	Association of personal vehicle access with lifestyle habits and food insecurity among public housing residents. <i>Preventive Medicine Reports</i> , 2019 , 13, 341-345	2.6	2
30	Factors associated with palliative care knowledge among internal medicine house staff. <i>Journal of Palliative Care</i> , 2003 , 19, 253-7	1.8	2
29	Understanding Primary Care Patients' Self-weighing Habits: Cohort Analysis from the PaTH Clinical Data Research Network. <i>Journal of General Internal Medicine</i> , 2019 , 34, 1775-1781	4	1
28	Influence of subsidies and promotional strategies on outcomes in a beneficiary-based commercial weight-loss programme. <i>Clinical Obesity</i> , 2019 , 9, e12307	3.6	1
27	Comparative Effects of Medical Versus Surgical Weight Loss on Body Composition: a Pilot Randomized Trial. <i>Obesity Surgery</i> , 2019 , 29, 2503-2510	3.7	1
26	Validation of the Use of Electronic Medical Records for Identification of Post-gastric Bypass Hypoglycemia Cases. <i>Obesity Surgery</i> , 2019 , 29, 2126-2131	3.7	1
25	Physical activity and exercise. <i>Diabetes Technology and Therapeutics</i> , 2014 , 16 Suppl 1, S92-9	8.1	1
24	Variation in Provider Identification of Obesity by Individual- and Neighborhood-Level Characteristics among an Insured Population. <i>Journal of Obesity</i> , 2010 , 2010,	3.7	1
23	Measurement of weight in clinical trials: is one day enough?. <i>Journal of Obesity</i> , 2010 , 2010,	3.7	1
22	389-P: Comparison of Hormonal Response to a Mixed-Meal Challenge in Individuals with Hypoglycemia after Sleeve Gastrectomy vs. Gastric Bypass. <i>Diabetes</i> , 2019 , 68, 389-P	0.9	1
21	Role of Commercial Weight-Loss Programs in Medical Management of Obesity. <i>Endocrinology and Metabolism Clinics of North America</i> , 2020 , 49, 275-287	5.5	1
20	Social network factors and cardiovascular health among baltimore public housing residents. <i>Preventive Medicine Reports</i> , 2020 , 20, 101192	2.6	1
19	Association between the soluble receptor for advanced glycation end products (sRAGE) and NAFLD in participants in the Atherosclerosis Risk in Communities Study. <i>Digestive and Liver Disease</i> , 2021 , 53, 873-878	3.3	1
18	Cost of behavioral weight loss programs implemented in clinical practice: The POWER trial at Johns Hopkins. <i>Translational Behavioral Medicine</i> , 2020 , 10, 103-113	3.2	1
17	Changes in mood and health-related quality of life in Look AHEAD 6 years after termination of the lifestyle intervention. <i>Obesity</i> , 2021 , 29, 1294-1308	8	1
16	Clinical Care Among Individuals with Prediabetes in Primary Care: a Retrospective Cohort Study.. <i>Journal of General Internal Medicine</i> , 2022 , 1	4	1

15	Adherence to Diet and Meal Timing in a Randomized Controlled Feeding Study of Time-Restricted Feeding. <i>Nutrients</i> , 2022 , 14, 2283	6.7	1
14	Evaluation of Bedside Delivery of Medications Before Discharge: Effect on 30-Day Readmission. <i>Journal of Managed Care & Specialty Pharmacy</i> , 2020 , 26, 296-304	1.9	0
13	Interaction Between Alcohol Consumption and PNPLA3 Variant in the Prevalence of Hepatic Steatosis in the US Population. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 2606-2614.e4	6.9	0
12	Hepatic Fat in Participants With and Without Incident Diabetes in the Diabetes Prevention Program Outcome Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e4746-e4765	5.6	0
11	Development of a Mobile App for Ecological Momentary Assessment of Circadian Data: Design Considerations and Usability Testing. <i>JMIR Formative Research</i> , 2021 , 5, e26297	2.5	0
10	Factors Associated with Weight Loss Maintenance and Weight Regain Among African American and White Adults Initially Successful at Weight Loss. <i>Journal of Racial and Ethnic Health Disparities</i> , 2021 , 1	3.5	0
9	Validation of the accuracy of the FAST β core for detecting patients with at-risk nonalcoholic steatohepatitis (NASH) in a North American cohort and comparison to other non-invasive algorithms.. <i>PLoS ONE</i> , 2022 , 17, e0266859	3.7	0
8	Potential for unintended consequences: The association between smoking and body mass index among public housing residents in Baltimore, MD. <i>Preventive Medicine Reports</i> , 2020 , 18, 101081	2.6	
7	Team-Based Health Information Exchange Use Increased Mammography Documentation and Referral in an Academic Primary Care Practice: An Interrupted Time Series. <i>Journal of General Internal Medicine</i> , 2018 , 33, 710-714	4	
6	Continuous Glucose Monitoring in Patients With or Without Symptoms of Hypoglycemia after Bariatric Surgery. <i>Diabetes</i> , 2018 , 67, 376-P	0.9	
5	2007-P: Weight Change and Intentionality of Weight Loss Relate to Mortality Risk in the Postintervention (Years 8-16) Phase of Look AHEAD. <i>Diabetes</i> , 2020 , 69, 2007-P	0.9	
4	Drawing Conclusions about Short-Term Variability in Liver Function Test Results. <i>Annals of Internal Medicine</i> , 2008 , 149, 145	8	
3	Parents lose less weight than nonparents in an intensive lifestyle intervention. <i>Obesity Science and Practice</i> , 2020 , 6, 494-506	2.6	
2	Provider Advice and Patient Perceptions on Weight Across Five Health Systems. <i>American Journal of Preventive Medicine</i> , 2020 , 59, e105-e114	6.1	
1	Exercise and Quality diet After Leukemia (The EQUAL Study): An intervention trial in the Childhood Cancer Survivor Study (CCSS).. <i>Journal of Clinical Oncology</i> , 2021 , 39, 10015-10015	2.2	