## Jeanne M Clark

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7752533/jeanne-m-clark-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 164 248 27,401 g-index h-index citations papers 6.9 275 32,150 7.3 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
248	Association Between Change in Accelerometer-Measured and Self-Reported Physical Activity and Cardiovascular Disease in the Look AHEAD Trial <i>Diabetes Care</i> , <b>2022</b> ,	14.6	2
247	Racial/ethnic and socioeconomic disparities in the use of newer diabetes medications in the Look AHEAD study <i>The Lancet Regional Health Americas</i> , <b>2022</b> , 6,		3
246	Clinical Care Among Individuals with Prediabetes in Primary Care: a Retrospective Cohort Study <i>Journal of General Internal Medicine</i> , <b>2022</b> , 1	4	1
245	Validation of the accuracy of the FASTIscore for detecting patients with at-risk nonalcoholic steatohepatitis (NASH) in a North American cohort and comparison to other non-invasive algorithms <i>PLoS ONE</i> , <b>2022</b> , 17, e0266859	3.7	Ο
244	Adherence to Diet and Meal Timing in a Randomized Controlled Feeding Study of Time-Restricted Feeding. <i>Nutrients</i> , <b>2022</b> , 14, 2283	6.7	1
243	Changes in the Prevalence of Symptoms of Depression, Loneliness, and Insomnia in U.S. Older Adults With Type 2 Diabetes During the COVID-19 Pandemic: The Look AHEAD Study. <i>Diabetes Care</i> , <b>2021</b> ,	14.6	3
242	Prospective Study of Outcomes in Adults with Nonalcoholic Fatty Liver Disease. <i>New England Journal of Medicine</i> , <b>2021</b> , 385, 1559-1569	59.2	33
241	Interaction Between Alcohol Consumption and PNPLA3 Variant in the Prevalence of Hepatic Steatosis in the US Population. <i>Clinical Gastroenterology and Hepatology</i> , <b>2021</b> , 19, 2606-2614.e4	6.9	0
240	Outpatient metformin use is associated with reduced severity of COVID-19 disease in adults with overweight or obesity. <i>Journal of Medical Virology</i> , <b>2021</b> , 93, 4273-4279	19.7	16
239	Hepatic Fat in Participants With and Without Incident Diabetes in the Diabetes Prevention Program Outcome Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> , 106, e4746-e4765	5.6	0
238	Exercise and QUality diet After Leukemia (The EQUAL Study): An intervention trial in the Childhood Cancer Survivor Study (CCSS) <i>Journal of Clinical Oncology</i> , <b>2021</b> , 39, 10015-10015	2.2	
237	Patient Recruitment Into a Multicenter Clinical Cohort Linking Electronic Health Records From 5 Health Systems: Cross-sectional Analysis. <i>Journal of Medical Internet Research</i> , <b>2021</b> , 23, e24003	7.6	3
236	Community Testing and SARS-CoV-2 Rates for Latinxs in Baltimore. <i>American Journal of Preventive Medicine</i> , <b>2021</b> , 60, e281-e286	6.1	6
235	Development of a Mobile App for Ecological Momentary Assessment of Circadian Data: Design Considerations and Usability Testing. <i>JMIR Formative Research</i> , <b>2021</b> , 5, e26297	2.5	0
234	Association between the soluble receptor for advanced glycation end products (sRAGE) and NAFLD in participants in the Atherosclerosis Risk in Communities Study. <i>Digestive and Liver Disease</i> , <b>2021</b> , 53, 873-878	3.3	1
233	What influences the "when" of eating and sleeping?A qualitative interview study. <i>Appetite</i> , <b>2021</b> , 156, 104980	4.5	3
232	Within-Trial Cost-Effectiveness of a Structured Lifestyle Intervention in Adults With Overweight/Obesity and Type 2 Diabetes: Results From the Action for Health in Diabetes (Look AHEAD) Study. <i>Diabetes Care</i> , <b>2021</b> , 44, 67-74	14.6	3

231	rs641738C>T near MBOAT7 is associated with liver fat, ALT and fibrosis in NAFLD: A meta-analysis. <i>Journal of Hepatology</i> , <b>2021</b> , 74, 20-30	13.4	24
230	Increased TLR/MyD88 signaling in patients with obesity: is there a link to COVID-19 disease severity?. <i>International Journal of Obesity</i> , <b>2021</b> , 45, 1152-1154	5.5	6
229	Factors Associated with Weight Loss Maintenance and Weight Regain Among African American and White Adults Initially Successful at Weight Loss. <i>Journal of Racial and Ethnic Health Disparities</i> , <b>2021</b> , 1	3.5	0
228	Changes in mood and health-related quality of life in Look AHEAD 6 years after termination of the lifestyle intervention. <i>Obesity</i> , <b>2021</b> , 29, 1294-1308	8	1
227	Minority and low-income patients are less likely to have a scale for self-weighing in their home: A survey in primary care. <i>Clinical Obesity</i> , <b>2020</b> , 10, e12363	3.6	2
226	Provider Counseling About and Risk Perception for Future Chronic Disease Among Women with Gestational Diabetes and Preeclampsia. <i>Journal of Womeng Health</i> , <b>2020</b> ,	3	5
225	Social Network Intervention Reduces Added Sugar Intake Among Baltimore Public Housing Residents: A Feasibility Study. <i>Nutrition and Metabolic Insights</i> , <b>2020</b> , 13, 1178638820909329	1.9	3
224	Comparing the 5-Year Diabetes Outcomes of Sleeve Gastrectomy and Gastric Bypass: The National Patient-Centered Clinical Research Network (PCORNet) Bariatric Study. <i>JAMA Surgery</i> , <b>2020</b> , 155, e2000	o§ <del>7</del>	59
223	Perspectives of pregnant and postpartum women and obstetric providers to promote healthy lifestyle in pregnancy and after delivery: a qualitative in-depth interview study. <i>BMC Womeng Health</i> , <b>2020</b> , 20, 44	2.9	6
222	Potential for unintended consequences: The association between smoking and body mass index among public housing residents in Baltimore, MD. <i>Preventive Medicine Reports</i> , <b>2020</b> , 18, 101081	2.6	
221	Evaluation of Bedside Delivery of Medications Before Discharge: Effect on 30-Day Readmission. Journal of Managed Care & Discharge: 2020, 26, 296-304	1.9	О
220	Understanding the Bariatric Patient Perspective in the National Patient-Centered Clinical Research Network (PCORnet) Bariatric Study. <i>Obesity Surgery</i> , <b>2020</b> , 30, 1837-1847	3.7	4
219	Interventions and Operations 5 Years After Bariatric Surgery in a Cohort From the US National Patient-Centered Clinical Research Network Bariatric Study. <i>JAMA Surgery</i> , <b>2020</b> , 155, 194-204	5.4	41
218	Multicenter Validation of Association Between Decline in MRI-PDFF and Histologic Response in NASH. <i>Hepatology</i> , <b>2020</b> , 72, 1219-1229	11.2	39
217	Weight Change 2 Years After Termination of the Intensive Lifestyle Intervention in the Look AHEAD Study. <i>Obesity</i> , <b>2020</b> , 28, 893-901	8	10
216	37-OR: Racial and Socioeconomic Disparities in the Use of Newer Classes of Diabetes Medications. <i>Diabetes</i> , <b>2020</b> , 69, 37-OR	0.9	3
215	2007-P: Weight Change and Intentionality of Weight Loss Relate to Mortality Risk in the Postintervention (Years 8-16) Phase of Look AHEAD. <i>Diabetes</i> , <b>2020</b> , 69, 2007-P	0.9	
214	Role of Commercial Weight-Loss Programs in Medical Management of Obesity. <i>Endocrinology and Metabolism Clinics of North America</i> , <b>2020</b> , 49, 275-287	5.5	1

213	Non-alcoholic fatty liver disease (NAFLD) and risk of hospitalization for Covid-19 <b>2020</b> ,		31
212	Social network factors and cardiovascular health among baltimore public housing residents. <i>Preventive Medicine Reports</i> , <b>2020</b> , 20, 101192	2.6	1
211	Parents lose less weight than nonparents in an intensive lifestyle intervention. <i>Obesity Science and Practice</i> , <b>2020</b> , 6, 494-506	2.6	
210	Feasibility and acceptability of a remotely-delivered behavioural health coaching intervention to limit gestational weight gain. <i>Obesity Science and Practice</i> , <b>2020</b> , 6, 484-493	2.6	2
209	You are What You Think Your Social Network Eats: Public Housing, Social Networks, and Fast-Food Consumption. <i>Journal of Health Care for the Poor and Underserved</i> , <b>2020</b> , 31, 1712-1726	1.4	2
208	Progression of Fatty Liver Disease in Children Receiving Standard of Care Lifestyle Advice. <i>Gastroenterology</i> , <b>2020</b> , 159, 1731-1751.e10	13.3	17
207	Provider Advice and Patient Perceptions on Weight Across Five Health Systems. <i>American Journal of Preventive Medicine</i> , <b>2020</b> , 59, e105-e114	6.1	
206	Intensive Weight Loss Intervention and Cancer Risk in Adults with Type 2 Diabetes: Analysis of the Look AHEAD Randomized Clinical Trial. <i>Obesity</i> , <b>2020</b> , 28, 1678-1686	8	22
205	Cost of behavioral weight loss programs implemented in clinical practice: The POWER trial at Johns Hopkins. <i>Translational Behavioral Medicine</i> , <b>2020</b> , 10, 103-113	3.2	1
204	Understanding Primary Care Patients © elf-weighing Habits: Cohort Analysis from the PaTH Clinical Data Research Network. <i>Journal of General Internal Medicine</i> , <b>2019</b> , 34, 1775-1781	4	1
203	National Survey of Primary Care Physicians (Knowledge, Practices, and Perceptions of Prediabetes. Journal of General Internal Medicine, <b>2019</b> , 34, 2475-2481	4	17
202	Overweight/obesity among social network members has an inverse relationship with Baltimore public housing residents@MI. <i>Preventive Medicine Reports</i> , <b>2019</b> , 14, 100809	2.6	5
201	Long-term retention in an employer-based, commercial weight-loss programme. <i>Clinical Obesity</i> , <b>2019</b> , 9, e12284	3.6	2
200	Influence of subsidies and promotional strategies on outcomes in a beneficiary-based commercial weight-loss programme. <i>Clinical Obesity</i> , <b>2019</b> , 9, e12307	3.6	1
199	Comparative Effects of Medical Versus Surgical Weight Loss on Body Composition: a Pilot Randomized Trial. <i>Obesity Surgery</i> , <b>2019</b> , 29, 2503-2510	3.7	1
198	End-of-Trial Health Outcomes in Look AHEAD Participants who Elected to have Bariatric Surgery. <i>Obesity</i> , <b>2019</b> , 27, 581-590	8	4
197	Diagnostic Accuracy of Noninvasive Fibrosis Models to Detect Change in Fibrosis Stage. <i>Clinical Gastroenterology and Hepatology</i> , <b>2019</b> , 17, 1877-1885.e5	6.9	63
196	Relationship between resolution of non-alcoholic steatohepatitis and changes in lipoprotein sub-fractions: a post-hoc analysis of the PIVENS trial. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2019</b> , 49, 1205-1213	6.1	14

### (2018-2019)

195	Validation of the Use of Electronic Medical Records for Identification of Post-gastric Bypass Hypoglycemia Cases. <i>Obesity Surgery</i> , <b>2019</b> , 29, 2126-2131	3.7	1
194	Changes in Gut Microbiome after Bariatric Surgery Versus Medical Weight Loss in a Pilot Randomized Trial. <i>Obesity Surgery</i> , <b>2019</b> , 29, 3239-3245	3.7	24
193	389-P: Comparison of Hormonal Response to a Mixed-Meal Challenge in Individuals with Hypoglycemia after Sleeve Gastrectomy vs. Gastric Bypass. <i>Diabetes</i> , <b>2019</b> , 68, 389-P	0.9	1
192	Association of personal vehicle access with lifestyle habits and food insecurity among public housing residents. <i>Preventive Medicine Reports</i> , <b>2019</b> , 13, 341-345	2.6	2
191	Long-Term Weight Loss With Metformin or Lifestyle Intervention in the Diabetes Prevention Program Outcomes Study. <i>Annals of Internal Medicine</i> , <b>2019</b> , 170, 682-690	8	45
190	A Pilot Genome-Wide Analysis Study Identifies Loci Associated With Response to Obeticholic Acid in Patients With NASH. <i>Hepatology Communications</i> , <b>2019</b> , 3, 1571-1584	6	8
189	Histologic Findings of Advanced Fibrosis and Cirrhosis in Patients With Nonalcoholic Fatty Liver Disease Who Have Normal Aminotransferase Levels. <i>American Journal of Gastroenterology</i> , <b>2019</b> , 114, 1626-1635	0.7	34
188	Changes in metformin use and other antihyperglycemic therapies after insulin initiation in patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , <b>2018</b> , 139, 221-229	7.4	5
187	The incidence and risk factors associated with developing symptoms of hypoglycemia after bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , <b>2018</b> , 14, 797-802	3	17
186	Clinically Actionable Hypercholesterolemia and Hypertriglyceridemia in Children with Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatrics</i> , <b>2018</b> , 198, 76-83.e2	3.6	17
185	Clinical and metabolic effects associated with weight changes and obeticholic acid in non-alcoholic steatohepatitis. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2018</b> , 47, 645-656	6.1	46
184	Predictors of Insulin Initiation in Patients with Type 2 Diabetes: An Analysis of the Look AHEAD Randomized Trial. <i>Journal of General Internal Medicine</i> , <b>2018</b> , 33, 839-846	4	8
183	Team-Based Health Information Exchange Use Increased Mammography Documentation and Referral in an Academic Primary Care Practice: An Interrupted Time Series. <i>Journal of General Internal Medicine</i> , <b>2018</b> , 33, 710-714	4	
182	The Role of Laboratory Testing in Differentiating Type 1 Diabetes from Type 2 Diabetes in Patients Undergoing Bariatric Surgery. <i>Obesity Surgery</i> , <b>2018</b> , 28, 25-30	3.7	8
181	Physical Function Following a Long-Term Lifestyle Intervention Among Middle Aged and Older Adults With Type 2 Diabetes: The Look AHEAD Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2018</b> , 73, 1552-1559	6.4	20
180	Access to a scale and self-weighing habits among public housing residents. <i>Clinical Obesity</i> , <b>2018</b> , 8, 258	B- <b>3.6</b> 4	3
179	Comparative Effects of Medical vs. Surgical Weight Loss on Body Composition in a Randomized Trial. <i>Diabetes</i> , <b>2018</b> , 67, 2460-PUB	0.9	2
178	Continuous Glucose Monitoring in Patients With or Without Symptoms of Hypoglycemia after Bariatric Surgery. <i>Diabetes</i> , <b>2018</b> , 67, 376-P	0.9	

177	Factors associated with early dropout in an employer-based commercial weight-loss program. <i>Obesity Science and Practice</i> , <b>2018</b> , 4, 545-553	2.6	11
176	Islet autoantibody positivity in overweight and obese adults with type 2 diabetes. <i>Autoimmunity</i> , <b>2018</b> , 51, 408-416	3	11
175	Effects of Education and Experience on Primary Care Providers@erspectives of Obesity Treatments during a Pragmatic Trial. <i>Obesity</i> , <b>2018</b> , 26, 1532-1538	8	8
174	Perceived Diet and Exercise Behaviors Among Social Network Members With Personal Lifestyle Habits of Public Housing Residents. <i>Health Education and Behavior</i> , <b>2018</b> , 45, 808-816	4.2	14
173	Effects of visceral adipose tissue reduction on CVD risk factors independent of weight loss: The Look AHEAD study. <i>Endocrine Research</i> , <b>2017</b> , 42, 86-95	1.9	2
172	Expression of MYD88 in Adipose Tissue of Obese People: Is There Some Role in the Development of Metabolic Syndrome?. <i>Metabolic Syndrome and Related Disorders</i> , <b>2017</b> , 15, 80-85	2.6	5
171	Effect of a long-term intensive lifestyle intervention on prevalence of cognitive impairment. <i>Neurology</i> , <b>2017</b> , 88, 2026-2035	6.5	45
170	Effects of a long-term lifestyle modification programme on peripheral neuropathy in overweight or obese adults with type 2 diabetes: the Look AHEAD study. <i>Diabetologia</i> , <b>2017</b> , 60, 980-988	10.3	48
169	Low and High Birth Weights Are Risk Factors for Nonalcoholic Fatty Liver Disease in Children. <i>Journal of Pediatrics</i> , <b>2017</b> , 187, 141-146.e1	3.6	64
168	Commercial Programs∞nline Weight-Loss Claims Compared to Results from Randomized		
100	Controlled Trials. <i>Obesity</i> , <b>2017</b> , 25, 1885-1893	8	9
167		4	38
	Controlled Trials. <i>Obesity</i> , <b>2017</b> , 25, 1885-1893  Survey of primary care providers@knowledge of screening for, diagnosing and managing		
167	Controlled Trials. <i>Obesity</i> , <b>2017</b> , 25, 1885-1893  Survey of primary care providers@knowledge of screening for, diagnosing and managing prediabetes. <i>Journal of General Internal Medicine</i> , <b>2017</b> , 32, 1172-1178  The Effect of Intentional Weight Loss on Fracture Risk in Persons With Diabetes: Results From the	4	38
167 166	Controlled Trials. <i>Obesity</i> , <b>2017</b> , 25, 1885-1893  Survey of primary care providers@knowledge of screening for, diagnosing and managing prediabetes. <i>Journal of General Internal Medicine</i> , <b>2017</b> , 32, 1172-1178  The Effect of Intentional Weight Loss on Fracture Risk in Persons With Diabetes: Results From the Look AHEAD Randomized Clinical Trial. <i>Journal of Bone and Mineral Research</i> , <b>2017</b> , 32, 2278-2287  Weight regain in patients with symptoms of post-bariatric surgery hypoglycemia. <i>Surgery for</i>	6.3	38
167 166 165	Survey of primary care providers Cknowledge of screening for, diagnosing and managing prediabetes. <i>Journal of General Internal Medicine</i> , <b>2017</b> , 32, 1172-1178  The Effect of Intentional Weight Loss on Fracture Risk in Persons With Diabetes: Results From the Look AHEAD Randomized Clinical Trial. <i>Journal of Bone and Mineral Research</i> , <b>2017</b> , 32, 2278-2287  Weight regain in patients with symptoms of post-bariatric surgery hypoglycemia. <i>Surgery for Obesity and Related Diseases</i> , <b>2017</b> , 13, 1728-1734  Patient Sex, Reproductive Status, and Synthetic Hormone Use Associate With Histologic Severity of	6.3	38 41 31
167 166 165	Survey of primary care providers Cknowledge of screening for, diagnosing and managing prediabetes. Journal of General Internal Medicine, 2017, 32, 1172-1178  The Effect of Intentional Weight Loss on Fracture Risk in Persons With Diabetes: Results From the Look AHEAD Randomized Clinical Trial. Journal of Bone and Mineral Research, 2017, 32, 2278-2287  Weight regain in patients with symptoms of post-bariatric surgery hypoglycemia. Surgery for Obesity and Related Diseases, 2017, 13, 1728-1734  Patient Sex, Reproductive Status, and Synthetic Hormone Use Associate With Histologic Severity of Nonalcoholic Steatohepatitis. Clinical Gastroenterology and Hepatology, 2017, 15, 127-131.e2  Implementing the Comprehensive Unit-Based Safety Program (CUSP) to Improve Patient Safety in an Academic Primary Care Practice. Joint Commission Journal on Quality and Patient Safety, 2017,	4 6.3 3 6.9	38 41 31 38
167 166 165 164	Survey of primary care providers Cknowledge of screening for, diagnosing and managing prediabetes. <i>Journal of General Internal Medicine</i> , <b>2017</b> , 32, 1172-1178  The Effect of Intentional Weight Loss on Fracture Risk in Persons With Diabetes: Results From the Look AHEAD Randomized Clinical Trial. <i>Journal of Bone and Mineral Research</i> , <b>2017</b> , 32, 2278-2287  Weight regain in patients with symptoms of post-bariatric surgery hypoglycemia. <i>Surgery for Obesity and Related Diseases</i> , <b>2017</b> , 13, 1728-1734  Patient Sex, Reproductive Status, and Synthetic Hormone Use Associate With Histologic Severity of Nonalcoholic Steatohepatitis. <i>Clinical Gastroenterology and Hepatology</i> , <b>2017</b> , 15, 127-131.e2  Implementing the Comprehensive Unit-Based Safety Program (CUSP) to Improve Patient Safety in an Academic Primary Care Practice. <i>Joint Commission Journal on Quality and Patient Safety</i> , <b>2017</b> , 43, 591-597  Prospective Association of GLUL rs10911021 With Cardiovascular Morbidity and Mortality Among	4 6.3 3 6.9	38 41 31 38 8

#### (2015-2016)

159	A longer duration of estrogen deficiency increases fibrosis risk among postmenopausal women with nonalcoholic fatty liver disease. <i>Hepatology</i> , <b>2016</b> , 64, 85-91	11.2	87
158	Association of Weight Loss Maintenance and Weight Regain on 4-Year Changes in CVD Risk Factors: the Action for Health in Diabetes (Look AHEAD) Clinical Trial. <i>Diabetes Care</i> , <b>2016</b> , 39, 1345-55	14.6	63
157	Nonalcoholic fatty liver disease is associated with cognitive function in adults. <i>Neurology</i> , <b>2016</b> , 86, 113	66432	79
156	Cardiovascular and Other Outcomes Postintervention With Insulin Glargine and Omega-3 Fatty Acids (ORIGINALE). <i>Diabetes Care</i> , <b>2016</b> , 39, 709-16	14.6	48
155	Effectiveness of an Activity Tracker- and Internet-Based Adaptive Walking Program for Adults: A Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , <b>2016</b> , 18, e34	7.6	65
154	A systematic review of commercial weight loss programmes@ffect on glycemic outcomes among overweight and obese adults with and without type 2 diabetes mellitus. <i>Obesity Reviews</i> , <b>2016</b> , 17, 758-	-6 <sup>10.6</sup>	12
153	Benefits of commercial weight-loss programs on blood pressure and lipids: a systematic review. <i>Preventive Medicine</i> , <b>2016</b> , 90, 86-99	4.3	18
152	Risk of post-gastric bypass surgery hypoglycemia in nondiabetic individuals: A single center experience. <i>Obesity</i> , <b>2016</b> , 24, 1342-8	8	38
151	Direct comparisons of commercial weight-loss programs on weight, waist circumference, and blood pressure: a systematic review. <i>BMC Public Health</i> , <b>2016</b> , 16, 460	4.1	11
150	Increased parenchymal damage and steatohepatitis in Caucasian non-alcoholic fatty liver disease patients with common IL1B and IL6 polymorphisms. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2016</b> , 44, 1253-1264	6.1	15
149	Prevalence of Prediabetes and Type 2 Diabetes in Children With Nonalcoholic Fatty Liver Disease. JAMA Pediatrics, <b>2016</b> , 170, e161971	8.3	123
148	Guideline-concordant weight-loss programs in an urban area are uncommon and difficult to identify through the internet. <i>Obesity</i> , <b>2016</b> , 24, 583-8	8	14
147	Changes in body composition over 8 years in a randomized trial of a lifestyle intervention: the look AHEAD study. <i>Obesity</i> , <b>2015</b> , 23, 565-72	8	46
146	Prevalence of and risk factors for hypoglycemic symptoms after gastric bypass and sleeve gastrectomy. <i>Obesity</i> , <b>2015</b> , 23, 1079-84	8	86
145	Systolic Blood Pressure Control Among Individuals With Type 2 Diabetes: A Comparative Effectiveness Analysis of Three Interventions. <i>American Journal of Hypertension</i> , <b>2015</b> , 28, 995-1009	2.3	13
144	Efficacy of commercial weight-loss programs: an updated systematic review. <i>Annals of Internal Medicine</i> , <b>2015</b> , 162, 501-12	8	209
143	Sex Differences Among Career Development Awardees in the Attainment of Independent Research Funding in a Department of Medicine. <i>Journal of Womeng Health</i> , <b>2015</b> , 24, 933-9	3	13
142	Through a Gender Lens: A View of Gender and Leadership Positions in a Department of Medicine. Journal of Womeng Health, <b>2015</b> , 24, 837-42	3	23

141	Satisfaction with primary care provider involvement is associated with greater weight loss: Results from the practice-based POWER trial. <i>Patient Education and Counseling</i> , <b>2015</b> , 98, 1099-105	3.1	28
140	The association of liver enzymes with biomarkers of subclinical myocardial damage and structural heart disease. <i>Journal of Hepatology</i> , <b>2015</b> , 62, 841-7	13.4	28
139	Association between serum uric acid and nonalcoholic fatty liver disease in the US population. Journal of the Formosan Medical Association, <b>2015</b> , 114, 314-20	3.2	37
138	Farnesoid X nuclear receptor ligand obeticholic acid for non-cirrhotic, non-alcoholic steatohepatitis (FLINT): a multicentre, randomised, placebo-controlled trial. <i>Lancet, The</i> , <b>2015</b> , 385, 956-65	40	1421
137	Effect of zinc supplementation on insulin secretion: interaction between zinc and SLC30A8 genotype in Old Order Amish. <i>Diabetologia</i> , <b>2015</b> , 58, 295-303	10.3	30
136	Aging and physical function in type 2 diabetes: 8 years of an intensive lifestyle intervention. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2015, 70, 345-53	6.4	31
135	Willingness to pay for continued delivery of a lifestyle-based weight loss program: The Hopkins POWER trial. <i>Obesity</i> , <b>2015</b> , 23, 282-5	8	3
134	Perceived helpfulness of the individual components of a behavioural weight loss program: results from the Hopkins POWER Trial. <i>Obesity Science and Practice</i> , <b>2015</b> , 1, 23-32	2.6	6
133	Self-Reported Gastrointestinal Symptoms in Type 2 Diabetes Improve With an Intensive Lifestyle Intervention: Results From the Action for Health in Diabetes (Look AHEAD) Clinical Trial. <i>Clinical Diabetes</i> , <b>2015</b> , 33, 181-8	2.9	2
132	Efficacy of Commercial Weight-Loss Programs. Annals of Internal Medicine, 2015, 163, 399	8	10
132	Efficacy of Commercial Weight-Loss Programs. <i>Annals of Internal Medicine</i> , <b>2015</b> , 163, 399  Role of PCP referral and weight loss in the Hopkins POWER trial. <i>Preventive Medicine Reports</i> , <b>2015</b> , 2, 968-72	2.6	10
	Role of PCP referral and weight loss in the Hopkins POWER trial. <i>Preventive Medicine Reports</i> , <b>2015</b> ,		4
131	Role of PCP referral and weight loss in the Hopkins POWER trial. <i>Preventive Medicine Reports</i> , <b>2015</b> , 2, 968-72  Prospective association of a genetic risk score and lifestyle intervention with cardiovascular morbidity and mortality among individuals with type 2 diabetes: the Look AHEAD randomised	2.6	4
131	Role of PCP referral and weight loss in the Hopkins POWER trial. <i>Preventive Medicine Reports</i> , <b>2015</b> , 2, 968-72  Prospective association of a genetic risk score and lifestyle intervention with cardiovascular morbidity and mortality among individuals with type 2 diabetes: the Look AHEAD randomised controlled trial. <i>Diabetologia</i> , <b>2015</b> , 58, 1803-13  Partial Meal Replacement Plan and Quality of the Diet at 1 Year: Action for Health in Diabetes	2.6	4 15
131 130 129	Role of PCP referral and weight loss in the Hopkins POWER trial. <i>Preventive Medicine Reports</i> , <b>2015</b> , 2, 968-72  Prospective association of a genetic risk score and lifestyle intervention with cardiovascular morbidity and mortality among individuals with type 2 diabetes: the Look AHEAD randomised controlled trial. <i>Diabetologia</i> , <b>2015</b> , 58, 1803-13  Partial Meal Replacement Plan and Quality of the Diet at 1 Year: Action for Health in Diabetes (Look AHEAD) Trial. <i>Journal of the Academy of Nutrition and Dietetics</i> , <b>2015</b> , 115, 731-742  Prevalence and characteristics of individuals without diabetes and hypertension who underwent bariatric surgery: lessons learned about metabolically healthy obese. <i>Surgery for Obesity and</i>	2.6	4 15 23
131 130 129	Role of PCP referral and weight loss in the Hopkins POWER trial. <i>Preventive Medicine Reports</i> , <b>2015</b> , 2, 968-72  Prospective association of a genetic risk score and lifestyle intervention with cardiovascular morbidity and mortality among individuals with type 2 diabetes: the Look AHEAD randomised controlled trial. <i>Diabetologia</i> , <b>2015</b> , 58, 1803-13  Partial Meal Replacement Plan and Quality of the Diet at 1 Year: Action for Health in Diabetes (Look AHEAD) Trial. <i>Journal of the Academy of Nutrition and Dietetics</i> , <b>2015</b> , 115, 731-742  Prevalence and characteristics of individuals without diabetes and hypertension who underwent bariatric surgery: lessons learned about metabolically healthy obese. <i>Surgery for Obesity and Related Diseases</i> , <b>2015</b> , 11, 142-6  Utilization of primary and obstetric care after medically complicated pregnancies: an analysis of	2.6 10.3 3.9	4 15 23 8
131 130 129 128	Role of PCP referral and weight loss in the Hopkins POWER trial. <i>Preventive Medicine Reports</i> , <b>2015</b> , 2, 968-72  Prospective association of a genetic risk score and lifestyle intervention with cardiovascular morbidity and mortality among individuals with type 2 diabetes: the Look AHEAD randomised controlled trial. <i>Diabetologia</i> , <b>2015</b> , 58, 1803-13  Partial Meal Replacement Plan and Quality of the Diet at 1 Year: Action for Health in Diabetes (Look AHEAD) Trial. <i>Journal of the Academy of Nutrition and Dietetics</i> , <b>2015</b> , 115, 731-742  Prevalence and characteristics of individuals without diabetes and hypertension who underwent bariatric surgery: lessons learned about metabolically healthy obese. <i>Surgery for Obesity and Related Diseases</i> , <b>2015</b> , 11, 142-6  Utilization of primary and obstetric care after medically complicated pregnancies: an analysis of medical claims data. <i>Journal of General Internal Medicine</i> , <b>2014</b> , 29, 636-45  Iron deficiency in patients with nonalcoholic Fatty liver disease is associated with obesity, female	2.6 10.3 3.9 3	4 15 23 8 95

#### (2013-2014)

123	Changes in adipose tissue depots and metabolic markers following a 1-year diet and exercise intervention in overweight and obese patients with type 2 diabetes. <i>Diabetes Care</i> , <b>2014</b> , 37, 3325-32	14.6	38
122	Effect of a long-term behavioural weight loss intervention on nephropathy in overweight or obese adults with type 2 diabetes: a secondary analysis of the Look AHEAD randomised clinical trial. <i>Lancet Diabetes and Endocrinology,the</i> , <b>2014</b> , 2, 801-9	18.1	174
121	PaTH: towards a learning health system in the Mid-Atlantic region. <i>Journal of the American Medical Informatics Association: JAMIA</i> , <b>2014</b> , 21, 633-6	8.6	29
120	The pharmacogenetics of type 2 diabetes: a systematic review. <i>Diabetes Care</i> , <b>2014</b> , 37, 876-86	14.6	83
119	Laboratory testing for and diagnosis of nutritional deficiencies in pregnancy before and after bariatric surgery. <i>Journal of Womeng Health</i> , <b>2014</b> , 23, 129-37	3	26
118	Implications of Look AHEAD for clinical trials and clinical practice. <i>Diabetes, Obesity and Metabolism</i> , <b>2014</b> , 16, 1183-91	6.7	12
117	Impact of weight loss on ankle-brachial index and interartery blood pressures. <i>Obesity</i> , <b>2014</b> , 22, 1032-2	418	6
116	Prior doctor shopping resulting from differential treatment correlates with differences in current patient-provider relationships. <i>Obesity</i> , <b>2014</b> , 22, 1952-5	8	11
115	Greater weight loss with increasing age in the weight loss maintenance trial. Obesity, 2014, 22, 39-44	8	25
114	Racial differences in nonalcoholic fatty liver disease in the U.S. population. <i>Obesity</i> , <b>2014</b> , 22, 292-9	8	82
113	Prepregnancy body mass index and cardiovascular disease mortality: the Child Health and Development Studies. <i>Obesity</i> , <b>2014</b> , 22, 1149-56	8	6
112	Effect of improved fitness beyond weight loss on cardiovascular risk factors in individuals with type 2 diabetes in the Look AHEAD study. <i>European Journal of Preventive Cardiology</i> , <b>2014</b> , 21, 608-17	3.9	30
111	Insights from the POWER practice-based weight loss trial: a focus group study on the PCP@ role in weight management. <i>Journal of General Internal Medicine</i> , <b>2014</b> , 29, 50-8	4	31
110	Longitudinal accuracy of web-based self-reported weights: results from the Hopkins POWER Trial. Journal of Medical Internet Research, <b>2014</b> , 16, e173	7.6	14
109	A screening tool to assess and manage behavioral risk in the postoperative bariatric surgery patient: The WATCH. <i>Journal of Clinical Psychology in Medical Settings</i> , <b>2013</b> , 20, 456-63	2	3
108	Meta-analysis: vitamin D and non-alcoholic fatty liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2013</b> , 38, 246-54	6.1	169
107	Screening and diagnosis of micronutrient deficiencies before and after bariatric surgery. <i>Obesity Surgery</i> , <b>2013</b> , 23, 1581-9	3.7	71
106	Early response to preventive strategies in the Diabetes Prevention Program. <i>Journal of General Internal Medicine</i> , <b>2013</b> , 28, 1629-36	4	35

105	Oral contraceptive pill use is associated with reduced odds of nonalcoholic fatty liver disease in menstruating women: results from NHANES III. <i>Journal of Gastroenterology</i> , <b>2013</b> , 48, 1151-9	6.9	24
104	Vitamin E and changes in serum alanine aminotransferase levels in patients with non-alcoholic steatohepatitis. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2013</b> , 38, 134-43	6.1	125
103	Association between variants in or near PNPLA3, GCKR, and PPP1R3B with ultrasound-defined steatosis based on data from the third National Health and Nutrition Examination Survey. <i>Clinical Gastroenterology and Hepatology</i> , <b>2013</b> , 11, 1183-1190.e2	6.9	95
102	Prevalence of nonalcoholic fatty liver disease in the United States: the Third National Health and Nutrition Examination Survey, 1988-1994. <i>American Journal of Epidemiology</i> , <b>2013</b> , 178, 38-45	3.8	569
101	Elevated ALT and GGT predict all-cause mortality and hepatocellular carcinoma in Taiwanese male: a case-cohort study. <i>Hepatology International</i> , <b>2013</b> , 7, 1040-9	8.8	15
100	Bariatric surgery and diabetes: access denied. <i>Diabetes Technology and Therapeutics</i> , <b>2013</b> , 15 Suppl 1, S83-7	8.1	8
99	Does bariatric surgery affect urinary incontinence?. <i>Urology</i> , <b>2013</b> , 82, 547-51	1.6	15
98	Glucagonlike peptide 1-based therapies and risk of hospitalization for acute pancreatitis in type 2 diabetes mellitus: a population-based matched case-control study. <i>JAMA Internal Medicine</i> , <b>2013</b> , 173, 534-9	11.5	290
97	The long-term effectiveness of a lifestyle intervention in severely obese individuals. <i>American Journal of Medicine</i> , <b>2013</b> , 126, 236-42, 242.e1-2	2.4	79
96	Cardiovascular effects of intensive lifestyle intervention in type 2 diabetes. <i>New England Journal of Medicine</i> , <b>2013</b> , 369, 145-54	59.2	1738
95	Intensive weight loss intervention in older individuals: results from the Action for Health in Diabetes Type 2 diabetes mellitus trial. <i>Journal of the American Geriatrics Society</i> , <b>2013</b> , 61, 912-22	5.6	33
94	Impact of bariatric surgery on health care costs of obese persons: a 6-year follow-up of surgical and comparison cohorts using health plan data. <i>JAMA Surgery</i> , <b>2013</b> , 148, 555-62	5.4	101
93	Estimation of fish and B fatty acid intake in pediatric nonalcoholic fatty liver disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , <b>2013</b> , 57, 627-33	2.8	24
92	Liver enzymes, race, gender and diabetes risk: the Atherosclerosis Risk in Communities (ARIC) Study. <i>Diabetic Medicine</i> , <b>2013</b> , 30, 926-33	3.5	41
91	Doctor shopping by overweight and obese patients is associated with increased healthcare utilization. <i>Obesity</i> , <b>2013</b> , 21, 1328-34	8	28
90	Changes in weight and health behaviors after pregnancies complicated by gestational diabetes mellitus: the CARDIA study. <i>Obesity</i> , <b>2013</b> , 21, 1269-75	8	25
89	Association of an intensive lifestyle intervention with remission of type 2 diabetes. <i>JAMA - Journal of the American Medical Association</i> , <b>2012</b> , 308, 2489-96	27.4	390
88	A randomized trial of exercise for blood pressure reduction in type 2 diabetes: effect on flow-mediated dilation and circulating biomarkers of endothelial function. <i>Atherosclerosis</i> , <b>2012</b> , 224, 446-53	3.1	33

#### (2011-2012)

87	Risk of complications after bariatric surgery among individuals with and without type 2 diabetes mellitus. <i>Surgery for Obesity and Related Diseases</i> , <b>2012</b> , 8, 305-30	3	13
86	n-3 fatty acids and cardiovascular outcomes in patients with dysglycemia. <i>New England Journal of Medicine</i> , <b>2012</b> , 367, 309-18	59.2	659
85	Lower serum hepcidin and greater parenchymal iron in nonalcoholic fatty liver disease patients with C282Y HFE mutations. <i>Hepatology</i> , <b>2012</b> , 56, 1730-40	11.2	35
84	Primary care providers@ommunication with patients during weight counseling: a focus group study. <i>Patient Education and Counseling</i> , <b>2012</b> , 89, 152-7	3.1	31
83	Effect of exercise on blood pressure in type 2 diabetes: a randomized controlled trial. <i>Journal of General Internal Medicine</i> , <b>2012</b> , 27, 1453-9	4	38
82	Higher dietary fructose is associated with impaired hepatic adenosine triphosphate homeostasis in obese individuals with type 2 diabetes. <i>Hepatology</i> , <b>2012</b> , 56, 952-60	11.2	125
81	Clinical outcomes after bariatric surgery: a five-year matched cohort analysis in seven US states. <i>Obesity Surgery</i> , <b>2012</b> , 22, 749-63	3.7	41
80	Sociodemographic trends in bariatric surgery utilization in the USA. <i>Obesity Surgery</i> , <b>2012</b> , 22, 838-42	3.7	19
79	Genetic modulation of lipid profiles following lifestyle modification or metformin treatment: the Diabetes Prevention Program. <i>PLoS Genetics</i> , <b>2012</b> , 8, e1002895	6	27
78	Body mass index and colon cancer screening: a systematic review and meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2012</b> , 21, 737-46	4	31
77	Correlation of vitamin E, uric acid, and diet composition with histologic features of pediatric NAFLD. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , <b>2012</b> , 54, 90-6	2.8	80
76	Development and validation of a model for predicting inpatient hospitalization. <i>Medical Care</i> , <b>2012</b> , 50, 131-9	3.1	40
75	Impact of bariatric surgery on health care utilization and costs among patients with diabetes. <i>Medical Care</i> , <b>2012</b> , 50, 58-65	3.1	24
74	Four-year weight losses in the Look AHEAD study: factors associated with long-term success. <i>Obesity</i> , <b>2011</b> , 19, 1987-98	8	277
73	Genome-wide association study identifies loci influencing concentrations of liver enzymes in plasma. <i>Nature Genetics</i> , <b>2011</b> , 43, 1131-8	36.3	415
72	Hemochromatosis gene and nonalcoholic fatty liver disease: a systematic review and meta-analysis. <i>Journal of Hepatology</i> , <b>2011</b> , 55, 1079-85	13.4	27
71	Genome-wide association analysis identifies variants associated with nonalcoholic fatty liver disease that have distinct effects on metabolic traits. <i>PLoS Genetics</i> , <b>2011</b> , 7, e1001324	6	629
70	The impact of obesity on breast surgery complications. <i>Plastic and Reconstructive Surgery</i> , <b>2011</b> , 128, 395e-402e	2.7	98

69	Morbidity trajectories as predictors of utilization: multi-year disease patterns in Taiwan@national health insurance program. <i>Medical Care</i> , <b>2011</b> , 49, 918-23	3.1	16
68	Surgical site infections and cost in obese patients undergoing colorectal surgery. <i>Archives of Surgery</i> , <b>2011</b> , 146, 1068-72		120
67	Nonalcoholic fatty liver disease across ethno-racial groups: do Asian-American adults represent a new at-risk population?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2011</b> , 26, 501-9	4	17
66	The long-term risk of venous thromboembolism following bariatric surgery. <i>Obesity Surgery</i> , <b>2011</b> , 21, 1371-6	3.7	51
65	Diagnostic accuracy and reliability of ultrasonography for the detection of fatty liver: a meta-analysis. <i>Hepatology</i> , <b>2011</b> , 54, 1082-1090	11.2	774
64	Barriers to and facilitators of postpartum follow-up care in women with recent gestational diabetes mellitus: a qualitative study. <i>Journal of Womeng Health</i> , <b>2011</b> , 20, 239-45	3	112
63	Non-alcoholic fatty liver disease and mortality among US adults: prospective cohort study. <i>BMJ, The</i> , <b>2011</b> , 343, d6891	5.9	253
62	Comparative effectiveness of weight-loss interventions in clinical practice. <i>New England Journal of Medicine</i> , <b>2011</b> , 365, 1959-68	59.2	554
61	Does genetic ancestry explain higher values of glycated hemoglobin in African Americans?. <i>Diabetes</i> , <b>2011</b> , 60, 2434-8	0.9	36
60	Effect of vitamin E or metformin for treatment of nonalcoholic fatty liver disease in children and adolescents: the TONIC randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2011</b> , 305, 1659-68	27.4	721
59	The association of arterial shear and flow-mediated dilation in diabetes. <i>Vascular Medicine</i> , <b>2011</b> , 16, 267-74	3.3	17
58	Low glycated hemoglobin and liver disease in the U.S. population. <i>Diabetes Care</i> , <b>2011</b> , 34, 2548-50	14.6	23
57	Physical activity recommendations, exercise intensity, and histological severity of nonalcoholic fatty liver disease. <i>American Journal of Gastroenterology</i> , <b>2011</b> , 106, 460-8; quiz 469	0.7	271
56	Trends in and patterns of obesity reduction medication use in an insured cohort. <i>Obesity</i> , <b>2010</b> , 18, 206-	· <b>9</b> 8	10
55	Effects of metformin and weight loss on serum alanine aminotransferase activity in the diabetes prevention program. <i>Obesity</i> , <b>2010</b> , 18, 1762-7	8	42
54	Disparity in physician perception of patients adherence to medications by obesity status. <i>Obesity</i> , <b>2010</b> , 18, 1932-7	8	53
53	Variation in Provider Identification of Obesity by Individual- and Neighborhood-Level Characteristics among an Insured Population. <i>Journal of Obesity</i> , <b>2010</b> , 2010,	3.7	1
52	Measurement of weight in clinical trials: is one day enough?. Journal of Obesity, 2010, 2010,	3.7	1

51	Medication utilization and annual health care costs in patients with type 2 diabetes mellitus before and after bariatric surgery. <i>Archives of Surgery</i> , <b>2010</b> , 145, 726-31		75
50	Independent but coordinated trials: insights from the practice-based Opportunities for Weight Reduction Trials Collaborative Research Group. <i>Clinical Trials</i> , <b>2010</b> , 7, 322-32	2.2	26
49	Long-term effects of a lifestyle intervention on weight and cardiovascular risk factors in individuals with type 2 diabetes mellitus: four-year results of the Look AHEAD trial. <i>Archives of Internal Medicine</i> , <b>2010</b> , 170, 1566-75		580
48	Development of a claims-based risk score to identify obese individuals. <i>Population Health Management</i> , <b>2010</b> , 13, 201-7	1.8	6
47	Treatment of nonalcoholic fatty liver disease in children: TONIC trial design. <i>Contemporary Clinical Trials</i> , <b>2010</b> , 31, 62-70	2.3	60
46	Pioglitazone, vitamin E, or placebo for nonalcoholic steatohepatitis. <i>New England Journal of Medicine</i> , <b>2010</b> , 362, 1675-85	59.2	2119
45	Effect of a 12-month intensive lifestyle intervention on hepatic steatosis in adults with type 2 diabetes. <i>Diabetes Care</i> , <b>2010</b> , 33, 2156-63	14.6	250
44	Impact of bariatric surgery on hypertensive disorders in pregnancy: retrospective analysis of insurance claims data. <i>BMJ, The</i> , <b>2010</b> , 340, c1662	5.9	69
43	Reduced incidence of gestational diabetes with bariatric surgery. <i>Journal of the American College of Surgeons</i> , <b>2010</b> , 211, 169-75	4.4	62
42	Clinical, laboratory and histological associations in adults with nonalcoholic fatty liver disease. <i>Hepatology</i> , <b>2010</b> , 52, 913-24	11.2	309
41	Obstructive sleep apnea, insulin resistance, and steatohepatitis in severe obesity. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2009</b> , 179, 228-34	10.2	148
40	Portal chronic inflammation in nonalcoholic fatty liver disease (NAFLD): a histologic marker of advanced NAFLD-Clinicopathologic correlations from the nonalcoholic steatohepatitis clinical research network. <i>Hepatology</i> , <b>2009</b> , 49, 809-20	11.2	265
39	Quality of life in adults with nonalcoholic fatty liver disease: baseline data from the nonalcoholic steatohepatitis clinical research network. <i>Hepatology</i> , <b>2009</b> , 49, 1904-12	11.2	100
38	Obesity and mammography: a systematic review and meta-analysis. <i>Journal of General Internal Medicine</i> , <b>2009</b> , 24, 665-77	4	98
37	Physician respect for patients with obesity. <i>Journal of General Internal Medicine</i> , <b>2009</b> , 24, 1236-9	4	115
36	Prompt reduction in use of medications for comorbid conditions after bariatric surgery. <i>Obesity Surgery</i> , <b>2009</b> , 19, 1646-56	3.7	85
35	The association of obesity and cervical cancer screening: a systematic review and meta-analysis. <i>Obesity</i> , <b>2009</b> , 17, 375-81	8	104
34	Can imaging modalities diagnose and stage hepatic fibrosis and cirrhosis accurately?. <i>Journal of Hepatology</i> , <b>2009</b> , 50, 17-35	13.4	145

33	Comparison of noninvasive markers of fibrosis in patients with nonalcoholic fatty liver disease. <i>Clinical Gastroenterology and Hepatology</i> , <b>2009</b> , 7, 1104-12	6.9	734
32	10-year follow-up of diabetes incidence and weight loss in the Diabetes Prevention Program Outcomes Study. <i>Lancet, The</i> , <b>2009</b> , 374, 1677-86	40	2008
31	Effect of gastric bypass surgery on kidney stone disease. <i>Journal of Urology</i> , <b>2009</b> , 181, 2573-7	2.5	112
30	Quantitative comparison and evaluation of software packages for assessment of abdominal adipose tissue distribution by magnetic resonance imaging. <i>International Journal of Obesity</i> , <b>2008</b> , 32, 100-11	5.5	67
29	Hepatic fat and adenosine triphosphate measurement in overweight and obese adults using 1H and 31P magnetic resonance spectroscopy. <i>Liver International</i> , <b>2008</b> , 28, 675-81	7.9	12
28	Suboptimal control of glycemia, blood pressure, and LDL cholesterol in overweight adults with diabetes: the Look AHEAD Study. <i>Journal of Diabetes and Its Complications</i> , <b>2008</b> , 22, 1-9	3.2	57
27	Measurement characteristics of the ankle-brachial index: results from the Action for Health in Diabetes study. <i>Vascular Medicine</i> , <b>2008</b> , 13, 225-33	3.3	15
26	Weight loss strategies associated with BMI in overweight adults with type 2 diabetes at entry into the Look AHEAD (Action for Health in Diabetes) trial. <i>Diabetes Care</i> , <b>2008</b> , 31, 1299-304	14.6	36
25	The epidemiology of nonalcoholic fatty liver disease: a global perspective. <i>Seminars in Liver Disease</i> , <b>2008</b> , 28, 339-50	7.3	547
24	Brief communication: clinical implications of short-term variability in liver function test results. <i>Annals of Internal Medicine</i> , <b>2008</b> , 148, 348-52	8	93
23	The effect of a probiotic on hepatic steatosis. Journal of Clinical Gastroenterology, 2008, 42, 1117-9	3	40
22	Drawing Conclusions about Short-Term Variability in Liver Function Test Results. <i>Annals of Internal Medicine</i> , <b>2008</b> , 149, 145	8	
21	Reduction in weight and cardiovascular disease risk factors in individuals with type 2 diabetes: one-year results of the look AHEAD trial. <i>Diabetes Care</i> , <b>2007</b> , 30, 1374-83	14.6	1154
20	A prospective study of plasma ferritin level and incident diabetes: the Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Epidemiology</i> , <b>2007</b> , 165, 1047-54	3.8	97
19	A national collaboration to disseminate skills for outpatient teaching in internal medicine: program description and preliminary evaluation. <i>Academic Medicine</i> , <b>2006</b> , 81, 193-202	3.9	38
18	Always follow what you preach!. <i>Academic Medicine</i> , <b>2006</b> , 81, 178	3.9	11
17	Lifetime weight patterns in male physicians: the effects of cohort and selective survival. <i>Obesity</i> , <b>2006</b> , 14, 902-8	8	12
16	The epidemiology of nonalcoholic fatty liver disease in adults. <i>Journal of Clinical Gastroenterology</i> , <b>2006</b> , 40 Suppl 1, S5-10	3	300

#### LIST OF PUBLICATIONS

15	Weight loss as a treatment for nonalcoholic fatty liver disease. <i>Journal of Clinical Gastroenterology</i> , <b>2006</b> , 40 Suppl 1, S39-43	3	37
14	Race and comorbid factors predict nonalcoholic fatty liver disease histopathology in severely obese patients. <i>Surgery for Obesity and Related Diseases</i> , <b>2005</b> , 1, 6-11	3	41
13	Hepatic 31P magnetic resonance spectroscopy: a hepatologist@user guide. <i>Liver International</i> , <b>2005</b> , 25, 490-500	7.9	34
12	Roux-en-Y gastric bypass improves liver histology in patients with non-alcoholic fatty liver disease. <i>Obesity</i> , <b>2005</b> , 13, 1180-6		139
11	Racial and socioeconomic differences in the weight-loss experiences of obese women. <i>American Journal of Public Health</i> , <b>2005</b> , 95, 1539-43	5.1	59
10	Serum ferritin and risk of the metabolic syndrome in U.S. adults. <i>Diabetes Care</i> , <b>2004</b> , 27, 2422-8	14.6	304
9	Teaching the teachers: national survey of faculty development in departments of medicine of U.S. teaching hospitals. <i>Journal of General Internal Medicine</i> , <b>2004</b> , 19, 205-14	4	78
8	Faculty development needs. Journal of General Internal Medicine, 2004, 19, 375-9	4	21
7	Outcomes of a national faculty development program in teaching skills: prospective follow-up of 110 medicine faculty development teams. <i>Journal of General Internal Medicine</i> , <b>2004</b> , 19, 1220-7	4	24
6	The prevalence and etiology of elevated aminotransferase levels in the United States. <i>American Journal of Gastroenterology</i> , <b>2003</b> , 98, 960-7	0.7	1014
5	Prevalence and correlates of obesity in a community sample of individuals with severe and persistent mental illness. <i>Journal of Nervous and Mental Disease</i> , <b>2003</b> , 191, 799-805	1.8	73
4	Nonalcoholic fatty liver disease: an underrecognized cause of cryptogenic cirrhosis. <i>JAMA - Journal of the American Medical Association</i> , <b>2003</b> , 289, 3000-4	27.4	284
3	Factors associated with palliative care knowledge among internal medicine house staff. <i>Journal of Palliative Care</i> , <b>2003</b> , 19, 253-7	1.8	2
2	Hepatic steatosis and type 2 diabetes mellitus. <i>Current Diabetes Reports</i> , <b>2002</b> , 2, 210-5	5.6	87
1	Nonalcoholic fatty liver disease. <i>Gastroenterology</i> , <b>2002</b> , 122, 1649-57	13.3	689