

Hong-Bo Guo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7753372/publications.pdf>

Version: 2024-02-01

169
papers

5,481
citations

66315

42
h-index

123376

61
g-index

169
all docs

169
docs citations

169
times ranked

2017
citing authors

#	ARTICLE	IF	CITATIONS
1	Cyclic oxidation behavior of electron beam physical vapor deposition NiAlHf and NiAlHfCrSi coatings at 1150°C. <i>Rare Metals</i> , 2023, 42, 1408-1413.	3.6	4
2	High-temperature oxidation behaviour of minor Hf-doped γ -NiAl single crystals in dry and humid atmospheres. <i>Rare Metals</i> , 2023, 42, 2767-2773.	3.6	3
3	Surface roughness affects metastable non-wetting behavior of silicate melts on thermal barrier coatings. <i>Rare Metals</i> , 2022, 41, 469-481.	3.6	18
4	Silicate ash-resistant novel thermal barrier coatings in gas turbines. <i>Corrosion Science</i> , 2022, 194, 109929.	3.0	12
5	Microstructure stability of γ -NiAl coated single-crystal superalloy N5 annealed at 1100°C. <i>Rare Metals</i> , 2021, 40, 693-700.	3.6	7
6	Thermal cycling performance of La ₂ Ce ₂ O ₇ /YSZ TBCs with Pt/Dy co-doped NiAl bond coat on single crystal superalloy. <i>Rare Metals</i> , 2021, 40, 2568-2578.	3.6	7
7	Effects of rare earth oxides on microstructures and thermo-physical properties of hafnia ceramics. <i>Journal of Materials Science and Technology</i> , 2021, 72, 144-153.	5.6	13
8	PS-PVD Alumina Overlayer on Thermal Barrier Coatings Against CMAS Attack. <i>Journal of Thermal Spray Technology</i> , 2021, 30, 864-872.	1.6	13
9	Internal Factors Affecting the Surface Rumpling of a γ -NiAlHf Coating. <i>Coatings</i> , 2021, 11, 436.	1.2	4
10	Microstructure Dependence of Effective Thermal Conductivity of EB-PVD TBCs. <i>Materials</i> , 2021, 14, 1838.	1.3	8
11	Novel long lamina plasma sprayed hybrid structure thermal barrier coatings for high-temperature anti-sintering and volcanic ash corrosion resistance. <i>Journal of Materials Science and Technology</i> , 2021, 79, 141-146.	5.6	6
12	Processing and oxidation behavior of Pt-diffused coatings. <i>Rare Metals</i> , 2020, 39, 902-908.	3.6	5
13	Effect of splat-interface discontinuity on effective thermal conductivity of plasma sprayed thermal barrier coating. <i>Ceramics International</i> , 2020, 46, 4824-4831.	2.3	15
14	Silk Lattice Structures from Unidirectional Silk Fiber-Reinforced Composites for Breaking Energy Absorption. <i>Advanced Engineering Materials</i> , 2020, 22, 1900921.	1.6	6
15	PS-PVD gadolinium zirconate thermal barrier coatings with columnar microstructure sprayed from sintered powder feedstocks. <i>Surface and Coatings Technology</i> , 2020, 383, 125243.	2.2	22
16	Microstructures of La ₂ Ce ₂ O ₇ coatings produced by plasma spray-physical vapor deposition. <i>Journal of the European Ceramic Society</i> , 2020, 40, 1462-1470.	2.8	23
17	Surface Rumpling Behavior of Hf/Zr Single-Doped and Co-Doped γ -NiAl Coatings during High-Temperature Cyclic Oxidation. <i>Coatings</i> , 2020, 10, 874.	1.2	0
18	Evolution mechanism of the microstructure and mechanical properties of plasma-sprayed yttria-stabilized hafnia thermal barrier coating at 1400°C. <i>Ceramics International</i> , 2020, 46, 23417-23426.	2.3	21

#	ARTICLE	IF	CITATIONS
19	Investigation of the thermophysical properties of (Y _{1-x} Yb _x)TaO ₄ ceramics. Journal of the European Ceramic Society, 2020, 40, 3111-3121.	2.8	18
20	Reactive elements dependence of elastic properties and stacking fault energies of $\hat{\Gamma}^3$ -Ni, $\hat{\Gamma}^3\hat{\Gamma}^2$ -Ni ₃ Al and $\hat{\Gamma}^2$ -NiAl. Journal of Alloys and Compounds, 2020, 843, 155799.	2.8	18
21	Novel thermal barrier coatings with hexagonal boron nitride additives resistant to molten volcanic ash wetting. Corrosion Science, 2020, 168, 108587.	3.0	12
22	High-temperature CMAS resistance performance of Ti ₂ AlC oxide scales. Corrosion Science, 2020, 174, 108832.	3.0	14
23	Numerical analysis of the plasma-induced self-shadowing effect of impinging particles and phase transformation in a novel long laminar plasma jet. Journal Physics D: Applied Physics, 2020, 53, 375202.	1.3	11
24	Mechanical Properties and Thermal Conductivity of Ytterbium-Silicate-Mullite Composites. Materials, 2020, 13, 671.	1.3	6
25	Deposition mechanisms of columnar structured La ₂ Ce ₂ O ₇ coatings via plasma spray-PVD. Ceramics International, 2020, 46, 13424-13432.	2.3	13
26	Correlation of Feedstock Powder Characteristics with Microstructure, Composition, and Mechanical Properties of La ₂ Ce ₂ O ₇ Coatings Produced by Plasma Spray-Physical Vapor Deposition. Coatings, 2020, 10, 93.	1.2	4
27	Hot corrosion behavior of NdYbZr ₂ O ₇ exposed to V ₂ O ₅ and Na ₂ SO ₄ + V ₂ O ₅ molten salts. Ceramics International, 2020, 46, 8543-8552.	2.3	15
28	The formation mechanisms of HfO ₂ located in different positions of oxide scales on ni-al alloys. Corrosion Science, 2020, 167, 108481.	3.0	25
29	Microstructures and Phases of Ytterbium Silicate Coatings Prepared by Plasma Spray-Physical Vapor Deposition. Materials, 2020, 13, 1721.	1.3	12
30	Dynamic spreading of re-melted volcanic ash bead on thermal barrier coatings. Corrosion Science, 2020, 170, 108659.	3.0	23
31	Improved fracture toughness and multiple toughening mechanisms of NdPO ₄ /NdYbZr ₂ O ₇ composites. Ceramics International, 2020, 46, 16612-16619.	2.3	14
32	Thermo-physical and mechanical properties of Yb ₂ O ₃ and Sc ₂ O ₃ co-doped Gd ₂ Zr ₂ O ₇ ceramics. Ceramics International, 2020, 46, 18888-18894.	2.3	15
33	Self-toughening behavior of nano yttria partially stabilized hafnia ceramics. Ceramics International, 2019, 45, 21467-21474.	2.3	20
34	High-temperature oxidation resistance of Si-coated C/SiC composites. Rare Metals, 2019, , 1.	3.6	0
35	Impact of Si addition on high-temperature oxidation behavior of NiAlHf alloys. Journal of Materials Science and Technology, 2019, 35, 2038-2047.	5.6	15
36	Tightly adhered silk fibroin coatings on Ti6Al4V biomaterials for improved wettability and compatible mechanical properties. Materials and Design, 2019, 175, 107825.	3.3	31

#	ARTICLE	IF	CITATIONS
37	Mechanical properties and thermal conductivities of 3YSZ-toughened fully stabilized HfO ₂ ceramics. <i>Ceramics International</i> , 2019, 45, 12851-12859.	2.3	17
38	Impact interaction of in-flight high-energy molten volcanic ash droplets with jet engines. <i>Acta Materialia</i> , 2019, 171, 119-131.	3.8	37
39	Microstructure, mechanical and corrosion properties of electron-beam-melted and plasma-transferred arc-welded WCP/NiBSi metal matrix composites. <i>Rare Metals</i> , 2019, 38, 814-823.	3.6	12
40	Corrosion resistant plasma sprayed (Y _{0.8} Gd _{0.2}) ₃ Al ₅ O ₁₂ /YSZ thermal barrier coatings towards molten calcium-magnesium-alumina-silicate. <i>Ceramics International</i> , 2019, 45, 8138-8144.	2.3	15
41	Novel thermal barrier coatings repel and resist molten silicate deposits. <i>Scripta Materialia</i> , 2019, 163, 71-76.	2.6	56
42	Microstructure and high-temperature oxidation behavior of plasma-sprayed Si/Yb ₂ SiO ₅ environmental barrier coatings. <i>Chinese Journal of Aeronautics</i> , 2019, 32, 1994-1999.	2.8	20
43	Effects of Yb ³⁺ doping on phase structure, thermal conductivity and fracture toughness of (Nd _{1-x} Ybx) ₂ Zr ₂ O ₇ . <i>Ceramics International</i> , 2019, 45, 3133-3139.	2.3	27
44	Impermeability of Y ₃ Al ₅ O ₁₂ ceramic against molten glassy calcium-magnesium-alumina-silicate. <i>Chinese Journal of Aeronautics</i> , 2018, 31, 2306-2311.	2.8	17
45	Wetting, infiltration and interaction behavior of CMAS towards columnar YSZ coatings deposited by plasma spray physical vapor. <i>Journal of the European Ceramic Society</i> , 2018, 38, 3564-3572.	2.8	60
46	Plasma flow optimization for 7YSZ quasi-columnar coating by plasma spray-physical vapor deposition. , 2018, , .		1
47	Microstructural evolution of plasma spray physical vapor deposited thermal barrier coatings at 1150°C studied by impedance spectroscopy. <i>Ceramics International</i> , 2018, 44, 10797-10805.	2.3	18
48	Synthesis, thermal conductivities and phase stability of Gd ₃ TaO ₇ and La doped Gd ₃ TaO ₇ ceramics. <i>Journal of Alloys and Compounds</i> , 2018, 732, 759-764.	2.8	26
49	Effect of Y doping on microstructure and thermophysical properties of yttria stabilized hafnia ceramics. <i>Ceramics International</i> , 2018, 44, 18213-18221.	2.3	30
50	Microstructural characterization of PS-PVD ceramic thermal barrier coatings with quasi-columnar structures. <i>Surface and Coatings Technology</i> , 2017, 311, 199-205.	2.2	47
51	Plasma Powder Feedstock Interaction During Plasma Spray Physical Vapor Deposition. <i>Journal of Thermal Spray Technology</i> , 2017, 26, 292-301.	1.6	14
52	The influence of Gd doping on thermophysical properties, elasticity modulus and phase stability of garnet-type (Y _{1-x} Gd _x) ₃ Al ₅ O ₁₂ ceramics. <i>Journal of the European Ceramic Society</i> , 2017, 37, 4171-4177.	2.8	27
53	Calcium-magnesium-alumina-silicate (CMAS) resistant Ba ₂ REAlO ₅ (RE = Yb, Er, Dy) ceramics for thermal barrier coatings. <i>Journal of the European Ceramic Society</i> , 2017, 37, 4991-5000.	2.8	41
54	Influence of Yb ³⁺ doping on phase stability and thermophysical properties of (Y _{1-x} Yb _x) ₃ Al ₅ O ₁₂ under high temperature. <i>Ceramics International</i> , 2017, 43, 7153-7158.	2.3	17

#	ARTICLE	IF	CITATIONS
55	Synergistic effect of reactive element co-doping in two-phase ($\text{Y}_3\text{Al}_5\text{O}_{12}$ + Y_2O_3) Ni-Al alloys. Corrosion Science, 2017, 120, 130-138.	3.0	36
56	Evolution mechanism of interface cohesion for the coating inducing by laser cladding YSZ@Ni core-shell nanoparticles: Experimental and theoretical research. Journal of Alloys and Compounds, 2017, 708, 844-852.	2.8	9
57	Plasma characteristics and coating microstructures of yttria stabilized zirconia during plasma spray physical vapor deposition. , 2017, , .		2
58	Deposition of TiN/TiAlN multilayers by plasma-activated EB-PVD: tailored microstructure by jumping beam technology. Rare Metals, 2017, 36, 651-658.	3.6	8
59	Microstructural Degradation of Ti-45Al-8Nb Alloy During the Fabrication Process by Electron Beam Melting. Jom, 2017, 69, 2596-2601.	0.9	19
60	Microstructures and deposition mechanisms of quasi-columnar structured yttria-stabilized zirconia coatings by plasma spray physical vapor deposition. Ceramics International, 2017, 43, 12920-12929.	2.3	33
61	Novel Prospects for Plasma Spray Physical Vapor Deposition of Columnar Thermal Barrier Coatings. Journal of Thermal Spray Technology, 2017, 26, 1810-1822.	1.6	15
62	The residual stress of oxide scales grown on Ni-Al alloys doped with minor Dy and Y. Corrosion Science, 2016, 112, 542-551.	3.0	19
63	Microstructures and mechanical properties of Y_2O_3 -NiAlHf coated single crystal superalloy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2016, 673, 39-46.	2.6	15
64	Oxidation behaviour of electron beam physical vapour deposition Y_2O_3 -NiAlHf coatings at 1100°C in dry and humid atmospheres. Rare Metals, 2016, 35, 513-519.	3.6	13
65	Microstructure and cyclic oxidation behaviour of low-Pt/Dy co-doped Y_2O_3 -NiAl coatings on single crystal (SC) superalloy. Surface and Coatings Technology, 2016, 304, 108-116.	2.2	16
66	Microstructure evolution of an EB-PVD NiAl coating and its underlying single crystal superalloy substrate. Journal of Alloys and Compounds, 2016, 672, 36-44.	2.8	38
67	Fabrication of WCp/NiBSi metal matrix composite by electron beam melting. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2016, 666, 320-323.	2.6	28
68	Existence patterns of Dy in Y_2O_3 -NiAl from first-principles calculations. Rare Metals, 2016, 35, 356-360.	3.6	2
69	Cyclic oxidation behavior of Cr-/Si-modified NiAlHf coatings on single-crystal superalloy produced by EB-PVD. Rare Metals, 2016, 35, 396-400.	3.6	6
70	Improved oxide scale adherence of low-Pt/Hf co-doped Y_2O_3 -NiAlCrSi coating on superalloy IC21 at 1200°C. Corrosion Science, 2016, 105, 78-87.	3.0	21
71	Effect of Mo, Ta, and Re on high-temperature oxidation behavior of minor Hf doped Y_2O_3 -NiAl alloy. Corrosion Science, 2016, 102, 222-232.	3.0	72
72	Deposition mechanisms of yttria-stabilized zirconia coatings during plasma spray physical vapor deposition. Ceramics International, 2016, 42, 5530-5536.	2.3	58

#	ARTICLE	IF	CITATIONS
73	Cyclic oxidation behavior of Hf/Zr co-doped EB-PVD $\hat{\Gamma}^2$ -NiAl coatings at 1200 $\hat{\text{A}}^\circ\text{C}$. Surface and Coatings Technology, 2015, 276, 721-725.	2.2	35
74	Effect of Ru on interdiffusion dynamics of $\hat{\Gamma}^2$ -NiAl/DD6 system: A combined experimental and first-principles studies. Materials and Design, 2015, 88, 667-674.	3.3	34
75	Hot-corrosion behavior of a La ₂ Ce ₂ O ₇ /YSZ thermal barrier coating exposed to Na ₂ SO ₄ +V ₂ O ₅ or V ₂ O ₅ salt at 900 $\hat{\text{A}}^\circ\text{C}$. Ceramics International, 2015, 41, 6604-6609.	2.3	47
76	Microstructures of Yttria-Stabilized Zirconia Coatings by Plasma Spray-Physical Vapor Deposition. Journal of Thermal Spray Technology, 2015, 24, 534-541.	1.6	65
77	The role of Dy and Hf doping on oxidation behavior of two-phase ($\hat{\Gamma}^3\hat{\text{A}}\hat{\text{E}}^2 + \hat{\Gamma}^2$) Ni $\hat{\text{A}}\hat{\text{E}}$ Al alloys. Corrosion Science, 2015, 98, 699-707.	3.0	53
78	Structural evolution and thermal conductivities of (Gd _{1-x} Yb _x) ₂ Zr ₂ O ₇ (x=0, 0.02, 0.04, 0.06, 0.08, 0.1) ceramics for thermal barrier coatings. Ceramics International, 2015, 41, 12621-12625.	2.3	53
79	Protectiveness of Pt and Gd ₂ Zr ₂ O ₇ layers on EB-PVD YSZ thermal barrier coatings against calcium $\hat{\text{A}}\hat{\text{E}}$ magnesium $\hat{\text{A}}\hat{\text{E}}$ alumina $\hat{\text{A}}\hat{\text{E}}$ silicate (CMAS) attack. Ceramics International, 2015, 41, 11662-11669.	2.3	67
80	Microstructure, thermal conductivity and thermal cycling behavior of thermal barrier coatings prepared by plasma spray physical vapor deposition. Surface and Coatings Technology, 2015, 276, 424-430.	2.2	72
81	Effect of thermal cycling on microstructure evolution and elements diffusion behavior near the interface of Ni/NiAl diffusion couple. Journal of Alloys and Compounds, 2015, 642, 117-123.	2.8	22
82	Microstructure and mechanical properties of yttria stabilized zirconia coatings prepared by plasma spray physical vapor deposition. Ceramics International, 2015, 41, 8305-8311.	2.3	98
83	Oxidation and microstructure evolution of Al $\hat{\text{A}}\hat{\text{E}}$ Si coated Ni ₃ Al based single crystal superalloy with high Mo content. Applied Surface Science, 2015, 325, 20-26.	3.1	30
84	Deposition of TiN by plasma activated EB-PVD: Activation by thermal electron emission from molten niobium. Surface and Coatings Technology, 2015, 276, 645-648.	2.2	8
85	Sub-micron Co $\hat{\text{A}}\hat{\text{E}}$ Al ₂ O ₃ composite powders prepared by room-temperature ultrasonic-assisted electroless plating. Rare Metals, 2015, , 1.	3.6	1
86	Interdiffusion behavior between NiAlHf coating and Ni-based single crystal superalloy with different crystal orientations. Applied Surface Science, 2015, 326, 124-130.	3.1	40
87	Effect of different B contents on the mechanical properties and cyclic oxidation behaviour of $\hat{\Gamma}^2$ -NiAlDy coatings. Journal of Alloys and Compounds, 2015, 623, 83-88.	2.8	13
88	Thermal transport properties of InFeZnO ₄ $\hat{\text{A}}\hat{\text{E}}$ YbFeZnO ₄ solid solutions. Journal of Alloys and Compounds, 2015, 623, 203-208.	2.8	5
89	High-temperature oxidation behavior of $\hat{\Gamma}^2$ -NiAl with various reactive element dopants in dry and humid atmospheres. Corrosion Science, 2014, 83, 335-342.	3.0	40
90	Effects of Pressure during Preparation on the Grain Orientation of Ruddlesden $\hat{\text{A}}\hat{\text{E}}$ Popper Structured BaLa ₂ Ti ₃ O ₁₀ Ceramic. Journal of Materials Science and Technology, 2014, 30, 455-458.	5.6	9

#	ARTICLE	IF	CITATIONS
91	Plasma-sprayed La ₂ Ce ₂ O ₇ thermal barrier coatings against calcium–magnesium–alumina–silicate penetration. <i>Journal of the European Ceramic Society</i> , 2014, 34, 2553-2561.	2.8	103
92	Thermophysical properties of Yb ₂ O ₃ doped Gd ₂ Zr ₂ O ₇ and thermal cycling durability of (Gd _{0.9} Yb _{0.1}) ₂ Zr ₂ O ₇ /YSZ thermal barrier coatings. <i>Journal of the European Ceramic Society</i> , 2014, 34, 1255-1263.	2.8	113
93	NiAlHf/Ru: Promising bond coat materials in thermal barrier coatings for advanced single crystal superalloys. <i>Corrosion Science</i> , 2014, 78, 304-312.	3.0	50
94	Effect of Sm, Gd, Yb, Sc and Nd as reactive elements on oxidation behaviour of $\hat{\text{I}}^2$ -NiAl at 1200Å°C. <i>Corrosion Science</i> , 2014, 78, 369-377.	3.0	78
95	The phase stability and thermophysical properties of InFeO ₃ (ZnO) _m (m=2, 3, 4, 5). <i>Journal of the European Ceramic Society</i> , 2014, 34, 63-68.	2.8	20
96	Thermal cycling behavior of (Gd _{0.9} Yb _{0.1}) ₂ Zr ₂ O ₇ /8YSZ gradient thermal barrier coatings deposited on Hf-doped NiAl bond coat by EB-PVD. <i>Surface and Coatings Technology</i> , 2014, 258, 950-955.	2.2	31
97	Cyclic oxidation and interdiffusion behavior of Pt modified NiAlHfCrSi coatings on single crystal superalloy containing Mo. <i>Surface and Coatings Technology</i> , 2014, 259, 426-433.	2.2	13
98	Microstructure, hardness and corrosion behaviour of Ti/TiN multilayer coatings produced by plasma activated EB-PVD. <i>Surface and Coatings Technology</i> , 2014, 258, 102-107.	2.2	77
99	Effect of co-doping of two reactive elements on alumina scale growth of $\hat{\text{I}}^2$ -NiAl at 1200Å°C. <i>Corrosion Science</i> , 2014, 88, 197-208.	3.0	83
100	Thermal barrier coating bonded by (Al ₂ O ₃ –Y ₂ O ₃)/(Y ₂ O ₃ -stabilized ZrO ₂) laminated composite coating prepared by two-step cyclic spray pyrolysis. <i>Corrosion Science</i> , 2014, 80, 37-45.	3.0	28
101	Improved hot-corrosion resistance of Si/Cr co-doped NiAlDy alloy in simulative sea-based engine environment. <i>Corrosion Science</i> , 2014, 85, 232-240.	3.0	16
102	Improved thermal barrier properties of InFeZnO ₄ ceramics by Gd/Yb doping. <i>Journal of Alloys and Compounds</i> , 2014, 585, 404-406.	2.8	7
103	Isothermal Oxidation Behavior of Dysprosium/S-Doped $\hat{\text{I}}^2$ -NiAl Alloys at 1200Å°C. <i>Journal of Materials Science and Technology</i> , 2014, 30, 229-233.	5.6	7
104	Evaluation of stress distribution and failure mechanism in lanthanum–titanium–aluminum oxides thermal barrier coatings. <i>Ceramics International</i> , 2013, 39, 5103-5111.	2.3	19
105	High-temperature oxidation behavior of minor Hf doped NiAl alloy in dry and humid atmospheres. <i>Corrosion Science</i> , 2013, 75, 337-344.	3.0	48
106	Improvement on the phase stability, mechanical properties and thermal insulation of Y ₂ O ₃ -stabilized ZrO ₂ by Gd ₂ O ₃ and Yb ₂ O ₃ co-doping. <i>Ceramics International</i> , 2013, 39, 9009-9015.	2.3	68
107	Phase stability, microstructural and thermo-physical properties of BaLn ₂ Ti ₃ O ₁₀ (Ln=Nd and Sm) ceramics. <i>Ceramics International</i> , 2013, 39, 6743-6749.	2.3	16
108	Phase stability and thermal conductivity of ytterbia and yttria co-doped zirconia. <i>Progress in Natural Science: Materials International</i> , 2013, 23, 440-445.	1.8	39

#	ARTICLE	IF	CITATIONS
109	Microstructural, mechanical and oxidation features of NiCoCrAlY coating produced by plasma activated EB-PVD. <i>Applied Surface Science</i> , 2013, 274, 144-150.	3.1	49
110	Influence of partial substitution of Sc ₂ O ₃ with Gd ₂ O ₃ on the phase stability and thermal conductivity of Sc ₂ O ₃ -doped ZrO ₂ . <i>Ceramics International</i> , 2013, 39, 3447-3451.	2.3	72
111	The role of Cr and Si in affecting high-temperature oxidation behaviour of minor Dy doped NiAl alloys. <i>Corrosion Science</i> , 2013, 77, 322-333.	3.0	36
112	Improved alumina scale adhesion of electron beam physical vapor deposited Dy/Hf-doped \hat{I}^2 -NiAl coatings. <i>Applied Surface Science</i> , 2013, 283, 513-520.	3.1	33
113	The ordering degree and thermal conductivity in the pyrochlore-type composition systems with a constant cation radius ratio. <i>Materials Letters</i> , 2013, 106, 119-121.	1.3	21
114	Thermal deformation of Y ₂ O ₃ partially stabilized ZrO ₂ coatings by digital image correlation method. <i>Surface and Coatings Technology</i> , 2013, 216, 1-7.	2.2	10
115	Thermal barrier coatings with (Al ₂ O ₃ â€“Y ₂ O ₃)/(Pt or Ptâ€“Au) composite bond coat and 8YSZ top coat on Ni-based superalloy. <i>Applied Surface Science</i> , 2013, 286, 298-305.	3.1	24
116	Comparative study on effect of oxide thickness on stress distribution of traditional and nanostructured zirconia coating systems. <i>Ceramics International</i> , 2013, 39, 475-481.	2.3	42
117	Sintering of electron beam physical vapor deposited thermal barrier coatings under flame shock. <i>Ceramics International</i> , 2013, 39, 5093-5102.	2.3	19
118	Effects of Dy on the adherence of Al ₂ O ₃ /NiAl interface: A combined first-principles and experimental studies. <i>Corrosion Science</i> , 2013, 66, 59-66.	3.0	39
119	Cyclic oxidation of \hat{I}^2 -NiAl with various reactive element dopants at 1200Â°C. <i>Corrosion Science</i> , 2013, 66, 125-135.	3.0	164
120	INTER-DIFFUSION BEHAVIOR OF RECOATED CoCrAlY COATING/DZ125 DIRECTIONALLY SOLIDIFIED SUPERALLOY. <i>Jinshu Xuebao/Acta Metallurgica Sinica</i> , 2013, 49, 229.	0.3	4
121	Influence of Gd ₂ O ₃ and Yb ₂ O ₃ Co-doping on Phase Stability, Thermo-physical Properties and Sintering of 8YSZ. <i>Chinese Journal of Aeronautics</i> , 2012, 25, 948-953.	2.8	46
122	Microscale lamellar NiCoCrAlY coating with improved oxidation resistance. <i>Surface and Coatings Technology</i> , 2012, 207, 110-116.	2.2	16
123	Cyclic oxidation behavior of \hat{I}^2 -NiAlDy alloys containing varying aluminum content at 1200Â°C. <i>Progress in Natural Science: Materials International</i> , 2012, 22, 311-317.	1.8	10
124	Degradation of EB-PVD thermal barrier coatings caused by CMAS deposits. <i>Progress in Natural Science: Materials International</i> , 2012, 22, 461-467.	1.8	63
125	Cyclic Oxidation Behavior of an EB-PVD CoCrAlY Coating Influenced by Substrate/coating Interdiffusion. <i>Chinese Journal of Aeronautics</i> , 2012, 25, 796-803.	2.8	16
126	Effect of Sintering on Thermal Conductivity and Thermal Barrier Effects of Thermal Barrier Coatings. <i>Chinese Journal of Aeronautics</i> , 2012, 25, 811-816.	2.8	43

#	ARTICLE	IF	CITATIONS
127	Ruddlesdenâ€“Popper structured BaLa ₂ Ti ₃ O ₁₀ , a highly anisotropic material for thermal barrier coatings. <i>Ceramics International</i> , 2012, 38, 4345-4352.	2.3	30
128	Hot Corrosion Behavior of Double-ceramic-layer LaTi ₂ Al ₉ O ₁₉ /YSZ Thermal Barrier Coatings. <i>Chinese Journal of Aeronautics</i> , 2012, 25, 137-142.	2.8	41
129	Evaluation of plasma sprayed YSZ thermal barrier coatings with the CMAS deposits infiltration using impedance spectroscopy. <i>Progress in Natural Science: Materials International</i> , 2012, 22, 40-47.	1.8	41
130	High-temperature oxidation and hot-corrosion behaviour of EB-PVD \hat{I}^2 -NiAlDy coatings. <i>Corrosion Science</i> , 2011, 53, 1050-1059.	3.0	50
131	Effect of Dy on oxide scale adhesion of NiAl coatings at 1200 $\hat{A}^\circ\text{C}$. <i>Corrosion Science</i> , 2011, 53, 2228-2232.	3.0	81
132	Microstructure of oxides in thermal barrier coatings grown under dry/humid atmosphere. <i>Corrosion Science</i> , 2011, 53, 2630-2635.	3.0	25
133	Cyclic oxidation and interdiffusion behavior of a NiAlDy/RuNiAl coating on a Ni-based single crystal superalloy. <i>Corrosion Science</i> , 2011, 53, 2721-2727.	3.0	66
134	Effect of water vapor on the phase transformation of alumina grown on NiAl at 950 $\hat{A}^\circ\text{C}$. <i>Corrosion Science</i> , 2011, 53, 2943-2947.	3.0	26
135	Precipitation phases in the nickel-based superalloy DZ 125 with YSZ/CoCrAlY thermal barrier coating. <i>Journal of Alloys and Compounds</i> , 2011, 509, 8542-8548.	2.8	44
136	Diffusion barrier behaviors of (Ru,Ni)Al/NiAl coatings on Ni-based superalloy substrate. <i>Intermetallics</i> , 2011, 19, 191-195.	1.8	53
137	Impedance spectroscopy study of high-temperature oxidation of Gd ₂ O ₃ -Yb ₂ O ₃ codoped zirconia thermal barrier coatings. <i>Transactions of Nonferrous Metals Society of China</i> , 2011, 21, 1061-1067.	1.7	9
138	Thermal cycling behavior and failure mechanism of LaTi ₂ Al ₉ O ₁₉ /YSZ thermal barrier coatings exposed to gas flame. <i>Surface and Coatings Technology</i> , 2011, 205, 4291-4298.	2.2	52
139	Oxidation and diffusion barrier behaviors of double-layer NiCoCrAlY coatings produced by plasma activated EB-PVD. <i>Surface and Coatings Technology</i> , 2011, 205, 4658-4664.	2.2	27
140	Effects of Dy on Transient Oxidation Behavior of EB-PVD \hat{I}^2 -NiAl Coatings at Elevated Temperatures. <i>Chinese Journal of Aeronautics</i> , 2011, 24, 363-368.	2.8	13
141	Lanthanumâ€“titaniumâ€“aluminum oxide: A novel thermal barrier coating material for applications at 1300 $\hat{A}^\circ\text{C}$. <i>Journal of the European Ceramic Society</i> , 2011, 31, 1677-1683.	2.8	108
142	Microstructure and thermo-physical properties of yttria stabilized zirconia coatings with CMAS deposits. <i>Journal of the European Ceramic Society</i> , 2011, 31, 1881-1888.	2.8	164
143	Microstructural evolution of CoCrAlY bond coat on Ni-based superalloy DZ 125 at 1050 $\hat{A}^\circ\text{C}$. <i>Surface and Coatings Technology</i> , 2011, 205, 4374-4379.	2.2	21
144	Microstructure and Thermal Properties of Plasma Sprayed Thermal Barrier Coatings from Nanostructured YSZ. <i>Journal of Thermal Spray Technology</i> , 2010, 19, 1186-1194.	1.6	126

#	ARTICLE	IF	CITATIONS
145	Thermal cycling behavior of La ₂ Ce ₂ O ₇ /8YSZ double-ceramic-layer thermal barrier coatings prepared by atmospheric plasma spraying. <i>Surface and Coatings Technology</i> , 2010, 204, 3366-3370.	2.2	64
146	Improved oxidation resistance and diffusion barrier behaviors of gradient oxide dispersed NiCoCrAlY coatings on superalloy. <i>Vacuum</i> , 2010, 85, 627-633.	1.6	22
147	HOT-CORROSION BEHAVIOR OF THERMAL BARRIER COATED DZ125 SUPERALLOY EXPOSED TO ATOMIZED SEAWATER AND KEROSENE. <i>International Journal of Modern Physics B</i> , 2010, 24, 3155-3160.	1.0	0
148	EFFECTS OF Dy ON THE MICROSTRUCTURE AND SPALLATION FAILURE OF THE ALUMINA SCALES GROWN ON NiAl. <i>International Journal of Modern Physics B</i> , 2010, 24, 3149-3154.	1.0	15
149	CYCLIC OXIDATION BEHAVIORS OF EB-PVD Dy DOPED γ -NiAl COATINGS AT 1100°C. <i>International Journal of Modern Physics B</i> , 2010, 24, 3143-3148.	1.0	21
150	Cyclic oxidation and diffusion barrier behaviors of oxides dispersed NiCoCrAlY coatings. <i>Journal of Alloys and Compounds</i> , 2010, 502, 411-416.	2.8	51
151	Improved cyclic oxidation resistance of electron beam physical vapor deposited nano-oxide dispersed γ -NiAl coatings for Hf-containing superalloy. <i>Corrosion Science</i> , 2010, 52, 1440-1446.	3.0	77
152	Thermo-Physical Properties and Thermal Shock Resistance of Segmented La ₂ Ce ₂ O ₇ /YSZ Thermal Barrier Coatings. <i>Journal of Thermal Spray Technology</i> , 2009, 18, 665-671.	1.6	55
153	Thermo-physical and thermal cycling properties of plasma-sprayed BaLa ₂ Ti ₃ O ₁₀ coating as potential thermal barrier materials. <i>Surface and Coatings Technology</i> , 2009, 204, 691-696.	2.2	47
154	Thermal shock resistance and mechanical properties of La ₂ Ce ₂ O ₇ thermal barrier coatings with segmented structure. <i>Ceramics International</i> , 2009, 35, 2639-2644.	2.3	97
155	Effects of Dy on cyclic oxidation resistance of NiAl alloy. <i>Transactions of Nonferrous Metals Society of China</i> , 2009, 19, 1185-1189.	1.7	35
156	Novel microstructure of EB-PVD double ceramic layered thermal barrier coatings. <i>Thin Solid Films</i> , 2008, 516, 5736-5739.	0.8	34
157	High temperature oxidation behavior of hafnium modified NiAl bond coat in EB-PVD thermal barrier coating system. <i>Thin Solid Films</i> , 2008, 516, 5732-5735.	0.8	118
158	Prediction of Thermal Conductivity of Composite Materials. <i>Journal of Power and Energy Systems</i> , 2008, 2, 1048-1059.	0.5	5
159	Failure mechanism of EB-PVD thermal barrier coatings on NiAl substrate. <i>Transactions of Nonferrous Metals Society of China</i> , 2007, 17, 811-815.	1.7	9
160	Thermal Cycling Behavior of Plasma Sprayed Segmented Thermal Barrier Coatings. <i>Materials Transactions</i> , 2006, 47, 306-309.	0.4	40
161	Microstructures and Properties of Plasma-Sprayed Segmented Thermal Barrier Coatings. <i>Journal of the American Ceramic Society</i> , 2006, 89, 1432-1439.	1.9	119
162	Effects of Heat Treatment on Microstructures and Physical Properties of Segmented Thermal Barrier Coatings. <i>Materials Transactions</i> , 2005, 46, 1775-1778.	0.4	26

#	ARTICLE	IF	CITATIONS
163	Measurements of the thermal gradient over EB-PVD thermal barrier coatings. <i>Vacuum</i> , 2003, 70, 11-16.	1.6	4
164	Effect of thermal exposure on the microstructure and properties of EB-PVD gradient thermal barrier coatings. <i>Surface and Coatings Technology</i> , 2003, 168, 23-29.	2.2	38
165	Evaluation of hot-fatigue behaviors of EB-PVD gradient thermal barrier coatings. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002, 325, 261-269.	2.6	24
166	Preparation of Al ₂ O ₃ -YSZ composite coating by EB-PVD. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002, 325, 389-393.	2.6	25
167	Title is missing!. <i>Journal of Materials Science</i> , 2002, 37, 5333-5337.	1.7	9
168	Processing of a low-cost NiPtAl coating with improved oxidation resistance. <i>Rare Metals</i> , 0, , 1.	3.6	1
169	Microstructural evolution, mechanical properties and degradation mechanism of PS-PVD quasi-columnar thermal barrier coatings exposed to glassy CMAS deposits. <i>Rare Metals</i> , 0, , 1.	3.6	8