

Pavel Kalaš

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7754314/publications.pdf>

Version: 2024-02-01

63
papers

3,503
citations

185998

28
h-index

143772

57
g-index

66
all docs

66
docs citations

66
times ranked

3090
citing authors

#	ARTICLE	IF	CITATIONS
1	Chemical composition and nutritional value of European species of wild growing mushrooms: A review. <i>Food Chemistry</i> , 2009, 113, 9-16.	4.2	549
2	A review of chemical composition and nutritional value of wild growing and cultivated mushrooms. <i>Journal of the Science of Food and Agriculture</i> , 2013, 93, 209-218.	1.7	495
3	A review of trace element concentrations in edible mushrooms. <i>Food Chemistry</i> , 2000, 69, 273-281.	4.2	485
4	Trace element contents in European species of wild growing edible mushrooms: A review for the period 2000–2009. <i>Food Chemistry</i> , 2010, 122, 2-15.	4.2	220
5	Health effects and occurrence of dietary polyamines: A review for the period 2005–mid 2013. <i>Food Chemistry</i> , 2014, 161, 27-39.	4.2	152
6	A review of edible mushroom radioactivity. <i>Food Chemistry</i> , 2001, 75, 29-35.	4.2	123
7	Contents of cadmium, mercury and lead in edible mushrooms growing in a historical silver-mining area. <i>Food Chemistry</i> , 2006, 96, 580-585.	4.2	91
8	The effects of silage feeding on some sensory and health attributes of cow's milk: A review. <i>Food Chemistry</i> , 2011, 125, 307-317.	4.2	85
9	A Review of Biogenic Amines and Polyamines in Beer. <i>Journal of the Institute of Brewing</i> , 2003, 109, 123-128.	0.8	71
10	Biogenic amine formation in bottled beer. <i>Food Chemistry</i> , 2002, 79, 431-434.	4.2	69
11	The effects of lactic acid bacteria inoculants on biogenic amines formation in sauerkraut. <i>Food Chemistry</i> , 2000, 70, 355-359.	4.2	62
12	Screening the Multi-Element Content of Pleurotus Mushroom Species Using inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). <i>Food Analytical Methods</i> , 2017, 10, 487-496.	1.3	58
13	Levels of biogenic amines in typical vegetable products. <i>Food Chemistry</i> , 2002, 77, 349-351.	4.2	55
14	Elemental characteristics of mushroom species cultivated in China and Poland. <i>Journal of Food Composition and Analysis</i> , 2018, 66, 168-178.	1.9	54
15	Concentrations of seven biogenic amines in sauerkraut. <i>Food Chemistry</i> , 1999, 67, 275-280.	4.2	52
16	Leaching of cadmium, lead and mercury from fresh and differently preserved edible mushroom, <i>Xerocomus badius</i> , during soaking and boiling. <i>Food Chemistry</i> , 2002, 79, 41-45.	4.2	45
17	Content of selected elements and low-molecular-weight organic acids in fruiting bodies of edible mushroom <i>Boletus badius</i> (Fr.) Fr. from unpolluted and polluted areas. <i>Environmental Science and Pollution Research</i> , 2016, 23, 20609-20618.	2.7	43
18	Multielemental analysis of fruit bodies of three cultivated commercial <i>Agaricus</i> species. <i>Journal of Food Composition and Analysis</i> , 2017, 59, 170-178.	1.9	43

#	ARTICLE	IF	CITATIONS
19	Contents of cadmium and mercury in edible mushrooms. <i>Journal of Applied Biomedicine</i> , 2004, 2, 15-20.	0.6	43
20	Changes in biogenic amine concentrations during sauerkraut storage. <i>Food Chemistry</i> , 2000, 69, 309-314.	4.2	41
21	The effect of different substrates on the growth of six cultivated mushroom species and composition of macro and trace elements in their fruiting bodies. <i>European Food Research and Technology</i> , 2019, 245, 419-431.	1.6	40
22	Concentrations of five biogenic amines in Czech beers and factors affecting their formation. <i>Food Chemistry</i> , 1997, 58, 209-214.	4.2	38
23	Application of lactic acid bacteria starter cultures for decreasing the biogenic amine levels in sauerkraut. <i>European Food Research and Technology</i> , 2002, 215, 509-514.	1.6	38
24	The required characteristics of ensiled crops used as a feedstock for biogas production: a review. <i>Journal of Agrobiology</i> , 2011, 28, 85-96.	0.2	37
25	Recent advances in the research on biological roles of dietary polyamines in man. <i>Journal of Applied Biomedicine</i> , 2009, 7, 65-74.	0.6	37
26	Content of biogenic amines and polyamines in some species of European wild-growing edible mushrooms. <i>European Food Research and Technology</i> , 2009, 230, 163-171.	1.6	35
27	Contents of biologically active polyamines in chicken meat, liver, heart and skin after slaughter and their changes during meat storage and cooking. <i>Food Chemistry</i> , 2009, 116, 419-425.	4.2	33
28	Cultivation of mushrooms for production of food biofortified with lithium. <i>European Food Research and Technology</i> , 2017, 243, 1097-1104.	1.6	30
29	Comparison of elemental composition of mushroom <i>Hypsizygus marmoreus</i> originating from commercial production and experimental cultivation. <i>Scientia Horticulturae</i> , 2018, 236, 30-35.	1.7	28
30	Toxicological risks and nutritional value of wild edible mushroom species - a half-century monitoring study. <i>Chemosphere</i> , 2021, 263, 128095.	4.2	28
31	Formation of biogenic amines in four edible mushroom species stored under different conditions. <i>Food Chemistry</i> , 1997, 58, 233-236.	4.2	22
32	Worldwide basket survey of multielemental composition of white button mushroom <i>Agaricus bisporus</i> . <i>Chemosphere</i> , 2020, 239, 124718.	4.2	21
33	A review of the changes in carotenes during ensiling of forages. <i>Journal of the Science of Food and Agriculture</i> , 1981, 32, 767-772.	1.7	19
34	Losses of beta-carotene in red clover in an acid medium during ensiling. <i>Animal Feed Science and Technology</i> , 1979, 4, 81-89.	1.1	17
35	Content of polyamines in beef and pork after animal slaughtering. <i>European Food Research and Technology</i> , 2006, 223, 321-324.	1.6	17
36	Investigation of differentiation of metal contents of <i>Agaricus bisporus</i> , <i>Lentinula edodes</i> and <i>Pleurotus ostreatus</i> sold commercially in Poland between 2009 and 2017. <i>Journal of Food Composition and Analysis</i> , 2020, 90, 103488.	1.9	16

#	ARTICLE	IF	CITATIONS
37	Family and species as determinants modulating mineral composition of selected wild-growing mushroom species. <i>Environmental Science and Pollution Research</i> , 2021, 28, 389-404.	2.7	16
38	Losses of beta-carotene in unwilted forage crops during silage-making and feeding. <i>Animal Feed Science and Technology</i> , 1983, 9, 63-69.	1.1	15
39	The effects of germanium and selenium on growth, metalloids accumulation and ergosterol content in mushrooms: experimental study in <i>Pleurotus ostreatus</i> and <i>Ganoderma lucidum</i> . <i>European Food Research and Technology</i> , 2019, 245, 1799-1810.	1.6	15
40	Changes in the content of biologically active polyamines during pork loin storage and culinary treatments. <i>European Food Research and Technology</i> , 2008, 226, 1007-1012.	1.6	14
41	Levels of platinum group elements and rare-earth elements in wild mushroom species growing in Poland. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2016, 33, 1-9.	1.1	13
42	Comparison of multielemental composition of Polish and Chinese mushrooms (<i>Ganoderma</i> spp.). <i>European Food Research and Technology</i> , 2017, 243, 1555-1566.	1.6	13
43	Concentration of biologically active polyamines in meat and liver of sheep and lambs after slaughter and their changes in mutton during storage and cooking. <i>Meat Science</i> , 2011, 87, 119-124.	2.7	12
44	Multiannual monitoring (1974–2019) of rare earth elements in wild growing edible mushroom species in Polish forests. <i>Chemosphere</i> , 2020, 257, 127173.	4.2	11
45	The enzymic nature of the degradation of beta-carotene in red clover and in other forage crops during silagemaking with acid additives. <i>Animal Feed Science and Technology</i> , 1980, 5, 59-68.	1.1	10
46	Contents of biologically active polyamines in duck meat and giblets after slaughter and their changes during meat storage and cooking. <i>Food Research International</i> , 2012, 48, 28-33.	2.9	10
47	Concentration of biologically active polyamines in rabbit meat, liver and kidney after slaughter and their changes during meat storage and cooking. <i>Meat Science</i> , 2012, 90, 796-800.	2.7	8
48	Effect of <i>Thymus vulgaris</i> post-extraction waste and spent coffee grounds on the quality of cultivated <i>Pleurotus eryngii</i> . <i>Journal of Food Processing and Preservation</i> , 2020, 44, e14648.	0.9	8
49	Mineral composition of traditional and organic-cultivated mushroom <i>Lentinula edodes</i> in Europe and Asia – Similar or different?. <i>LWT - Food Science and Technology</i> , 2021, 147, 111570.	2.5	7
50	Pyrrolizidine alkaloids of European <i>Senecio/Jacobaea</i> species in forage and their carry-over to milk: A review. <i>Animal Feed Science and Technology</i> , 2021, 280, 115062.	1.1	7
51	Anthropogenic contamination leads to changes in mineral composition of soil- and tree-growing mushroom species: A case study of urban vs. rural environments and dietary implications. <i>Science of the Total Environment</i> , 2022, 809, 151162.	3.9	7
52	The effects of feeding fresh forage and silage on some nutritional attributes of beef: an overview. <i>Journal of Agrobiology</i> , 2011, 28, 1-13.	0.2	5
53	Influence of Iron Addition (Alone or with Calcium) to Elements Biofortification and Antioxidants in <i>Pholiota nameko</i> . <i>Plants</i> , 2021, 10, 2275.	1.6	5
54	Minor Constituents. , 2016, , 71-136.		4

#	ARTICLE	IF	CITATIONS
55	Trace elements. , 2019, , 75-298.		3
56	A Possibility to Use Selected Crop Post-Extraction Wastes to Improve the Composition of Cultivated Mushroom <i>Pleurotus citrinopileatus</i> . <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 894.	1.5	3
57	Road traffic and abiotic parameters of underlying soils determine the mineral composition and nutritive value of the mushroom <i>Macrolepiota procera</i> (Scop.) Singer. <i>Chemosphere</i> , 2022, 303, 135213.	4.2	3
58	Major essential elements. , 2019, , 25-74.		1
59	The importance of Cu–Pb interactions to <i>Lentinula edodes</i> yield, major/trace elements accumulation and antioxidants. <i>European Food Research and Technology</i> , 2021, 247, 2799-2812.	1.6	1
60	Biofortification of Three Cultivated Mushroom Species with Three Iron Salts—Potential for a New Iron-Rich Superfood. <i>Molecules</i> , 2022, 27, 2328.	1.7	1
61	Detrimental Compounds and Effects. , 2016, , 155-180.		0
62	Desirable compounds. , 2017, , 23-124.		0
63	Overall outline of mineral composition. , 2019, , 9-24.		0