

Pavel Kalaš

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7754314/publications.pdf>

Version: 2024-02-01

63

papers

3,503

citations

186265

28

h-index

144013

57

g-index

66

all docs

66

docs citations

66

times ranked

3090

citing authors

#	ARTICLE	IF	CITATIONS
1	Anthropogenic contamination leads to changes in mineral composition of soil- and tree-growing mushroom species: A case study of urban vs. rural environments and dietary implications. <i>Science of the Total Environment</i> , 2022, 809, 151162.	8.0	7
2	Biofortification of Three Cultivated Mushroom Species with Three Iron Salts—Potential for a New Iron-Rich Superfood. <i>Molecules</i> , 2022, 27, 2328.	3.8	1
3	Road traffic and abiotic parameters of underlying soils determine the mineral composition and nutritive value of the mushroom <i>Macrolepiota procera</i> (Scop.) Singer. <i>Chemosphere</i> , 2022, 303, 135213.	8.2	3
4	Toxicological risks and nutritional value of wild edible mushroom species -a half-century monitoring study. <i>Chemosphere</i> , 2021, 263, 128095.	8.2	28
5	Family and species as determinants modulating mineral composition of selected wild-growing mushroom species. <i>Environmental Science and Pollution Research</i> , 2021, 28, 389-404.	5.3	16
6	The importance of Cu—Pb interactions to <i>Lentinula edodes</i> yield, major/trace elements accumulation and antioxidants. <i>European Food Research and Technology</i> , 2021, 247, 2799-2812.	3.3	1
7	Mineral composition of traditional and organic-cultivated mushroom <i>Lentinula edodes</i> in Europe and Asia – Similar or different?. <i>LWT - Food Science and Technology</i> , 2021, 147, 111570.	5.2	7
8	Pyrrolizidine alkaloids of European <i>Senecio/Jacobaea</i> species in forage and their carry-over to milk: A review. <i>Animal Feed Science and Technology</i> , 2021, 280, 115062.	2.2	7
9	Influence of Iron Addition (Alone or with Calcium) to Elements Biofortification and Antioxidants in <i>Pholiota nameko</i> . <i>Plants</i> , 2021, 10, 2275.	3.5	5
10	A Possibility to Use Selected Crop Post-Extraction Wastes to Improve the Composition of Cultivated Mushroom <i>Pleurotus citrinopileatus</i> . <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 894.	3.5	3
11	Worldwide basket survey of multielemental composition of white button mushroom <i>Agaricus bisporus</i> . <i>Chemosphere</i> , 2020, 239, 124718.	8.2	21
12	Multiannual monitoring (1974–2019) of rare earth elements in wild growing edible mushroom species in Polish forests. <i>Chemosphere</i> , 2020, 257, 127173.	8.2	11
13	Effect of <i>Thymus vulgaris</i> post-extraction waste and spent coffee grounds on the quality of cultivated <i>Pleurotus eryngii</i> . <i>Journal of Food Processing and Preservation</i> , 2020, 44, e14648.	2.0	8
14	Investigation of differentiation of metal contents of <i>Agaricus bisporus</i> , <i>Lentinula edodes</i> and <i>Pleurotus ostreatus</i> sold commercially in Poland between 2009 and 2017. <i>Journal of Food Composition and Analysis</i> , 2020, 90, 103488.	3.9	16
15	The effects of germanium and selenium on growth, metalloids accumulation and ergosterol content in mushrooms: experimental study in <i>Pleurotus ostreatus</i> and <i>Ganoderma lucidum</i> . <i>European Food Research and Technology</i> , 2019, 245, 1799-1810.	3.3	15
16	Overall outline of mineral composition. , 2019, , 9-24.		0
17	Major essential elements. , 2019, , 25-74.		1
18	Trace elements. , 2019, , 75-298.		3

#	ARTICLE	IF	CITATIONS
19	The effect of different substrates on the growth of six cultivated mushroom species and composition of macro and trace elements in their fruiting bodies. <i>European Food Research and Technology</i> , 2019, 245, 419-431.	3.3	40
20	Comparison of elemental composition of mushroom <i>Hypsizygus marmoreus</i> originating from commercial production and experimental cultivation. <i>Scientia Horticulturae</i> , 2018, 236, 30-35.	3.6	28
21	Elemental characteristics of mushroom species cultivated in China and Poland. <i>Journal of Food Composition and Analysis</i> , 2018, 66, 168-178.	3.9	54
22	Multielemental analysis of fruit bodies of three cultivated commercial <i>Agaricus</i> species. <i>Journal of Food Composition and Analysis</i> , 2017, 59, 170-178.	3.9	43
23	Cultivation of mushrooms for production of food biofortified with lithium. <i>European Food Research and Technology</i> , 2017, 243, 1097-1104.	3.3	30
24	Comparison of multielemental composition of Polish and Chinese mushrooms (<i>Ganoderma</i> spp.). <i>European Food Research and Technology</i> , 2017, 243, 1555-1566.	3.3	13
25	Screening the Multi-Element Content of <i>Pleurotus</i> Mushroom Species Using inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). <i>Food Analytical Methods</i> , 2017, 10, 487-496.	2.6	58
26	Desirable compounds. , 2017, , 23-124.		0
27	Levels of platinum group elements and rare-earth elements in wild mushroom species growing in Poland. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2016, 33, 1-9.	2.3	13
28	Minor Constituents. , 2016, , 71-136.		4
29	Detrimental Compounds and Effects. , 2016, , 155-180.		0
30	Content of selected elements and low-molecular-weight organic acids in fruiting bodies of edible mushroom <i>Boletus badius</i> (Fr.) Fr. from unpolluted and polluted areas. <i>Environmental Science and Pollution Research</i> , 2016, 23, 20609-20618.	5.3	43
31	Health effects and occurrence of dietary polyamines: A review for the period 2005â€“mid 2013. <i>Food Chemistry</i> , 2014, 161, 27-39.	8.2	152
32	A review of chemical composition and nutritional value of wildâ€“growing and cultivated mushrooms. <i>Journal of the Science of Food and Agriculture</i> , 2013, 93, 209-218.	3.5	495
33	Concentration of biologically active polyamines in rabbit meat, liver and kidney after slaughter and their changes during meat storage and cooking. <i>Meat Science</i> , 2012, 90, 796-800.	5.5	8
34	Contents of biologically active polyamines in duck meat and giblets after slaughter and their changes during meat storage and cooking. <i>Food Research International</i> , 2012, 48, 28-33.	6.2	10
35	Concentration of biologically active polyamines in meat and liver of sheep and lambs after slaughter and their changes in mutton during storage and cooking. <i>Meat Science</i> , 2011, 87, 119-124.	5.5	12
36	The effects of silage feeding on some sensory and health attributes of cowâ€™s milk: A review. <i>Food Chemistry</i> , 2011, 125, 307-317.	8.2	85

#	ARTICLE	IF	CITATIONS
37	The required characteristics of ensiled crops used as a feedstock for biogas production: a review. <i>Journal of Agrobiology</i> , 2011, 28, 85-96.	0.3	37
38	The effects of feeding fresh forage and silage on some nutritional attributes of beef: an overview. <i>Journal of Agrobiology</i> , 2011, 28, 1-13.	0.3	5
39	Trace element contents in European species of wild growing edible mushrooms: A review for the period 2000–2009. <i>Food Chemistry</i> , 2010, 122, 2-15.	8.2	220
40	Content of biogenic amines and polyamines in some species of European wild-growing edible mushrooms. <i>European Food Research and Technology</i> , 2009, 230, 163-171.	3.3	35
41	Contents of biologically active polyamines in chicken meat, liver, heart and skin after slaughter and their changes during meat storage and cooking. <i>Food Chemistry</i> , 2009, 116, 419-425.	8.2	33
42	Chemical composition and nutritional value of European species of wild growing mushrooms: A review. <i>Food Chemistry</i> , 2009, 113, 9-16.	8.2	549
43	Recent advances in the research on biological roles of dietary polyamines in man. <i>Journal of Applied Biomedicine</i> , 2009, 7, 65-74.	1.7	37
44	Changes in the content of biologically active polyamines during pork loin storage and culinary treatments. <i>European Food Research and Technology</i> , 2008, 226, 1007-1012.	3.3	14
45	Contents of cadmium, mercury and lead in edible mushrooms growing in a historical silver-mining area. <i>Food Chemistry</i> , 2006, 96, 580-585.	8.2	91
46	Content of polyamines in beef and pork after animal slaughtering. <i>European Food Research and Technology</i> , 2006, 223, 321-324.	3.3	17
47	Contents of cadmium and mercury in edible mushrooms. <i>Journal of Applied Biomedicine</i> , 2004, 2, 15-20.	1.7	43
48	A Review of Biogenic Amines and Polyamines in Beer. <i>Journal of the Institute of Brewing</i> , 2003, 109, 123-128.	2.3	71
49	Application of lactic acid bacteria starter cultures for decreasing the biogenic amine levels in sauerkraut. <i>European Food Research and Technology</i> , 2002, 215, 509-514.	3.3	38
50	Levels of biogenic amines in typical vegetable products. <i>Food Chemistry</i> , 2002, 77, 349-351.	8.2	55
51	Leaching of cadmium, lead and mercury from fresh and differently preserved edible mushroom, <i>Xerocomus badius</i> , during soaking and boiling. <i>Food Chemistry</i> , 2002, 79, 41-45.	8.2	45
52	Biogenic amine formation in bottled beer. <i>Food Chemistry</i> , 2002, 79, 431-434.	8.2	69
53	A review of edible mushroom radioactivity. <i>Food Chemistry</i> , 2001, 75, 29-35.	8.2	123
54	The effects of lactic acid bacteria inoculants on biogenic amines formation in sauerkraut. <i>Food Chemistry</i> , 2000, 70, 355-359.	8.2	62

#	ARTICLE	IF	CITATIONS
55	A review of trace element concentrations in edible mushrooms. Food Chemistry, 2000, 69, 273-281.	8.2	485
56	Changes in biogenic amine concentrations during sauerkraut storage. Food Chemistry, 2000, 69, 309-314.	8.2	41
57	Concentrations of seven biogenic amines in sauerkraut. Food Chemistry, 1999, 67, 275-280.	8.2	52
58	Concentrations of five biogenic amines in Czech beers and factors affecting their formation. Food Chemistry, 1997, 58, 209-214.	8.2	38
59	Formation of biogenic amines in four edible mushroom species stored under different conditions. Food Chemistry, 1997, 58, 233-236.	8.2	22
60	Losses of beta-carotene in unwilted forage crops during silage-making and feeding. Animal Feed Science and Technology, 1983, 9, 63-69.	2.2	15
61	A review of the changes in carotenenes during ensiling of forages. Journal of the Science of Food and Agriculture, 1981, 32, 767-772.	3.5	19
62	The enzymic nature of the degradation of beta-carotene in red clover and in other forage crops during silagemaking with acid additives. Animal Feed Science and Technology, 1980, 5, 59-68.	2.2	10
63	Losses of beta-carotene in red clover in an acid medium during ensiling. Animal Feed Science and Technology, 1979, 4, 81-89.	2.2	17