

# Andreas Thomas

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7754981/publications.pdf>

Version: 2024-02-01

163  
papers

5,101  
citations

76196

40  
h-index

133063

59  
g-index

164  
all docs

164  
docs citations

164  
times ranked

2862  
citing authors

#	ARTICLE	IF	CITATIONS
1	Sensitive determination of prohibited drugs in dried blood spots (DBS) for doping controls by means of a benchtop quadrupole/Orbitrap mass spectrometer. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 403, 1279-1289.	1.9	136
2	Mass spectrometric identification and characterization of a new long-term metabolite of metandienone in human urine. <i>Rapid Communications in Mass Spectrometry</i> , 2006, 20, 2252-2258.	0.7	114
3	Screening for the synthetic cannabinoid JWH-018 and its major metabolites in human doping controls. <i>Drug Testing and Analysis</i> , 2011, 3, 609-620.	1.6	113
4	Qualitative Determination of Synthetic Analogues of Insulin in Human Plasma by Immunoaffinity Purification and Liquid Chromatography-Tandem Mass Spectrometry for Doping Control Purposes. <i>Analytical Chemistry</i> , 2005, 77, 3579-3585.	3.2	105
5	Mass spectrometric determination of insulins and their degradation products in sports drug testing. <i>Mass Spectrometry Reviews</i> , 2008, 27, 35-50.	2.8	98
6	Interlaboratory Agreement of Insulin-like Growth Factor 1 Concentrations Measured by Mass Spectrometry. <i>Clinical Chemistry</i> , 2014, 60, 541-548.	1.5	96
7	Confiscated black market products and nutritional supplements with non-approved ingredients analyzed in the cologne doping control laboratory 2009. <i>Drug Testing and Analysis</i> , 2010, 2, 533-537.	1.6	92
8	Doping Control Analysis of Intact Rapid-Acting Insulin Analogues in Human Urine by Liquid Chromatography-Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , 2006, 78, 1897-1903.	3.2	91
9	Current role of LC-MS(/MS) in doping control. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 401, 405-420.	1.9	86
10	Immunoaffinity purification of peptide hormones prior to liquid chromatography-mass spectrometry in doping controls. <i>Methods</i> , 2012, 56, 230-235.	1.9	85
11	Identification of black market products and potential doping agents in Germany 2010-2013. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 1303-1311.	0.8	84
12	Determination of growth hormone releasing peptides (GHRP) and their major metabolites in human urine for doping controls by means of liquid chromatography mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 401, 507-516.	1.9	83
13	Mass Spectrometric Identification of Degradation Products of Insulin and Its Long-Acting Analogues in Human Urine for Doping Control Purposes. <i>Analytical Chemistry</i> , 2007, 79, 2518-2524.	3.2	75
14	Dietary Supplement and Food Contaminations and Their Implications for Doping Controls. <i>Foods</i> , 2020, 9, 1012.	1.9	74
15	Sensitive and fast identification of urinary human, synthetic and animal insulin by means of nano-UPLC coupled with high-resolution/high-accuracy mass spectrometry. <i>Drug Testing and Analysis</i> , 2009, 1, 219-227.	1.6	72
16	Structure characterisation of urinary metabolites of the cannabimimetic JWH-018 using chemically synthesised reference material for the support of LC-MS/MS-based drug testing. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 401, 493-505.	1.9	66
17	Simultaneous determination and validated quantification of human insulin and its synthetic analogues in human blood serum by immunoaffinity purification and liquid chromatography-mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 404, 1813-1822.	1.9	65
18	Mass spectrometric determination of gonadotrophin-releasing hormone (GnRH) in human urine for doping control purposes by means of LC-ESI-MS/MS. <i>Journal of Mass Spectrometry</i> , 2008, 43, 908-915.	0.7	62

#	ARTICLE	IF	CITATIONS
19	Analysis of Confiscated Black Market Drugs Using Chromatographic and Mass Spectrometric Approaches. <i>Journal of Analytical Toxicology</i> , 2008, 32, 232-240.	1.7	62
20	Expanding analytical possibilities concerning the detection of stanozolol misuse by means of high resolution/high accuracy mass spectrometric detection of stanozolol glucuronides in human sports drug testing. <i>Drug Testing and Analysis</i> , 2013, 5, 810-818.	1.6	62
21	Determination of human insulin and its analogues in human blood using liquid chromatography coupled to ion mobility mass spectrometry (LC-IM-MS). <i>Drug Testing and Analysis</i> , 2014, 6, 1125-1132.	1.6	62
22	Comprehensive plasma-screening for known and unknown substances in doping controls. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 1124-1132.	0.7	60
23	Development and validation of a mass spectrometric detection method of peginesatide in dried blood spots for sports drug testing. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 403, 2715-2724.	1.9	58
24	Gender differences in the bronchoalveolar lavage cell proteome of patients with chronic obstructive pulmonary disease. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 131, 743-751.e9.	1.5	58
25	Determination of IGF-1 and IGF-2, their degradation products and synthetic analogues in urine by LC-MS/MS. <i>Analyst</i> , 2011, 136, 1003-1012.	1.7	57
26	Emerging drugs: mechanism of action, mass spectrometry and doping control analysis. <i>Journal of Mass Spectrometry</i> , 2009, 44, 442-460.	0.7	56
27	Determination of prohibited, small peptides in urine for sports drug testing by means of nano-liquid chromatography/benchtop quadrupole orbitrap tandem-mass spectrometry. <i>Journal of Chromatography A</i> , 2012, 1259, 251-257.	1.8	54
28	Identification of the growth-hormone-releasing peptide-2 (GHRP-2) in a nutritional supplement. <i>Drug Testing and Analysis</i> , 2010, 2, 144-148.	1.6	52
29	Use of dried blood spots in doping control analysis of anabolic steroid esters. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014, 96, 21-30.	1.4	51
30	Mass spectrometric characterization of urinary metabolites of the selective androgen receptor modulator andarine (S-4) for routine doping control purposes. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 2245-2254.	0.7	48
31	“Dilute-and-inject” multi-target screening assay for highly polar doping agents using hydrophilic interaction liquid chromatography high resolution/high accuracy mass spectrometry for sports drug testing. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 5365-5379.	1.9	48
32	Simplifying and expanding analytical capabilities for various classes of doping agents by means of direct urine injection high performance liquid chromatography high resolution/high accuracy mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 131, 482-496.	1.4	48
33	Determination of Vasopressin and Desmopressin in urine by means of liquid chromatography coupled to quadrupole time-of-flight mass spectrometry for doping control purposes. <i>Analytica Chimica Acta</i> , 2011, 707, 107-113.	2.6	47
34	Metabolism of Growth Hormone Releasing Peptides. <i>Analytical Chemistry</i> , 2012, 84, 10252-10259.	3.2	47
35	Does the analysis of the enantiomeric composition of clenbuterol in human urine enable the differentiation of illicit clenbuterol administration from food contamination in sports drug testing?. <i>Rapid Communications in Mass Spectrometry</i> , 2013, 27, 507-512.	0.7	46
36	Insulin. <i>Handbook of Experimental Pharmacology</i> , 2009, , 209-226.	0.9	45

#	ARTICLE	IF	CITATIONS
37	Trafficking of drug candidates relevant for sports drug testing: Detection of non-approved therapeutics categorized as anabolic and gene doping agents in products distributed via the Internet. <i>Drug Testing and Analysis</i> , 2011, 3, 331-336.	1.6	45
38	Application of FAIMS to anabolic androgenic steroids in sport drug testing. <i>Drug Testing and Analysis</i> , 2009, 1, 545-553.	1.6	44
39	Characterization of two major urinary metabolites of the PPAR $\gamma$ -agonist GW1516 and implementation of the drug in routine doping controls. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 396, 2479-2491.	1.9	43
40	Dried blood spots (DBS) for doping control analysis. <i>Drug Testing and Analysis</i> , 2011, 3, 806-813.	1.6	42
41	Measuring insulin in human vitreous humour using LC-MS/MS. <i>Drug Testing and Analysis</i> , 2012, 4, 53-56.	1.6	42
42	Characterization of <i>in vitro</i> generated metabolites of the selective androgen receptor modulators S $\alpha$ -22 and S $\alpha$ -23 and <i>in vivo</i> comparison to post-administration canine urine specimens. <i>Drug Testing and Analysis</i> , 2010, 2, 589-598.	1.6	41
43	Ultrahigh pressure liquid chromatography-(tandem) mass spectrometry in human sports drug testing: Possibilities and limitations. <i>Journal of Chromatography A</i> , 2013, 1292, 38-50.	1.8	41
44	Determination of benzimidazole- and bicyclic hydantoin-derived selective androgen receptor antagonists and agonists in human urine using LC-MS/MS. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 391, 251-261.	1.9	40
45	Identification of Human Pituitary Growth Hormone Variants by Mass Spectrometry. <i>Journal of Proteome Research</i> , 2009, 8, 1071-1076.	1.8	40
46	Simplifying and expanding the screening for peptides <math>\leq 2\text{ kDa}</math> by direct urine injection, liquid chromatography, and ion mobility mass spectrometry. <i>Journal of Separation Science</i> , 2016, 39, 333-341.	1.3	40
47	Fully automated dried blood spot sample preparation enables the detection of lower molecular mass peptide and non-peptide doping agents by means of LC-HRMS. <i>Analytical and Bioanalytical Chemistry</i> , 2020, 412, 3765-3777.	1.9	40
48	Detection of Surreptitious Administration of Analog Insulin to an 8-Week-Old Infant. <i>Pediatrics</i> , 2010, 125, e1236-e1240.	1.0	39
49	Doping control analysis of selected peptide hormones using LC-MS(/MS). <i>Forensic Science International</i> , 2011, 213, 35-41.	1.3	39
50	Fully automated determination of nicotine and its major metabolites in whole blood by means of a DBS online-SPE LC-HR-MS/MS approach for sports drug testing. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 123, 132-140.	1.4	39
51	Analytical Approaches in Human Sports Drug Testing: Recent Advances, Challenges, and Solutions. <i>Analytical Chemistry</i> , 2020, 92, 506-523.	3.2	39
52	Determination of Synacthen in urine for sports drug testing by means of nano-ultra-performance liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2009, 23, 2669-2674.	0.7	38
53	Mass spectrometric characterization of urinary metabolites of the selective androgen receptor modulator S $\alpha$ -22 to identify potential targets for routine doping controls. <i>Rapid Communications in Mass Spectrometry</i> , 2011, 25, 2187-2195.	0.7	38
54	Traditional Chinese medicine and sports drug testing: identification of natural steroid administration in doping control urine samples resulting from musk (pod) extracts. <i>British Journal of Sports Medicine</i> , 2013, 47, 109-114.	3.1	37

#	ARTICLE	IF	CITATIONS
55	Can dried blood spots (DBS) contribute to conducting comprehensive SARS-CoV-2 antibody tests?. Drug Testing and Analysis, 2020, 12, 994-997.	1.6	37
56	Insulins in equine urine: qualitative analysis by immunoaffinity purification and liquid chromatography/tandem mass spectrometry for doping control purposes in horse racing. Rapid Communications in Mass Spectrometry, 2008, 22, 355-362.	0.7	36
57	Doping control analysis of tricyclic tetrahydroquinoline-derived selective androgen receptor modulators using liquid chromatography/electrospray ionization tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2008, 22, 2471-2478.	0.7	36
58	Combination of carbon isotope ratio with hydrogen isotope ratio determinations in sports drug testing. Analytical and Bioanalytical Chemistry, 2013, 405, 5455-5466.	1.9	36
59	Determination of growth hormone releasing peptides metabolites in human urine after nasal administration of GHRP-1, GHRP-2, GHRP-6, Hexarelin, and Ipamorelin. Drug Testing and Analysis, 2015, 7, 919-925.	1.6	35
60	Doping control analysis of emerging drugs in human plasma – identification of GW501516, S-107, JTV-519, and S-40503. Rapid Communications in Mass Spectrometry, 2009, 23, 1139-1146.	0.7	34
61	Quantification of urinary AICAR concentrations as a matter of doping controls. Analytical and Bioanalytical Chemistry, 2010, 396, 2899-2908.	1.9	34
62	Detection of His-tagged Long-R3-IGF-I in a black market product. Growth Hormone and IGF Research, 2010, 20, 386-390.	0.5	33
63	Synthesis, characterisation, and mass spectrometric detection of a pegylated EPO-mimetic peptide for sports drug testing purposes. Rapid Communications in Mass Spectrometry, 2011, 25, 2115-2123.	0.7	33
64	Characterization of a non-approved selective androgen receptor modulator drug candidate sold via the Internet and identification of <i>in vitro</i> generated phase-I metabolites for human sports drug testing. Rapid Communications in Mass Spectrometry, 2015, 29, 991-999.	0.7	33
65	Expanded test method for peptides >2 kDa employing immunoaffinity purification and LC-HRMS/MS. Drug Testing and Analysis, 2015, 7, 990-998.	1.6	33
66	Do dried blood spots (DBS) have the potential to support result management processes in routine sports drug testing?. Drug Testing and Analysis, 2020, 12, 704-710.	1.6	33
67	Investigations on hydrogen isotope ratios of endogenous urinary steroids: reference-population-based thresholds and proof-of-concept. Drug Testing and Analysis, 2012, 4, 717-727.	1.6	32
68	Analysis of insulin and insulin analogs from dried blood spots by means of liquid chromatography-high resolution mass spectrometry. Drug Testing and Analysis, 2018, 10, 1761-1768.	1.6	31
69	Dietary 3- and 6-Polyunsaturated fatty acids reconstitute fertility of Juvenile and adult Fads2-Deficient mice. Molecular Metabolism, 2020, 36, 100974.	3.0	31
70	Quantification of intact human insulin-like growth factor-I in serum by nano-ultrahigh-performance liquid chromatography/tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2014, 28, 1426-1432.	0.7	30
71	Qualitative identification of growth hormone-releasing hormones in human plasma by means of immunoaffinity purification and LC-HRMS/MS. Analytical and Bioanalytical Chemistry, 2016, 408, 3145-3153.	1.9	30
72	Death after misuse of anabolic substances (clenbuterol, stanozolol and metandienone). Forensic Science International, 2019, 303, 109925.	1.3	30

#	ARTICLE	IF	CITATIONS
73	Post-mortem vitreous humour as potential specimen for detection of insulin analogues by LC-MS/MS. <i>Forensic Science International</i> , 2013, 233, 328-332.	1.3	26
74	Detecting peptidic drugs, drug candidates and analogs in sports doping: current status and future directions. <i>Expert Review of Proteomics</i> , 2014, 11, 663-673.	1.3	26
75	Simplified quantification of insulin, its synthetic analogs and C-peptide in human plasma by means of LC-MS/MS. <i>Drug Testing and Analysis</i> , 2020, 12, 382-390.	1.6	26
76	Rapid screening of polysaccharide-based plasma volume expanders dextran and hydroxyethyl starch in human urine by liquid chromatography-tandem mass spectrometry. <i>Biomedical Chromatography</i> , 2008, 22, 695-701.	0.8	25
77	Measuring xenon in human plasma and blood by gas chromatography/mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2014, 28, 1501-1506.	0.7	25
78	Proteolysis and autolysis of proteases and the detection of degradation products in doping control. <i>Drug Testing and Analysis</i> , 2009, 1, 81-86.	1.6	24
79	Effects of endurance exercise on the urinary proteome analyzed by 2D-PAGE and Orbitrap MS. <i>Proteomics - Clinical Applications</i> , 2010, 4, 568-576.	0.8	24
80	Determination of Synacthen® in dried blood spots for doping control analysis using liquid chromatography tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 4709-4720.	1.9	24
81	Testing for the erythropoiesis-stimulating agent Sotatercept/ACE011 (ActRIIA-Fc) in serum by means of Western blotting and LC-MS/MS. <i>Drug Testing and Analysis</i> , 2016, 8, 1152-1161.	1.6	24
82	Structure Elucidation of the Diagnostic Product Ion at m/z 97 Derived from Androst-4-en-3-One-Based Steroids by ESI-CID and IRMPD Spectroscopy. <i>Journal of the American Society for Mass Spectrometry</i> , 2012, 23, 537-546.	1.2	23
83	Metabolism of human insulin after subcutaneous administration: A possible means to uncover insulin misuse. <i>Analytica Chimica Acta</i> , 2015, 897, 53-61.	2.6	23
84	Dried blood spots (DBS) in doping controls: a complementary matrix for improved in- and out-of-competition sports drug testing strategies. <i>Analytical Methods</i> , 2015, 7, 7596-7605.	1.3	23
85	Mass spectrometric detection of siRNA in plasma samples for doping control purposes. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 398, 1305-1312.	1.9	22
86	Determination of <sup>13</sup> C/ <sup>12</sup> C ratios of endogenous urinary 5-aminimidazole-4-carboxamide ribofuranoside (AICAR). <i>Rapid Communications in Mass Spectrometry</i> , 2014, 28, 1194-1202.	1.6	22
87	Recent improvements in sports drug testing concerning the initial testing for peptidic drugs (&lt;) Tj ETQq1 1 0.784314 rgBT /Overload 2018, 10, 1755-1760.	1.6	22
88	Recent advances in the determination of insulins from biological fluids. <i>Advances in Clinical Chemistry</i> , 2019, 93, 115-167.	1.8	22
89	Determination of Selected Stimulants in Urine for Sports Drug Analysis by Solid Phase Extraction via Cation Exchange and Means of Liquid Chromatography-Tandem Mass Spectrometry. <i>European Journal of Mass Spectrometry</i> , 2008, 14, 135-143.	0.5	21
90	Comparison of the urinary protein patterns of athletes by 2D-gel electrophoresis and mass spectrometry—a pilot study. <i>Drug Testing and Analysis</i> , 2009, 1, 382-386.	1.6	21

#	ARTICLE	IF	CITATIONS
91	Targeting prohibited substances in doping control blood samples by means of chromatographic mass spectrometric methods. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 9655-9667.	1.9	20
92	Simultaneous determination of insulin, DesB30 insulin, proinsulin, and C-peptide in human plasma samples by liquid chromatography coupled to high resolution mass spectrometry. <i>Forensic Toxicology</i> , 2017, 35, 106-113.	1.4	20
93	Immunoaffinity techniques coupled to mass spectrometry for the analysis of human peptide hormones: advances and applications. <i>Expert Review of Proteomics</i> , 2017, 14, 799-807.	1.3	20
94	Validated hemoglobin depletion approach for red blood cell lysate proteome analysis by means of 2D PAGE and Orbitrap MS. <i>Electrophoresis</i> , 2012, 33, 2537-2545.	1.3	19
95	Quantification of AICAR-ribotide concentrations in red blood cells by means of LC-MS/MS. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 9703-9709.	1.9	19
96	Do dried blood spots have the potential to support result management processes in routine sports drug testing? Part 2: Proactive sampling for follow-up investigations concerning atypical or adverse analytical findings. <i>Drug Testing and Analysis</i> , 2021, 13, 505-509.	1.6	19
97	Storage-induced changes of the cytosolic red blood cell proteome analyzed by 2D DIGE and high-resolution/high-accuracy MS. <i>Proteomics</i> , 2012, 12, 3263-3272.	1.3	17
98	Detection of small interfering RNA (siRNA) by mass spectrometry procedures in doping controls. <i>Drug Testing and Analysis</i> , 2013, 5, 853-860.	1.6	17
99	Isolation, Enrichment, and Analysis of Erythropoietins in Anti-Doping Analysis by Receptor-Coated Magnetic Beads and Liquid Chromatography Mass Spectrometry. <i>Analytical Chemistry</i> , 2014, 86, 12014-12021.	3.2	17
100	Complementing the characterization of <i>in vivo</i> generated <i>N</i> -glucuronic acid conjugates of stanozolol by collision cross section computation and analysis. <i>Drug Testing and Analysis</i> , 2015, 7, 1050-1056.	1.6	17
101	Organ distribution of 4-MEC, MDPV, methoxetamine and $\pm$ -PVP: comparison of QuEChERS and SPE. <i>Forensic Toxicology</i> , 2018, 36, 320-333.	1.4	17
102	Inter-Laboratory Agreement of Insulin-like Growth Factor 1 Concentrations Measured Intact by Mass Spectrometry. <i>Clinical Chemistry</i> , 2020, 66, 579-586.	1.5	17
103	First use of the anti-VWF nanobody caplacizumab to treat iTTP in pregnancy. <i>British Journal of Haematology</i> , 2022, 196, .	1.2	17
104	Identification of fibroblast growth factor 1 (FGF1) in a black market product. <i>Drug Testing and Analysis</i> , 2011, 3, 791-797.	1.6	16
105	Doping control analysis of trimetazidine and characterization of major metabolites using mass spectrometric approaches. <i>Drug Testing and Analysis</i> , 2014, 6, 1197-1205.	1.6	16
106	Liquid Chromatography-High Resolution/High Accuracy (Tandem) Mass Spectrometry-Based Identification of <i>in vivo</i> Generated Metabolites of the Selective Androgen Receptor Modulator ACP-105 for Doping Control Purposes. <i>European Journal of Mass Spectrometry</i> , 2014, 20, 73-83.	0.5	16
107	Development of two complementary LC-HRMS methods for analyzing sotatercept in dried blood spots for doping controls. <i>Bioanalysis</i> , 2019, 11, 923-940.	0.6	16
108	Development of a mass spectrometry based detection method for the mitochondrion-derived peptide MOTSA in plasma samples for doping control purposes. <i>Rapid Communications in Mass Spectrometry</i> , 2019, 33, 371-380.	0.7	16

#	ARTICLE	IF	CITATIONS
109	Screening for the calstabinâ€¦yanodine receptor complex stabilizers JTVâ€¦519 and Sâ€¦107 in doping control analysis. <i>Drug Testing and Analysis</i> , 2009, 1, 32-42.	1.6	15
110	Mass spectrometric characterization of a biotechnologically produced full-length mechano growth factor (MGF) relevant for doping controls. <i>Growth Hormone and IGF Research</i> , 2014, 24, 276-280.	0.5	15
111	Characterization of <i>in vitro</i> generated metabolites of selected peptides &lt;2ÂkDa prohibited in sports. <i>Drug Testing and Analysis</i> , 2017, 9, 1799-1803.	1.6	15
112	In vitro metabolic profiling of synthetic cannabinoids by pooled human liver microsomes, cytochrome P450 isoenzymes, and <i>Cunninghamella elegans</i> and their detection in urine samples. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 3561-3579.	1.9	15
113	Recent advances in identifying and utilizing metabolites of selected doping agents in human sports drug testing. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 205, 114312.	1.4	15
114	Mass spectrometric detection of peginesatide in human urine in doping control analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012, 70, 512-517.	1.4	14
115	Combined detection of the ActRIIâ€¦Fc fusion proteins Sotatercept (ActRIIAâ€¦Fc) and Luspatercept (modified) Tj ETQq1 1 0.784314 rgB <i>Drug Testing and Analysis</i> , 2018, 10, 1714-1721.	1.6	14
116	Characterization of InÂVitro Synthesized Equine Metabolites of the Selective Androgen Receptor Modulators S24 and S4. <i>Journal of Equine Veterinary Science</i> , 2012, 32, 562-568.	0.4	13
117	Detection of an unknown fusion protein in confiscated black market products. <i>Drug Testing and Analysis</i> , 2014, 6, 1117-1124.	1.6	13
118	Identification and characterization of in vitro and in vivo generated metabolites of the adiponectin receptor agonists AdipoRon and 112254. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 125, 68-76.	1.4	13
119	First Steps toward Uncovering Gene Doping with CRISPR/Cas by Identifying SpCas9 in Plasma via HPLCâ€¦HRMS/MS. <i>Analytical Chemistry</i> , 2020, 92, 16322-16328.	3.2	13
120	Detection of the protease Bacillolysine in dopingâ€¦control urine samples. <i>Drug Testing and Analysis</i> , 2009, 1, 143-145.	1.6	12
121	Mass Spectrometry-Based Characterization of New Drugs and Methods of Performance Manipulation in Doping Control Analysis. <i>European Journal of Mass Spectrometry</i> , 2010, 16, 301-312.	0.5	12
122	Identification of Selected <i>in vitro</i>-Generated Phase-I Metabolites of the Steroidal Selective Androgen Receptor Modulator MK-0773 for Doping Control Purposes. <i>European Journal of Mass Spectrometry</i> , 2016, 22, 49-59.	0.5	12
123	Determination of LongR 3 -IGF-I, R 3 -IGF-I, Des1-3 IGF-I and their metabolites in human plasma samples by means of LC-MS. <i>Growth Hormone and IGF Research</i> , 2017, 35, 33-39.	0.5	12
124	Analytical challenges in sports drug testing. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 2275-2281.	1.9	12
125	Detection of the Human Antiâ€¦ActRII Antibody Bimagrumab in Serum by Means of Affinity Purification, Tryptic Digestion, and LCâ€¦HRMS. <i>Proteomics - Clinical Applications</i> , 2018, 12, e1700120.	0.8	12
126	Facilitated Qualitative Determination of Insulin, Its Synthetic Analogs, and C-Peptide in Human Urine by Means of LCâ€¦HRMS. <i>Metabolites</i> , 2021, 11, 309.	1.3	12



#	ARTICLE	IF	CITATIONS
127	Screening for benfluorex and its major urinary metabolites in routine doping controls. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 401, 543-551.	1.9	11
128	Analysis of octopamine in human doping control samples. <i>Biomedical Chromatography</i> , 2012, 26, 610-615.	0.8	11
129	Analysis of new growth promoting black market products. <i>Growth Hormone and IGF Research</i> , 2018, 41, 1-6.	0.5	11
130	Detection of the myostatin-neutralizing antibody Domagrozumab in serum by means of Western blotting and LC-MS/MS. <i>Drug Testing and Analysis</i> , 2019, 11, 1714-1723.	1.6	11
131	Electron ionization mass spectrometry of the ryanodine receptor-based Ca <sup>2+</sup> -channel stabilizer S-107 and its implementation into routine doping control. <i>Rapid Communications in Mass Spectrometry</i> , 2009, 23, 2363-2370.	0.7	10
132	Formation of the diuretic chlorazanyl from the antimalarial drug proguanil—Implications for sports drug testing. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015, 115, 208-213.	1.4	10
133	Myostatin inhibitors in sports drug testing: Detection of myostatin-neutralizing antibodies in plasma/serum by affinity purification and Western blotting. <i>Proteomics - Clinical Applications</i> , 2016, 10, 195-205.	0.8	10
134	Post-mortem distribution of the synthetic cannabinoid MDMB-CHMICA and its metabolites in a case of combined drug intoxication. <i>International Journal of Legal Medicine</i> , 2018, 132, 1645-1657.	1.2	10
135	Probing for the presence of doping agents in exhaled breath using chromatographic/mass spectrometric approaches. <i>Rapid Communications in Mass Spectrometry</i> , 2021, 35, e8939.	0.7	9
136	Application of the Athlete Biological Passport Approach to the Detection of Growth Hormone Doping. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 649-659.	1.8	9
137	Doping Control Analysis of Metamfepramone and Two Major Metabolites Using Liquid Chromatography-Tandem Mass Spectrometry. <i>European Journal of Mass Spectrometry</i> , 2009, 15, 507-515.	0.5	8
138	Phase I metabolic profiling of the synthetic cannabinoids THJ-018 and THJ-2201 in human urine in comparison to human liver microsome and cytochrome P450 isoenzyme incubation. <i>International Journal of Legal Medicine</i> , 2019, 133, 1049-1064.	1.2	8
139	Identification of metabolites of peptide-derived drugs using an isotope-labeled reporter ion screening strategy. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 690-700.	1.4	8
140	Detection of follistatin-based inhibitors of the TGF $\beta$ signaling pathways in serum/plasma by means of LC-MS/MS and Western blotting. <i>Drug Testing and Analysis</i> , 2020, 12, 1636-1648.	1.6	8
141	Assessing human urinary clomiphene metabolites after consumption of eggs from clomiphene-treated laying hens using chromatographic-mass spectrometric approaches. <i>Analytica Chimica Acta</i> , 2022, 1202, 339661.	2.6	7
142	Probing for the presence of semenogelin in human urine by immunological and chromatographic-mass spectrometric methods in the context of sports drug testing. <i>Analytical Science Advances</i> , 2022, 3, 21-28.	1.2	7
143	Detection of Peginesatide in Equine Serum Using Liquid Chromatography-Tandem Mass Spectrometry for Doping Control Purposes. <i>European Journal of Mass Spectrometry</i> , 2012, 18, 407-412.	0.5	6
144	Isotope dilution mass spectrometric quantification of the prodrug lisdexamfetamine in human urine in doping control analysis. <i>Rapid Communications in Mass Spectrometry</i> , 2014, 28, 781-786.	0.7	6

#	ARTICLE	IF	CITATIONS
145	EPOR-Based Purification and Analysis of Erythropoietin Mimetic Peptides from Human Urine by Cys-Specific Cleavage and LC/MS/MS. <i>Journal of the American Society for Mass Spectrometry</i> , 2015, 26, 1617-1625.	1.2	6
146	In vitro elucidation of the metabolic profile of the synthetic cannabinoid receptor agonists JWH-175 and JWH-176. <i>Forensic Toxicology</i> , 2016, 34, 353-362.	1.4	6
147	Depletion of clomiphene residues in eggs and muscle after oral administration to laying hens. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2021, 38, 1875-1882.	1.1	6
148	Factitious administration of analogue insulin to a 2-year-old child. <i>British Journal of Diabetes</i> , 2016, 16, 82.	0.1	6
149	Effects of gamma irradiation and 15 days of subsequent ex vivo storage on the cytosolic red blood cell proteome analyzed by 2D-DIGE and Orbitrap MS. <i>Proteomics - Clinical Applications</i> , 2013, 7, 561-570.	0.8	5
150	Peptidic drugs and drug candidates in sports drug testing: agents affecting mitochondrial biogenesis or preventing activin receptor II activation. <i>Current Opinion in Endocrine and Metabolic Research</i> , 2019, 9, 22-27.	0.6	5
151	Novel CB1-ligands maintain homeostasis of the endocannabinoid system in $\Delta^3$ - and $\Delta^6$ -long-chain-PUFA deficiency. <i>Journal of Lipid Research</i> , 2019, 60, 1396-1409.	2.0	5
152	Comprehensive insights into the formation of metabolites of the ghrelin mimetics capromorelin, macimorelin and tabimorelin as potential markers for doping control purposes. <i>Biomedical Chromatography</i> , 2021, 35, e5075.	0.8	5
153	Effects of different exercise intensities in the morning on football performance components in the afternoon. <i>German Journal of Exercise and Sport Research</i> , 2018, 48, 235-244.	1.0	4
154	Mass spectrometric identification and characterization of urinary metabolites of isopropylnor-synephrine for doping control purposes. <i>Analytical Science Advances</i> , 2021, 2, 334-341.	1.2	4
155	Urinary phenylethylamine metabolites as potential markers for sports drug testing purposes. <i>Biomedical Chromatography</i> , 2022, 36, e5274.	0.8	4
156	Probing for factors influencing exhaled breath drug testing in sports – Pilot studies focusing on the tested individual's tobacco smoking habit and sex. <i>Rapid Communications in Mass Spectrometry</i> , 2022, 36, e9262.	0.7	4
157	Stereoisomers in sports drug testing: Analytical strategies and applications. <i>Journal of Chromatography A</i> , 2022, 1674, 463154.	1.8	4
158	Influence of repeated subcutaneous G-CSF injections on selected blood parameters relevant for monitoring programmes in sports drug testing. <i>Drug Testing and Analysis</i> , 2012, 4, 798-802.	1.6	3
159	Determination of ghrelin and desacyl ghrelin in human plasma and urine by means of LC-MS/MS for doping controls. <i>Drug Testing and Analysis</i> , 2021, , .	1.6	3
160	Investigations into the In Vitro Metabolism of hGH and IGF-I Employing Stable-Isotope-Labelled Drugs and Monitoring Diagnostic Immonium Ions by High-Resolution/High-Accuracy Mass Spectrometry. <i>Metabolites</i> , 2022, 12, 146.	1.3	3
161	Phase I-metabolism studies of the synthetic cannabinoids PX-1 and PX-2 using three different in vitro models. <i>Forensic Toxicology</i> , 2022, 40, 244-262.	1.4	3
162	Effect of changes in the deuterium content of drinking water on the hydrogen isotope ratio of urinary steroids in the context of sports drug testing. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 2911-2921.	1.9	2

#	ARTICLE	IF	CITATIONS
163	Analytics of nonpeptidic erythropoietin mimetic agents in sports drug testing employing high-resolution/high-accuracy liquid chromatography-mass spectrometry. Analytical and Bioanalytical Chemistry, 2016, 408, 6431-6442.	1.9	2