

# Man-Hong Jim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7756370/publications.pdf>

Version: 2024-02-01

52  
papers

405  
citations

840776

11  
h-index

839539

18  
g-index

52  
all docs

52  
docs citations

52  
times ranked

565  
citing authors

#	ARTICLE	IF	CITATIONS
1	A new ECG criterion to identify takotsubo cardiomyopathy from anterior myocardial infarction: role of inferior leads. <i>Heart and Vessels</i> , 2009, 24, 124-130.	1.2	47
2	Obstructive Sleep Apnea and Diabetes Independently Add to Cardiovascular Risk After Coronary Revascularization. <i>Diabetes Care</i> , 2018, 41, e12-e14.	8.6	30
3	Modified crush technique with double kissing balloon inflation (sleeve technique): A novel technique for coronary bifurcation lesions. <i>Catheterization and Cardiovascular Interventions</i> , 2006, 67, 403-409.	1.7	28
4	Anomalous origin of the right coronary artery from the left coronary sinus is associated with early development of coronary artery disease. <i>Journal of Invasive Cardiology</i> , 2004, 16, 466-8.	0.4	28
5	Prognostic implications of PR-segment depression in inferior leads in acute inferior myocardial infarction. <i>Clinical Cardiology</i> , 2006, 29, 363-368.	1.8	22
6	Relation of Tricuspid Regurgitation to Liver Stiffness Measured by Transient Elastography in Patients With Left-Sided Cardiac Valve Disease. <i>American Journal of Cardiology</i> , 2016, 117, 640-646.	1.6	20
7	Six month angiographic result of supplementary paclitaxel-eluting balloon deployment to treat side branch ostium narrowing (SARPEDON). <i>International Journal of Cardiology</i> , 2015, 187, 594-597.	1.7	17
8	Anomalous Origin of Right Coronary Artery from the Left Coronary Sinus: Incidence, Characteristics, and a Systematic Approach for Rapid Diagnosis. <i>Journal of Interventional Cardiology</i> , 2005, 18, 101-106.	1.2	14
9	Stenting of coronary bifurcation lesions by using modified crush technique with double kissing balloon inflation (sleeve technique): Immediate procedure result and short-term clinical outcomes. <i>Catheterization and Cardiovascular Interventions</i> , 2007, 69, 969-975.	1.7	12
10	Paclitaxel-Eluting Stent Long-Term Outcomes in Percutaneous Saphenous Vein Graft Interventions (PELOPS) Study. <i>American Journal of Cardiology</i> , 2009, 103, 199-202.	1.6	12
11	Angiographic and Clinical Implications of Combined ST-segment Elevation in Anterior and Inferior Leads in Acute Myocardial Infarction. <i>Clinical Cardiology</i> , 2009, 32, 21-27.	1.8	12
12	Percutaneous Coronary Intervention for Bifurcation: How Can We Outperform the Provisional Strategy?. <i>Clinical Cardiology</i> , 2016, 39, 684-691.	1.8	12
13	Virtual histology by intravascular ultrasound study on degenerative aortocoronary saphenous vein grafts. <i>Heart and Vessels</i> , 2010, 25, 175-181.	1.2	11
14	Clinical Implications of Precordial ST-segment Elevation in Acute Inferoposterior Myocardial Infarction Caused by Proximal Right Coronary Artery Occlusion. <i>Clinical Cardiology</i> , 2007, 30, 331-335.	1.8	10
15	Angiographic and Clinical Outcomes of Everolimus-Eluting Stent in the Treatment of Extra Long Stenoses (AETES). <i>Journal of Interventional Cardiology</i> , 2013, 26, 22-28.	1.2	10
16	Protocol, rationale and design of DAbigatran for Stroke PreVention In Atrial Fibrillation in MoDerate or Severe Mitral Stenosis (DAVID-MS): a randomised, open-label study. <i>BMJ Open</i> , 2020, 10, e038194.	1.9	10
17	Paclitaxel-Eluting Stents for Chronically Occluded Saphenous Vein Grafts (EOS) Study. <i>Journal of Interventional Cardiology</i> , 2010, 23, 40-45.	1.2	9
18	Localized bronchiectasis is a definite association of coronaro-bronchial artery fistula. <i>Journal of Invasive Cardiology</i> , 2003, 15, 554-6.	0.4	9

#	ARTICLE	IF	CITATIONS
19	Zotarolimus-eluting stent utilization in small-vessel coronary artery disease (ZEUS). <i>Heart and Vessels</i> , 2014, 29, 29-34.	1.2	8
20	Shoulder technique: A modified sleeve technique devised for treating isolated coronary stenosis at side branch ostium. <i>International Journal of Cardiology</i> , 2014, 171, 94-95.	1.7	8
21	Angiographic result of T-stenting with small protrusion using drug-eluting stents in the management of ischemic side branch: the ARTEMIS study. <i>Heart and Vessels</i> , 2015, 30, 427-431.	1.2	8
22	Long-term clinical and angiographic outcomes of the sleeve technique on non-left-main coronary bifurcation lesions. <i>EuroIntervention</i> , 2009, 5, 104-108.	3.2	8
23	Angiographic result of sirolimus-eluting balloon in de novo small coronary artery lesion (ARSENAL). <i>International Journal of Cardiology</i> , 2016, 222, 992-994.	1.7	7
24	Value of ST-segment depression in lead V4R in predicting proximal against distal left circumflex artery occlusion in acute inferoposterior myocardial infarction. <i>Clinical Cardiology</i> , 2007, 30, 36-41.	1.8	5
25	Export aspiration catheter-enhanced FilterWire delivery: an innovative strategy for treatment of saphenous vein graft disease. <i>Journal of Invasive Cardiology</i> , 2006, 18, 569-74.	0.4	5
26	Stenting of Unprotected Distal Left Main Coronary Artery Bifurcation Stenoses Using Modified Crush Technique with Double Kissing Balloon Inflation (Sleeve Technique): Immediate Procedure Result and Early Clinical Outcome. <i>Journal of Interventional Cardiology</i> , 2007, 20, 17-22.	1.2	4
27	Clinical and angiographic findings of complete atrioventricular block in acute inferior myocardial infarction. <i>Annals of the Academy of Medicine, Singapore</i> , 2010, 39, 185-90.	0.4	4
28	Manual aspiration prior to stenting does not reduce the incidence of filter no reflow in saphenous vein graft lesions protected by FilterWire EX/EZ. <i>Acute Cardiac Care</i> , 2010, 12, 92-95.	0.2	3
29	Long-term clinical outcomes after intravascular brachytherapy for in-stent restenosis and de novo coronary artery lesions in percutaneous coronary intervention. <i>Cardiovascular Revascularization Medicine</i> , 2011, 12, 152-157.	0.8	3
30	Combined Paclitaxel-eluting Balloon and Genous Cobalt-chromium Alloy Stent Utilization in De Novo Coronary Stenoses (PEGASUS). <i>Journal of Interventional Cardiology</i> , 2013, 26, 556-560.	1.2	3
31	Long term survival and prevalence of cardiac allograft vasculopathy in Chinese adults after heart transplantation – A retrospective study in Hong Kong. <i>International Journal of Cardiology</i> , 2016, 220, 787-788.	1.7	3
32	Long-term clinical outcomes of drug-eluting stents vs. bare-metal stents in Chinese geriatric patients. <i>Journal of Geriatric Cardiology</i> , 2013, 10, 330-5.	0.2	3
33	Transient giant r-wave, right axis deviation, and intraventricular conduction delay during exercise treadmill testing: a case report. <i>Journal of Electrocardiology</i> , 2004, 37, 61-66.	0.9	2
34	Angiographic and long-term clinical outcome of the sleeve technique in treating in-stent restenotic bifurcation lesions: A preliminary experience. <i>Acute Cardiac Care</i> , 2011, 13, 159-163.	0.2	2
35	Myocardial ischemia secondary to congenital hypoplastic left coronary cusp in adult. <i>Acute Cardiac Care</i> , 2011, 13, 195-195.	0.2	2
36	Side branch ostium stenting with main vessel drug-eluting balloon kissing (BOMB): An innovative approach for isolated coronary stenosis at side branch ostium. <i>International Journal of Cardiology</i> , 2013, 168, 4939-4940.	1.7	2

#	ARTICLE	IF	CITATIONS
37	Dislodged stent after stent reverse controlled antegrade and retrograde subintimal tracking (CART) – Is stent reverse CART a necessary tool or an unnecessary evil?. <i>Journal of Cardiology Cases</i> , 2017, 16, 205-209.	0.5	2
38	PR-segment elevation in inferior leads: an atypical electrocardiographic sign of atrial infarction. <i>Journal of Invasive Cardiology</i> , 2004, 16, 219-21.	0.4	2
39	Jeopardised Inferior Myocardium (JIM) score: an arithmetic electrocardiographic score to predict the infarct-related artery in inferior myocardial infarction. <i>Annals of the Academy of Medicine, Singapore</i> , 2012, 41, 300-4.	0.4	2
40	No-kiss sleeve: A technical modification of the sleeve technique to treat true bifurcation lesions in the bioresorbable vascular scaffold era. <i>International Journal of Cardiology</i> , 2014, 176, 532-534.	1.7	1
41	Angiographic and clinical results of everolimus-eluting stent utilization in saphenous vein graft lesions (ARES). <i>International Journal of Cardiology</i> , 2015, 184, 433-435.	1.7	1
42	Successful use of bioresorbable vascular scaffold in in-stent restenosis previously exposed to vascular brachytherapy. <i>International Journal of Cardiology</i> , 2015, 181, 1-2.	1.7	1
43	Combined drug-eluting stent and supplementary paclitaxel-eluting balloon application at side branch ostium for in-stent restenotic true bifurcation lesion. <i>International Journal of Cardiology</i> , 2015, 181, 149-151.	1.7	1
44	Factors associated with long-term major adverse cardiac events of coronary bioresorbable vascular scaffold. <i>Cardiovascular Intervention and Therapeutics</i> , 2021, 36, 462-469.	2.3	1
45	Treatment of a double-bifurcation lesion with sirolimus-eluting stents using the "sleeve technique". <i>Journal of Invasive Cardiology</i> , 2007, 19, E10-4.	0.4	1
46	Traumatic Ventricular Septal Defect. <i>Asian Cardiovascular and Thoracic Annals</i> , 2008, 16, 436-436.	0.5	0
47	Virtual Histology of Aneurysmal Lesion in Aortocoronary Saphenous Vein Graft. <i>Asian Cardiovascular and Thoracic Annals</i> , 2009, 17, 539-540.	0.5	0
48	Paclitaxel-Eluting Stents for Chronically Occluded Saphenous Vein Grafts (EOS) Study. <i>Journal of Interventional Cardiology</i> , 2010, , .	1.2	0
49	Isolated left main coronary ostial stenosis. <i>Asian Cardiovascular and Thoracic Annals</i> , 2015, 23, 607-608.	0.5	0
50	Angiographic study of the clinical liaison of drug-eluting stent and paclitaxel-eluting balloon in unifocal side branch ostium stenosis (ASCLEPIUS). <i>Heart and Vessels</i> , 2017, 32, 1045-1050.	1.2	0
51	Thrombus removal prior to recanalization in vein graft occlusion intervention. <i>Asian Cardiovascular and Thoracic Annals</i> , 2019, 27, 121-123.	0.5	0
52	Angioplasty on an infarct-related anomalous right coronary artery arising from posterior coronary sinus. <i>Annals of the Academy of Medicine, Singapore</i> , 2010, 39, 258-60.	0.4	0