

Man-Hong Jim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7756370/publications.pdf>

Version: 2024-02-01

52
papers

405
citations

840776

11
h-index

839539

18
g-index

52
all docs

52
docs citations

52
times ranked

565
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Factors associated with long-term major adverse cardiac events of coronary bioresorbable vascular scaffold. <i>Cardiovascular Intervention and Therapeutics</i> , 2021, 36, 462-469. | 2.3 | 1 |
| 2 | Protocol, rationale and design of DAbigatran for Stroke PreVention In Atrial Fibrillation in MoDerate or Severe Mitral Stenosis (DAVID-MS): a randomised, open-label study. <i>BMJ Open</i> , 2020, 10, e038194. | 1.9 | 10 |
| 3 | Thrombus removal prior to recanalization in vein graft occlusion intervention. <i>Asian Cardiovascular and Thoracic Annals</i> , 2019, 27, 121-123. | 0.5 | 0 |
| 4 | Obstructive Sleep Apnea and Diabetes Independently Add to Cardiovascular Risk After Coronary Revascularization. <i>Diabetes Care</i> , 2018, 41, e12-e14. | 8.6 | 30 |
| 5 | Angiographic study of the clinical liaison of drug-eluting stent and paclitaxel-eluting balloon in unifocal side branch ostium stenosis (ASCLEPIUS). <i>Heart and Vessels</i> , 2017, 32, 1045-1050. | 1.2 | 0 |
| 6 | Dislodged stent after stent reverse controlled antegrade and retrograde subintimal tracking (CART) â€” Is stent reverse CART a necessary tool or an unnecessary evil?. <i>Journal of Cardiology Cases</i> , 2017, 16, 205-209. | 0.5 | 2 |
| 7 | Angiographic result of sirolimus-eluting balloon in de novo small coronary artery lesion (ARSENAL). <i>International Journal of Cardiology</i> , 2016, 222, 992-994. | 1.7 | 7 |
| 8 | Percutaneous Coronary Intervention for Bifurcation: How Can We Outperform the Provisional Strategy?. <i>Clinical Cardiology</i> , 2016, 39, 684-691. | 1.8 | 12 |
| 9 | Long term survival and prevalence of cardiac allograft vasculopathy in Chinese adults after heart transplantation â€” A retrospective study in Hong Kong. <i>International Journal of Cardiology</i> , 2016, 220, 787-788. | 1.7 | 3 |
| 10 | Relation of Tricuspid Regurgitation to Liver Stiffness Measured by Transient Elastography in Patients With Left-Sided Cardiac Valve Disease. <i>American Journal of Cardiology</i> , 2016, 117, 640-646. | 1.6 | 20 |
| 11 | Isolated left main coronary ostial stenosis. <i>Asian Cardiovascular and Thoracic Annals</i> , 2015, 23, 607-608. | 0.5 | 0 |
| 12 | Angiographic and clinical results of everolimus-eluting stent utilization in saphenous vein graft lesions (ARES). <i>International Journal of Cardiology</i> , 2015, 184, 433-435. | 1.7 | 1 |
| 13 | Six month angiographic result of supplementary paclitaxel-eluting balloon deployment to treat side branch ostium narrowing (SARPEDON). <i>International Journal of Cardiology</i> , 2015, 187, 594-597. | 1.7 | 17 |
| 14 | Successful use of bioresorbable vascular scaffold in in-stent restenosis previously exposed to vascular brachytherapy. <i>International Journal of Cardiology</i> , 2015, 181, 1-2. | 1.7 | 1 |
| 15 | Combined drug-eluting stent and supplementary paclitaxel-eluting balloon application at side branch ostium for in-stent restenotic true bifurcation lesion. <i>International Journal of Cardiology</i> , 2015, 181, 149-151. | 1.7 | 1 |
| 16 | Angiographic result of T-stenting with small protrusion using drug-eluting stents in the management of ischemic side branch: the ARTEMIS study. <i>Heart and Vessels</i> , 2015, 30, 427-431. | 1.2 | 8 |
| 17 | Zotarolimus-eluting stent utilization in small-vessel coronary artery disease (ZEUS). <i>Heart and Vessels</i> , 2014, 29, 29-34. | 1.2 | 8 |
| 18 | No-kiss sleeve: A technical modification of the sleeve technique to treat true bifurcation lesions in the bioresorbable vascular scaffold era. <i>International Journal of Cardiology</i> , 2014, 176, 532-534. | 1.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Shoulder technique: A modified sleeve technique devised for treating isolated coronary stenosis at side branch ostium. <i>International Journal of Cardiology</i> , 2014, 171, 94-95. | 1.7 | 8 |
| 20 | Side branch ostium stenting with main vessel drug-eluting balloon kissing (BOMB): An innovative approach for isolated coronary stenosis at side branch ostium. <i>International Journal of Cardiology</i> , 2013, 168, 4939-4940. | 1.7 | 2 |
| 21 | Angiographic and Clinical Outcomes of Everolimus-Eluting Stent in the Treatment of Extra Long Stenoses (AETES). <i>Journal of Interventional Cardiology</i> , 2013, 26, 22-28. | 1.2 | 10 |
| 22 | Combined Paclitaxel-Eluting Balloon and Genous Cobalt-Chromium Alloy Stent Utilization in De Novo Coronary Stenoses (PEGASUS). <i>Journal of Interventional Cardiology</i> , 2013, 26, 556-560. | 1.2 | 3 |
| 23 | Long-term clinical outcomes of drug-eluting stents vs. bare-metal stents in Chinese geriatric patients. <i>Journal of Geriatric Cardiology</i> , 2013, 10, 330-5. | 0.2 | 3 |
| 24 | Jeopardised Inferior Myocardium (JIM) score: an arithmetic electrocardiographic score to predict the infarct-related artery in inferior myocardial infarction. <i>Annals of the Academy of Medicine, Singapore</i> , 2012, 41, 300-4. | 0.4 | 2 |
| 25 | Angiographic and long-term clinical outcome of the sleeve technique in treating in-stent restenotic bifurcation lesions: A preliminary experience. <i>Acute Cardiac Care</i> , 2011, 13, 159-163. | 0.2 | 2 |
| 26 | Myocardial ischemia secondary to congenital hypoplastic left coronary cusp in adult. <i>Acute Cardiac Care</i> , 2011, 13, 195-195. | 0.2 | 2 |
| 27 | Long-term clinical outcomes after intravascular brachytherapy for in-stent restenosis and de novo coronary artery lesions in percutaneous coronary intervention. <i>Cardiovascular Revascularization Medicine</i> , 2011, 12, 152-157. | 0.8 | 3 |
| 28 | Virtual histology by intravascular ultrasound study on degenerative aortocoronary saphenous vein grafts. <i>Heart and Vessels</i> , 2010, 25, 175-181. | 1.2 | 11 |
| 29 | Paclitaxel-Eluting Stents for Chronically Occluded Saphenous Vein Grafts (EOS) Study. <i>Journal of Interventional Cardiology</i> , 2010, 23, 40-45. | 1.2 | 9 |
| 30 | Paclitaxel-Eluting Stents for Chronically Occluded Saphenous Vein Grafts (EOS) Study. <i>Journal of Interventional Cardiology</i> , 2010, , . | 1.2 | 0 |
| 31 | Manual aspiration prior to stenting does not reduce the incidence of filter no reflow in saphenous vein graft lesions protected by FilterWire EX/EZ. <i>Acute Cardiac Care</i> , 2010, 12, 92-95. | 0.2 | 3 |
| 32 | Clinical and angiographic findings of complete atrioventricular block in acute inferior myocardial infarction. <i>Annals of the Academy of Medicine, Singapore</i> , 2010, 39, 185-90. | 0.4 | 4 |
| 33 | Angioplasty on an infarct-related anomalous right coronary artery arising from posterior coronary sinus. <i>Annals of the Academy of Medicine, Singapore</i> , 2010, 39, 258-60. | 0.4 | 0 |
| 34 | Virtual Histology of Aneurysmal Lesion in Aortocoronary Saphenous Vein Graft. <i>Asian Cardiovascular and Thoracic Annals</i> , 2009, 17, 539-540. | 0.5 | 0 |
| 35 | Paclitaxel-Eluting Stent Long-Term Outcomes in Percutaneous Saphenous Vein Graft Interventions (PELOPS) Study. <i>American Journal of Cardiology</i> , 2009, 103, 199-202. | 1.6 | 12 |
| 36 | A new ECG criterion to identify takotsubo cardiomyopathy from anterior myocardial infarction: role of inferior leads. <i>Heart and Vessels</i> , 2009, 24, 124-130. | 1.2 | 47 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Angiographic and Clinical Implications of Combined ST-segment Elevation in Anterior and Inferior Leads in Acute Myocardial Infarction. <i>Clinical Cardiology</i> , 2009, 32, 21-27. | 1.8 | 12 |
| 38 | Long-term clinical and angiographic outcomes of the sleeve technique on non-left-main coronary bifurcation lesions. <i>EuroIntervention</i> , 2009, 5, 104-108. | 3.2 | 8 |
| 39 | Traumatic Ventricular Septal Defect. <i>Asian Cardiovascular and Thoracic Annals</i> , 2008, 16, 436-436. | 0.5 | 0 |
| 40 | Stenting of coronary bifurcation lesions by using modified crush technique with double kissing balloon inflation (sleeve technique): Immediate procedure result and short-term clinical outcomes. <i>Catheterization and Cardiovascular Interventions</i> , 2007, 69, 969-975. | 1.7 | 12 |
| 41 | Stenting of Unprotected Distal Left Main Coronary Artery Bifurcation Stenoses Using Modified Crush Technique with Double Kissing Balloon Inflation (Sleeve Technique): Immediate Procedure Result and Early Clinical Outcome. <i>Journal of Interventional Cardiology</i> , 2007, 20, 17-22. | 1.2 | 4 |
| 42 | Clinical Implications of Precordial ST-segment Elevation in Acute Inferoposterior Myocardial Infarction Caused by Proximal Right Coronary Artery Occlusion. <i>Clinical Cardiology</i> , 2007, 30, 331-335. | 1.8 | 10 |
| 43 | Value of ST-segment depression in lead V4R in predicting proximal against distal left circumflex artery occlusion in acute inferoposterior myocardial infarction. <i>Clinical Cardiology</i> , 2007, 30, 36-41. | 1.8 | 5 |
| 44 | Treatment of a double-bifurcation lesion with sirolimus-eluting stents using the "sleeve technique". <i>Journal of Invasive Cardiology</i> , 2007, 19, E10-4. | 0.4 | 1 |
| 45 | Prognostic implications of PR-segment depression in inferior leads in acute inferior myocardial infarction. <i>Clinical Cardiology</i> , 2006, 29, 363-368. | 1.8 | 22 |
| 46 | Modified crush technique with double kissing balloon inflation (sleeve technique): A novel technique for coronary bifurcation lesions. <i>Catheterization and Cardiovascular Interventions</i> , 2006, 67, 403-409. | 1.7 | 28 |
| 47 | Export aspiration catheter-enhanced FilterWire delivery: an innovative strategy for treatment of saphenous vein graft disease. <i>Journal of Invasive Cardiology</i> , 2006, 18, 569-74. | 0.4 | 5 |
| 48 | Anomalous Origin of Right Coronary Artery from the Left Coronary Sinus: Incidence, Characteristics, and a Systematic Approach for Rapid Diagnosis. <i>Journal of Interventional Cardiology</i> , 2005, 18, 101-106. | 1.2 | 14 |
| 49 | Transient giant r-wave, right axis deviation, and intraventricular conduction delay during exercise treadmill testing: a case report. <i>Journal of Electrocardiology</i> , 2004, 37, 61-66. | 0.9 | 2 |
| 50 | PR-segment elevation in inferior leads: an atypical electrocardiographic sign of atrial infarction. <i>Journal of Invasive Cardiology</i> , 2004, 16, 219-21. | 0.4 | 2 |
| 51 | Anomalous origin of the right coronary artery from the left coronary sinus is associated with early development of coronary artery disease. <i>Journal of Invasive Cardiology</i> , 2004, 16, 466-8. | 0.4 | 28 |
| 52 | Localized bronchiectasis is a definite association of coronaro-bronchial artery fistula. <i>Journal of Invasive Cardiology</i> , 2003, 15, 554-6. | 0.4 | 9 |