

Samuel M Brown

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7758529/samuel-m-brown-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

170
papers

4,323
citations

38
h-index

61
g-index

203
ext. papers

6,608
ext. citations

5.7
avg, IF

5.44
L-index

#	Paper	IF	Citations
170	Association between unmet medication needs after hospital discharge and readmission or death among acute respiratory failure survivors: the addressing post-intensive care syndrome (APICS-01) multicenter prospective cohort study.. <i>Critical Care</i> , 2022 , 26, 6	10.8	1
169	Prevalence, Characteristics, and Outcomes of Emergency Department Discharge Among Patients With Sepsis.. <i>JAMA Network Open</i> , 2022 , 5, e2147882	10.4	3
168	The Future of Critical Care: Optimizing Technologies and a Learning Healthcare System to Potentiate a More Humanistic Approach to Critical Care. 2022 , 4, e0659		1
167	Clinical severity of, and effectiveness of mRNA vaccines against, covid-19 from omicron, delta, and alpha SARS-CoV-2 variants in the United States: prospective observational study.. <i>BMJ, The</i> , 2022 , 376, e069761	5.9	39
166	Prognostic Accuracy of Presepsis and Intrasepsis Characteristics for Prediction of Cardiovascular Events After a Sepsis Hospitalization. 2022 , 4, e0674		0
165	Trial of Early Antiviral Therapies during Non-hospitalized Outpatient Window (TREAT NOW) for COVID-19: a summary of the protocol and analysis plan for a decentralized randomized controlled trial.. <i>Trials</i> , 2022 , 23, 273	2.8	
164	Order Substitutions and Education for Balanced Crystalloid Solution Use in an Integrated Health Care System and Association With Major Adverse Kidney Events.. <i>JAMA Network Open</i> , 2022 , 5, e2210046	10.4	1
163	Early Remdesivir to Prevent Progression to Severe Covid-19 in Outpatients.. <i>New England Journal of Medicine</i> , 2021 ,	59.2	120
162	Efficacy and safety of two neutralising monoclonal antibody therapies, sotrovimab and BR11-196 plus BR11-198, for adults hospitalised with COVID-19 (TICO): a randomised controlled trial.. <i>Lancet Infectious Diseases, The</i> , 2021 ,	25.5	16
161	LB1. Remdesivir for the Treatment of High-Risk Non-Hospitalized Individuals With COVID-19: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Open Forum Infectious Diseases</i> , 2021 , 8, S806-S807 ¹		4
160	Responses to a Neutralizing Monoclonal Antibody for Hospitalized Patients With COVID-19 According to Baseline Antibody and Antigen Levels : A Randomized Controlled Trial.. <i>Annals of Internal Medicine</i> , 2021 ,	8	13
159	Association Between mRNA Vaccination and COVID-19 Hospitalization and Disease Severity. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 2043-2054	27.4	105
158	Heart rate variability and subsequent psychological distress among family members of intensive care unit patients. <i>Journal of International Medical Research</i> , 2021 , 49, 3000605211057829	1.4	0
157	Initial Derivation of a Predictive Model for Left Ventricular Longitudinal Strain (LS) in Early Sepsis. <i>Journal of Intensive Care Medicine</i> , 2021 , 8850666211053796	3.3	
156	Design and implementation of an international, multi-arm, multi-stage platform master protocol for trials of novel SARS-CoV-2 antiviral agents: Therapeutics for Inpatients with COVID-19 (TICO/ACTIV-3). <i>Clinical Trials</i> , 2021 , 17407745211049829	2.2	4
155	Partners in Healing: Redesign and expansion of family involvement in inpatient nursing care. <i>Nursing</i> , 2021 , 51, 64-68	0.5	
154	Characteristics and Outcomes of US Patients Hospitalized With COVID-19. <i>American Journal of Critical Care</i> , 2021 , e1-e12	1.7	1

153	Design and implementation of an international, multi-arm, multi-stage platform master protocol for trials of novel SARS-CoV-2 antiviral agents: Therapeutics for Inpatients with COVID-19 (TICO/ACTIV-3) 2021 ,			3
152	Platelet MHC class I mediates CD8+ T-cell suppression during sepsis. <i>Blood</i> , 2021 , 138, 401-416	2.2		14
151	Modeling the impacts of clinical influenza testing on influenza vaccine effectiveness estimates. <i>Journal of Infectious Diseases</i> , 2021 ,	7		2
150	Evaluation of potential COVID-19 recurrence in patients with late repeat positive SARS-CoV-2 testing. <i>PLoS ONE</i> , 2021 , 16, e0251214	3.7		7
149	Humanizing the ICU Patient: A Qualitative Exploration of Behaviors Experienced by Patients, Caregivers, and ICU Staff 2021 , 3, e0463			2
148	Update in COVID-19 2020. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021 , 203, 1462-1476.	1.2		5
147	Adults Hospitalized With Coronavirus Disease 2019 (COVID-19)-United States, March-June and October-December 2020: Implications for the Potential Effects of COVID-19 Tier-1 Vaccination on Future Hospitalizations and Outcomes. <i>Clinical Infectious Diseases</i> , 2021 , 73, S32-S37	11.6		0
146	Postseptic Cognitive Impairment and Expression of APOE in Peripheral Blood: The Cognition After Sepsis (CASS) Observational Pilot Study. <i>Journal of Intensive Care Medicine</i> , 2021 , 36, 262-270	3.3		0
145	Physiology-Informed Real-Time Mean Arterial Blood Pressure Learning and Prediction for Septic Patients Receiving Norepinephrine. <i>IEEE Transactions on Biomedical Engineering</i> , 2021 , 68, 181-191	5		0
144	Incorporating Real-time Influenza Detection Into the Test-negative Design for Estimating Influenza Vaccine Effectiveness: The Real-time Test-negative Design (rtTND). <i>Clinical Infectious Diseases</i> , 2021 , 72, 1669-1675	11.6		4
143	Right Ventricular Dysfunction in Early Sepsis and Septic Shock. <i>Chest</i> , 2021 , 159, 1055-1063	5.3		14
142	Response. <i>Chest</i> , 2021 , 159, 1685-1686	5.3		
141	A Neutralizing Monoclonal Antibody for Hospitalized Patients with Covid-19. <i>New England Journal of Medicine</i> , 2021 , 384, 905-914	59.2		203
140	Decreased Observance of Stroke in the Population Associated With COVID-19 Related Distancing Measures. <i>Neurohospitalist, The</i> , 2021 , 11, 137-140	1.1		0
139	Long-Term Implications of Abnormal Left Ventricular Strain During Sepsis. <i>Critical Care Medicine</i> , 2021 , 49, e444-e453	1.4		2
138	What Does Acute Respiratory Distress Syndrome Mean during the COVID-19 Pandemic?. <i>Annals of the American Thoracic Society</i> , 2021 , 18, 1948-1950	4.7		4
137	Effectiveness of SARS-CoV-2 mRNA Vaccines for Preventing Covid-19 Hospitalizations in the United States 2021 ,			17
136	Effectiveness of SARS-CoV-2 mRNA Vaccines for Preventing Covid-19 Hospitalizations in the United States. <i>Clinical Infectious Diseases</i> , 2021 ,	11.6		60

135	Response. <i>Chest</i> , 2021 , 160, e319-e320		5.3	
134	New-Onset Systemic Capillary Leak Syndrome in an Adult Patient with COVID-19. <i>Case Reports in Critical Care</i> , 2021 , 2021, 8098942		1	0
133	The Epidemiology of Acute Respiratory Distress Syndrome Before and After Coronavirus Disease 2019. <i>Critical Care Clinics</i> , 2021 , 37, 703-716		4.5	5
132	Positive End-Expiratory Pressure and Respiratory Rate Modify the Association of Mechanical Power and Driving Pressure With Mortality Among Patients With Acute Respiratory Distress Syndrome. 2021 , 3, e0583			1
131	Effect of Hydroxychloroquine on Clinical Status at 14 Days in Hospitalized Patients With COVID-19: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 2165-2176		27.4	206
130	Hydroxychloroquine versus Azithromycin for Hospitalized Patients with Suspected or Confirmed COVID-19 (HAHPS). Protocol for a Pragmatic, Open-Label, Active Comparator Trial. <i>Annals of the American Thoracic Society</i> , 2020 , 17, 1008-1015		4.7	20
129	Institution of an emergency department "swarming" care model and sepsis door-to-antibiotic time: A quasi-experimental retrospective analysis. <i>PLoS ONE</i> , 2020 , 15, e0232794		3.7	1
128	Rationale and Design of ORCHID: A Randomized Placebo-controlled Clinical Trial of Hydroxychloroquine for Adults Hospitalized with COVID-19. <i>Annals of the American Thoracic Society</i> , 2020 , 17, 1144-1153		4.7	13
127	Mechanical power and driving pressure as predictors of mortality among patients with ARDS. <i>Intensive Care Medicine</i> , 2020 , 46, 1941-1943		14.5	11
126	Antibiotic Exposure and Risk for Hospital-Associated Clostridioides difficile Infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64,		5.9	20
125	Unanticipated critical findings on echocardiography in septic patients. <i>Ultrasound Journal</i> , 2020 , 12, 12		4.1	0
124	Depression and Change in Caregiver Burden Among Family Members of Intensive Care Unit Survivors. <i>American Journal of Critical Care</i> , 2020 , 29, 350-357		1.7	0
123	Family Involvement in ICU 2020 , 805-812			1
122	Acceptability and Perceived Utility of Telemedical Consultation during Cardiac Arrest Resuscitation. A Multicenter Survey. <i>Annals of the American Thoracic Society</i> , 2020 , 17, 321-328		4.7	4
121	Alive and Ventilator Free: A Hierarchical, Composite Outcome for Clinical Trials in the Acute Respiratory Distress Syndrome. <i>Critical Care Medicine</i> , 2020 , 48, 158-166		1.4	15
120	Clinical criteria for COVID-19-associated hyperinflammatory syndrome: a cohort study. <i>Lancet Rheumatology</i> , 2020 , 2, e754-e763		14.2	135
119	Evaluating the association between unmet healthcare needs and subsequent clinical outcomes: protocol for the Addressing Post-Intensive Care Syndrome-01 (APICS-01) multicentre cohort study. <i>BMJ Open</i> , 2020 , 10, e040830		3	4
118	Hydroxychloroquine vs. Azithromycin for Hospitalized Patients with COVID-19 (HAHPS): Results of a Randomized, Active Comparator Trial. <i>Annals of the American Thoracic Society</i> , 2020 ,		4.7	15

117	Reduced Rank Least Squares for Real-Time Short Term Estimation of Mean Arterial Blood Pressure in Septic Patients Receiving Norepinephrine. <i>IEEE Journal of Translational Engineering in Health and Medicine</i> , 2019 , 7, 4100209	3	1
116	Approaches to Addressing Post-Intensive Care Syndrome among Intensive Care Unit Survivors. A Narrative Review. <i>Annals of the American Thoracic Society</i> , 2019 , 16, 947-956	4.7	52
115	Value beyond the : The Case for Higher-Quality and Better-publicized Pilot and Feasibility Trials. <i>Annals of the American Thoracic Society</i> , 2019 , 16, 1230-1233	4.7	4
114	ED Door-to-Antibiotic Time and Long-term Mortality in Sepsis. <i>Chest</i> , 2019 , 155, 938-946	5.3	76
113	A simplified definition of diastolic function in sepsis, compared against standard definitions. <i>Journal of Intensive Care</i> , 2019 , 7, 14	7	8
112	Asking Causal Questions of Observational Data: The Quest Continues. <i>Annals of the American Thoracic Society</i> , 2019 , 16, 977-979	4.7	0
111	Sepsis alters the transcriptional and translational landscape of human and murine platelets. <i>Blood</i> , 2019 , 134, 911-923	2.2	60
110	First report of using low-titer cold-stored type O whole blood in massive postpartum hemorrhage. <i>Transfusion</i> , 2019 , 59, 3089-3092	2.9	7
109	The peripheral blood transcriptome in septic cardiomyopathy: an observational, pilot study. <i>Intensive Care Medicine Experimental</i> , 2019 , 7, 57	3.7	5
108	In reply. <i>Annals of Emergency Medicine</i> , 2019 , 74, 607-608	2.1	
107	Clinician Perspectives Regarding In-Hospital Cardiac Arrest Resuscitation: A Multicenter Survey. <i>Critical Care Medicine</i> , 2019 , 47, e190-e197	1.4	1
106	Driving pressure is not associated with mortality in mechanically ventilated patients without ARDS. <i>Critical Care</i> , 2019 , 23, 424	10.8	16
105	The reduced form of coagulation factor XI is associated with illness severity and coagulopathy in critically-ill septic patients. <i>Journal of Thrombosis and Thrombolysis</i> , 2019 , 47, 186-191	5.1	1
104	Emergency Department Crowding Is Associated With Delayed Antibiotics for Sepsis. <i>Annals of Emergency Medicine</i> , 2019 , 73, 345-355	2.1	26
103	Long-Term Functional Outcome Data Should Not in General Be Used to Guide End-of-Life Decision-Making in the ICU. <i>Critical Care Medicine</i> , 2019 , 47, 264-267	1.4	6
102	Prospective Assessment of the Feasibility of a Trial of Low-Tidal Volume Ventilation for Patients with Acute Respiratory Failure. <i>Annals of the American Thoracic Society</i> , 2019 , 16, 356-362	4.7	15
101	Management of Multiorgan Failure in Sepsis 2018 , 139-158		
100	Partners in Healing: Postsurgical Outcomes After Family Involvement in Nursing Care. <i>Chest</i> , 2018 , 153, 572-574	5.3	13

99	The Practice of Respect in the ICU. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018 , 197, 1389-1395	10.2	21
98	Speaking up about care concerns in the ICU: patient and family experiences, attitudes and perceived barriers. <i>BMJ Quality and Safety</i> , 2018 , 27, 928-936	5.4	46
97	Association of hospice utilization and publicly reported outcomes following hospitalization for pneumonia or heart failure: a retrospective cohort study. <i>BMC Health Services Research</i> , 2018 , 18, 12	2.9	2
96	Liberal Versus Restrictive Intravenous Fluid Therapy for Early Septic Shock: Rationale for a Randomized Trial. <i>Annals of Emergency Medicine</i> , 2018 , 72, 457-466	2.1	74
95	Echocardiogram-guided resuscitation versus early goal-directed therapy in the treatment of septic shock: a randomized, controlled, feasibility trial. <i>Journal of Intensive Care</i> , 2018 , 6, 50	7	10
94	Esmolol infusion in patients with septic shock and tachycardia: a prospective, single-arm, feasibility study. <i>Pilot and Feasibility Studies</i> , 2018 , 4, 132	1.9	11
93	Humanizing Intensive Care: Questions, Balance, and Tragic Trade-Offs 2018 , 133-150		
92	Septic Cardiomyopathy. <i>Critical Care Medicine</i> , 2018 , 46, 625-634	1.4	123
91	Can Big Data Deliver on Its Promises?-Leaps but Not Bounds. <i>JAMA Network Open</i> , 2018 , 1, e185694	10.4	3
90	Randomized Feasibility Trial of a Low Tidal Volume-Airway Pressure Release Ventilation Protocol Compared With Traditional Airway Pressure Release Ventilation and Volume Control Ventilation Protocols. <i>Critical Care Medicine</i> , 2018 , 46, 1943-1952	1.4	17
89	Preliminary Validation of the Montreal Cognitive Assessment Tool among Sepsis Survivors: A Prospective Pilot Study. <i>Annals of the American Thoracic Society</i> , 2018 , 15, 1108-1110	4.7	5
88	Prehospital Care and Emergency Department Door-to-Antibiotic Time in Sepsis. <i>Annals of the American Thoracic Society</i> , 2018 , 15, 1443-1450	4.7	11
87	High Levels of Soluble Triggering Receptor Expressed on Myeloid Cells-Like Transcript (TLT)-1 Are Associated With Acute Respiratory Distress Syndrome. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2018 , 24, 1122-1127	3.3	5
86	A Road Map for Advancing the Practice of Respect in Health Care: The Results of an Interdisciplinary Modified Delphi Consensus Study. <i>Joint Commission Journal on Quality and Patient Safety</i> , 2018 , 44, 463-476	1.4	16
85	Associations among left ventricular systolic function, tachycardia, and cardiac preload in septic patients. <i>Annals of Intensive Care</i> , 2017 , 7, 17	8.9	12
84	Predictors of 6-month health utility outcomes in survivors of acute respiratory distress syndrome. <i>Thorax</i> , 2017 , 72, 311-317	7.3	23
83	Physician Variation in Time to Antimicrobial Treatment for Septic Patients Presenting to the Emergency Department. <i>Critical Care Medicine</i> , 2017 , 45, 1011-1018	1.4	29
82	A Clinician® Guide to Privacy and Communication in the ICU. <i>Critical Care Medicine</i> , 2017 , 45, 480-485	1.4	3

81	Patient and Family Experience: A Comparison of Intensive Care and Overall Hospitalization. <i>American Journal of Critical Care</i> , 2017 , 26, 194-202	1.7	2
80	Relative Bradycardia in Patients With Septic Shock Requiring Vasopressor Therapy. <i>Critical Care Medicine</i> , 2017 , 45, 225-233	1.4	19
79	Systolic blood pressure variability in patients with early severe sepsis or septic shock: a prospective cohort study. <i>BMC Anesthesiology</i> , 2017 , 17, 82	2.4	10
78	Nonlinear Imputation of PaO ₂ /FIO ₂ From SpO ₂ /FIO ₂ Among Mechanically Ventilated Patients in the ICU: A Prospective, Observational Study. <i>Critical Care Medicine</i> , 2017 , 45, 1317-1324	1.4	44
77	A retrospective study of pulseless electrical activity, bedside ultrasound identifies interventions during resuscitation associated with improved survival to hospital admission. A REASON Study. <i>Resuscitation</i> , 2017 , 120, 103-107	4	25
76	Whose advance directives are they, after all?. <i>Lancet Respiratory Medicine</i> , 2017 , 5, 464-466	35.1	3
75	Understanding patient outcomes after acute respiratory distress syndrome: identifying subtypes of physical, cognitive and mental health outcomes. <i>Thorax</i> , 2017 , 72, 1094-1103	7.3	38
74	A New Era in Critical Care Ultrasound: Professionalization. <i>Annals of the American Thoracic Society</i> , 2017 , 14, 1747-1749	4.7	5
73	Power Calculations to Select Instruments for Clinical Trial Secondary Endpoints. A Case Study of Instrument Selection for Post-Traumatic Stress Symptoms in Subjects with Acute Respiratory Distress Syndrome. <i>Annals of the American Thoracic Society</i> , 2017 , 14, 110-117	4.7	6
72	Cardiogenic shock in pregnancy: Analysis from the National Inpatient Sample. <i>Hypertension in Pregnancy</i> , 2017 , 36, 117-123	2	16
71	Interval Changes in Myocardial Performance Index Predict Outcome in Severe Sepsis. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2017 , 31, 957-964	2.1	12
70	Echocardiography in the Intensive Care Unit. <i>Current Cardiovascular Imaging Reports</i> , 2017 , 10, 1	0.7	0
69	Data availability and feasibility of various techniques to predict response to volume expansion in critically ill patients. <i>International Journal of Critical Illness and Injury Science</i> , 2017 , 7, 163-165	0.7	2
68	Prospective evaluation of an automated method to identify patients with severe sepsis or septic shock in the emergency department. <i>BMC Emergency Medicine</i> , 2016 , 16, 31	2.4	20
67	Nonlinear Imputation of Pao ₂ /Fio ₂ From Spo ₂ /Fio ₂ Among Patients With Acute Respiratory Distress Syndrome. <i>Chest</i> , 2016 , 150, 307-13	5.3	77
66	Preferences of Current and Potential Patients and Family Members Regarding Implementation of Electronic Communication Portals in Intensive Care Units. <i>Annals of the American Thoracic Society</i> , 2016 , 13, 391-400	4.7	19
65	Balancing digital information-sharing and patient privacy when engaging families in the intensive care unit. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2016 , 23, 995-1000	8.6	9
64	Practice Variation in Spontaneous Breathing Trial Performance and Reporting. <i>Canadian Respiratory Journal</i> , 2016 , 2016, 9848942	2.1	12

63	Multi-complexity measures of heart rate variability and the effect of vasopressor titration: a prospective cohort study of patients with septic shock. <i>BMC Infectious Diseases</i> , 2016 , 16, 551	4	6
62	Let Them In: Family Presence during Intensive Care Unit Procedures. <i>Annals of the American Thoracic Society</i> , 2016 , 13, 1155-9	4.7	29
61	Satisfaction With Elimination of all Visitation Restrictions in a Mixed-Profile Intensive Care Unit. <i>American Journal of Critical Care</i> , 2016 , 25, 46-50	1.7	43
60	Circulating Antiangiogenic Factors and Myocardial Dysfunction in Hypertensive Disorders of Pregnancy. <i>Hypertension</i> , 2016 , 67, 1273-80	8.5	43
59	Implementing a Mobility Program to Minimize Post-Intensive Care Syndrome. <i>AACN Advanced Critical Care</i> , 2016 , 27, 187-203	1	30
58	Reply: Let Them In: Family Presence during Intensive Care Unit Procedures. <i>Annals of the American Thoracic Society</i> , 2016 , 13, 1664	4.7	1
57	Application of a simplified definition of diastolic function in severe sepsis and septic shock. <i>Critical Care</i> , 2016 , 20, 243	10.8	48
56	Emergency department point-of-care ultrasound in out-of-hospital and in-ED cardiac arrest. <i>Resuscitation</i> , 2016 , 109, 33-39	4	124
55	Clinician Perspectives on an Electronic Portal to Improve Communication with Patients and Families in the Intensive Care Unit. <i>Annals of the American Thoracic Society</i> , 2016 , 13, 2197-2206	4.7	10
54	Platelet-monocyte aggregate formation and mortality risk in older patients with severe sepsis and septic shock. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015 , 70, 225-31	6.4	47
53	Effects of positive airway pressure on patients with obstructive sleep apnea during acute ascent to altitude. <i>Annals of the American Thoracic Society</i> , 2015 , 12, 1072-8	4.7	9
52	Defining patient and family engagement in the intensive care unit. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2015 , 191, 358-60	10.2	76
51	Long-term outcomes after severe shock. <i>Shock</i> , 2015 , 43, 128-32	3.4	7
50	Fluid management with a simplified conservative protocol for the acute respiratory distress syndrome*. <i>Critical Care Medicine</i> , 2015 , 43, 288-95	1.4	84
49	Phenotypic clusters within sepsis-associated multiple organ dysfunction syndrome. <i>Intensive Care Medicine</i> , 2015 , 41, 814-22	14.5	57
48	Coefficient of Variation of Coarsely Sampled Heart Rate is Associated With Early Vasopressor Independence in Severe Sepsis and Septic Shock. <i>Journal of Intensive Care Medicine</i> , 2015 , 30, 420-5	3.3	5
47	Association of left ventricular longitudinal strain with central venous oxygen saturation and serum lactate in patients with early severe sepsis and septic shock. <i>Critical Care</i> , 2015 , 19, 304	10.8	28
46	Five-Year Risk of Mechanical Ventilation in Community-Dwelling Adults: The Framingham-Intermountain Anticipating Life Support Study. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 2082-8	5.6	2

45	Protocols and Hospital Mortality in Critically Ill Patients: The United States Critical Illness and Injury Trials Group Critical Illness Outcomes Study. <i>Critical Care Medicine</i> , 2015 , 43, 2076-84	1.4	33
44	Validation of the Intermountain patient perception of quality (PPQ) survey among survivors of an intensive care unit admission: a retrospective validation study. <i>BMC Health Services Research</i> , 2015 , 15, 155	2.9	8
43	We still lack patient centered visitation in intensive care units. <i>BMJ, The</i> , 2015 , 350, h792	5.9	6
42	Bedside Ultrasound in the Intensive Care Unit: Where Is the Evidence?. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2015 , 36, 878-89	3.9	9
41	Polymorphisms in key pulmonary inflammatory pathways and the development of acute respiratory distress syndrome. <i>Experimental Lung Research</i> , 2015 , 41, 155-62	2.3	7
40	Ultrasound-guided subclavian vein cannulation using a micro-convex ultrasound probe. <i>Annals of the American Thoracic Society</i> , 2014 , 11, 583-6	4.7	10
39	Glasgow Coma Scale score dominates the association between admission Sequential Organ Failure Assessment score and 30-day mortality in a mixed intensive care unit population. <i>Journal of Critical Care</i> , 2014 , 29, 780-5	4	19
38	Do heart and respiratory rate variability improve prediction of extubation outcomes in critically ill patients?. <i>Critical Care</i> , 2014 , 18, R65	10.8	39
37	Structure, process, and annual ICU mortality across 69 centers: United States Critical Illness and Injury Trials Group Critical Illness Outcomes Study. <i>Critical Care Medicine</i> , 2014 , 42, 344-56	1.4	121
36	Response to open peer commentaries on "Withdrawal of nonfutile life support after attempted suicide". <i>American Journal of Bioethics</i> , 2013 , 13, W3-5	1.1	8
35	Survival after shock requiring high-dose vasopressor therapy. <i>Chest</i> , 2013 , 143, 664-671	5.3	125
34	Multicenter implementation of a severe sepsis and septic shock treatment bundle. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013 , 188, 77-82	10.2	194
33	Initial fractal exponent of heart rate variability is associated with success of early resuscitation in patients with severe sepsis or septic shock: a prospective cohort study. <i>Journal of Critical Care</i> , 2013 , 28, 959-63	4	11
32	Withdrawal of nonfutile life support after attempted suicide. <i>American Journal of Bioethics</i> , 2013 , 13, 3-12	1.1	20
31	Applying dynamic parameters to predict hemodynamic response to volume expansion in spontaneously breathing patients with septic shock: reply. <i>Shock</i> , 2013 , 39, 462	3.4	8
30	Focused critical care echocardiography. <i>Critical Care Medicine</i> , 2013 , 41, 2618-26	1.4	49
29	Mortality, morbidity, and disease severity of patients with aspiration pneumonia. <i>Journal of Hospital Medicine</i> , 2013 , 8, 83-90	2.7	68
28	Admission decisions and outcomes of community-acquired pneumonia in the homeless population: a review of 172 patients in an urban setting. <i>American Journal of Public Health</i> , 2013 , 103 Suppl 2, S289-93	5.1	13

27	Applying dynamic parameters to predict hemodynamic response to volume expansion in spontaneously breathing patients with septic shock. <i>Shock</i> , 2013 , 39, 155-60	3.4	57
26	Relationships among initial hospital triage, disease progression and mortality in community-acquired pneumonia. <i>Respirology</i> , 2012 , 17, 1207-13	3.6	18
25	Asking the right questions: the relationship between incident ventilator-associated pneumonia and mortality. <i>Critical Care</i> , 2012 , 16, 123	10.8	3
24	Diastolic dysfunction and mortality in early severe sepsis and septic shock: a prospective, observational echocardiography study. <i>The Ultrasound Journal</i> , 2012 , 4, 8		51
23	Central venous pressure and shock index predict lack of hemodynamic response to volume expansion in septic shock: a prospective, observational study. <i>Journal of Critical Care</i> , 2012 , 27, 609-15	4	16
22	Hospital admission decision for patients with community-acquired pneumonia: variability among physicians in an emergency department. <i>Annals of Emergency Medicine</i> , 2012 , 59, 35-41	2.1	64
21	Understanding and applying probabilities at the sickbed. <i>Critical Care Medicine</i> , 2011 , 39, 2017-8; author reply 2018	1.4	5
20	CURB-65 pneumonia severity assessment adapted for electronic decision support. <i>Chest</i> , 2011 , 140, 156-63	5.3	50
19	Horses and Zebras: complex cardiac anatomy in a patient with out-of-hospital cardiac arrest. <i>The Ultrasound Journal</i> , 2011 , 3, 29-31		
18	Defining severe pneumonia. <i>Clinics in Chest Medicine</i> , 2011 , 32, 469-79	5.3	6
17	Right and left heart failure in severe H1N1 influenza A infection. <i>European Respiratory Journal</i> , 2011 , 37, 112-8	13.6	37
16	Clinical findings and demographic factors associated with ICU admission in Utah due to novel 2009 influenza A(H1N1) infection. <i>Chest</i> , 2010 , 137, 752-8	5.3	130
15	Distinguishing messenger from message in delivering bad news. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2010 , 181, 873; author reply 873-4	10.2	
14	A modified sequential organ failure assessment score for critical care triage. <i>Disaster Medicine and Public Health Preparedness</i> , 2010 , 4, 277-84	2.8	81
13	Extracorporeal Membrane Oxygenation Support in Management of Severe Respiratory Failure Secondary to 2009 Influenza A(H1N1) Virus. <i>Chest</i> , 2010 , 138, 455-456	5.3	1
12	Defining and predicting severe community-acquired pneumonia. <i>Current Opinion in Infectious Diseases</i> , 2010 , 23, 158-64	5.4	20
11	Is area under receiver operator characteristic curve the best way of comparing severity assessment tools for patients with community-acquired pneumonia?. <i>Critical Care Medicine</i> , 2010 , 38, 1394-1395	1.4	
10	Validation of the Infectious Disease Society of America/American Thoracic Society 2007 guidelines for severe community-acquired pneumonia. <i>Critical Care Medicine</i> , 2009 , 37, 3010-6	1.4	91

9	Use of complementary and alternative medicine by physicians in St. Petersburg, Russia. <i>Journal of Alternative and Complementary Medicine</i> , 2008 , 14, 315-9	2.4	17
8	Prospective surveillance for surgical site infection in St. Petersburg, Russian Federation. <i>Infection Control and Hospital Epidemiology</i> , 2007 , 28, 319-25	2	15
7	Tiotropium in combination with placebo, salmeterol, or fluticasone salmeterol for chronic obstructive pulmonary disease: possible confounding effect of treatment withdrawal?. <i>Annals of Internal Medicine</i> , 2007 , 147, 882; author reply 882-3	8	
6	Use of an Alcohol-Based Handrub and Quality Improvement Interventions to Improve Hand Hygiene in a Russian Neonatal Intensive Care Unit. <i>Infection Control and Hospital Epidemiology</i> , 2004 , 25, 191-191	2	
5	Use of an alcohol-based hand rub and quality improvement interventions to improve hand hygiene in a Russian neonatal intensive care unit. <i>Infection Control and Hospital Epidemiology</i> , 2003 , 24, 172-9	2	74
4	Binary cumulative sums and moving averages in nosocomial infection cluster detection. <i>Emerging Infectious Diseases</i> , 2002 , 8, 1426-32	10.2	19
3	Real-World Effectiveness and Tolerability of Monoclonal Antibodies for Ambulatory Patients with Early COVID-19		5
2	Clinical and Virological Response to a Neutralizing Monoclonal Antibody for Hospitalized Patients with COVID-19		2
1	Simple Scoring Tool to Estimate Risk of Hospitalization and Mortality in Ambulatory and Emergency Department Patients with COVID-19		3