Silia Vitoratou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7760046/publications.pdf

Version: 2024-02-01

66 papers 1,722 citations

³⁹⁴²⁸⁶ 19 h-index 302012 39 g-index

75 all docs

75 docs citations

75 times ranked 2007 citing authors

#	Article	IF	CITATIONS
1	Psychometric Properties and Factor Structure of the Greek Version of the Cardiac Anxiety Questionnaire (CAQ). Psychological Reports, 2011, 109, 77-92.	0.9	471
2	Prevalence of multimorbidity in community settings: A systematic review and meta-analysis of observational studies. Journal of Comorbidity, 2019, 9, 2235042X1987093.	3.9	291
3	DEVELOPMENT AND VALIDATION OF â€~SURE': A PATIENT REPORTED OUTCOME MEASURE (PROM) FOR RECOVERY FROM DRUG AND ALCOHOL DEPENDENCE. Drug and Alcohol Dependence, 2016, 165, 159-167.	1.6	94
4	Bipolar disorder and self-stigma: A comparison with schizophrenia. Journal of Affective Disorders, 2015, 184, 209-215.	2.0	45
5	Brain derived neurotropic factor (BDNF) is associated with childhood abuse but not cognitive domains in first episode psychosis. Schizophrenia Research, 2014, 159, 56-61.	1.1	40
6	Implementation outcome instruments for use in physical healthcare settings: a systematic review. Implementation Science, 2020, 15, 66.	2.5	36
7	Psychometric Properties and Factor Structure of a Long and Shortened Version of the Cognitive and Behavioural Responses Questionnaire. Psychosomatic Medicine, 2018, 80, 230-237.	1.3	34
8	LGBQ+ Self-Acceptance and Its Relationship with Minority Stressors and Mental Health: A Systematic Literature Review. Archives of Sexual Behavior, 2020, 49, 2353-2373.	1,2	34
9	Two Versus One High-Frequency Repetitive Transcranial Magnetic Stimulation Session per Day for Treatment-Resistant Depression. Journal of ECT, 2017, 33, 190-197.	0.3	33
10	Factorial composition of the Aggression Questionnaire: A multi-sample study in Greek adults. Psychiatry Research, 2009, 168, 32-39.	1.7	32
11	Neuroticism, social network, stressful life events: Association with mood disorders, depressive symptoms and suicidal ideation in a community sample of women. Psychiatry Research, 2015, 226, 38-44.	1.7	31
12	Development and validation of the DISCUS scale: A reliable short measure for assessing experienced discrimination in people with mental health problems on a global level. Schizophrenia Research, 2019, 212, 213-220.	1,1	30
13	Civil Society in Times of Crisis: Understanding Collective Action Dynamics in Digitally-Enabled Volunteer Networks. Journal of Computer-Mediated Communication, 2017, 22, 248-265.	1.7	28
14	Psychometric properties of the Greek version of the Schizotypal Personality Questionnaire (SPQ) in young male obligatory conscripts: A two years test–retest study. Personality and Individual Differences, 2006, 41, 1275-1286.	1.6	26
15	Factors Associated With Multimorbidity Patterns in Older Adults in England: Findings From the English Longitudinal Study of Aging (ELSA). Journal of Aging and Health, 2020, 32, 1120-1132.	0.9	26
16	Mixed handedness is associated with the Disorganization dimension of schizotypy in a young male population. Schizophrenia Research, 2006, 87, 289-296.	1.1	25
17	Multimorbidity patterns, allâ€cause mortality and healthy aging in older English adults: Results from the English Longitudinal Study of Aging. Geriatrics and Gerontology International, 2020, 20, 1126-1132.	0.7	24
18	Is Emotional Lability Distinct From "Angry/Irritable Mood,―"Negative Affect,―or Other Subdimensions of Oppositional Defiant Disorder in Children With ADHD?. Journal of Attention Disorders, 2019, 23, 859-868.	1.5	23

#	Article	IF	Citations
19	Listening to People with Misophonia: Exploring the Multiple Dimensions of Sound Intolerance Using a New Psychometric Tool, the S-Five, in a Large Sample of Individuals Identifying with the Condition. Psych, 2021, 3, 639-662.	0.7	22
20	What side effects are problematic for patients prescribed antipsychotic medication? The Maudsley Side Effects (MSE) measure for antipsychotic medication. Psychological Medicine, 2017, 47, 2369-2378.	2.7	21
21	Design in mind: eliciting service user and frontline staff perspectives on psychiatric ward design through participatory methods. Journal of Mental Health, 2016, 25, 114-121.	1.0	18
22	Neurological soft signs and psychometrically identified schizotypy in a sample of young conscripts. Psychiatry Research, 2012, 198, 241-247.	1.7	17
23	Potential role of membrane-bound COMT gene polymorphisms in female depression vulnerability. Journal of Affective Disorders, 2013, 148, 316-322.	2.0	17
24	Item Response Theory Investigation of Misophonia Auditory Triggers. Audiology Research, 2021, 11, 567-581.	0.8	17
25	Cultural adaptation and validation of the Body Esteem Scale for Adults and Adolescents for use in English among adolescents in urban India. Body Image, 2021, 37, 246-254.	1.9	15
26	Trajectories of healthy ageing among older adults with multimorbidity: A growth mixture model using harmonised data from eight ATHLOS cohorts. PLoS ONE, 2021, 16, e0248844.	1.1	14
27	Are all the 18 DSM-IV and DSM-5 criteria equally useful for diagnosing ADHD and predicting comorbid conduct problems?. European Child and Adolescent Psychiatry, 2015, 24, 1325-1337.	2.8	13
28	Implementation outcome assessment instruments used in physical healthcare settings and their measurement properties: a systematic review protocol. BMJ Open, 2017, 7, e017972.	0.8	13
29	Adaptation and validation of the Eating Disorder <scp>Examinationâ€Questionnaire</scp> in English among urban Indian adolescents. International Journal of Eating Disorders, 2021, 54, 187-202.	2.1	13
30	Exploring the neurocognitive correlates of challenging behaviours in young people with autism spectrum disorder. Autism, 2019, 23, 1152-1164.	2.4	12
31	Psychometric Evaluation of the Hyperacusis Impact Questionnaire (HIQ) and Sound Sensitivity Symptoms Questionnaire (SSSQ) Using a Clinical Population of Adult Patients with Tinnitus Alone or Combined with Hyperacusis. Journal of the American Academy of Audiology, 2022, 33, 248-258.	0.4	12
32	Differential utility of teacher and parent–teacher combined information in the assessment of Attention Deficit/Hyperactivity Disorder symptoms. European Child and Adolescent Psychiatry, 2021, 30, 143-153.	2.8	11
33	Measuring the needs of mental health patients in Greece: Reliability and validity of the Greek version of the Camberwell Assessment of Need. International Journal of Social Psychiatry, 2014, 60, 662-671.	1.6	10
34	Aspects of perceived stigma: The Stigma Inventory for Mental Illness, its development, latent structure and psychometric properties. Comprehensive Psychiatry, 2014, 55, 1620-1625.	1.5	10
35	A note on contemporary psychometrics. Journal of Mental Health, 2017, 26, 486-488.	1.0	9
36	Exploring the factor structure of the Health of the Nation Outcomes Scale (HoNOS) in a sample of patients with schizophrenia, schizotypal and delusional disorders. Health and Quality of Life Outcomes, 2017, 15, 141.	1.0	9

#	Article	IF	CITATIONS
37	Is the endorsement of the Attention Deficit Hyperactivity Disorder symptom criteria ratings influenced by informant assessment, gender, age, and coâ€occurring disorders? A measurement invariance study. International Journal of Methods in Psychiatric Research, 2019, 28, e1794.	1.1	9
38	Development and Psychometric Properties of a New Questionnaire to Assess Mental Health and Concerning Behaviors in Children and Young People with Autism Spectrum Disorder (ASD): The Assessment of Concerning Behavior (ACB) Scale. Journal of Autism and Developmental Disorders, 2021, 51, 2812-2828.	1.7	9
39	Selfâ€reported emotion regulation difficulties in psychosis: Psychometric properties of the Difficulties in Emotion Regulation Scale (DERSâ€16). Journal of Clinical Psychology, 2021, 77, 2323-2340.	1.0	9
40	Protocol for the development and validation of a questionnaire to assess concerning behaviours and mental health in individuals with autism spectrum disorders: the Assessment of Concerning Behaviour (ACB) scale: TableÂ1. BMJ Open, 2016, 6, e010693.	0.8	8
41	Sexual dysfunction and central obesity in patients with first episode psychosis. European Psychiatry, 2017, 42, 1-7.	0.1	8
42	Development and early validation of a patient-reported outcome measure to assess sleep amongst people experiencing problems with alcohol or other drugs. Sleep, 2018, 41, .	0.6	8
43	Standardizing test scores for a target population: The LMS method illustrated using language measures from the SCALES project. PLoS ONE, 2019, 14, e0213492.	1.1	8
44	Substance use, sleep and intervention design: insights from qualitative data. Journal of Mental Health, 2019, 28, 482-489.	1.0	8
45	Adaptation and validation of the Internalisation-General subscale of the Sociocultural Attitudes Towards Appearance Questionnaire (SATAQ-3) in English among urban Indian adolescents. Body Image, 2021, 36, 254-262.	1.9	8
46	Temperament and character dimensions assessed in general population, in individuals with psychoactive substance dependence and in young male conscripts. European Psychiatry, 2015, 30, 474-479.	0.1	7
47	Validation of the PHQ-9 in adults with dissociative seizures. Journal of Psychosomatic Research, 2021, 146, 110487.	1.2	7
48	Managing emotions in psychosis: Evaluation of a brief DBTâ€informed skills group for individuals with psychosis in routine community services. British Journal of Clinical Psychology, 2022, 61, 735-756.	1.7	7
49	The Body Esteem Scale for Adults and Adolescents: Translation, adaptation and psychometric validation among Brazilian adolescents. Body Image, 2022, 42, 213-221.	1.9	7
50	Cognitive behavioural responses to envy: development of a new measure. Behavioural and Cognitive Psychotherapy, 2020, 48, 408-418.	0.9	5
51	Psychometric properties of the Cognitive and Behavioural Responses Questionnaire (CBRQ) in adolescents with chronic fatigue syndrome. Behavioural and Cognitive Psychotherapy, 2020, 48, 160-171.	0.9	4
52	The Self-Acceptance of Sexuality Inventory (SASI): Development and validation Psychology of Sexual Orientation and Gender Diversity, 2022, 9, 92-109.	2.0	4
53	Thermodynamic Bayesian model comparison. Statistics and Computing, 2017, 27, 1165-1180.	0.8	3
54	Steinberg and Durell (1968) revisited: increased rates of First Episode Psychosis following military induction in Greek Army Recruits. Psychological Medicine, 2018, 48, 728-736.	2.7	3

#	Article	IF	CITATIONS
55	Emotion Processes Predicting Outbursts and Functional Impact in Misophonia. Frontiers in Psychology, 0, 13 , .	1.1	3
56	Marginal likelihood estimation from the Metropolis output: tips and tricks for efficient implementation in generalized linear latent variable models. Journal of Statistical Computation and Simulation, 2014, 84, 2091-2105.	0.7	2
57	Psychometric Properties, Factor Structure, and Evidence for Measurement Invariance in the Greek Version of the Disgust Scale-Revised (DS-R). Diseases (Basel, Switzerland), 2019, 7, 33.	1.0	2
58	A single patient reported outcome measure for acquired brain injury, multiple sclerosis & Parkinson's disease. PLoS ONE, 2021, 16, e0251484.	1.1	2
59	Explaining the behavior of joint and marginal Monte Carlo estimators in latent variable models with independence assumptions. Statistics and Computing, 2016, 26, 333-348.	0.8	1
60	Two Versus One High-Frequency Repetitive Transcranial Magnetic Stimulation Session per Day for Treatment-Resistant Depression. Journal of ECT, 2017, 33, 143-143.	0.3	1
61	Assessing the current state of quality improvement training in urology in the UK: Findings from the General Medical Council 2018 trainee survey. Journal of Clinical Urology, 2021, 14, 100-107.	0.1	1
62	An investigation into the factor structure of the Cognitive Therapy Scale – Revised (CTS-R) in a CBT training sample. Behavioural and Cognitive Psychotherapy, 2021, 49, 721-731.	0.9	1
63	Discernment of mediator and outcome measurement in the PACE trial. Journal of Psychosomatic Research, 2021, 149, 110595.	1.2	1
64	Psychometric Evaluation of the Health State Description Questionnaire in Chile: A Proposal for a Latent Variable Approach for Valuating Health States. Value in Health Regional Issues, 2021, 26, 142-149.	0.5	1
65	#3090â€Different measures of behavioural involvement in amyotrophic lateral sclerosis yield varying rates of behavioural change. Journal of Neurology, Neurosurgery and Psychiatry, 2021, 92, A12.1-A12.	0.9	0
66	Psychometric Evaluation of a Patient Experience Questionnaire (PEQ) for Outpatient Appointments: Analysis Using Data from a UK National Health Service Audiology Department. Journal of the American Academy of Audiology, 2022, , .	0.4	0