Jolanta Kumirska

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7760668/jolanta-kumirska-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

79	3,215	29	55
papers	citations	h-index	g-index
82	3,744 ext. citations	6	5.28
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
79	Energy-efficient removal of carbamazepine in solution by electrocoagulation-electrofenton using a novel P-rGO cathode <i>Journal of Environmental Sciences</i> , 2022 , 115, 88-102	6.4	3
78	Two-dimensional layered carbon-based catalytic ozonation for water purification: Rational design of catalysts and an in-depth understanding of the interfacial reaction mechanism <i>Science of the Total Environment</i> , 2022 , 832, 155071	10.2	0
77	Development of HPLC-DAD and UPLC-QTOF-MS chromatographic systems for the identification for forensic purposes of disperse dyes of polyester. <i>Measurement: Journal of the International Measurement Confederation</i> , 2021 , 174, 108994	4.6	O
76	Metabolism of non-steroidal anti-inflammatory drugs by non-target wild-living organisms. <i>Science of the Total Environment</i> , 2021 , 791, 148251	10.2	10
75	Identification of Selected Antibiotic Resistance Genes in Two Different Wastewater Treatment Plant Systems in Poland: A Preliminary Study. <i>Molecules</i> , 2020 , 25,	4.8	10
74	Critical study of crop-derived biochars for soil amendment and pharmaceutical ecotoxicity reduction. <i>Chemosphere</i> , 2020 , 248, 125976	8.4	5
73	The Identification of Cotton Fibers Dyed with Reactive Dyes for Forensic Purposes. <i>Molecules</i> , 2020 , 25,	4.8	6
72	Antibiotic resistance genes identified in wastewater treatment plant systems - A review. <i>Science of the Total Environment</i> , 2019 , 697, 134023	10.2	201
71	Cyanobacteria derived taste and odor characteristics in various lakes in China: Songhua Lake, Chaohu Lake and Taihu Lake. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 181, 499-507	7	14
70	Determination of twenty pharmaceutical contaminants in soil using ultrasound-assisted extraction with gas chromatography-mass spectrometric detection. <i>Chemosphere</i> , 2019 , 232, 232-242	8.4	10
69	Simultaneous determination of non-steroidal anti-inflammatory drugs and natural estrogens in the mussels Mytilus edulis trossulus. <i>Talanta</i> , 2019 , 200, 316-323	6.2	19
68	Evaluation of the Possibility of Using Hydroponic Cultivations for the Removal of Pharmaceuticals and Endocrine Disrupting Compounds in Municipal Sewage Treatment Plants. <i>Molecules</i> , 2019 , 25,	4.8	3
67	The Identification of Polyester Fibers Dyed with Disperse Dyes for Forensic Purposes. <i>Molecules</i> , 2019 , 24,	4.8	10
66	Valuable polar moieties on cereal-derived biochars. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019 , 561, 275-282	5.1	6
65	A new approach for the extraction of tetracyclines from soil matrices: application of the microwave-extraction technique. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 1697-1707	4.4	14
64	Changing environments and biomolecule coronas: consequences and challenges for the design of environmentally acceptable engineered nanoparticles. <i>Green Chemistry</i> , 2018 , 20, 4133-4168	10	58
63	Effects of five sulphonamides on duckweed (Lemna minor) after prolonged exposure time and their dependency on photoradiation. <i>Science of the Total Environment</i> , 2018 , 618, 952-960	10.2	1

62	Ultimate biodegradability and ecotoxicity of orally administered antidiabetic drugs. <i>Journal of Hazardous Materials</i> , 2017 , 333, 154-161	12.8	27
61	Environmental aspects of using gas chromatography for determination of pharmaceutical residues in samples characterized by different composition of the matrix. <i>Archives of Environmental Protection</i> , 2017 , 43, 3-9		7
60	Assessment of soils contamination with veterinary antibiotic residues in Northern Poland using developed MAE-SPE-LC/MS/MS methods. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 2123	3- 2 124	7 ⁶
59	Primary degradation of antidiabetic drugs. <i>Journal of Hazardous Materials</i> , 2017 , 324, 428-435	12.8	30
58	Impact of Veterinary Pharmaceuticals on the Agricultural Environment: A Re-inspection. <i>Reviews of Environmental Contamination and Toxicology</i> , 2017 , 243, 89-148	3.5	7
57	The occurrence of haloanisoles as an emerging odorant in municipal tap water of typical cities in China. <i>Water Research</i> , 2016 , 98, 242-9	12.5	29
56	Selected analytical challenges in the determination of pharmaceuticals in drinking/marine waters and soil/sediment samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 121, 271-296	3.5	73
55	Anthelmintics in the Aquatic Environment: A New Analytical Approach. <i>Current Analytical Chemistry</i> , 2016 , 12, 227-236	1.7	4
54	Analytical Techniques for Determining Pharmaceutical Residues in Drinking Water State of Art and Future Prospects. <i>Current Analytical Chemistry</i> , 2016 , 12, 237-248	1.7	4
53	Current Issues in Pharmaceutical Residues in Drinking Water. Current Analytical Chemistry, 2016 , 12, 24	19-257	12
52	Occurrence of earthythusty taste and odors in the Taihu Lake, China: spatial and seasonal patterns. <i>RSC Advances</i> , 2016 , 6, 79723-79733	3.7	8
51	Toxicity of anthelmintic drugs (fenbendazole and flubendazole) to aquatic organisms. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 2566-73	5.1	38
50	Determination of pharmaceutical residues in drinking water in Poland using a new SPE-GC-MS(SIM) method based on Speedisk extraction disks and DIMETRIS derivatization. <i>Science of the Total Environment</i> , 2015 , 538, 402-11	10.2	68
49	Critical points in the evaluation of analytical methods based on liquid chromatography separation for the determination of doramectin in different environmental samples. <i>Chemosphere</i> , 2015 , 119 Suppl, S9-15	8.4	7
48	Determination of metronidazole residues in water, sediment and fish tissue samples. <i>Chemosphere</i> , 2015 , 119 Suppl, S28-34	8.4	47
47	A comprehensive approach to the determination of two benzimidazoles in environmental samples. <i>Chemosphere</i> , 2015 , 119 Suppl, S35-41	8.4	14
46	Comparison of the Usefulness of SPE Cartridges for the Determination of Blockers and Agonists (Basic Drugs) in Environmental Aqueous Samples. <i>Journal of Chemistry</i> , 2015 , 2015, 1-9	2.3	10
45	Sorption of sulfisoxazole onto soilan insight into different influencing factors. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 12182-9	5.1	12

44	Simultaneous determination of non-steroidal anti-inflammatory drugs and oestrogenic hormones in environmental solid samples. <i>Science of the Total Environment</i> , 2015 , 508, 498-505	10.2	45
43	Development of sensitive and reliable LC-MS/MS methods for the determination of three fluoroquinolones in water and fish tissue samples and preliminary environmental risk assessment of their presence in two rivers in northern Poland. <i>Science of the Total Environment</i> , 2014 , 493, 1006-13	10.2	60
42	Beta-blockers in the environment: part I. Mobility and hydrolysis study. <i>Science of the Total Environment</i> , 2014 , 493, 1112-21	10.2	69
41	Beta-blockers in the environment: part II. Ecotoxicity study. <i>Science of the Total Environment</i> , 2014 , 493, 1122-6	10.2	70
40	A new silylating reagent - dimethyl(3,3,3-trifluoropropyl)silyldiethylamine - for the derivatisation of non-steroidal anti-inflammatory drugs prior to gas chromatography-mass spectrometry analysis. <i>Journal of Chromatography A</i> , 2014 , 1346, 107-16	4.5	17
39	Thermodynamic studies for adsorption of ionizable pharmaceuticals onto soil. <i>Chemosphere</i> , 2014 , 111, 568-74	8.4	24
38	The derivatization and analysis of anticancer pharmaceuticals in the presence of tricyclic antidepressants by gas chromatography. <i>Acta Chromatographica</i> , 2014 , 26, 473-484	1.5	2
37	A new silylation reagent dimethyl(3,3,3-trifluoropropyl)silyldiethylamine for the analysis of estrogenic compounds by gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2013 , 1301, 215-24	4.5	18
36	A new approach for the estimation of expanded uncertainty of results of an analytical method developed for determining antibiotics in seawater using solid-phase extraction disks and liquid chromatography coupled with tandem mass spectrometry technique. <i>Journal of Chromatography A</i> ,	4.5	91
35	2013 , 1304, 138-46 Column and batch tests of sulfonamide leaching from different types of soil. <i>Journal of Hazardous Materials</i> , 2013 , 260, 468-74	12.8	35
34	Aquatic toxicity of four veterinary drugs commonly applied in fish farming and animal husbandry. <i>Chemosphere</i> , 2013 , 92, 1253-9	8.4	66
33	Dimethyl(3,3,3-trifluoropropyl)silyldiethylaminea new silylating agent for the derivatization of Eblockers and Eagonists in environmental samples. <i>Analytica Chimica Acta</i> , 2013 , 782, 75-88	6.6	11
32	Chemometric optimization of derivatization reactions prior to gas chromatography-mass spectrometry analysis. <i>Journal of Chromatography A</i> , 2013 , 1296, 164-78	4.5	20
31	Analysis and Fate of Emerging Pollutants during Water Treatment. <i>Journal of Analytical Methods in Chemistry</i> , 2013 , 2013, 256956	2	
30	What Do We Know About the Chronic and Mixture Toxicity of the Residues of Sulfonamides in the Environment? 2013 ,		2
29	Hydrolysis of sulphonamides in aqueous solutions. <i>Journal of Hazardous Materials</i> , 2012 , 221-222, 264-7	'4 12.8	104
28	Matrix effects and recovery calculations in analyses of pharmaceuticals based on the determination of Eblockers and Eagonists in environmental samples. <i>Journal of Chromatography A</i> , 2012 , 1258, 117-27	4.5	114
27	Simultaneous analysis of non-steroidal anti-inflammatory drugs and estrogenic hormones in water and wastewater samples using gas chromatography-mass spectrometry and gas chromatography with electron capture detection. <i>Science of the Total Environment</i> , 2012 , 441, 77-88	10.2	93

(2009-2012)

26	Detection of bioactive exometabolites produced by the filamentous marine cyanobacterium Geitlerinema sp. <i>Marine Biotechnology</i> , 2012 , 14, 436-45	3.4	12
25	Immunochemical studies of Salmonella Dakar and Salmonella Telaviv O-antigens (serogroup O:28). <i>FEMS Microbiology Letters</i> , 2012 , 326, 55-61	2.9	1
24	Sulfadimethoxine and sulfaguanidine: their sorption potential on natural soils. <i>Chemosphere</i> , 2012 , 86, 1059-65	8.4	74
23	Biomedical Activity of Chitin/Chitosan Based MaterialsInfluence of Physicochemical Properties Apart from Molecular Weight and Degree of N-Acetylation. <i>Polymers</i> , 2011 , 3, 1875-1901	4.5	168
22	A very fast and simple method for the determination of sulfonamide residues in seawaters. <i>Analytical Methods</i> , 2011 , 3, 1371	3.2	13
21	Heterogeneous structure of O-Antigenic part of lipopolysaccharide of Salmonella Telaviv (Serogroup O:28) containing 3-Acetamido-3,6-dideoxy-D-glucopyranose. <i>Biochemistry (Moscow)</i> , 2011 , 76, 780-90	2.9	3
20	Determination of Eblockers and Eagonists using gas chromatography and gas chromatography-mass spectrometrya comparative study of the derivatization step. <i>Journal of Chromatography A</i> , 2011 , 1218, 8110-22	4.5	85
19	Chemometric analysis for optimizing derivatization in gas chromatography-based procedures. <i>Journal of Chemometrics</i> , 2011 , 25, 636-643	1.6	7
18	Application of spectroscopic methods for structural analysis of chitin and chitosan. <i>Marine Drugs</i> , 2010 , 8, 1567-636	6	637
17	Trimethylsilyldiazomethane (TMSD) as a new derivatization reagent for trace analysis of selected non-steroidal anti-inflammatory drugs (NSAIDs) by gas chromatography methods. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 397, 3029-34	4.4	22
16	Genetic transformation of Ruta graveolens L. by Agrobacterium rhizogenes: hairy root cultures a promising approach for production of coumarins and furanocoumarins. <i>Plant Cell, Tissue and Organ Culture</i> , 2009 , 97, 59-69	2.7	29
15	Predicting mobility of alkylimidazolium ionic liquids in soils. <i>Journal of Soils and Sediments</i> , 2009 , 9, 237-	·2 ₃ 4.5	34
14	Identification of ionic liquid breakdown products in an advanced oxidation system. <i>Journal of Hazardous Materials</i> , 2009 , 171, 478-83	12.8	68
13	Determination of the pattern of acetylation of low-molecular-weight chitosan used in biomedical applications. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 50, 587-90	3.5	17
12	The urinary steroid profile in patients diagnosed with adrenal incidentaloma. <i>Clinical Biochemistry</i> , 2009 , 42, 448-54	3.5	25
11	Studies on acetylation patterns of different chitosan preparations. <i>Carbohydrate Polymers</i> , 2009 , 78, 678-684	10.3	55
10	Optimization of multiple reaction monitoring mode for the trace analysis of veterinary sulfonamides by LC-MS/MS. <i>Talanta</i> , 2009 , 80, 947-53	6.2	38
9	Determination of the pattern of acetylation of chitosan samples: Comparison of evaluation methods and some validation parameters. <i>International Journal of Biological Macromolecules</i> , 2009 , 45, 56-60	7.9	18

8	Identification of Ruta graveolens L. metabolites accumulated in the presence of abiotic elicitors. <i>Biotechnology Progress</i> , 2008 , 24, 128-33	2.8	14
7	The cuticular fatty acids of Calliphora vicina, Dendrolimus pini and Galleria mellonella larvae and their role in resistance to fungal infection. <i>Insect Biochemistry and Molecular Biology</i> , 2008 , 38, 619-27	4.5	81
6	Assessing toxicity and biodegradation of novel, environmentally benign ionic liquids (1-alkoxymethyl-3-hydroxypyridinium chloride, saccharinate and acesulfamates) on cellular and molecular level. <i>Ecotoxicology and Environmental Safety</i> , 2008 , 71, 157-65	7	104
5	Smith degradation of the O-antigenic polysaccharide of Salmonella Dakar: structural studies of the products. <i>Carbohydrate Research</i> , 2008 , 343, 1120-5	2.9	5
4	Chemical composition of commercially available essential oils from blackcurrant, ginger, and peppermint. <i>Chemistry of Natural Compounds</i> , 2008 , 44, 794-796	0.7	12
3	Application of chitin and chitosan as elicitors of coumarins and fluoroquinolone alkaloids in Ruta graveolens L. (common rue). <i>Biotechnology and Applied Biochemistry</i> , 2008 , 51, 91-6	2.8	52
2	The structure of the O-polysaccharide isolated from the lipopolysaccharide of Salmonella Dakar (serogroup O:28). <i>Carbohydrate Research</i> , 2007 , 342, 2138-43	2.9	16
1	Structure and heterogeneity of the O-antigen chain of Salmonella Agona lipopolysaccharide. <i>FEMS Immunology and Medical Microbiology</i> , 2006 , 48, 223-36		8