Nicholas Moore

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7761212/publications.pdf

Version: 2024-02-01

361 papers 14,487 citations

19608 61 h-index 99 g-index

406 all docs

406 docs citations

406 times ranked 15233 citing authors

#	Article	IF	CITATIONS
1	The Effects of Coffee and Napping on Nighttime Highway Driving. Annals of Internal Medicine, 2006, 144, 785.	2.0	546
2	Trough imatinib plasma levels are associated with both cytogenetic and molecular responses to standard-dose imatinib in chronic myeloid leukemia. Blood, 2007, 109, 3496-3499.	0.6	545
3	The national healthcare system claims databases in France, SNIIRAM and EGB: Powerful tools for pharmacoepidemiology. Pharmacoepidemiology and Drug Safety, 2017, 26, 954-962.	0.9	382
4	Assessment of Handling of Inhaler Devices in Real Life: An Observational Study in 3811 Patients in Primary Care. Journal of Aerosol Medicine and Pulmonary Drug Delivery, 2003, 16, 249-254.	1.2	307
5	Fatigue, sleep restriction and driving performance. Accident Analysis and Prevention, 2005, 37, 473-478.	3.0	280
6	Frequency and cost of serious adverse drug reactions in a department of general medicine. British Journal of Clinical Pharmacology, 1998, 45, 301-308.	1.1	244
7	Fatigue, Sleepiness, and Performance in Simulated Versus Real Driving Conditions. Sleep, 2005, 28, 1511-1516.	0.6	234
8	Chronic obstructive pulmonary disease exacerbation and inhaler device handling: real-life assessment of 2935 patients. European Respiratory Journal, 2017, 49, 1601794.	3.1	194
9	Impact of Safety Alerts on Measures of Disproportionality in Spontaneous Reporting Databases. Drug Safety, 2007, 30, 891-898.	1.4	190
10	Trends in attention-deficit hyperactivity disorder medication use: a retrospective observational study using population-based databases. Lancet Psychiatry,the, 2018, 5, 824-835.	3.7	187
11	Prospective, multicentre, randomized, double-blind study of the efficacy of escitalopram versus citalopram in outpatient treatment of major depressive disorder. International Clinical Psychopharmacology, 2005, 20, 131-137.	0.9	165
12	Data mining on electronic health record databases for signal detection in pharmacovigilance: which events to monitor?. Pharmacoepidemiology and Drug Safety, 2009, 18, 1176-1184.	0.9	162
13	Risk of Motor Vehicle Accidents Related to Sleepiness at the Wheel: A Systematic Review and Meta-Analysis. Sleep, 2017, 40, .	0.6	154
14	Age, performance and sleep deprivation. Journal of Sleep Research, 2004, 13, 105-110.	1.7	153
15	Simultaneous determination of nine tyrosine kinase inhibitors by 96-well solid-phase extraction and ultra performance LC/MS-MS. Clinica Chimica Acta, 2011, 412, 1060-1067.	0.5	151
16	Rates of Spontaneous Reporting of Adverse Drug Reactions in France. JAMA - Journal of the American Medical Association, 2002, 288, 1588-1588.	3.8	150
17	Adverse drug reactions and drug–drug interactions with over-the-counter NSAIDs. Therapeutics and Clinical Risk Management, 2015, 11, 1061.	0.9	147
18	The self-reported Montgomery-Ãsberg depression rating scale is a useful evaluative tool in major depressive disorder. BMC Psychiatry, 2009, 9, 26.	1.1	144

#	Article	IF	CITATIONS
19	Benzodiazepines and Injurious Falls in Community Dwelling Elders. Drugs and Aging, 2008, 25, 61-70.	1.3	141
20	Patterns and correlates of benzodiazepine use in the French general population. European Journal of Clinical Pharmacology, 2004, 60, 523-529.	0.8	138
21	Adverse drug reactions in a department of systemic diseases-oriented internal medicine: prevalence, incidence, direct costs and avoidability. European Journal of Clinical Pharmacology, 2000, 56, 181-186.	0.8	137
22	Pharmacovigilance–ÂThe next chapter. Therapie, 2019, 74, 557-567.	0.6	132
23	Benzodiazepine use in an elderly community-dwelling population. European Journal of Clinical Pharmacology, 2001, 57, 419-425.	0.8	127
24	The PAIN Study: Paracetamol, Aspirin and Ibuprofen New Tolerability Study. Clinical Drug Investigation, 1999, 18, 89-98.	1.1	126
25	Differences between clinical trials and postmarketing use. British Journal of Clinical Pharmacology, 2003, 57, 86-92.	1.1	121
26	Reports of hypoglycaemia associated with the use of ACE inhibitors and other drugs: a case/non-case study in the French pharmacovigilance system database. British Journal of Clinical Pharmacology, 1997, 44, 513-518.	1.1	118
27	Benzodiazepine use and risk of dementiaA nested case–control study. Journal of Clinical Epidemiology, 2002, 55, 314-318.	2.4	117
28	The Benzodiazepine–Dementia Disorders Link: Current State of Knowledge. CNS Drugs, 2016, 30, 1-7.	2.7	112
29	Sleepiness, near-misses and driving accidents among a representative population of French drivers. Journal of Sleep Research, 2010, 19, 578-584.	1.7	109
30	Guidelines for Submitting Adverse Event Reports for Publication. Drug Safety, 2007, 30, 367-373.	1.4	108
31	Cardiovascular and Gastrointestinal Safety of NSAIDs: A Systematic Review of Meta-Analyses of Randomized Clinical Trials. Clinical Pharmacology and Therapeutics, 2011, 89, 855-866.	2.3	105
32	Biases affecting the proportional reporting ratio (PRR) in spontaneous reports pharmacovigilance databases: the example of sertindole. Pharmacoepidemiology and Drug Safety, 2003, 12, 271-281.	0.9	104
33	High-Performance Liquid Chromatographic Method with Diode Array Detection for Identification and Quantification of the Eight New Antidepressants and Five of Their Active Metabolites in Plasma after Overdose. Therapeutic Drug Monitoring, 2003, 25, 581-587.	1.0	104
34	The impact of medicinal drugs on traffic safety: a systematic review of epidemiological studies. Pharmacoepidemiology and Drug Safety, 2009, 18, 647-658.	0.9	102
35	Benzodiazepine-Like Hypnotics and the Associated Risk of Road Traffic Accidents. Clinical Pharmacology and Therapeutics, 2011, 89, 595-601.	2.3	95
36	Fatigue, Sleep Restriction, and Performance in Automobile Drivers: A Controlled Study in a Natural Environment. Sleep, 2003, 26, 277-280.	0.6	94

#	Article	IF	Citations
37	Quantification of Imatinib in Human Plasma by High-Performance Liquid Chromatography-Tandem Mass Spectrometry. Therapeutic Drug Monitoring, 2005, 27, 634-640.	1.0	94
38	Aging and Nocturnal Driving: Better with Coffee or a Nap? A Randomized Study. Sleep, 2007, 30, 1808-1813.	0.6	91
39	Transplantation for Acute Liver Failure in Patients Exposed to NSAIDs or Paracetamol (Acetaminophen). Drug Safety, 2013, 36, 135-144.	1.4	90
40	Comparative effects of ivabradine, a selective heart rate-lowering agent, and propranolol on systemic and cardiac haemodynamics at rest and during exercise. British Journal of Clinical Pharmacology, 2006, 61, 127-137.	1,1	88
41	Using big data from health records from four countries to evaluate chronic disease outcomes: a study in 114 364 survivors of myocardial infarction. European Heart Journal Quality of Care & amp; Clinical Outcomes, 2016, 2, 172-183.	1.8	88
42	Modafinil Improves Real Driving Performance in Patients with Hypersomnia: A Randomized Double-Blind Placebo-Controlled Crossover Clinical Trial. Sleep, 2014, 37, 483-487.	0.6	85
43	High-performance liquid chromatographic method with diode array detection to identify and quantify atypical antipsychotics and haloperidol in plasma after overdose. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 788, 179-185.	1.2	84
44	Insulin glargine and risk of cancer: a cohort study in the French National Healthcare Insurance Database. Diabetologia, 2012, 55, 644-653.	2.9	84
45	Comparison of health insurance claims and patient interviews in assessing drug use: data from the Threeâ€City (3C) Study. Pharmacoepidemiology and Drug Safety, 2009, 18, 310-319.	0.9	83
46	Agreement of expert judgment in causality assessment of adverse drug reactions. European Journal of Clinical Pharmacology, 2005, 61, 169-173.	0.8	82
47	Atypical Antipsychotics. Drug Safety, 2005, 28, 35-51.	1.4	81
48	Cytomegalovirus-Induced $\hat{I}^{3}\hat{I}$ T Cells Associate with Reduced Cancer Risk after Kidney Transplantation. Journal of the American Society of Nephrology: JASN, 2010, 21, 181-188.	3.0	80
49	Liver transplant associated with paracetamol overdose: results from the sevenâ€country SALT study. British Journal of Clinical Pharmacology, 2015, 80, 599-606.	1.1	76
50	Is reporting rate a good predictor of risks associated with drugs?. British Journal of Clinical Pharmacology, 1999, 47, 329-331.	1.1	75
51	Determination of myocardium to plasma concentration ratios of five antipsychotic drugs: comparison with their ability to induce arrhythmia and sudden death in clinical practice. Toxicology and Applied Pharmacology, 2004, 199, 52-60.	1.3	75
52	Guidelines for submitting adverse event reports for publication. Pharmacoepidemiology and Drug Safety, 2007, 16, 581-587.	0.9	73
53	Relationship between imatinib trough concentration and outcomes in the treatment of advanced gastrointestinal stromal tumoursÂin a real-life setting. European Journal of Cancer, 2016, 57, 31-38.	1.3	71
54	Addition of dipeptidyl peptidase-4 inhibitors to sulphonylureas and risk of hypoglycaemia: systematic review and meta-analysis. BMJ, The, 2016, 353, i2231.	3.0	70

#	Article	IF	Citations
55	Prevention of type 2 diabetes induced by high fat diet in the C57BL/6J mouse by two medicinal plants used in traditional treatment of diabetes in the east of Algeria. Journal of Ethnopharmacology, 2010, 128, 513-518.	2.0	69
56	Selfâ€medication misuse in the Middle East: a systematic literature review. Pharmacology Research and Perspectives, 2017, 5, e00323.	1.1	68
57	Sudden cardiac and sudden unexpected death related to antipsychotics: A metaâ€analysis of observational studies. Clinical Pharmacology and Therapeutics, 2016, 99, 306-314.	2.3	67
58	Maintenance of wakefulness test as a predictor of driving performance in patients with untreated obstructive sleep apnea. Sleep, 2007, 30, 327-30.	0.6	67
59	Interâ€expert agreement of seven criteria in causality assessment of adverse drug reactions. British Journal of Clinical Pharmacology, 2007, 64, 482-488.	1.1	66
60	Liver injury with novel oral anticoagulants: assessing postâ€marketing reports in the US Food and Drug Administration adverse event reporting system. British Journal of Clinical Pharmacology, 2015, 80, 285-293.	1.1	66
61	Does Ibuprofen Worsen COVID-19?. Drug Safety, 2020, 43, 611-614.	1.4	66
62	Antipsychotic Use and Myocardial Infarction in Older Patients With Treated Dementia. Archives of Internal Medicine, 2012, 172, 648.	4.3	64
63	Neuroleptics and mortality in schizophrenia: prospective analysis of deaths in a French cohort of schizophrenic patients. Schizophrenia Research, 2002, 57, 147-156.	1.1	63
64	Nutritional, lifestyle and environmental factors in ocular hypertension and primary open-angle glaucoma: an exploratory case-control study. Acta Ophthalmologica, 2013, 91, 505-513.	0.6	63
65	Antihypertensive effects of Ocimum basilicum L. (OBL) on blood pressure in renovascular hypertensive rats. Hypertension Research, 2010, 33, 727-730.	1.5	62
66	Effect of Competition Bias in Safety Signal Generation. Drug Safety, 2012, 35, 855-864.	1.4	60
67	Methods for safety signal detection in healthcare databases: a literature review. Expert Opinion on Drug Safety, 2017, 16, 721-732.	1.0	58
68	Usage patterns of †overâ€theâ€counter† text-align: center; (i>. prescriptionâ€strength nonsteroidal antiâ€inflammatory drugs in <scp>F</scp> rance. British Journal of Clinical Pharmacology, 2014, 77, 887-895.	1.1	56
69	Medical and nonâ€medical direct costs of chronic low back pain in patients consulting primary care physicians in France. Fundamental and Clinical Pharmacology, 2010, 24, 101-108.	1.0	55
70	Contribution of prolonged-release melatonin and anti-benzodiazepine campaigns to the reduction of benzodiazepine and z-drugs consumption in nine European countries. European Journal of Clinical Pharmacology, 2013, 69, 1-10.	0.8	55
71	Effect of Cydonia oblonga Mill. leaf extract on serum lipids and liver function in a rat model of hyperlipidaemia. Journal of Ethnopharmacology, 2014, 151, 970-974.	2.0	54
72	Diclofenac Potassium 12.5mg Tablets for Mild to Moderate Pain and Fever. Clinical Drug Investigation, 2007, 27, 163-195.	1.1	53

#	Article	IF	CITATIONS
73	Preventive and curative effect of Trigonella foenum-graecum L. seeds in C57BL/6J models of type 2 diabetes induced by high-fat diet. Journal of Ethnopharmacology, 2012, 142, 516-522.	2.0	53
74	Therapeutic drug monitoring of imatinib in chronic myeloid leukemia: experience from 1216 patients at a centralized laboratory. Fundamental and Clinical Pharmacology, 2013, 27, 690-697.	1.0	53
75	A review of Algerian medicinal plants used in the treatment of diabetes. Journal of Ethnopharmacology, 2019, 238, 111841.	2.0	53
76	NSAIDs and COVID-19: A Systematic Review and Meta-analysis. Drug Safety, 2021, 44, 929-938.	1.4	53
77	Parkinson's disease incidence and prevalence assessment in <scp>F</scp> rance using the national healthcare insurance database. European Journal of Neurology, 2015, 22, 464-471.	1.7	52
78	Why Are Benzodiazepines Not Yet Controlled Substances?. JAMA Psychiatry, 2015, 72, 110.	6.0	52
79	A new method for assessing drug causation provided agreement with experts' judgment. Journal of Clinical Epidemiology, 2006, 59, 308-314.	2.4	51
80	Dehydroepiandrosterone (DHEA) improves pulmonary hypertension in chronic obstructive pulmonary disease (COPD): A pilot study. Annales D'Endocrinologie, 2012, 73, 20-25.	0.6	51
81	Bioavailability and urinary excretion of isoflavones in humans: Effects of soy-based supplements formulation and equol production. Journal of Pharmaceutical and Biomedical Analysis, 2007, 43, 1488-1494.	1.4	50
82	Choice of <scp>ICD</scp> â€10 codes for the identification of acute coronary syndrome in the French hospitalization database. Fundamental and Clinical Pharmacology, 2015, 29, 586-591.	1.0	50
83	High-Performance Liquid Chromatographic Method for the Simultaneous Determination of the Six HIV-Protease Inhibitors and Two Non-Nucleoside Reverse Transcriptase Inhibitors in Human Plasma. Therapeutic Drug Monitoring, 2002, 24, 417-424.	1.0	49
84	Comparison of Three Methods (Consensual Expert Judgement, Algorithmic and Probabilistic) Tj ETQq0 0 0 rgBT /	Overlock 1.4	10 Jf 50 302
85	Double-blind randomized pilot trial evaluating the efficacy of oral propranolol on infantile haemangiomas in infants <Â4Âmonths of age. British Journal of Dermatology, 2013, 169, 181-183.	1.4	49
86	Aminoglycosides in Septic Shock. Drug Safety, 2013, 36, 217-230.	1.4	49
87	Oral Diosmectite Reduces Stool Output and Diarrhea Duration in Children With Acute Watery Diarrhea. Clinical Gastroenterology and Hepatology, 2009, 7, 456-462.	2.4	48
88	The history of disproportionality measures (reporting odds ratio, proportional reporting rates) in spontaneous reporting of adverse drug reactions. Pharmacoepidemiology and Drug Safety, 2005, 14, 285-286.	0.9	47
89	A potential competition bias in the detection of safety signals from spontaneous reporting databases. Pharmacoepidemiology and Drug Safety, 2010, 19, 1166-1171.	0.9	47
90	Road traffic crashes and prescribed methadone and buprenorphine: A french registry-based case–control study. Drug and Alcohol Dependence, 2012, 123, 91-97.	1.6	47

#	Article	IF	Citations
91	Drug interactions between inhaled corticosteroids and enzymatic inhibitors. European Journal of Clinical Pharmacology, 2009, 65, 743-745.	0.8	46
92	Propensity-Based Study of Aminoglycoside Nephrotoxicity in Patients with Severe Sepsis or Septic Shock. Antimicrobial Agents and Chemotherapy, 2014, 58, 7468-7474.	1.4	46
93	Chloroquine for COVID-19 Infection. Drug Safety, 2020, 43, 393-394.	1.4	46
94	Phytalgic \hat{A}^{\otimes} , a food supplement, vs placebo in patients with osteoarthritis of the knee or hip: a randomised double-blind placebo-controlled clinical trial. Arthritis Research and Therapy, 2009, 11, R192.	1.6	45
95	Effects of Cydonia oblonga Miller leaf and fruit flavonoids on blood lipids and anti-oxydant potential in hyperlipidemia rats. Journal of Ethnopharmacology, 2015, 169, 239-243.	2.0	44
96	Comparative Tolerability of Paracetamol, Aspirin and Ibuprofen for Short-Term Analgesia in Patients with Musculoskeletal Conditions: Results in 4291 Patients. Clinical Rheumatology, 2002, 21, 28-31.	1.0	43
97	Quantification of Tricyclic Antidepressants and Monoamine Oxidase Inhibitors by High-Performance Liquid Chromatography-Tandem Mass Spectrometry in Whole Blood. Journal of Analytical Toxicology, 2007, 31, 200-207.	1.7	43
98	Quantification of Eight New Antidepressants and Five of their Active Metabolites in Whole Blood by High-Performance Liquid Chromatography-Tandem Mass Spectrometry. Journal of Analytical Toxicology, 2007, 31, 334-341.	1.7	43
99	Treatment of high fat diet induced type 2 diabetes in C57BL/6J mice by two medicinal plants used in traditional treatment of diabetes in the east of Algeria. Journal of Ethnopharmacology, 2011, 133, 931-933.	2.0	42
100	Pharmacoepidemiology of non-steroidal anti-inflammatory drugs. Therapie, 2019, 74, 271-277.	0.6	42
101	Risk factors for adverse events in analgesic drug users: results from the PAIN study. Pharmacoepidemiology and Drug Safety, 2003, 12, 601-610.	0.9	41
102	Sleep duration and caffeine consumption in a French middle-aged working population. Sleep Medicine, 2005, 6, 247-251.	0.8	41
103	The risk of cognitive impairment in older community-dwelling women after benzodiazepine use. Age and Ageing, 2008, 38, 226-228.	0.7	41
104	Incidence of direct oral anticoagulant use in patients with nonvalvular atrial fibrillation and characteristics of users in 6 European countries (2008–2015): A crossâ€national drug utilization study. British Journal of Clinical Pharmacology, 2019, 85, 2524-2539.	1.1	41
105	Diagnostic accuracy of the <i>International Classification of Diseases</i> , <i>Tenth Revision</i> , codes of heart failure in an administrative database. Pharmacoepidemiology and Drug Safety, 2019, 28, 194-200.	0.9	41
106	Uighur Traditional Medicine Syndrome of Abnormal Savda in Men is Associated with Oxidative Stress, which can be Improved by Munziq and Mushil of Abnormal Savda. Therapie, 2004, 59, 483-484.	0.6	40
107	Cardiovascular events associated with the long-term use of NSAIDs: a review of randomized controlled trials and observational studies. Expert Opinion on Drug Safety, 2014, 13, 573-585.	1.0	40
108	Neuropathy associated with leflunomide: a case series. Annals of the Rheumatic Diseases, 2005, 64, 649-650.	0.5	39

#	Article	IF	Citations
109	Aqueous extracts of Ocimum basilicum L. (sweet basil) decrease platelet aggregation induced by ADP and thrombin in vitro and rats arterio–venous shunt thrombosis in vivo. Thrombosis Research, 2006, 118, 733-739.	0.8	39
110	Pharmacokinetic Interaction Between High-Dose Methotrexate and Oxacillin. Therapeutic Drug Monitoring, 2002, 24, 570-572.	1.0	38
111	Prevalence of cholinesterase inhibitors in subjects with dementia in Europe. Pharmacoepidemiology and Drug Safety, 2008, 17, 655-660.	0.9	37
112	Use of the recommended drug combination for secondary prevention after a first occurrence of acute coronary syndrome in France. European Journal of Clinical Pharmacology, 2014, 70, 429-436.	0.8	36
113	Considerations for pharmacoepidemiological analyses in the <scp>SARS oV</scp> â€2 pandemic. Pharmacoepidemiology and Drug Safety, 2020, 29, 825-831.	0.9	36
114	Risk of Injurious Road Traffic Crash After Prescription of Antidepressants. Journal of Clinical Psychiatry, 2012, 73, 1088-1094.	1.1	36
115	A Potential Event-Competition Bias in Safety Signal Detection: Results from a Spontaneous Reporting Research Database in France. Drug Safety, 2013, 36, 565-572.	1.4	35
116	Effects of Cydonia oblonga Miller extracts on blood hemostasis, coagulation and fibrinolysis in mice, and experimental thrombosis in rats. Journal of Ethnopharmacology, 2014, 154, 163-169.	2.0	35
117	Coronary Risks Associated with Diclofenac and Other NSAIDs: An Update. Drug Safety, 2020, 43, 301-318.	1.4	35
118	Simplified high-performance liquid chromatographic method for determination of risperidone and 9-hydroxyrisperidone in plasma after overdose. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2002, 772, 373-378.	1.2	34
119	Channelling of COX-2 inhibitors to patients at higher gastrointestinal risk but not at lower cardiovascular risk: the Cox2 inhibitors and tNSAIDs description of users (CADEUS) study. Pharmacoepidemiology and Drug Safety, 2007, 16, 891-900.	0.9	34
120	Inhibition of Cell Growth and Cellular Protein, DNA and RNA Synthesis in Human Hepatoma (HepG2) Cells by Ethanol Extract of Abnormal Savda Munziq of Traditional Uighur Medicine. Evidence-based Complementary and Alternative Medicine, 2011, 2011, 1-9.	0.5	34
121	Usage patterns of paracetamol in France. British Journal of Clinical Pharmacology, 2016, 82, 498-503.	1.1	34
122	Gastrointestinal safety and tolerability of oral non-aspirin over-the-counter analgesics. Postgraduate Medicine, 2018, 130, 188-199.	0.9	34
123	Real-Life Benefits of Statins for Cardiovascular Prevention in Elderly Subjects: A Population-Based Cohort Study. American Journal of Medicine, 2019, 132, 740-748.e7.	0.6	34
124	The link between sunshine and phototoxicity of sparfloxacin. British Journal of Clinical Pharmacology, 2000, 49, 609-612.	1.1	33
125	Gastrointestinal Tolerability of Ibuprofen Compared with Paracetamol and Aspirin at Over-the-Counter Doses. Journal of International Medical Research, 2002, 30, 301-308.	0.4	33
126	Effects of armagnac extracts on human platelet function in vitro and on rat arteriovenous shunt thrombosis in vivo. Thrombosis Research, 2003, 110, 135-140.	0.8	33

#	Article	IF	CITATIONS
127	Cytotoxicity of Abnormal Savda Munziq aqueous extract in human hepatoma (HepG2) cells. Fundamental and Clinical Pharmacology, 2005, 19, 465-472.	1.0	33
128	Higher bioavailability of isoflavones after a single ingestion of a soya-based supplement than a soya-based food in young healthy males. British Journal of Nutrition, 2008, 99, 333-344.	1.2	33
129	Cardiovascular risks associated with low-dose ibuprofen and diclofenac as used OTC. Expert Opinion on Drug Safety, 2014, 13, 167-179.	1.0	33
130	The Role of the Clinical Pharmacologist in the Management of Adverse Drug Reactions. Drug Safety, 2001, 24, 1-7.	1.4	32
131	Acute and sub-chronic (28days) oral toxicity evaluation of hydroethanolic extract of Bridelia ferruginea Benth root bark in male rodent animals. Food and Chemical Toxicology, 2013, 52, 176-179.	1.8	32
132	Effect of Cydonia oblonga Mill. fruit and leaf extracts on blood pressure and blood rheology in renal hypertensive rats. Journal of Ethnopharmacology, 2014, 152, 464-469.	2.0	32
133	Comparison of patient questionnaires, medical records, and plasma assays in assessing exposure to benzodiazepines in elderly subjects. Clinical Pharmacology and Therapeutics, 2001, 69, 445-450.	2.3	31
134	Factors Associated with Serious Adverse Reactions to Cholinesterase Inhibitors. CNS Drugs, 2010, 24, 55-63.	2.7	31
135	Paracetamol and pain: the kiloton problem. European Journal of Hospital Pharmacy, 2016, 23, 187-188.	0.5	31
136	Inclusion of elderly or frail patients in randomized controlled trials of targeted therapies for the treatment of metastatic colorectal cancer: A systematic review. Journal of Geriatric Oncology, 2018, 9, 15-23.	0.5	31
137	The Case-Population Study Design. Drug Safety, 2011, 34, 861-868.	1.4	30
138	Evaluation of the Determinants of Flow â€" Mediated Radial Artery Vasodilatation in Humans. Clinical and Experimental Hypertension, 1997, 19, 813-826.	0.5	29
139	Intravesical glucidic capsaicin versus glucidic solvent in neurogenic detrusor overactivity: A double blind controlled randomized study. Neurourology and Urodynamics, 2006, 25, 752-757.	0.8	29
140	Life-threatening adverse drug reactions at admission to medical intensive care: aÂprospective study in aÂteaching hospital. Intensive Care Medicine, 2007, 33, 2150-2157.	3.9	29
141	Protective effects of Munziq and Mushil of Abnormal Savda to mitochondrial oxidative damage. Fundamental and Clinical Pharmacology, 2004, 18, 471-476.	1.0	28
142	Factors associated with persistence of cholinesterase inhibitor treatments in the elderly. Pharmacoepidemiology and Drug Safety, 2010, 19, 680-686.	0.9	28
143	Maintenance of Wakefulness Test as a Predictor of Driving Performance in Patients With Untreated Obstructive Sleep Apnea. Sleep, 2007, , .	0.6	27
144	Guidelines for Submitting Adverse Event Reports for Publication. Therapie, 2009, 64, 289-294.	0.6	27

#	Article	IF	CITATIONS
145	Outcomes in patients after myocardial infarction similar to those of the PEGASUSâ€TIMI 54 trial: A cohort study in the French national claims database. British Journal of Clinical Pharmacology, 2017, 83, 2056-2065.	1.1	27
146	Anti-Inflammatory, Immunomodulatory, and Heme Oxygenase-1 Inhibitory Activities of Ravan Napas, a Formulation of Uighur Traditional Medicine, in a Rat Model of Allergic Asthma. Evidence-based Complementary and Alternative Medicine, 2011, 2011, 1-13.	0.5	26
147	Long-term chronic diseases and crash responsibility: A record linkage study. Accident Analysis and Prevention, 2014, 71, 137-143.	3.0	26
148	Hematological toxicity of ticlopidine. American Journal of Hematology, 1994, 47, 149-150.	2.0	25
149	Cost-effectiveness of escitalopram vs. citalopram in major depressive disorder. International Clinical Psychopharmacology, 2007, 22, 107-115.	0.9	25
150	A signal of increased risk of hypoglycaemia with angiotensin receptor blockers caused by confounding. British Journal of Clinical Pharmacology, 2008, 66, 142-145.	1.1	25
151	Effect of Date of Drug Marketing on Disproportionality Measures in Pharmacovigilance. Drug Safety, 2009, 32, 441-447.	1.4	25
152	Lifeâ€threatening drugâ€associated hyperkalemia: a retrospective study from laboratory signals. Pharmacoepidemiology and Drug Safety, 2011, 20, 747-753.	0.9	25
153	Choice of the denominator in case population studies: event rates for registration for liver transplantation after exposure to NSAIDs in the SALT study in France. Pharmacoepidemiology and Drug Safety, 2013, 22, 160-167.	0.9	25
154	Oral Propranolol for Infantile Hemangioma. New England Journal of Medicine, 2015, 373, 284-285.	13.9	25
155	Lessons from the fatal French study BIA-10-2474. BMJ, The, 2016, 353, i2727.	3.0	25
156	A Method for the Minimization of Competition Bias in Signal Detection from Spontaneous Reporting Databases. Drug Safety, 2016, 39, 251-260.	1.4	25
157	Influence of ethnic origin (Asian v. Caucasian) and background diet on the bioavailability of dietary isoflavones. British Journal of Nutrition, 2009, 102, 1642.	1.2	24
158	Hospitalizations for gastrointestinal and cardiovascular events in the CADEUS cohort of traditional or Coxib NSAID users. British Journal of Clinical Pharmacology, 2010, 69, 295-302.	1.1	24
159	Effect of Cydonia oblonga Mill. leaf extracts or captopril on blood pressure and related biomarkers in renal hypertensive rats. Journal of Ethnopharmacology, 2014, 153, 635-640.	2.0	24
160	Life-threatening pseudophaeochromocytoma after toloxatone, terbutaline, and phenylephrine. Lancet, The, 1993, 341, 555-556.	6.3	23
161	Patterns of risperidone prescription: a utilization study in south-west France. Acta Psychiatrica Scandinavica, 2004, 109, 202-206.	2.2	23
162	Prescription channeling of COX-2 inhibitors and traditional nonselective nonsteroidal anti-inflammatory drugs: a population-based case-control study. Arthritis Research, 2005, 7, R333.	2.0	23

#	Article	IF	CITATIONS
163	The European sertindole safety and exposure survey: a follow-up study of 8600 patients. Pharmacoepidemiology and Drug Safety, 2007, 16, 804-811.	0.9	23
164	Effect of Ocimum basilicum L. on cyclo-oxygenase isoforms and prostaglandins involved in thrombosis. Journal of Ethnopharmacology, 2014, 152, 151-155.	2.0	23
165	A population database study of outcomes associated with vitamin K antagonists in atrial fibrillation before DOAC. British Journal of Clinical Pharmacology, 2016, 81, 569-578.	1.1	23
166	Effectiveness and Safety of Rivaroxaban 15 or 20 mg Versus Vitamin K Antagonists in Nonvalvular Atrial Fibrillation. Stroke, 2019, 50, 2469-2476.	1.0	23
167	Overall and progression-free survival with cabazitaxel in metastatic castration-resistant prostate cancer in routine clinical practice: the FUJI cohort. British Journal of Cancer, 2019, 121, 1001-1008.	2.9	23
168	Interactions between aspirin and COX-2 inhibitors or NSAIDs in a rat thrombosis model. Fundamental and Clinical Pharmacology, 2004, 18, 559-563.	1.0	22
169	Concordance between prescriber―and patient―eported previous medical history and NSAID indication in the CADEUS cohort. Pharmacoepidemiology and Drug Safety, 2010, 19, 474-481.	0.9	22
170	Improving pharmacovigilance in Europe. BMJ: British Medical Journal, 2010, 340, c1694-c1694.	2.4	22
171	Effect of Centaurium erythraea Rafn, Artemisia herba-alba Asso and Trigonella foenum-graecum L. on liver fat accumulation in C57BL/6J mice with high-fat diet-induced type 2 diabetes. Journal of Ethnopharmacology, 2015, 171, 4-11.	2.0	22
172	Effect of age of Armagnac extract and duration of treatment on antithrombotic effects in a rat thrombosis model. Thrombosis Research, 2003, 111, 185-189.	0.8	21
173	Botulinum toxin treatment in neurological practice: how much does it really cost? A prospective cost-effectiveness study. Journal of Neurology, 2011, 258, 1670-1675.	1.8	21
174	Bioavailability of glycitein relatively to other soy isoflavones in healthy young Caucasian men. Food Chemistry, 2012, 135, 1104-1111.	4.2	21
175	Immunomodulatory and antitumour effects of abnormal Savda Munziq on S180 tumour-bearing mice. BMC Complementary and Alternative Medicine, 2012, 12, 157.	3.7	21
176	Survival outcomes of bevacizumab in first-line metastatic colorectal cancer in a real-life setting: results of the ETNA cohort. Targeted Oncology, 2014, 9, 311-319.	1.7	21
177	Road traffic crash risk associated with benzodiazepine and zâ€hypnotic use after implementation of a colourâ€graded pictogram: a responsibility study. British Journal of Clinical Pharmacology, 2016, 82, 1625-1635.	1.1	21
178	Cough and ACE inhibitors. Lancet, The, 1993, 341, 61.	6.3	20
179	A large simple clinical trial prototype for assessment of OTC drug effects using patient-reported data. Pharmacoepidemiology and Drug Safety, 2005, 14, 249-255.	0.9	20
180	Drug–drug interactions with systemic antifungals in clinical practice. Pharmacoepidemiology and Drug Safety, 2007, 16, 1227-1233.	0.9	20

#	Article	IF	Citations
181	The CADEUS study: burden of nonsteroidal antiâ€inflammatory drug (NSAID) utilization for musculoskeletal disorders in blue collar workers. British Journal of Clinical Pharmacology, 2009, 67, 118-124.	1.1	20
182	Antispasmodic and antioxidant activities of fractions and bioactive constituent davidigenin isolated from Mascarenhasia arborescens. Journal of Ethnopharmacology, 2010, 130, 320-328.	2.0	20
183	Abnormal Savda Munziq, an Herbal Preparation of Traditional Uighur Medicine, May Prevent 1,2-dimethylhydrazine-Induced Rat Colon Carcinogenesis. Evidence-based Complementary and Alternative Medicine, 2011, 2011, 1-6.	0.5	20
184	Identification of abuse and dependence cases through a hospital database. Pharmacoepidemiology and Drug Safety, 2012, 21, 1344-1349.	0.9	20
185	Persistence to 5-year hormonal breast cancer therapy: a French national population-based study. British Journal of Cancer, 2016, 115, 912-919.	2.9	20
186	Impact of a public media event on the use of statins in the French population. Archives of Cardiovascular Diseases, 2017, 110, 91-98.	0.7	20
187	Surveillance of adverse effects during a vaccination campaign against meningitis C. European Journal of Clinical Pharmacology, 2005, 61, 907-911.	0.8	19
188	An easy to use method to approximate Poisson confidence limits. European Journal of Epidemiology, 2005, 20, 213-216.	2.5	19
189	The CADEUS study: methods and logistics. Pharmacoepidemiology and Drug Safety, 2007, 16, 571-580.	0.9	19
190	Suicide attempts in a prospective cohort of patients with schizophrenia treated with sertindole or risperidone. European Neuropsychopharmacology, 2010, 20, 829-838.	0.3	19
191	Effectiveness and safety of 110 or 150Âmg dabigatran vs . vitamin K antagonists in nonvalvular atrial fibrillation. British Journal of Clinical Pharmacology, 2019, 85, 432-441.	1.1	19
192	Influence of rifampin on the pharmacokinetics of pefloxacin. Clinical Pharmacology and Therapeutics, 1991, 50, 682-687.	2.3	18
193	Effects of armagnac or vodka on platelet aggregation in healthy volunteers: a randomized controlled clinical trial. Thrombosis Research, 2005, 115, 31-37.	0.8	18
194	Impact of Prescriber Nonresponse on Patient Representativeness. Epidemiology, 2008, 19, 186-190.	1.2	18
195	A diagnostic approach that may help to discriminate inherited thrombocytopenia from chronic immune thrombocytopenia in adult patients. Platelets, 2016, 27, 555-562.	1.1	18
196	Comparative effectiveness of recommended versus less intensive drug combinations in secondary prevention of acute coronary syndrome. Pharmacoepidemiology and Drug Safety, 2017, 26, 285-293.	0.9	18
197	Realâ€life patterns of use, safety and effectiveness of sunitinib in firstâ€line therapy of metastatic renal cell carcinoma: the SANTORIN cohort study. Pharmacoepidemiology and Drug Safety, 2017, 26, 1561-1569.	0.9	18
198	Risk of hospital admission for liver injury in users of NSAIDs and nonoverdose paracetamol: Preliminary results from the EPIHAM study. Pharmacoepidemiology and Drug Safety, 2018, 27, 1174-1181.	0.9	18

#	Article	IF	CITATIONS
199	Comparative Effectiveness and Safety of Standard or Reduced Dose Dabigatran vs. Rivaroxaban in Nonvalvular Atrial Fibrillation. Clinical Pharmacology and Therapeutics, 2019, 105, 1439-1455.	2.3	18
200	Indirect drug-related costs. Lancet, The, 1995, 345, 588-589.	6.3	17
201	The safety of drugs for OTC use: what evidence is required for an NSAID switch?. Pharmacoepidemiology and Drug Safety, 2002, 11, 577-584.	0.9	17
202	In Vivo and in Vitro Myocardial Binding of Risperidone and 9-Hydroxyrisperidone. Toxicology and Applied Pharmacology, 2002, 180, 145-149.	1.3	17
203	NSAID Use Profiles Derived from Reimbursement Data in France. Therapie, 2004, 59, 541-546.	0.6	17
204	Simplified ultraviolet liquid chromatographic method for determination of sertindole, dehydrosertindole and norsertindole, in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 814, 61-67.	1.2	17
205	A Method to Measure Deferasirox in Plasma Using HPLC Coupled With MS/MS Detection and its Potential Application. Therapeutic Drug Monitoring, 2010, 32, 476-481.	1.0	17
206	Relevance of a "Dear Doctor letter―to alert healthcare providers to new recommendations for vitamin D administration. European Journal of Clinical Pharmacology, 2011, 67, 681-686.	0.8	17
207	Ethanol Extract of Abnormal Savda Munziq, a Herbal Preparation of Traditional Uighur Medicine, Inhibits Caco-2 Cells Proliferation via Cell Cycle Arrest and Apoptosis. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-6.	0.5	17
208	Use of health insurance claim patterns to identify patients using nonsteroidal antiâ€inflammatory drugs for rheumatoid arthritis. Pharmacoepidemiology and Drug Safety, 2012, 21, 573-583.	0.9	17
209	Baseline results from the European non-interventional Antipsychotic Long acTing injection in schizOphrenia (ALTO) study. European Psychiatry, 2018, 52, 85-94.	0.1	17
210	Safety and usage pattern of low-dose diclofenac when used as an over-the-counter medication: results of an observational cohort study in a community-based pharmacy setting. International Journal of Clinical Pharmacology and Therapeutics, 2004, 42, 415-422.	0.3	17
211	Benzodiazepine use and wine consumption in the French elderly. British Journal of Clinical Pharmacology, 2001, 52, 455-456.	1.1	16
212	Place of OTC analgesics and NSAIDs in osteoarthritis. Inflammopharmacology, 2003, 11, 355-362.	1.9	16
213	Fully Automated Analytical Method for Mycophenolic Acid Quantification in Human Plasma Using On-line Solid Phase Extraction and High Performance Liquid Chromatography With Diode Array Detection. Therapeutic Drug Monitoring, 2006, 28, 505-511.	1.0	16
214	Are Generic Drugs Really Inferior Medicines?. Clinical Pharmacology and Therapeutics, 2010, 88, 302-304.	2.3	15
215	A review of the pharmacokinetic profile of transmucosal fentanyl formulations. Current Medical Research and Opinion, 2012, 28, 1781-1790.	0.9	15
216	Prescription of Antiepileptics and the Risk of Road Traffic Crash. Journal of Clinical Pharmacology, 2013, 53, 339-344.	1.0	15

#	Article	IF	CITATIONS
217	Scoring of medical publications with SIGAPS software: Application to orthopedics. Orthopaedics and Traumatology: Surgery and Research, 2014, 100, 821-825.	0.9	15
218	A multinational, drug utilization study to investigate the use of dexmedetomidine (Dexdor \hat{A}^{\otimes}) in clinical practice in the EU. British Journal of Clinical Pharmacology, 2017, 83, 2066-2076.	1.1	15
219	Pharmacological treatments of cardiovascular diseases: Evidence from real-life studies. Pharmacological Research, 2017, 118, 43-52.	3.1	15
220	Effectiveness of Cetuximab as First-Line Therapy for Patients With Wild-Type KRAS and Unresectable Metastatic Colorectal Cancer in Real-Life Practice: Results of the EREBUS Cohort. Clinical Colorectal Cancer, 2018, 17, 129-139.	1.0	15
221	Hemodynamic, behavioral and biochemical disturbances induced by an experimental cranio-cervical injury (whiplash) in rats. Journal of the Autonomic Nervous System, 1985, 13, 137-147.	1.9	14
222	Benzodiazepine use in patients hospitalized in a department of internal medicine: frequency and clinical correlates. Pharmacoepidemiology and Drug Safety, 2001, 10, 531-535.	0.9	14
223	Benzodiazepine utilization patterns in Alzheimer's disease patients. Pharmacoepidemiology and Drug Safety, 2003, 12, 511-515.	0.9	14
224	Comparison of Patient Questionnaires and Plasma Assays in Intentional Drug Overdoses. Basic and Clinical Pharmacology and Toxicology, 2004, 95, 31-37.	1.2	14
225	Methodology for a multinational case–population study on liver toxicity risks with NSAIDs: the Study of Acute Liver Transplant (SALT). European Journal of Clinical Pharmacology, 2013, 69, 605-616.	0.8	14
226	The past, present and perhaps future of pharmacovigilance: homage to Folke Sjoqvist. European Journal of Clinical Pharmacology, 2013, 69, 33-41.	0.8	14
227	Pilot evaluation of an automated method to decrease falseâ€positive signals induced by coâ€prescriptions in spontaneous reporting databases. Pharmacoepidemiology and Drug Safety, 2014, 23, 186-194.	0.9	14
228	Traditional Uighur Medicine Karapxa decoction, inhibits liver xanthine oxidase and reduces serum uric acid concentrations in hyperuricemic mice and scavenges free radicals in vitro. BMC Complementary and Alternative Medicine, 2015, 15, 131.	3.7	14
229	Effect of traditional Uyghur medicine abnormal Savda Munziq extract on rabbit platelet aggregation in vitro and rat arteriovenous shunt thrombosis in vivo. Journal of Ethnopharmacology, 2015, 159, 184-188.	2.0	14
230	Effectiveness and safety of first-line bevacizumab plus FOLFIRI in elderly patients with metastatic colorectal cancer: Results of the ETNA observational cohort. Journal of Geriatric Oncology, 2016, 7, 187-194.	0.5	14
231	News from Tartary: an ethnopharmacological approach to drug and therapeutic discovery. British Journal of Clinical Pharmacology, 2017, 83, 33-37.	1.1	14
232	Epidemiology of metastatic castration-resistant prostate cancer: A first estimate of incidence and prevalence using the French nationwide healthcare database. Cancer Epidemiology, 2020, 69, 101833.	0.8	14
233	Plasma 5-fluorouracil and ?-fluoro-?-alanin accumulation in lung cancer patients treated with continuous infusion of cisplatin and 5-fluorouracil. Cancer Chemotherapy and Pharmacology, 1994, 35, 64-70.	1.1	13
234	Secondary prevention of acute coronary events with antiplatelet agents (SPACE-AA): One-year real-world effectiveness and safety cohort study in the French nationwide claims database. Atherosclerosis, 2019, 281, 98-106.	0.4	13

#	Article	IF	CITATIONS
235	Effect of water on arteries. Lancet, The, 1999, 354, 516.	6.3	12
236	Nocturnal sustained attention during sleep deprivation can be predicted by specific periods of subjective daytime alertness in normal young humans. Journal of Sleep Research, 2006, 15, 41-45.	1.7	12
237	Estimating the Yearly Number of Eyes with Treatable Neovascular Age-Related Macular Degeneration Using a Direct Standardization Method and a Markov Model. , 2006, 47, 4270.		12
238	Effect of Armagnac fractions on human platelet aggregation in vitro and on rat arteriovenous shunt thrombosis in vivo probably not related only to polyphenols. Thrombosis Research, 2007, 119, 407-413.	0.8	12
239	Cardiovascular outcomes among sildenafil users: results of the International Men's Health Study. International Journal of Clinical Practice, 2008, 62, 367-373.	0.8	12
240	Effectiveness of antibiotics for acute sinusitis in realâ€life medical practice. British Journal of Clinical Pharmacology, 2010, 70, 418-428.	1.1	12
241	The impact of the Uighur medicine abnormal savda munziq on antitumor and antioxidant activity in a S180 and Ehrlich ascites carcinoma mouse tumor model. Pharmacognosy Magazine, 2012, 8, 141.	0.3	12
242	Validity of chronic drug exposure presumed from repeated patient interviews varied according to drug class. Journal of Clinical Epidemiology, 2012, 65, 1061-1068.	2.4	12
243	Pharmacological prioritisation of signals of disproportionate reporting: proposal of an algorithm and pilot evaluation. European Journal of Clinical Pharmacology, 2014, 70, 617-625.	0.8	12
244	Reduced dose of rivaroxaban and dabigatran vs. vitamin K antagonists in very elderly patients with atrial fibrillation in a nationwide cohort study. Europace, 2020, 22, 205-215.	0.7	12
245	Bismuth Concentrations in Patients Treated in Real-Life Practice with a Bismuth Subcitrate-Metronidazole-Tetracycline Preparation: The SAPHARY Study. Drug Safety, 2019, 42, 993-1003.	1.4	12
246	Previous Drug Exposure in Patients Hospitalised for Acute Liver Injury: A Case-Population Study in the French National Healthcare Data System. Drug Safety, 2019, 42, 559-572.	1.4	12
247	Misoprostol-associated fever in cirrhotic patient. Lancet, The, 1992, 340, 304.	6. 3	11
248	Less Use of NSAIDs in Long-Term than in Recent Chondroitin Sulphate Users in Osteoarthritis: a Pharmacy-based Observational Study in France. Therapie, 2006, 61, 341-346.	0.6	11
249	Cutaneous Adverse Effects of Ketoprofen for Topical Use. American Journal of Clinical Dermatology, 2010, 11, 131-136.	3.3	11
250	Factors Associated With Serious Traffic Crashes: A Prospective Study in Southwest France. Archives of Internal Medicine, 2012, 172, 1039-41.	4.3	11
251	Administrative complexities for a European observational study despite directives harmonising requirements. Pharmacoepidemiology and Drug Safety, 2012, 21, 851-856.	0.9	11
252	Comparative effectiveness of direct oral anticoagulants versus low-molecular weight heparins for the prevention of venous thromboembolism after total hip or knee replacement: A nationwide database cohort study. Pharmacological Research, 2019, 141, 201-207.	3.1	11

#	Article	IF	Citations
253	Antidepressants: general practitioners' opinions and clinical practice. Acta Psychiatrica Scandinavica, 2006, 113, 460-467.	2.2	10
254	Postmortem Redistribution of Two Antipsychotic Drugs, Haloperidol and Thioridazine, in the Rat. Journal of Analytical Toxicology, 2006, 30, 419-425.	1.7	10
255	Patterns and frequency of atypical antipsychotic prescribing in psychiatric medical centers: a cross-sectional national survey. Fundamental and Clinical Pharmacology, 2007, 21, 371-378.	1.0	10
256	Quantification methods of folpet degradation products in plasma with HPLC-UV/DAD: Application to an in vivo toxicokinetic study in rats. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 865, 106-113.	1.2	10
257	Observation of the Long-term Effects of Lifestyle Intervention during Balneotherapy in Metabolic Syndrome. Therapie, 2013, 68, 163-167.	0.6	10
258	Does paracetamol still have a future in osteoarthritis?. Lancet, The, 2016, 387, 2065-2066.	6.3	10
259	Coronary Events After Dispensing of Ibuprofen: A Propensity Score-Matched Cohort Study Versus Paracetamol in the French Nationwide Claims Database Sample. Drug Safety, 2018, 41, 1049-1058.	1.4	10
260	Pharmacoepidemiology. Handbook of Experimental Pharmacology, 2019, 260, 433-451.	0.9	10
261	Quality of Life and Pain During Treatment of Metastatic Castration-resistant Prostate Cancer With Cabazitaxel In Routine Clinical Practice. Clinical Genitourinary Cancer, 2020, 18, e510-e516.	0.9	10
262	The role of pharmacoepidemiology in pharmacovigilance: a conference at the 6th ESOP Meeting, Budapest, 28 September 1998. Pharmacoepidemiology and Drug Safety, 1999, 8, S1-S7.	0.9	10
263	Reporting adverse drug reactions by proprietary name. Lancet, The, 1991, 338, 393.	6.3	9
264	Identification and Quantitation by High-Performance Liquid Chromatography of Mancozeb Following Derivatization by 1,2-Benzenedithiol*. Journal of Analytical Toxicology, 2004, 28, 41-45.	1.7	9
265	Use of psychotropic drugs in 0 to 5 years old children in Aquitaine (France): prevalence and associated factors. Pharmacoepidemiology and Drug Safety, 2006, 15, 504-509.	0.9	9
266	Case Series in Drug Safety. Drug Safety, 2010, 33, 1081-1088.	1.4	9
267	Fluindione and drug reaction with eosinophilia and systemic symptoms: an unrecognised adverse effect?. European Journal of Clinical Pharmacology, 2012, 68, 101-105.	0.8	9
268	Causality of Drugs Involved in Acute Liver Failure Leading to Transplantation: Results from the Study of Acute Liver Transplant (SALT). Drug Safety, 2013, 36, 757-764.	1.4	9
269	Real-life patterns of use and effectiveness of bortezomib: the VESUVE cohort study. Leukemia and Lymphoma, 2014, 55, 848-854.	0.6	9
270	Assessing drug safety. BMJ: British Medical Journal, 2005, 330, 539.3-540.	2.4	9

#	Article	IF	Citations
271	Worsening of psychotic symptoms by clozapine in Parkinson's disease. Lancet, The, 1994, 344, 955.	6.3	8
272	Fluvastatin Reduces Cardiac Mortality in Patients with Coronary Heart Disease. Cardiovascular Drugs and Therapy, 2004, 18, 67-75.	1.3	8
273	When Patients Report Diseases That Prescribers Seem Unaware of: Discordance Between Patient and Physician Reporting of Risk-Related Previous History in NSAID Users From the CADEUS Study. Clinical Pharmacology and Therapeutics, 2010, 88, 668-675.	2.3	8
274	Is paracetamol hepatotoxic at normal doses?. BMJ, The, 2013, 346, f1519-f1519.	3.0	8
275	Effect of Bridelia ferruginea Benth (Euphorbiaceae) ethyl acetate and acetone fractions on insulin resistance in fructose drinking mice. Journal of Ethnopharmacology, 2014, 153, 896-899.	2.0	8
276	Intra-database validation of case-identifying algorithms using reconstituted electronic health records from healthcare claims data. BMC Medical Research Methodology, 2021, 21, 95.	1.4	8
277	Endothelins. Drugs and Aging, 1994, 4, 221-237.	1.3	7
278	Large Scale Safety Study of Ketoprofen 25 mg (Toprec $\hat{A}^{@}$) in Febrile and Painful Conditions. Pharmacoepidemiology and Drug Safety, 1996, 5, 295-302.	0.9	7
279	PAIN 4406Comment on Tramer et al Pain, 2001, 91, 401-402.	2.0	7
280	Integrity of Scientific Data: Transparency of Clinical Trial Data. Therapie, 2007, 62, 211-216.	0.6	7
281	Engagement in leisure activities and benzodiazepine use in a French communityâ€dwelling elderly population. International Journal of Geriatric Psychiatry, 2012, 27, 716-721.	1.3	7
282	"Big data―and "open data― What kind of access should researchers enjoy?. Therapie, 2016, 71, 107-11	40.6	7
283	Comparative Real-Life Effectiveness and Safety of Dabigatran or Rivaroxaban vs. Vitamin K Antagonists: A High-Dimensional Propensity Score Matched New Users Cohort Study in the French National Healthcare Data System SNDS. American Journal of Cardiovascular Drugs, 2020, 20, 81-103.	1.0	7
284	Treatment resistant depression incidence and prevalence using the French nationwide claims database. Pharmacoepidemiology and Drug Safety, 2021, 30, 169-177.	0.9	7
285	A low molecular weight heparin decreases plasma aldosterone in patients with primary hyperaldosteronism. European Journal of Clinical Pharmacology, 1992, 43, 185-187.	0.8	6
286	Randomised double masked trial comparing the efficacy and tolerance of 0.05% mequitazine eye drops versus 0.05% levocabastine and placebo in allergic conjunctivitis induced by a conjunctival provocation test with Dermatophagoides pteronyssinus. British Journal of Ophthalmology, 2004, 88, 336-340.	2.1	6
287	No Obvious Extra Cardiovascular Risk Associated With Low-Dose NSAIDs. Clinical Pharmacology and Therapeutics, 2009, 86, 600-601.	2.3	6
288	The EULEV cohort study: rates of and factors associated with continuation of levetiracetam after 1 year. British Journal of Clinical Pharmacology, 2011, 71, 121-127.	1.1	6

#	Article	IF	Citations
289	Are traditional NSAIDs prescribed appropriately among French elderly with osteoarthritis? Results from the CADEUS cohort. European Journal of Clinical Pharmacology, 2011, 67, 833-838.	0.8	6
290	Impact of therapy escalation on ambulatory care costs among patients with type 2 diabetes in France. BMC Endocrine Disorders, 2013, 13, 15.	0.9	6
291	Relative Risks from Case-Population Data. Epidemiology, 2013, 24, 935-936.	1.2	6
292	Burnout: Evaluation of the efficacy and tolerability of TARGET $1\hat{A}^{\odot}$ for professional fatigue syndrome (burnout). Journal of International Medical Research, 2015, 43, 54-66.	0.4	6
293	Requests for post-registration studies (PRS), patients follow-up in actual practice: Changes in the role of databases. Therapie, 2018, 73, 13-24.	0.6	6
294	Medications Recommended for Secondary Prevention After First Acute Coronary Syndrome: Effectiveness of Treatment Combinations in a Realâ€Life Setting. Clinical Pharmacology and Therapeutics, 2018, 103, 1038-1046.	2.3	6
295	An observational cohort study of the use of five-grass-pollen extract sublingual immunotherapy during the 2015 pollen season in France. Allergy, Asthma and Clinical Immunology, 2018, 14, 38.	0.9	6
296	Empirical assessment of caseâ€based methods for drug safety alert identification in the French National Healthcare System database (SNDS): Methodology of the ALCAPONE project. Pharmacoepidemiology and Drug Safety, 2020, 29, 993-1000.	0.9	6
297	Effectiveness of firstâ€line cetuximab in wildâ€type <i>RAS</i> metastatic colorectal cancer according to tumour <i>BRAF</i> mutation status from the EREBUS cohort. British Journal of Clinical Pharmacology, 2021, 87, 1120-1128.	1.1	6
298	Patients with stable coronary artery disease and type 2 diabetes but without prior myocardial infarction or stroke and THEMIS-like patients: real-world prevalence and risk of major outcomes from the SNDS French nationwide claims database. Cardiovascular Diabetology, 2021, 20, 229.	2.7	6
299	Possible association of erythema multiforme with acamprosate. Lancet, The, 1992, 339, 991.	6.3	5
300	European commission consultation on pharmacovigilance. Pharmacoepidemiology and Drug Safety, 2008, 17, 108-109.	0.9	5
301	How to Improve the Clinical Development Paradigm and its Division into Phases I, II and III. Therapie, 2011, 66, 331-334.	0.6	5
302	Pharmacoepidemiology Studies: what Levels of Evidence and how can They be Reached?. Therapie, 2013, 68, 247-252.	0.6	5
303	Fibrates and Risk of Cancer in Tissues with High PPAR-α Concentration: A Nested Case–Control Study. Drug Safety, 2014, 37, 361-368.	1.4	5
304	New oral anticoagulants (NOAC) and liver injury. Journal of Hepatology, 2014, 61, 198-199.	1.8	5
305	Six-year survival study after myocardial infarction: The EOLE prospective cohort study. Long-term survival after MI. Therapie, 2019, 74, 459-468.	0.6	5
306	Pharmacoepidemiology of statins. Therapie, 2019, 74, 261-269.	0.6	5

#	Article	IF	Citations
307	Empirical assessment of caseâ€based methods for identification of drugs associated with upper gastrointestinal bleeding in the French National Healthcare System database (<scp>SNDS</scp>). Pharmacoepidemiology and Drug Safety, 2020, 29, 890-903.	0.9	5
308	The safety of agomelatine in standard medical practice in depressed patients: A 26â€week international multicentre cohort study. Human Psychopharmacology, 2021, 36, 1-11.	0.7	5
309	Use of intravenous iron and risk of anaphylaxis: A multinational observational postâ€authorisation safety study in Europe. Pharmacoepidemiology and Drug Safety, 2021, 30, 1447-1457.	0.9	5
310	Real-life patterns of use and effectiveness of sunitinib in patients with metastatic renal cell carcinoma: The SANTORIN study Journal of Clinical Oncology, 2013, 31, 400-400.	0.8	5
311	Ibuprofen: a journey from prescription to over-the-counter use. Journal of the Royal Society of Medicine, 2007, 100 Suppl 48, 2-6.	1.1	5
312	A simple method to estimate sample sizes for safety equivalence studies using inverse sampling. Journal of Clinical Epidemiology, 2003, 56, 433-435.	2.4	4
313	Potential impact of oral contraceptive choice on myocardial infarction mortality and deep vein thrombosis. Journal of Family Planning and Reproductive Health Care, 2005, 31, 37-39.	0.9	4
314	Chemotherapy and targeted agents for colorectal cancer in a realâ€life setting anticipate guidelines: the COLCHIC cohort study. Fundamental and Clinical Pharmacology, 2013, 27, 113-119.	1.0	4
315	Continuation rates of levetiracetam in children from the EULEVp cohort study. European Journal of Paediatric Neurology, 2014, 18, 19-24.	0.7	4
316	Patterns and effectiveness of bortezomib use according to age in the VESUVE cohort. Leukemia and Lymphoma, 2016, 57, 1349-1354.	0.6	4
317	Constituents and antioxidant activity of bleeding sap from various Xinjiang grapes. Pharmacognosy Magazine, 2017, 13, 726.	0.3	4
318	Do Triclosan Sutures Modify the Microbial Diversity of Surgical Site Infections? A Systematic Review and Meta-Analysis. Microorganisms, 2022, 10, 927.	1.6	4
319	Spontaneous Reporting—France. , 0, , 209-217.		3
320	The delusion of reducing sample size. European Journal of Clinical Pharmacology, 2003, 59, 711-712.	0.8	3
321	Response to Dr Patrick Waller's comment. Pharmacoepidemiology and Drug Safety, 2003, 12, 289-290.	0.9	3
322	The chronic oral administration of arginine aspartate decreases secretion of IGFâ€1 and IGFBPâ€3 in healthy volunteers. Fundamental and Clinical Pharmacology, 2009, 23, 339-344.	1.0	3
323	Secondary Metastases Resection After Bevacizumab Plus Irinotecan-Based Chemotherapy in First-Line Therapy of Metastatic Colorectal Cancer in a Real-Life Setting: Results of the ETNA Cohort. Targeted Oncology, 2016, 11, 83-92.	1.7	3
324	Empirical assessment of caseâ€based methods for identification of drugs associated with acute liver injury in the French National Healthcare System database (<scp>SNDS</scp>). Pharmacoepidemiology and Drug Safety, 2021, 30, 320-333.	0.9	3

#	Article	IF	Citations
325	Transparency and trust: Clear definition of ghost writing would be helpful. BMJ: British Medical Journal, 2004, 329, 1345.3-1346.	2.4	3
326	Total Phenolic Content, Antioxidant Activity and in vitro Inhibitory Potential against Key Enzymes Relevant for Hyperglycemia of Bridelia ferruginea Extracts. Research Journal of Phytochemistry, 2012, 6, 120-126.	0.1	3
327	Lack of effect of magnesium-aluminium hydroxide on the absorption of theophylline given as a pH-dependent sustained release preparation. European Journal of Clinical Pharmacology, 1993, 44, 85-88.	0.8	2
328	Solving Mr Peterson's doubts. Pharmacoepidemiology and Drug Safety, 2004, 13, 255-256.	0.9	2
329	The effect of abnormal Savda Munziq total flavonoids on the proliferation, apoptosis and correlative gene expression in human hepatoma (HepG2) cells. Toxicology Letters, 2006, 164, S250.	0.4	2
330	Cardiotoxicité desÂantihistaminiques deÂdeuxième génération. Revue Francaise D'allergologie Et D'immunologie Clinique, 2006, 46, 392-401.	0.1	2
331	Myocardium distribution of sertindole and its metabolite dehydrosertindole in guinea-pigs. Biopharmaceutics and Drug Disposition, 2006, 27, 171-179.	1.1	2
332	Paper OK, title wrong. BMJ: British Medical Journal, 2011, 342, d2732-d2732.	2.4	2
333	Exploring the potential prognostic effect of various countryâ€specific health service data on allâ€cause mortality using data from a large prospective study in schizophrenia. Pharmacoepidemiology and Drug Safety, 2013, 22, 925-932.	0.9	2
334	Linagliptin for elderly patients with type 2 diabetes. Lancet, The, 2014, 383, 307.	6.3	2
335	Secondary prevention of acute coronary syndrome with antiplatelet agents in real life: A high-dimensional propensity score matched cohort study in the French National claims database. MethodsX, 2020, 7, 100796.	0.7	2
336	Factors associated with serious vehicular accidents: A crossâ€sectional study in hospital emergency rooms. British Journal of Clinical Pharmacology, 2021, 87, 612-621.	1.1	2
337	National Health Insurance Claims Database in France (SNIRAM), Système Nationale des Données de Santé (SNDS) and Health Data Hub (HDH). Springer Series on Epidemiology and Public Health, 2021, , 131-140.	0.5	2
338	How Long Do Implanted Triclosan Sutures Inhibit Staphylococcus aureus in Surgical Conditions? A Pharmacological Model. Pharmaceutics, 2022, 14, 539.	2.0	2
339	Exacerbation of multiple sclerosis during therapy that included brain extracts. Medical Journal of Australia, 1988, 149, 343-344.	0.8	1
340	The Authors??? Reply. Drug Safety, 2008, 31, 356-357.	1.4	1
341	NSAIDs discontinuation and myocardial infarction. Journal of Thrombosis and Haemostasis, 2009, 7, 1600-1601.	1.9	1
342	Seizure freedom is not adversely affected by early discontinuation of concomitant anti-epileptic drugs in the EULEV cohort of levetiracetam users. Pharmacoepidemiology and Drug Safety, 2012, 21, 1183-1189.	0.9	1

#	Article	IF	CITATIONS
343	La valorisation des publications médicales avec le logiciel SIGAPSÂ: application à l'orthopédie. Revue De Chirurgie Orthopedique Et Traumatologique, 2014, 100, 586-590.	0.0	1
344	Misuse, Abuse, and Diversion of instanyl® (Fentanyl Nasal Spray) in France. Value in Health, 2014, 17, A649.	0.1	1
345	Vaccine Case–Population: A New Method for Vaccine Safety Surveillance. Drug Safety, 2016, 39, 1197-1209.	1.4	1
346	EFFECTIVENESS AND SAFETY OF DIRECT ORAL ANTICOAGULANTS COMPARED WITH VITAMIN-K ANTAGONISTS: INITIAL RESULTS FROM A COHORT STUDY IN THE NATIONWIDE FRENCH CLAIMS AND HOSPITALIZATION DATABASE (SNIIRAM). Journal of the American College of Cardiology, 2017, 69, 307.	1.2	1
347	Pharmacological treatment patterns in heart failure: a population-based cohort study. European Journal of Clinical Pharmacology, 2020, 76, 97-106.	0.8	1
348	Survival outcome in patients with metastatic castration-resistant prostate cancer according to first-line treatment Journal of Clinical Oncology, 2020, 38, 5570-5570.	0.8	1
349	A Description of the European Network of Centres for Pharmacoepidemiology and Pharmacovigilance as a Global Resource for Pharmacovigilance and Pharmacoepidemiology., 0,, 403-408.		1
350	How To Design a Negative Study. Chest, 2003, 123, 655-656.	0.4	0
351	How is Norepinephrine Used in Intensive Care? A Field Study. Therapie, 2007, 62, 143-149.	0.6	O
352	Introducing the ENCePP Working Group (WG) on Health Technology Assessment (HTA): Enhancing the Generation of Additional Evidence for HTA Processes. Value in Health, 2013, 16, A491.	0.1	0
353	Authors' reply to Tufan and colleagues and Boucaud-Maitre. BMJ, The, 2016, 353, i3188.	3.0	O
354	298 Impact of colour-graded pictogram on medicine packages to caution against the risk of traffic crash. Injury Prevention, 2016, 22, A109.1-A109.	1.2	0
355	Methods for the Post-Marketing Monitoring of Psychotropics Safety: Interests and Pitfalls. , 2016, , 27-44.		0
356	Direct Oral Anticoagulants Versus Low-Molecular-Weight Heparins for Venous Thromboembolism Prevention Following Total HIP Replacement: Comparative Effectiveness and Medical Costs from a French Nationwide Cohort Study of Around 120,000 Patients. Value in Health, 2017, 20, A530-A531.	0.1	0
357	Inhaled triple therapy in chronic obstructive pulmonary disease. Lancet, The, 2018, 392, 1112.	6.3	0
358	Patterns of quadruple therapy use including bismuth for Helicobacter pylori eradication: A cohort study in the French national claims database. Therapie, 2021, 76, 435-440.	0.6	0
359	Being useless may be useful. BMJ: British Medical Journal, 2009, 338, b2334-b2334.	2.4	О
360	Spontaneous Reporting: France. , 0, , 203-205.		0

ARTICLE IF CITATIONS

361 Pharmacovigilance in Turkey., 0,, 225-227. o