

Nicholas Moore

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7761212/nicholas-moore-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

366
papers

10,991
citations

53
h-index

87
g-index

406
ext. papers

12,675
ext. citations

5.1
avg, IF

6.26
L-index

#	Paper	IF	Citations
366	Trough imatinib plasma levels are associated with both cytogenetic and molecular responses to standard-dose imatinib in chronic myeloid leukemia. <i>Blood</i> , 2007 , 109, 3496-9	2.2	477
365	Assessment of handling of inhaler devices in real life: an observational study in 3811 patients in primary care. <i>Journal of Aerosol Medicine and Pulmonary Drug Delivery</i> , 2003 , 16, 249-54		242
364	The national healthcare system claims databases in France, SNIIRAM and EGB: Powerful tools for pharmacoepidemiology. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 954-962	2.6	227
363	Fatigue, sleep restriction and driving performance. <i>Accident Analysis and Prevention</i> , 2005 , 37, 473-8	6.1	225
362	Frequency and cost of serious adverse drug reactions in a department of general medicine. <i>British Journal of Clinical Pharmacology</i> , 1998 , 45, 301-8	3.8	201
361	Fatigue, sleepiness, and performance in simulated versus real driving conditions. <i>Sleep</i> , 2005 , 28, 1511-6	1.1	198
360	The effects of coffee and napping on nighttime highway driving: a randomized trial. <i>Annals of Internal Medicine</i> , 2006 , 144, 785-91	8	190
359	Impact of safety alerts on measures of disproportionality in spontaneous reporting databases: the notoriety bias. <i>Drug Safety</i> , 2007 , 30, 891-8	5.1	147
358	Prospective, multicentre, randomized, double-blind study of the efficacy of escitalopram versus citalopram in outpatient treatment of major depressive disorder. <i>International Clinical Psychopharmacology</i> , 2005 , 20, 131-7	2.2	143
357	Chronic obstructive pulmonary disease exacerbation and inhaler device handling: real-life assessment of 2935 patients. <i>European Respiratory Journal</i> , 2017 , 49,	13.6	138
356	Data mining on electronic health record databases for signal detection in pharmacovigilance: which events to monitor?. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 1176-84	2.6	138
355	Simultaneous determination of nine tyrosine kinase inhibitors by 96-well solid-phase extraction and ultra performance LC/MS-MS. <i>Clinica Chimica Acta</i> , 2011 , 412, 1060-7	6.2	136
354	Age, performance and sleep deprivation. <i>Journal of Sleep Research</i> , 2004 , 13, 105-10	5.8	134
353	Patterns and correlates of benzodiazepine use in the French general population. <i>European Journal of Clinical Pharmacology</i> , 2004 , 60, 523-9	2.8	114
352	Adverse drug reactions in a department of systemic diseases-oriented internal medicine: prevalence, incidence, direct costs and avoidability. <i>European Journal of Clinical Pharmacology</i> , 2000 , 56, 181-6	2.8	113
351	Rates of spontaneous reporting of adverse drug reactions in France. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 288, 1588	27.4	112
350	The self-reported Montgomery-Asberg Depression Rating Scale is a useful evaluative tool in Major Depressive Disorder. <i>BMC Psychiatry</i> , 2009 , 9, 26	4.2	108

349	Benzodiazepine use in an elderly community-dwelling population. Characteristics of users and factors associated with subsequent use. <i>European Journal of Clinical Pharmacology</i> , 2001 , 57, 419-25	2.8	107
348	Benzodiazepines and injurious falls in community dwelling elders. <i>Drugs and Aging</i> , 2008 , 25, 61-70	4.7	106
347	Trends in attention-deficit hyperactivity disorder medication use: a retrospective observational study using population-based databases. <i>Lancet Psychiatry</i> , 2018 , 5, 824-835	23.3	105
346	The PAIN Study: Paracetamol, Aspirin and Ibuprofen New Tolerability Study. <i>Clinical Drug Investigation</i> , 1999 , 18, 89-98	3.2	104
345	Adverse drug reactions and drug-drug interactions with over-the-counter NSAIDs. <i>Therapeutics and Clinical Risk Management</i> , 2015 , 11, 1061-75	2.9	99
344	Differences between clinical trials and postmarketing use. <i>British Journal of Clinical Pharmacology</i> , 2004 , 57, 86-92	3.8	99
343	Benzodiazepine use and risk of dementia: a nested case-control study. <i>Journal of Clinical Epidemiology</i> , 2002 , 55, 314-8	5.7	99
342	Reports of hypoglycaemia associated with the use of ACE inhibitors and other drugs: a case/non-case study in the French pharmacovigilance system database. <i>British Journal of Clinical Pharmacology</i> , 1997 , 44, 513-8	3.8	96
341	High-performance liquid chromatographic method with diode array detection for identification and quantification of the eight new antidepressants and five of their active metabolites in plasma after overdose. <i>Therapeutic Drug Monitoring</i> , 2003 , 25, 581-7	3.2	92
340	Risk of Motor Vehicle Accidents Related to Sleepiness at the Wheel: A Systematic Review and Meta-Analysis. <i>Sleep</i> , 2017 , 40,	1.1	90
339	The Benzodiazepine-Dementia Disorders Link: Current State of Knowledge. <i>CNS Drugs</i> , 2016 , 30, 1-7	6.7	89
338	The impact of medicinal drugs on traffic safety: a systematic review of epidemiological studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 647-58	2.6	88
337	Guidelines for submitting adverse event reports for publication. <i>Drug Safety</i> , 2007 , 30, 367-73	5.1	88
336	Benzodiazepine-like hypnotics and the associated risk of road traffic accidents. <i>Clinical Pharmacology and Therapeutics</i> , 2011 , 89, 595-601	6.1	84
335	Quantification of imatinib in human plasma by high-performance liquid chromatography-tandem mass spectrometry. <i>Therapeutic Drug Monitoring</i> , 2005 , 27, 634-40	3.2	84
334	Biases affecting the proportional reporting ratio (PPR) in spontaneous reports pharmacovigilance databases: the example of sertindole. <i>Pharmacoepidemiology and Drug Safety</i> , 2003 , 12, 271-81	2.6	83
333	Sleepiness, near-misses and driving accidents among a representative population of French drivers. <i>Journal of Sleep Research</i> , 2010 , 19, 578-84	5.8	82
332	Pharmacovigilance – The next chapter. <i>Therapie</i> , 2019 , 74, 557-567	3.8	82

331	Aging and nocturnal driving: better with coffee or a nap? A randomized study. <i>Sleep</i> , 2007 , 30, 1808-13	1.1	80
330	Cardiovascular and gastrointestinal safety of NSAIDs: a systematic review of meta-analyses of randomized clinical trials. <i>Clinical Pharmacology and Therapeutics</i> , 2011 , 89, 855-66	6.1	79
329	Comparative effects of ivabradine, a selective heart rate-lowering agent, and propranolol on systemic and cardiac haemodynamics at rest and during exercise. <i>British Journal of Clinical Pharmacology</i> , 2006 , 61, 127-37	3.8	79
328	Fatigue, sleep restriction, and performance in automobile drivers: a controlled study in a natural environment. <i>Sleep</i> , 2003 , 26, 277-80	1.1	79
327	High-performance liquid chromatographic method with diode array detection to identify and quantify atypical antipsychotics and haloperidol in plasma after overdose. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003 , 788, 179-85	3.2	79
326	Insulin glargine and risk of cancer: a cohort study in the French National Healthcare Insurance Database. <i>Diabetologia</i> , 2012 , 55, 644-53	10.3	78
325	Transplantation for acute liver failure in patients exposed to NSAIDs or paracetamol (acetaminophen): the multinational case-population SALT study. <i>Drug Safety</i> , 2013 , 36, 135-44	5.1	76
324	Comparison of health insurance claims and patient interviews in assessing drug use: data from the Three-City (3C) Study. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 310-9	2.6	72
323	Cytomegalovirus-induced gammadelta T cells associate with reduced cancer risk after kidney transplantation. <i>Journal of the American Society of Nephrology: JASN</i> , 2010 , 21, 181-8	12.7	71
322	Agreement of expert judgment in causality assessment of adverse drug reactions. <i>European Journal of Clinical Pharmacology</i> , 2005 , 61, 169-73	2.8	70
321	Determination of myocardium to plasma concentration ratios of five antipsychotic drugs: comparison with their ability to induce arrhythmia and sudden death in clinical practice. <i>Toxicology and Applied Pharmacology</i> , 2004 , 199, 52-60	4.6	68
320	Is reporting rate a good predictor of risks associated with drugs?. <i>British Journal of Clinical Pharmacology</i> , 1999 , 47, 329-31	3.8	68
319	Atypical antipsychotics: from potassium channels to torsade de pointes and sudden death. <i>Drug Safety</i> , 2005 , 28, 35-51	5.1	64
318	Maintenance of wakefulness test as a predictor of driving performance in patients with untreated obstructive sleep apnea. <i>Sleep</i> , 2007 , 30, 327-30	1.1	64
317	Modafinil improves real driving performance in patients with hypersomnia: a randomized double-blind placebo-controlled crossover clinical trial. <i>Sleep</i> , 2014 , 37, 483-7	1.1	62
316	Guidelines for submitting adverse event reports for publication. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 581-7	2.6	61
315	Using big data from health records from four countries to evaluate chronic disease outcomes: a study in 114 364 survivors of myocardial infarction. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2016 , 2, 172-183	4.6	60
314	Liver transplant associated with paracetamol overdose: results from the seven-country SALT study. <i>British Journal of Clinical Pharmacology</i> , 2015 , 80, 599-606	3.8	56

313	Liver injury with novel oral anticoagulants: assessing post-marketing reports in the US Food and Drug Administration adverse event reporting system. <i>British Journal of Clinical Pharmacology</i> , 2015 , 80, 285-93	3.8	53
312	Effect of competition bias in safety signal generation: analysis of a research database of spontaneous reports in France. <i>Drug Safety</i> , 2012 , 35, 855-64	5.1	53
311	Prevention of type 2 diabetes induced by high fat diet in the C57BL/6J mouse by two medicinal plants used in traditional treatment of diabetes in the east of Algeria. <i>Journal of Ethnopharmacology</i> , 2010 , 128, 513-8	5	53
310	Neuroleptics and mortality in schizophrenia: prospective analysis of deaths in a French cohort of schizophrenic patients. <i>Schizophrenia Research</i> , 2002 , 57, 147-56	3.6	53
309	Inter-expert agreement of seven criteria in causality assessment of adverse drug reactions. <i>British Journal of Clinical Pharmacology</i> , 2007 , 64, 482-8	3.8	52
308	Sudden cardiac and sudden unexpected death related to antipsychotics: A meta-analysis of observational studies. <i>Clinical Pharmacology and Therapeutics</i> , 2016 , 99, 306-14	6.1	50
307	Antihypertensive effects of <i>Ocimum basilicum</i> L. (OBL) on blood pressure in renovascular hypertensive rats. <i>Hypertension Research</i> , 2010 , 33, 727-30	4.7	50
306	Antipsychotic use and myocardial infarction in older patients with treated dementia. <i>Archives of Internal Medicine</i> , 2012 , 172, 648-53; discussion 654-5		49
305	Relationship between imatinib trough concentration and outcomes in the treatment of advanced gastrointestinal stromal tumours in a real-life setting. <i>European Journal of Cancer</i> , 2016 , 57, 31-8	7.5	48
304	Preventive and curative effect of <i>Trigonella foenum-graecum</i> L. seeds in C57BL/6J models of type 2 diabetes induced by high-fat diet. <i>Journal of Ethnopharmacology</i> , 2012 , 142, 516-22	5	48
303	Addition of dipeptidyl peptidase-4 inhibitors to sulphonylureas and risk of hypoglycaemia: systematic review and meta-analysis. <i>BMJ, The</i> , 2016 , 353, i2231	5.9	47
302	Contribution of prolonged-release melatonin and anti-benzodiazepine campaigns to the reduction of benzodiazepine and Z-drugs consumption in nine European countries. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 1-10	2.8	46
301	Usage patterns of 'over-the-counter' vs. prescription-strength nonsteroidal anti-inflammatory drugs in France. <i>British Journal of Clinical Pharmacology</i> , 2014 , 77, 887-95	3.8	46
300	Diclofenac potassium 12.5mg tablets for mild to moderate pain and fever: a review of its pharmacology, clinical efficacy and safety. <i>Clinical Drug Investigation</i> , 2007 , 27, 163-95	3.2	44
299	Aminoglycosides in septic shock: an overview, with specific consideration given to their nephrotoxic risk. <i>Drug Safety</i> , 2013 , 36, 217-30	5.1	43
298	Dehydroepiandrosterone (DHEA) improves pulmonary hypertension in chronic obstructive pulmonary disease (COPD): a pilot study. <i>Annales DiEndocrinologie</i> , 2012 , 73, 20-5	1.7	43
297	Nutritional, lifestyle and environmental factors in ocular hypertension and primary open-angle glaucoma: an exploratory case-control study. <i>Acta Ophthalmologica</i> , 2013 , 91, 505-13	3.7	42
296	High-performance liquid chromatographic method for the simultaneous determination of the six HIV-protease inhibitors and two non-nucleoside reverse transcriptase inhibitors in human plasma. <i>Therapeutic Drug Monitoring</i> , 2002 , 24, 417-24	3.2	42

295	Self-medication misuse in the Middle East: a systematic literature review. <i>Pharmacology Research and Perspectives</i> , 2017 , 5, e00323	3.1	41
294	Road traffic crashes and prescribed methadone and buprenorphine: a French registry-based case-control study. <i>Drug and Alcohol Dependence</i> , 2012 , 123, 91-7	4.9	41
293	Medical and non-medical direct costs of chronic low back pain in patients consulting primary care physicians in France. <i>Fundamental and Clinical Pharmacology</i> , 2010 , 24, 101-8	3.1	41
292	Quantification of tricyclic antidepressants and monoamine oxidase inhibitors by high-performance liquid chromatography-tandem mass spectrometry in whole blood. <i>Journal of Analytical Toxicology</i> , 2007 , 31, 200-7	2.9	40
291	A new method for assessing drug causation provided agreement with experts' judgment. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 308-14	5.7	40
290	Effect of <i>Cydonia oblonga</i> Mill. leaf extract on serum lipids and liver function in a rat model of hyperlipidaemia. <i>Journal of Ethnopharmacology</i> , 2014 , 151, 970-4	5	39
289	Therapeutic drug monitoring of imatinib in chronic myeloid leukemia: experience from 1216 patients at a centralized laboratory. <i>Fundamental and Clinical Pharmacology</i> , 2013 , 27, 690-7	3.1	39
288	Double-blind randomized pilot trial evaluating the efficacy of oral propranolol on infantile haemangiomas in infants <i>British Journal of Dermatology</i> , 2013 , 169, 181-3	4	38
287	Comparison of three methods (consensual expert judgement, algorithmic and probabilistic approaches) of causality assessment of adverse drug reactions: an assessment using reports made to a French pharmacovigilance centre. <i>Drug Safety</i> , 2010 , 33, 1045-54	5.1	38
286	Bioavailability and urinary excretion of isoflavones in humans: effects of soy-based supplements formulation and equol production. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 43, 1488-94	3.5	37
285	Uighur traditional medicine syndrome of Abnormal Savda in men is associated with oxidative stress, which can be improved by Munziq and Mushil of Abnormal Savda. <i>Therapie</i> , 2004 , 59, 483-4	3.8	37
284	Choice of ICD-10 codes for the identification of acute coronary syndrome in the French hospitalization database. <i>Fundamental and Clinical Pharmacology</i> , 2015 , 29, 586-91	3.1	36
283	Treatment of high fat diet induced type 2 diabetes in C57BL/6J mice by two medicinal plants used in traditional treatment of diabetes in the east of Algeria. <i>Journal of Ethnopharmacology</i> , 2011 , 133, 931-5	5	36
282	Oral diosmectite reduces stool output and diarrhea duration in children with acute watery diarrhea. <i>Clinical Gastroenterology and Hepatology</i> , 2009 , 7, 456-62	6.9	36
281	A potential competition bias in the detection of safety signals from spontaneous reporting databases. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 1166-71	2.6	36
280	Quantification of eight new antidepressants and five of their active metabolites in whole blood by high-performance liquid chromatography-tandem mass spectrometry. <i>Journal of Analytical Toxicology</i> , 2007 , 31, 334-41	2.9	36
279	Sleep duration and caffeine consumption in a French middle-aged working population. <i>Sleep Medicine</i> , 2005 , 6, 247-51	4.6	36
278	Comparative tolerability of paracetamol, aspirin and ibuprofen for short-term analgesia in patients with musculoskeletal conditions: results in 4291 patients. <i>Clinical Rheumatology</i> , 2002 , 21, 28-31	3.9	36

277	Parkinson's disease incidence and prevalence assessment in France using the national healthcare insurance database. <i>European Journal of Neurology</i> , 2015 , 22, 464-71	6	35
276	The history of disproportionality measures (reporting odds ratio, proportional reporting rates) in spontaneous reporting of adverse drug reactions. <i>Pharmacoepidemiology and Drug Safety</i> , 2005 , 14, 285-6	2.6	35
275	Cardiovascular events associated with the long-term use of NSAIDs: a review of randomized controlled trials and observational studies. <i>Expert Opinion on Drug Safety</i> , 2014 , 13, 573-85	4.1	34
274	Propensity-based study of aminoglycoside nephrotoxicity in patients with severe sepsis or septic shock. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 7468-74	5.9	34
273	Risk of injurious road traffic crash after prescription of antidepressants. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 1088-94	4.6	34
272	Drug interactions between inhaled corticosteroids and enzymatic inhibitors. <i>European Journal of Clinical Pharmacology</i> , 2009 , 65, 743-5	2.8	33
271	Risk factors for adverse events in analgesic drug users: results from the PAIN study. <i>Pharmacoepidemiology and Drug Safety</i> , 2003 , 12, 601-10	2.6	33
270	Channelling of COX-2 inhibitors to patients at higher gastrointestinal risk but not at lower cardiovascular risk: the Cox2 inhibitors and tNSAIDs description of users (CADEUS) study. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 891-900	2.6	32
269	Methods for safety signal detection in healthcare databases: a literature review. <i>Expert Opinion on Drug Safety</i> , 2017 , 16, 721-732	4.1	31
268	The risk of cognitive impairment in older community-dwelling women after benzodiazepine use. <i>Age and Ageing</i> , 2009 , 38, 226-8	3	31
267	Prevalence of cholinesterase inhibitors in subjects with dementia in Europe. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 655-60	2.6	31
266	Pharmacokinetic interaction between high-dose methotrexate and oxacillin. <i>Therapeutic Drug Monitoring</i> , 2002 , 24, 570-2	3.2	31
265	Inhibition of Cell Growth and Cellular Protein, DNA and RNA Synthesis in Human Hepatoma (HepG2) Cells by Ethanol Extract of Abnormal Savda Munziq of Traditional Uighur Medicine. <i>Evidence-based Complementary and Alternative Medicine</i> , 2011 , 2011, 251424	2.3	30
264	Simplified high-performance liquid chromatographic method for determination of risperidone and 9-hydroxyrisperidone in plasma after overdose. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2002 , 772, 373-8	3.2	30
263	Effects of <i>Cydonia oblonga</i> Miller leaf and fruit flavonoids on blood lipids and anti-oxidant potential in hyperlipidemia rats. <i>Journal of Ethnopharmacology</i> , 2015 , 169, 239-43	5	29
262	Incidence of direct oral anticoagulant use in patients with nonvalvular atrial fibrillation and characteristics of users in 6 European countries (2008-2015): A cross-national drug utilization study. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 2524-2539	3.8	29
261	A potential event-competition bias in safety signal detection: results from a spontaneous reporting research database in France. <i>Drug Safety</i> , 2013 , 36, 565-72	5.1	29
260	Use of the recommended drug combination for secondary prevention after a first occurrence of acute coronary syndrome in France. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 429-36	2.8	29

259	Phytalgin, a food supplement, vs placebo in patients with osteoarthritis of the knee or hip: a randomised double-blind placebo-controlled clinical trial. <i>Arthritis Research and Therapy</i> , 2009 , 11, R192	5.7	29
258	Effects of armagnac extracts on human platelet function in vitro and on rat arteriovenous shunt thrombosis in vivo. <i>Thrombosis Research</i> , 2003 , 110, 135-40	8.2	29
257	Higher bioavailability of isoflavones after a single ingestion of a soya-based supplement than a soya-based food in young healthy males. <i>British Journal of Nutrition</i> , 2008 , 99, 333-44	3.6	28
256	Aqueous extracts of <i>Ocimum basilicum</i> L. (sweet basil) decrease platelet aggregation induced by ADP and thrombin in vitro and rats arterio-venous shunt thrombosis in vivo. <i>Thrombosis Research</i> , 2006 , 118, 733-9	8.2	28
255	The link between sunshine and phototoxicity of sparfloxacin. <i>British Journal of Clinical Pharmacology</i> , 2000 , 49, 609-12	3.8	28
254	Cardiovascular risks associated with low-dose ibuprofen and diclofenac as used OTC. <i>Expert Opinion on Drug Safety</i> , 2014 , 13, 167-79	4.1	27
253	Cytotoxicity of abnormal Savda Munziq aqueous extract in human hepatoma (HepG2) cells. <i>Fundamental and Clinical Pharmacology</i> , 2005 , 19, 465-72	3.1	27
252	A review of Algerian medicinal plants used in the treatment of diabetes. <i>Journal of Ethnopharmacology</i> , 2019 , 238, 111841	5	26
251	Pharmacoepidemiology of non-steroidal anti-inflammatory drugs. <i>Therapie</i> , 2019 , 74, 271-277	3.8	26
250	The case-population study design: an analysis of its application in pharmacovigilance. <i>Drug Safety</i> , 2011 , 34, 861-8	5.1	26
249	Factors associated with persistence of cholinesterase inhibitor treatments in the elderly. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 680-6	2.6	26
248	Evaluation of the determinants of flow-mediated radial artery vasodilatation in humans. <i>Clinical and Experimental Hypertension</i> , 1997 , 19, 813-26	2.2	26
247	Neuropathy associated with leflunomide: a case series. <i>Annals of the Rheumatic Diseases</i> , 2005 , 64, 649-50	2.4	26
246	Comparison of patient questionnaires, medical records, and plasma assays in assessing exposure to benzodiazepines in elderly subjects. <i>Clinical Pharmacology and Therapeutics</i> , 2001 , 69, 445-50	6.1	26
245	Gastrointestinal tolerability of ibuprofen compared with paracetamol and aspirin at over-the-counter doses. <i>Journal of International Medical Research</i> , 2002 , 30, 301-8	1.4	26
244	Real-Life Benefits of Statins for Cardiovascular Prevention in Elderly Subjects: A Population-Based Cohort Study. <i>American Journal of Medicine</i> , 2019 , 132, 740-748.e7	2.4	26
243	Protective effects of Munziq and Mushil of abnormal Savda to mitochondrial oxidative damage. <i>Fundamental and Clinical Pharmacology</i> , 2004 , 18, 471-6	3.1	25
242	Acute and sub-chronic (28days) oral toxicity evaluation of hydroethanolic extract of <i>Bridelia ferruginea</i> Benth root bark in male rodent animals. <i>Food and Chemical Toxicology</i> , 2013 , 52, 176-9	4.7	24

241	Life-threatening adverse drug reactions at admission to medical intensive care: a prospective study in a teaching hospital. <i>Intensive Care Medicine</i> , 2007 , 33, 2150-7	14.5	24
240	The role of the clinical pharmacologist in the management of adverse drug reactions. <i>Drug Safety</i> , 2001 , 24, 1-7	5.1	24
239	Effects of <i>Cydonia oblonga</i> Miller extracts on blood hemostasis, coagulation and fibrinolysis in mice, and experimental thrombosis in rats. <i>Journal of Ethnopharmacology</i> , 2014 , 154, 163-9	5	23
238	Choice of the denominator in case population studies: event rates for registration for liver transplantation after exposure to NSAIDs in the SALT study in France. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 160-7	2.6	23
237	Anti-inflammatory, immunomodulatory, and heme oxygenase-1 inhibitory activities of ravan napas, a formulation of uighur traditional medicine, in a rat model of allergic asthma. <i>Evidence-based Complementary and Alternative Medicine</i> , 2011 , 2011,	2.3	23
236	Hospitalizations for gastrointestinal and cardiovascular events in the CADEUS cohort of traditional or Coxib NSAID users. <i>British Journal of Clinical Pharmacology</i> , 2010 , 69, 295-302	3.8	22
235	Interactions between aspirin and COX-2 inhibitors or NSAIDs in a rat thrombosis model. <i>Fundamental and Clinical Pharmacology</i> , 2004 , 18, 559-63	3.1	22
234	Hematological toxicity of ticlopidine. <i>American Journal of Hematology</i> , 1994 , 47, 149-50	7.1	22
233	Usage patterns of paracetamol in France. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 498-503	3.8	22
232	Diagnostic accuracy of the International Classification of Diseases, Tenth Revision, codes of heart failure in an administrative database. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 194-200	2.6	22
231	A Method for the Minimization of Competition Bias in Signal Detection from Spontaneous Reporting Databases. <i>Drug Safety</i> , 2016 , 39, 251-60	5.1	21
230	Effect of <i>Cydonia oblonga</i> Mill. fruit and leaf extracts on blood pressure and blood rheology in renal hypertensive rats. <i>Journal of Ethnopharmacology</i> , 2014 , 152, 464-9	5	21
229	Guidelines for submitting adverse event reports for publication. <i>Therapie</i> , 2009 , 64, 289-94	3.8	21
228	Intravesical glucidic capsaicin versus glucidic solvent in neurogenic detrusor overactivity: a double blind controlled randomized study. <i>Neurourology and Urodynamics</i> , 2006 , 25, 752-7	2.3	21
227	Outcomes in patients after myocardial infarction similar to those of the PEGASUS-TIMI 54 trial: A cohort study in the French national claims database. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 2056-2065	3.8	20
226	Gastrointestinal safety and tolerability of oral non-aspirin over-the-counter analgesics. <i>Postgraduate Medicine</i> , 2018 , 130, 188-199	3.7	20
225	Long-term chronic diseases and crash responsibility: a record linkage study. <i>Accident Analysis and Prevention</i> , 2014 , 71, 137-43	6.1	20
224	Immunomodulatory and antitumour effects of abnormal Savda Munziq on S180 tumour-bearing mice. <i>BMC Complementary and Alternative Medicine</i> , 2012 , 12, 157	4.7	20

223	Life-threatening drug-associated hyperkalemia: a retrospective study from laboratory signals. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 747-53	2.6	20
222	Effect of date of drug marketing on disproportionality measures in pharmacovigilance: the example of suicide with SSRIs using data from the UK MHRA. <i>Drug Safety</i> , 2009 , 32, 441-7	5.1	20
221	A signal of increased risk of hypoglycaemia with angiotensin receptor blockers caused by confounding. <i>British Journal of Clinical Pharmacology</i> , 2008 , 66, 142-5	3.8	20
220	The European sertindole safety and exposure survey: a follow-up study of 8600 patients. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 804-11	2.6	20
219	Oral Propranolol for Infantile Hemangioma. <i>New England Journal of Medicine</i> , 2015 , 373, 284-5	59.2	19
218	Inclusion of elderly or frail patients in randomized controlled trials of targeted therapies for the treatment of metastatic colorectal cancer: A systematic review. <i>Journal of Geriatric Oncology</i> , 2018 , 9, 15-23	3.6	19
217	Effect of Ocimum basilicum L. on cyclo-oxygenase isoforms and prostaglandins involved in thrombosis. <i>Journal of Ethnopharmacology</i> , 2014 , 152, 151-5	5	19
216	Survival outcomes of bevacizumab in first-line metastatic colorectal cancer in a real-life setting: results of the ETNA cohort. <i>Targeted Oncology</i> , 2014 , 9, 311-9	5	19
215	Factors associated with serious adverse reactions to cholinesterase inhibitors: a study of spontaneous reporting. <i>CNS Drugs</i> , 2010 , 24, 55-63	6.7	19
214	Cost-effectiveness of escitalopram vs. citalopram in major depressive disorder. <i>International Clinical Psychopharmacology</i> , 2007 , 22, 107-15	2.2	19
213	Effect of age of Armagnac extract and duration of treatment on antithrombotic effects in a rat thrombosis model. <i>Thrombosis Research</i> , 2003 , 111, 185-9	8.2	19
212	A population database study of outcomes associated with vitamin K antagonists in atrial fibrillation before DOAC. <i>British Journal of Clinical Pharmacology</i> , 2016 , 81, 569-78	3.8	19
211	NSAIDs and COVID-19: A Systematic Review and Meta-analysis. <i>Drug Safety</i> , 2021 , 44, 929-938	5.1	19
210	Considerations for pharmacoepidemiological analyses in the SARS-CoV-2 pandemic. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 825-831	2.6	18
209	Suicide attempts in a prospective cohort of patients with schizophrenia treated with sertindole or risperidone. <i>European Neuropsychopharmacology</i> , 2010 , 20, 829-38	1.2	18
208	Drug-drug interactions with systemic antifungals in clinical practice. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 1227-33	2.6	18
207	Coronary Risks Associated with Diclofenac and Other NSAIDs: An Update. <i>Drug Safety</i> , 2020 , 43, 301-318	5.1	18
206	Effect of Cydonia oblonga Mill. leaf extracts or captopril on blood pressure and related biomarkers in renal hypertensive rats. <i>Journal of Ethnopharmacology</i> , 2014 , 153, 635-40	5	17

205	Bioavailability of glycitein relatively to other soy isoflavones in healthy young Caucasian men. <i>Food Chemistry</i> , 2012 , 135, 1104-11	8.5	17
204	Influence of ethnic origin (Asian v. Caucasian) and background diet on the bioavailability of dietary isoflavones. <i>British Journal of Nutrition</i> , 2009 , 102, 1642-53	3.6	17
203	Impact of prescriber nonresponse on patient representativeness. <i>Epidemiology</i> , 2008 , 19, 186-90	3.1	17
202	The CADEUS study: methods and logistics. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 571-80	2.6	17
201	Prescription channeling of COX-2 inhibitors and traditional nonselective nonsteroidal anti-inflammatory drugs: a population-based case-control study. <i>Arthritis Research</i> , 2005 , 7, R333-42		17
200	In vivo and in vitro myocardial binding of risperidone and 9-hydroxyrisperidone. <i>Toxicology and Applied Pharmacology</i> , 2002 , 180, 145-9	4.6	17
199	A large simple clinical trial prototype for assessment of OTC drug effects using patient-reported data. <i>Pharmacoepidemiology and Drug Safety</i> , 2005 , 14, 249-55	2.6	17
198	Life-threatening pseudophaeochromocytoma after toloxatone, terbutaline, and phenylephrine. <i>Lancet, The</i> , 1993 , 341, 555-6	40	17
197	Impact of a public media event on the use of statins in the French population. <i>Archives of Cardiovascular Diseases</i> , 2017 , 110, 91-98	2.7	16
196	Effect of Centaurium erythraea Rafn, Artemisia herba-alba Asso and Trigonella foenum-graecum L. on liver fat accumulation in C57BL/6J mice with high-fat diet-induced type 2 diabetes. <i>Journal of Ethnopharmacology</i> , 2015 , 171, 4-11	5	16
195	Botulinum toxin treatment in neurological practice: how much does it really cost? A prospective cost-effectiveness study. <i>Journal of Neurology</i> , 2011 , 258, 1670-5	5.5	16
194	Improving pharmacovigilance in Europe. <i>BMJ, The</i> , 2010 , 340, c1694	5.9	16
193	Antispasmodic and antioxidant activities of fractions and bioactive constituent davidigenin isolated from Mascarenhasia arborescens. <i>Journal of Ethnopharmacology</i> , 2010 , 130, 320-8	5	16
192	The CADEUS study: burden of nonsteroidal anti-inflammatory drug (NSAID) utilization for musculoskeletal disorders in blue collar workers. <i>British Journal of Clinical Pharmacology</i> , 2009 , 67, 118-24	2.8	16
191	Effects of armagnac or vodka on platelet aggregation in healthy volunteers: a randomized controlled clinical trial. <i>Thrombosis Research</i> , 2005 , 115, 31-7	8.2	16
190	Place of OTC analgesics and NSAIDs in osteoarthritis. <i>Inflammopharmacology</i> , 2003 , 11, 355-62	5.1	16
189	Safety and usage pattern of low-dose diclofenac when used as an over-the-counter medication: results of an observational cohort study in a community-based pharmacy setting. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2004 , 42, 415-22	2	16
188	Overall and progression-free survival with cabazitaxel in metastatic castration-resistant prostate cancer in routine clinical practice: the FUJI cohort. <i>British Journal of Cancer</i> , 2019 , 121, 1001-1008	8.7	16

187	Use of health insurance claim patterns to identify patients using nonsteroidal anti-inflammatory drugs for rheumatoid arthritis. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 573-83	2.6	15
186	The safety of drugs for OTC use: what evidence is required for an NSAID switch?. <i>Pharmacoepidemiology and Drug Safety</i> , 2002 , 11, 577-84	2.6	15
185	NSAID use profiles derived from reimbursement data in France. <i>Therapie</i> , 2004 , 59, 541-6	3.8	15
184	Simplified ultraviolet liquid chromatographic method for determination of sertindole, dehydrosertindole and norsertindole, in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005 , 814, 61-7	3.2	15
183	Surveillance of adverse effects during a vaccination campaign against meningitis C. <i>European Journal of Clinical Pharmacology</i> , 2005 , 61, 907-11	2.8	15
182	Effectiveness and safety of 110 or 150 mg dabigatran vs. vitamin K antagonists in nonvalvular atrial fibrillation. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 432-441	3.8	15
181	Comparative effectiveness of recommended versus less intensive drug combinations in secondary prevention of acute coronary syndrome. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 285-293	2.6	14
180	Real-life patterns of use, safety and effectiveness of sunitinib in first-line therapy of metastatic renal cell carcinoma: the SANTORIN cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 1562-1569 ¹⁴	2.6	14
179	Road traffic crash risk associated with benzodiazepine and z-hypnotic use after implementation of a colour-graded pictogram: a responsibility study. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 1625-1635 ¹⁴	3.8	14
178	Abnormal Savda Munziq, an Herbal Preparation of Traditional Uighur Medicine, May Prevent 1,2-dimethylhydrazine-Induced Rat Colon Carcinogenesis. <i>Evidence-based Complementary and Alternative Medicine</i> , 2011 , 2011, 152015	2.3	14
177	A method to measure deferiasirox in plasma using HPLC coupled with MS/MS detection and its potential application. <i>Therapeutic Drug Monitoring</i> , 2010 , 32, 476-81	3.2	14
176	Concordance between prescriber- and patient-reported previous medical history and NSAID indication in the CADEUS cohort. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 474-81	2.6	14
175	Indirect drug-related costs. <i>Lancet, The</i> , 1995 , 345, 588-9	4.0	14
174	A diagnostic approach that may help to discriminate inherited thrombocytopenia from chronic immune thrombocytopenia in adult patients. <i>Platelets</i> , 2016 , 27, 555-62	3.6	14
173	Methodology for a multinational case-population study on liver toxicity risks with NSAIDs: the Study of Acute Liver Transplant (SALT). <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 605-16	2.8	13
172	Prescription of antiepileptics and the risk of road traffic crash. <i>Journal of Clinical Pharmacology</i> , 2013 , 53, 339-44	2.9	13
171	Pharmacological treatments of cardiovascular diseases: Evidence from real-life studies. <i>Pharmacological Research</i> , 2017 , 118, 43-52	10.2	13
170	Identification of abuse and dependence cases through a hospital database. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 1344-9	2.6	13

169	Relevance of a "Dear Doctor letter" to alert healthcare providers to new recommendations for vitamin D administration. <i>European Journal of Clinical Pharmacology</i> , 2011 , 67, 681-6	2.8	13
168	Are generic drugs really inferior medicines?. <i>Clinical Pharmacology and Therapeutics</i> , 2010 , 88, 302-4	6.1	13
167	Ethanol Extract of Abnormal Savda Munziq, a Herbal Preparation of Traditional Uighur Medicine, Inhibits Caco-2 Cells Proliferation via Cell Cycle Arrest and Apoptosis. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012 , 2012, 926329	2.3	13
166	Fully automated analytical method for mycophenolic acid quantification in human plasma using on-line solid phase extraction and high performance liquid chromatography with diode array detection. <i>Therapeutic Drug Monitoring</i> , 2006 , 28, 505-11	3.2	13
165	Patterns of risperidone prescription: a utilization study in south-west France. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 202-6	6.5	13
164	Benzodiazepine use and wine consumption in the French elderly. <i>British Journal of Clinical Pharmacology</i> , 2001 , 52, 455-6	3.8	13
163	Cough and ACE inhibitors. <i>Lancet, The</i> , 1993 , 341, 61	4.0	13
162	Influence of rifampin on the pharmacokinetics of pefloxacin. <i>Clinical Pharmacology and Therapeutics</i> , 1991 , 50, 682-7	6.1	13
161	Hemodynamic, behavioral and biochemical disturbances induced by an experimental cranio-cervical injury (whiplash) in rats. <i>Journal of the Autonomic Nervous System</i> , 1985 , 13, 137-47		13
160	A multinational, drug utilization study to investigate the use of dexmedetomidine (Dexdor [®]) in clinical practice in the EU. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 2066-2076	3.8	12
159	Traditional Uighur Medicine Karapxa decoction, inhibits liver xanthine oxidase and reduces serum uric acid concentrations in hyperuricemic mice and scavenges free radicals in vitro. <i>BMC Complementary and Alternative Medicine</i> , 2015 , 15, 131	4.7	12
158	Scoring of medical publications with SIGAPS software: Application to orthopedics. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2014 , 100, 821-5	2.9	12
157	The past, present and perhaps future of pharmacovigilance: homage to Folke Sjoqvist. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69 Suppl 1, 33-41	2.8	12
156	The impact of the Uighur medicine abnormal savda munziq on antitumor and antioxidant activity in a S180 and Ehrlich ascites carcinoma mouse tumor model. <i>Pharmacognosy Magazine</i> , 2012 , 8, 141-8	0.8	12
155	A review of the pharmacokinetic profile of transmucosal fentanyl formulations. <i>Current Medical Research and Opinion</i> , 2012 , 28, 1781-90	2.5	12
154	Effect of Armagnac fractions on human platelet aggregation in vitro and on rat arteriovenous shunt thrombosis in vivo probably not related only to polyphenols. <i>Thrombosis Research</i> , 2007 , 119, 407-13	8.2	12
153	Benzodiazepine use in patients hospitalized in a department of internal medicine: frequency and clinical correlates. <i>Pharmacoepidemiology and Drug Safety</i> , 2001 , 10, 531-5	2.6	12
152	Persistence to 5-year hormonal breast cancer therapy: a French national population-based study. <i>British Journal of Cancer</i> , 2016 , 115, 912-919	8.7	12

151	Comparative Effectiveness and Safety of Standard or Reduced Dose Dabigatran vs. Rivaroxaban in Nonvalvular Atrial Fibrillation. <i>Clinical Pharmacology and Therapeutics</i> , 2019 , 105, 1439-1455	6.1	12
150	Effect of traditional Uyghur medicine abnormal Savda Munziq extract on rabbit platelet aggregation in vitro and rat arteriovenous shunt thrombosis in vivo. <i>Journal of Ethnopharmacology</i> , 2015 , 159, 184-8	5	11
149	Effectiveness and Safety of Rivaroxaban 15 or 20 mg Versus Vitamin K Antagonists in Nonvalvular Atrial Fibrillation. <i>Stroke</i> , 2019 , 50, 2469-2476	6.7	11
148	Validity of chronic drug exposure presumed from repeated patient interviews varied according to drug class. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 1061-8	5.7	11
147	Administrative complexities for a European observational study despite directives harmonising requirements. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 851-6	2.6	11
146	Factors associated with serious traffic crashes: a prospective study in southwest France. <i>Archives of Internal Medicine</i> , 2012 , 172, 1039-41		11
145	Cardiovascular outcomes among sildenafil users: results of the International Men's Health Study. <i>International Journal of Clinical Practice</i> , 2008 , 62, 367-73	2.9	11
144	Comparison of patient questionnaires and plasma assays in intentional drug overdoses. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2004 , 95, 31-7	3.1	11
143	Effectiveness and safety of first-line bevacizumab plus FOLFIRI in elderly patients with metastatic colorectal cancer: Results of the ETNA observational cohort. <i>Journal of Geriatric Oncology</i> , 2016 , 7, 187-94	3.6	11
142	News from Tartary: an ethnopharmacological approach to drug and therapeutic discovery. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 33-37	3.8	10
141	Baseline results from the European non-interventional Antipsychotic Long acting injection in schizophrenia (ALTO) study. <i>European Psychiatry</i> , 2018 , 52, 85-94	6	10
140	Risk of hospital admission for liver injury in users of NSAIDs and nonoverdose paracetamol: Preliminary results from the EPIHAM study. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 1174-1181	2.6	10
139	Reduced dose of rivaroxaban and dabigatran vs. vitamin K antagonists in very elderly patients with atrial fibrillation in a nationwide cohort study. <i>Europace</i> , 2020 , 22, 205-215	3.9	10
138	Quantitative Signal Detection and Analysis in Pharmacovigilance 2014 , 331-354		10
137	Cutaneous adverse effects of ketoprofen for topical use: clinical patterns and costs. <i>American Journal of Clinical Dermatology</i> , 2010 , 11, 131-6	7.1	10
136	Estimating the yearly number of eyes with treatable neovascular age-related macular degeneration using a direct standardization method and a markov model. <i>Investigative Ophthalmology and Visual Science</i> , 2006 , 47, 4270-6		10
135	An easy to use method to approximate Poisson confidence limits. <i>European Journal of Epidemiology</i> , 2005 , 20, 213-6	12.1	10
134	Effect of water on arteries. <i>Lancet, The</i> , 1999 , 354, 516	40	10

133	Misoprostol-associated fever in cirrhotic patient. <i>Lancet, The</i> , 1992 , 340, 304	40	10
132	Effectiveness of Cetuximab as First-Line Therapy for Patients With Wild-Type KRAS and Unresectable Metastatic Colorectal Cancer in Real-Life Practice: Results of the EREBUS Cohort. <i>Clinical Colorectal Cancer</i> , 2018 , 17, 129-139	3.8	9
131	Pharmacological prioritisation of signals of disproportionate reporting: proposal of an algorithm and pilot evaluation. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 617-25	2.8	9
130	Effectiveness of antibiotics for acute sinusitis in real-life medical practice. <i>British Journal of Clinical Pharmacology</i> , 2010 , 70, 418-28	3.8	9
129	Quantification methods of folpet degradation products in plasma with HPLC-UV/DAD: application to an in vivo toxicokinetic study in rats. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008 , 865, 106-13	3.2	9
128	Postmortem redistribution of two antipsychotic drugs, haloperidol and thioridazine, in the rat. <i>Journal of Analytical Toxicology</i> , 2006 , 30, 419-25	2.9	9
127	Less use of NSAIDs in long-term than in recent chondroitin sulphate users in osteoarthritis: a pharmacy-based observational study in France. <i>Therapie</i> , 2006 , 61, 341-6	3.8	9
126	Antidepressants: general practitioners' opinions and clinical practice. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 460-7	6.5	9
125	Benzodiazepine utilization patterns in Alzheimer's disease patients. <i>Pharmacoepidemiology and Drug Safety</i> , 2003 , 12, 511-5	2.6	9
124	Plasma 5-fluorouracil and alpha-fluoro-beta-alanin accumulation in lung cancer patients treated with continuous infusion of cisplatin and 5-fluorouracil. <i>Cancer Chemotherapy and Pharmacology</i> , 1994 , 35, 64-70	3.5	9
123	Secondary prevention of acute coronary events with antiplatelet agents (SPACE-AA): One-year real-world effectiveness and safety cohort study in the French nationwide claims database. <i>Atherosclerosis</i> , 2019 , 281, 98-106	3.1	9
122	Previous Drug Exposure in Patients Hospitalised for Acute Liver Injury: A Case-Population Study in the French National Healthcare Data System. <i>Drug Safety</i> , 2019 , 42, 559-572	5.1	9
121	Real-life patterns of use and effectiveness of bortezomib: the VESUVE cohort study. <i>Leukemia and Lymphoma</i> , 2014 , 55, 848-54	1.9	8
120	When patients report diseases that prescribers seem unaware of: discordance between patient and physician reporting of risk-related previous history in NSAID users from the CADEUS study. <i>Clinical Pharmacology and Therapeutics</i> , 2010 , 88, 668-75	6.1	8
119	Case series in drug safety: a review to determine characteristics and quality. <i>Drug Safety</i> , 2010 , 33, 1081-8	3.1	8
118	Reporting adverse drug reactions by proprietary name. <i>Lancet, The</i> , 1991 , 338, 393	40	8
117	Coronary Events After Dispensing of Ibuprofen: A Propensity Score-Matched Cohort Study Versus Paracetamol in the French Nationwide Claims Database Sample. <i>Drug Safety</i> , 2018 , 41, 1049-1058	5.1	8
116	Bismuth Concentrations in Patients Treated in Real-Life Practice with a Bismuth Subcitrate-Metronidazole-Tetracycline Preparation: The SAPHARY Study. <i>Drug Safety</i> , 2019 , 42, 993-1003	5.1	7

115	"Big data" and "open data": What kind of access should researchers enjoy?. <i>Therapie</i> , 2016 , 71, 97-105, 107-14	3.8	7
114	Pilot evaluation of an automated method to decrease false-positive signals induced by co-prescriptions in spontaneous reporting databases. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 186-94	2.6	7
113	Effect of <i>Bridelia ferruginea</i> Benth (Euphorbiaceae) ethyl acetate and acetone fractions on insulin resistance in fructose drinking mice. <i>Journal of Ethnopharmacology</i> , 2014 , 153, 896-9	5	7
112	Causality of Drugs Involved in Acute Liver Failure Leading to Transplantation: Results from the Study of Acute Liver Transplant (SALT). <i>Drug Safety</i> , 2013 , 36, 757-64	5.1	7
111	Patterns and frequency of atypical antipsychotic prescribing in psychiatric medical centers: a cross-sectional national survey. <i>Fundamental and Clinical Pharmacology</i> , 2007 , 21, 371-8	3.1	7
110	Use of psychotropic drugs in 0 to 5 years old children in Aquitaine (France): prevalence and associated factors. <i>Pharmacoepidemiology and Drug Safety</i> , 2006 , 15, 504-9	2.6	7
109	Nocturnal sustained attention during sleep deprivation can be predicted by specific periods of subjective daytime alertness in normal young humans. <i>Journal of Sleep Research</i> , 2006 , 15, 41-5	5.8	7
108	Identification and quantitation by high-performance liquid chromatography of mancozeb following derivatization by 1,2-benzenedithiol. <i>Journal of Analytical Toxicology</i> , 2004 , 28, 41-5	2.9	7
107	Fluvastatin reduces cardiac mortality in patients with coronary heart disease. <i>Cardiovascular Drugs and Therapy</i> , 2004 , 18, 67-75	3.9	7
106	Large scale safety study of ketoprofen 25 mg (Toprec) in febrile and painful conditions. <i>Pharmacoepidemiology and Drug Safety</i> , 1996 , 5, 295-302	2.6	7
105	Assessing drug safety. <i>BMJ, The</i> , 2005 , 330, 539-40	5.9	7
104	Comparative effectiveness of direct oral anticoagulants versus low-molecular weight heparins for the prevention of venous thromboembolism after total hip or knee replacement: A nationwide database cohort study. <i>Pharmacological Research</i> , 2019 , 141, 201-207	10.2	7
103	The role of pharmacoepidemiology in pharmacovigilance: a conference at the 6th ESOP Meeting, Budapest, 28 September 1998. <i>Pharmacoepidemiology and Drug Safety</i> , 1999 , 8 Suppl 1, S1-7	2.6	7
102	Does paracetamol still have a future in osteoarthritis?. <i>Lancet, The</i> , 2016 , 387, 2065-2066	4.0	6
101	Case Reports as Evidence in Pharmacovigilance 2014 , 121-137		6
100	Engagement in leisure activities and benzodiazepine use in a French community-dwelling elderly population. <i>International Journal of Geriatric Psychiatry</i> , 2012 , 27, 716-21	3.9	6
99	Relative risks from case-population data. <i>Epidemiology</i> , 2013 , 24, 935-6	3.1	6
98	Comment on 'Quantitative estimation of rare adverse events which follow a biological progression: a new model applied to chronic NSAID use' Tramer et al., <i>Pain</i> 2000;85:169-182. <i>Pain</i> , 2001 , 91, 401-402	8	6

97	Endothelins. A potential target for pharmacological intervention in diseases of the elderly. <i>Drugs and Aging</i> , 1994 , 4, 221-37	4.7	6
96	A low molecular weight heparin decreases plasma aldosterone in patients with primary hyperaldosteronism. <i>European Journal of Clinical Pharmacology</i> , 1992 , 43, 185-7	2.8	6
95	Requests for post-registration studies (PRS), patients follow-up in actual practice: Changes in the role of databases. <i>Therapie</i> , 2018 , 73, 13-24	3.8	5
94	Medications Recommended for Secondary Prevention After First Acute Coronary Syndrome: Effectiveness of Treatment Combinations in a Real-Life Setting. <i>Clinical Pharmacology and Therapeutics</i> , 2018 , 103, 1038-1046	6.1	5
93	Impact of therapy escalation on ambulatory care costs among patients with type 2 diabetes in France. <i>BMC Endocrine Disorders</i> , 2013 , 13, 15	3.3	5
92	Is paracetamol hepatotoxic at normal doses?. <i>BMJ, The</i> , 2013 , 346, f1519	5.9	5
91	Observation of the long-term effects of lifestyle intervention during balneotherapy in metabolic syndrome. <i>Therapie</i> , 2013 , 68, 163-7	3.8	5
90	Comparative Real-Life Effectiveness and Safety of Dabigatran or Rivaroxaban vs. Vitamin K Antagonists: A High-Dimensional Propensity Score Matched New Users Cohort Study in the French National Healthcare Data System SNDS. <i>American Journal of Cardiovascular Drugs</i> , 2020 , 20, 81-103	4	5
89	Treatment resistant depression incidence and prevalence using the French nationwide claims database. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 169-177	2.6	5
88	An observational cohort study of the use of five-grass-pollen extract sublingual immunotherapy during the 2015 pollen season in France. <i>Allergy, Asthma and Clinical Immunology</i> , 2018 , 14, 38	3.2	5
87	Ibuprofen: a journey from prescription to over-the-counter use. <i>Journal of the Royal Society of Medicine</i> , 2007 , 100 Suppl 48, 2-6	2.3	5
86	« Big data » et « open data »: quel accès pour la recherche?. <i>Therapie</i> , 2016 , 71, 97-105	3.8	4
85	Continuation rates of levetiracetam in children from the EULEVp cohort study. <i>European Journal of Paediatric Neurology</i> , 2014 , 18, 19-24	3.8	4
84	Fluindione and drug reaction with eosinophilia and systemic symptoms: an unrecognised adverse effect?. <i>European Journal of Clinical Pharmacology</i> , 2012 , 68, 101-5	2.8	4
83	How to improve the clinical development paradigm and its division into phases I, II and III. <i>Therapie</i> , 2011 , 66, 331-4, 327-30	3.8	4
82	The EULEV cohort study: rates of and factors associated with continuation of levetiracetam after 1 year. <i>British Journal of Clinical Pharmacology</i> , 2011 , 71, 121-7	3.8	4
81	Are traditional NSAIDs prescribed appropriately among French elderly with osteoarthritis? Results from the CADEUS cohort. <i>European Journal of Clinical Pharmacology</i> , 2011 , 67, 833-8	2.8	4
80	No obvious extra cardiovascular risk associated with low-dose NSAIDs. <i>Clinical Pharmacology and Therapeutics</i> , 2009 , 86, 600-1; author reply 602-4	6.1	4

79	Integrity of scientific data: transparency of clinical trial data. <i>Therapie</i> , 2007 , 62, 203-9, 211-6	3.8	4
78	Randomised double masked trial comparing the efficacy and tolerance of 0.05% mequitazine eye drops versus 0.05% levocabastine and placebo in allergic conjunctivitis induced by a conjunctival provocation test with <i>Dermatophagoides pteronyssinus</i> . <i>British Journal of Ophthalmology</i> , 2004 , 88, 336-40	5.5	4
77	A simple method to estimate sample sizes for safety equivalence studies using inverse sampling. <i>Journal of Clinical Epidemiology</i> , 2003 , 56, 433-5	5.7	4
76	Worsening of psychotic symptoms by clozapine in Parkinson's disease. <i>Lancet, The</i> , 1994 , 344, 955	4.0	4
75	Possible association of erythema multiforme with acamprosate. <i>Lancet, The</i> , 1992 , 339, 991	4.0	4
74	Quality of Life and Pain During Treatment of Metastatic Castration-resistant Prostate Cancer With Cabazitaxel In Routine Clinical Practice. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, e510-e516	3.3	4
73	Burnout: evaluation of the efficacy and tolerability of TARGET 1□ for professional fatigue syndrome (burnout). <i>Journal of International Medical Research</i> , 2015 , 43, 54-66	1.4	3
72	Patterns and effectiveness of bortezomib use according to age in the VESUVE cohort. <i>Leukemia and Lymphoma</i> , 2016 , 57, 1349-54	1.9	3
71	Fibrates and risk of cancer in tissues with high PPAR- α concentration: a nested case-control study. <i>Drug Safety</i> , 2014 , 37, 361-8	5.1	3
70	Chemotherapy and targeted agents for colorectal cancer in a real-life setting anticipate guidelines: the COLCHIC cohort study. <i>Fundamental and Clinical Pharmacology</i> , 2013 , 27, 113-9	3.1	3
69	The chronic oral administration of arginine aspartate decreases secretion of IGF-1 and IGFBP-3 in healthy volunteers. <i>Fundamental and Clinical Pharmacology</i> , 2009 , 23, 339-44	3.1	3
68	The delusion of reducing sample size. <i>European Journal of Clinical Pharmacology</i> , 2003 , 59, 711-2	2.8	3
67	Real-life patterns of use and effectiveness of sunitinib in patients with metastatic renal cell carcinoma: The SANTORIN study.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 400-400	2.2	3
66	Total Phenolic Content, Antioxidant Activity and in vitro Inhibitory Potential against Key Enzymes Relevant for Hyperglycemia of <i>Bridelia ferruginea</i> Extracts. <i>Research Journal of Phytochemistry</i> , 2012 , 6, 120-126	1	3
65	Epidemiology of metastatic castration-resistant prostate cancer: A first estimate of incidence and prevalence using the French nationwide healthcare database. <i>Cancer Epidemiology</i> , 2020 , 69, 101833	2.8	3
64	Six-year survival study after myocardial infarction: The EOLE prospective cohort study. Long-term survival after MI. <i>Therapie</i> , 2019 , 74, 459-468	3.8	3
63	Pharmacoepidemiology of statins. <i>Therapie</i> , 2019 , 74, 261-269	3.8	3
62	Pharmacoepidemiology. <i>Handbook of Experimental Pharmacology</i> , 2019 , 260, 433-451	3.2	3

61	The safety of agomelatine in standard medical practice in depressed patients: A 26-week international multicentre cohort study. <i>Human Psychopharmacology</i> , 2021 , 36, 1-11	2.3	3
60	Secondary Metastases Resection After Bevacizumab Plus Irinotecan-Based Chemotherapy in First-Line Therapy of Metastatic Colorectal Cancer in a Real-Life Setting: Results of the ETNA Cohort. <i>Targeted Oncology</i> , 2016 , 11, 83-92	5	2
59	Empirical assessment of case-based methods for identification of drugs associated with upper gastrointestinal bleeding in the French National Healthcare System database (SNDS). <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 890-903	2.6	2
58	Secondary prevention of acute coronary syndrome with antiplatelet agents in real life: A high-dimensional propensity score matched cohort study in the French National claims database. <i>MethodsX</i> , 2020 , 7, 100796	1.9	2
57	Linagliptin for elderly patients with type 2 diabetes. <i>Lancet, The</i> , 2014 , 383, 307	40	2
56	European commission consultation on pharmacovigilance. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 108-9	2.6	2
55	Myocardium distribution of sertindole and its metabolite dehydrosertindole in guinea-pigs. <i>Biopharmaceutics and Drug Disposition</i> , 2006 , 27, 171-9	1.7	2
54	Maintenance of Wakefulness Test as a Predictor of Driving Performance in Patients With Untreated Obstructive Sleep Apnea. <i>Sleep</i> , 2007 ,	1.1	2
53	The effect of abnormal Savda Munziq total flavonoids on the proliferation, apoptosis and correlative gene expression in human hepatoma (HepG2) cells. <i>Toxicology Letters</i> , 2006 , 164, S250	4.4	2
52	Potential impact of oral contraceptive choice on myocardial infarction mortality and deep vein thrombosis. <i>Journal of Family Planning and Reproductive Health Care</i> , 2005 , 31, 37-9		2
51	Spontaneous Reporting France 209-217		2
50	Transparency and trust: Clear definition of ghost writing would be helpful. <i>BMJ, The</i> , 2004 , 329, 1345-6	5.9	2
49	Constituents and Antioxidant Activity of Bleeding Sap from Various Xinjiang Grapes. <i>Pharmacognosy Magazine</i> , 2017 , 13, S726-S730	0.8	2
48	Use of intravenous iron and risk of anaphylaxis: A multinational observational post-authorisation safety study in Europe. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 1447-1457	2.6	2
47	Effectiveness of first-line cetuximab in wild-type RAS metastatic colorectal cancer according to tumour BRAF mutation status from the EREBUS cohort. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 1120-1128	3.8	2
46	Do Triclosan Sutures Modify the Microbial Diversity of Surgical Site Infections? A Systematic Review and Meta-Analysis. <i>Microorganisms</i> , 2022 , 10, 927	4.9	2
45	Empirical assessment of case-based methods for drug safety alert identification in the French National Healthcare System database (SNDS): Methodology of the ALCAPONE project. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 993-1000	2.6	1
44	Vaccine Case-Population: A New Method for Vaccine Safety Surveillance. <i>Drug Safety</i> , 2016 , 39, 1197-1209	9.1	1

43	Misuse, Abuse, and Diversion of instanyl [®] (Fentanyl Nasal Spray) in France. <i>Value in Health</i> , 2014 , 17, A649	3.3	1
42	How We Assess Causality 2014 , 319-330		1
41	Seizure freedom is not adversely affected by early discontinuation of concomitant anti-epileptic drugs in the EULEV cohort of levetiracetam users. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 1183-9	3.6	1
40	Pharmacoepidemiology studies: what levels of evidence and how can they be reached?. <i>Therapie</i> , 2013 , 68, 241-52	3.8	1
39	NSAIDs discontinuation and myocardial infarction. <i>Journal of Thrombosis and Haemostasis</i> , 2009 , 7, 1600-15.4	15.4	1
38	Exploring the potential prognostic effect of various country-specific health service data on all-cause mortality using data from a large prospective study in schizophrenia. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 925-32	2.6	1
37	Cardiotoxicité des antihistaminiques de deuxième génération. <i>Revue Française d'Allergologie Et Diimmunologie Clinique</i> , 2006 , 46, 392-401		1
36	Solving Mr Peterson's doubts. <i>Pharmacoepidemiology and Drug Safety</i> , 2004 , 13, 255-256	2.6	1
35	Response to Dr Patrick Waller's comment. <i>Pharmacoepidemiology and Drug Safety</i> , 2003 , 12, 289-290	2.6	1
34	Lack of effect of magnesium-aluminium hydroxide on the absorption of theophylline given as a pH-dependent sustained release preparation. <i>European Journal of Clinical Pharmacology</i> , 1993 , 44, 85-8	2.8	1
33	Survival outcome in patients with metastatic castration-resistant prostate cancer according to first-line treatment.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 5570-5570	2.2	1
32	Pharmacovigilance in Spain 217-220		1
31	Factors associated with serious vehicular accidents: A cross-sectional study in hospital emergency rooms. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 612-621	3.8	1
30	How Long Do Implanted Triclosan Sutures Inhibit in Surgical Conditions? A Pharmacological Model.. <i>Pharmaceutics</i> , 2022 , 14,	6.4	1
29	Drugs and the Elderly 2014 , 639-658		0
28	Exacerbation of multiple sclerosis during therapy that included brain extracts. <i>Medical Journal of Australia</i> , 1988 , 149, 343-4	4	0
27	Patients with stable coronary artery disease and type 2 diabetes but without prior myocardial infarction or stroke and THEMIS-like patients: real-world prevalence and risk of major outcomes from the SNDS French nationwide claims database. <i>Cardiovascular Diabetology</i> , 2021 , 20, 229	8.7	0
26	Intra-database validation of case-identifying algorithms using reconstituted electronic health records from healthcare claims data. <i>BMC Medical Research Methodology</i> , 2021 , 21, 95	4.7	0

25	National Health Insurance Claims Database in France (SNIRAM), Syst�me Nationale des Donn�es de Sant�(SNDS) and Health Data Hub (HDH). <i>Springer Series on Epidemiology and Public Health</i> , 2021 , 131-140	6.4	o
24	Authors' reply to Tufan and colleagues and Boucaud-Maitre. <i>BMJ, The</i> , 2016 , 353, i3188	5.9	
23	298 Impact of colour-graded pictogram on medicine packages to caution against the risk of traffic crash. <i>Injury Prevention</i> , 2016 , 22, A109.1-A109	3.2	
22	Methods for the Post-Marketing Monitoring of Psychotropics Safety: Interests and Pitfalls 2016 , 27-44		
21	La valorisation des publications m�dicales avec le logiciel SIGAPS: application � Orthop�die. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2014 , 100, 586-590		o
20	Pharmacovigilance-Related Topics at the Level of the International Conference on Harmonisation 2014 , 47-62		
19	An Historical Perspective of the Future of Pharmacovigilance 2014 , 807-817		
18	Les m�dicaments administr�s par voie nasale. <i>Revue Francaise D'allergologie Et Diimmunologie Clinique</i> , 1998 , 38, 652-656		
17	How is norepinephrine used in intensive care? A field study. <i>Therapie</i> , 2007 , 62, 143-9	3.8	
16	How to design a negative study. <i>Chest</i> , 2003 , 123, 655-6; author reply 656	5.3	
15	Patterns of quadruple therapy use including bismuth for Helicobacter pylori eradication: A cohort study in the French national claims database. <i>Therapie</i> , 2021 , 76, 435-440	3.8	
14	Pharmacovigilance: Australia 295-297		
13	Leveraging Routinely Collected Healthcare Data to Scale Up Drug Safety Surveillance: The EU-ADR Experience 439-451		
12	Spontaneous Reporting: France 203-205		
11	Pharmacovigilance in Turkey 225-227		
10	A Description of the European Network of Centres for Pharmacoepidemiology and Pharmacovigilance as a Global Resource for Pharmacovigilance and Pharmacoepidemiology 403-408		
9	The Council for International Organizations of Medical Sciences Working Groups and Their Contributions to Pharmacovigilance 63-76		
8	Vaccine Safety Surveillance 303-317		

- 7 Nonsteroidal Anti-inflammatory Drugs [Cyclooxygenase-2 Inhibitors: Risks and Benefits] 735-749
- 6 Eu2P: The First European Online Public/Private Joint Training Program in Pharmacovigilance and Pharmacoepidemiology 749-754
- 5 Surveillance for Medical Devices: USA 703-715
- 4 Mechanisms of Adverse Drug Reactions 463-487
- 3 Pharmacological treatment patterns in heart failure: a population-based cohort study. *European Journal of Clinical Pharmacology*, **2020**, 76, 97-106 2.8
- 2 Empirical assessment of case-based methods for identification of drugs associated with acute liver injury in the French National Healthcare System database (SNDS). *Pharmacoepidemiology and Drug Safety*, **2021**, 30, 320-333 2.6
- 1 Inhaled triple therapy in chronic obstructive pulmonary disease. *Lancet, The*, **2018**, 392, 1112 40