

Nicholas Moore

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7761212/nicholas-moore-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

366
papers

10,991
citations

53
h-index

87
g-index

406
ext. papers

12,675
ext. citations

5.1
avg, IF

6.26
L-index

#	Paper	IF	Citations
366	How Long Do Implanted Triclosan Sutures Inhibit in Surgical Conditions? A Pharmacological Model.. <i>Pharmaceutics</i> , 2022 , 14,	6.4	1
365	Do Triclosan Sutures Modify the Microbial Diversity of Surgical Site Infections? A Systematic Review and Meta-Analysis. <i>Microorganisms</i> , 2022 , 10, 927	4.9	2
364	Patients with stable coronary artery disease and type 2 diabetes but without prior myocardial infarction or stroke and THEMIS-like patients: real-world prevalence and risk of major outcomes from the SNDS French nationwide claims database. <i>Cardiovascular Diabetology</i> , 2021 , 20, 229	8.7	0
363	Patterns of quadruple therapy use including bismuth for Helicobacter pylori eradication: A cohort study in the French national claims database. <i>Therapie</i> , 2021 , 76, 435-440	3.8	
362	Intra-database validation of case-identifying algorithms using reconstituted electronic health records from healthcare claims data. <i>BMC Medical Research Methodology</i> , 2021 , 21, 95	4.7	0
361	Use of intravenous iron and risk of anaphylaxis: A multinational observational post-authorisation safety study in Europe. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 1447-1457	2.6	2
360	Factors associated with serious vehicular accidents: A cross-sectional study in hospital emergency rooms. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 612-621	3.8	1
359	Effectiveness of first-line cetuximab in wild-type RAS metastatic colorectal cancer according to tumour BRAF mutation status from the EREBUS cohort. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 1120-1128	3.8	2
358	The safety of agomelatine in standard medical practice in depressed patients: A 26-week international multicentre cohort study. <i>Human Psychopharmacology</i> , 2021 , 36, 1-11	2.3	3
357	Empirical assessment of case-based methods for identification of drugs associated with acute liver injury in the French National Healthcare System database (SNDS). <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 320-333	2.6	
356	Treatment resistant depression incidence and prevalence using the French nationwide claims database. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 169-177	2.6	5
355	National Health Insurance Claims Database in France (SNIRAM), Syst�me Nationale des Donn�es de Sant�(SNDS) and Health Data Hub (HDH). <i>Springer Series on Epidemiology and Public Health</i> , 2021 , 131-140	0.4	0
354	NSAIDs and COVID-19: A Systematic Review and Meta-analysis. <i>Drug Safety</i> , 2021 , 44, 929-938	5.1	19
353	Considerations for pharmacoepidemiological analyses in the SARS-CoV-2 pandemic. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 825-831	2.6	18
352	Empirical assessment of case-based methods for identification of drugs associated with upper gastrointestinal bleeding in the French National Healthcare System database (SNDS). <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 890-903	2.6	2
351	Empirical assessment of case-based methods for drug safety alert identification in the French National Healthcare System database (SNDS): Methodology of the ALCAPONE project. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 993-1000	2.6	1
350	Secondary prevention of acute coronary syndrome with antiplatelet agents in real life: A high-dimensional propensity score matched cohort study in the French National claims database. <i>MethodsX</i> , 2020 , 7, 100796	1.9	2

349	Reduced dose of rivaroxaban and dabigatran vs. vitamin K antagonists in very elderly patients with atrial fibrillation in a nationwide cohort study. <i>Europace</i> , 2020 , 22, 205-215	3.9	10
348	Survival outcome in patients with metastatic castration-resistant prostate cancer according to first-line treatment.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 5570-5570	2.2	1
347	Coronary Risks Associated with Diclofenac and Other NSAIDs: An Update. <i>Drug Safety</i> , 2020 , 43, 301-318	5.1	18
346	Epidemiology of metastatic castration-resistant prostate cancer: A first estimate of incidence and prevalence using the French nationwide healthcare database. <i>Cancer Epidemiology</i> , 2020 , 69, 101833	2.8	3
345	Pharmacological treatment patterns in heart failure: a population-based cohort study. <i>European Journal of Clinical Pharmacology</i> , 2020 , 76, 97-106	2.8	
344	Comparative Real-Life Effectiveness and Safety of Dabigatran or Rivaroxaban vs. Vitamin K Antagonists: A High-Dimensional Propensity Score Matched New Users Cohort Study in the French National Healthcare Data System SNDS. <i>American Journal of Cardiovascular Drugs</i> , 2020 , 20, 81-103	4	5
343	Quality of Life and Pain During Treatment of Metastatic Castration-resistant Prostate Cancer With Cabazitaxel In Routine Clinical Practice. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, e510-e516	3.3	4
342	Bismuth Concentrations in Patients Treated in Real-Life Practice with a Bismuth Subcitrate-Metronidazole-Tetracycline Preparation: The SAPHARY Study. <i>Drug Safety</i> , 2019 , 42, 993-1003	5.1	7
341	A review of Algerian medicinal plants used in the treatment of diabetes. <i>Journal of Ethnopharmacology</i> , 2019 , 238, 111841	5	26
340	Effectiveness and Safety of Rivaroxaban 15 or 20 mg Versus Vitamin K Antagonists in Nonvalvular Atrial Fibrillation. <i>Stroke</i> , 2019 , 50, 2469-2476	6.7	11
339	Incidence of direct oral anticoagulant use in patients with nonvalvular atrial fibrillation and characteristics of users in 6 European countries (2008-2015): A cross-national drug utilization study. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 2524-2539	3.8	29
338	Pharmacoepidemiology of non-steroidal anti-inflammatory drugs. <i>Therapie</i> , 2019 , 74, 271-277	3.8	26
337	Pharmacovigilance – The next chapter. <i>Therapie</i> , 2019 , 74, 557-567	3.8	82
336	Overall and progression-free survival with cabazitaxel in metastatic castration-resistant prostate cancer in routine clinical practice: the FUJI cohort. <i>British Journal of Cancer</i> , 2019 , 121, 1001-1008	8.7	16
335	Six-year survival study after myocardial infarction: The EOLE prospective cohort study. Long-term survival after MI. <i>Therapie</i> , 2019 , 74, 459-468	3.8	3
334	Pharmacoepidemiology of statins. <i>Therapie</i> , 2019 , 74, 261-269	3.8	3
333	Pharmacoepidemiology. <i>Handbook of Experimental Pharmacology</i> , 2019 , 260, 433-451	3.2	3
332	Comparative effectiveness of direct oral anticoagulants versus low-molecular weight heparins for the prevention of venous thromboembolism after total hip or knee replacement: A nationwide database cohort study. <i>Pharmacological Research</i> , 2019 , 141, 201-207	10.2	7

331	Diagnostic accuracy of the International Classification of Diseases, Tenth Revision, codes of heart failure in an administrative database. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 194-200	2.6	22
330	Effectiveness and safety of 110 or 150 mg dabigatran vs. vitamin K antagonists in nonvalvular atrial fibrillation. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 432-441	3.8	15
329	Real-Life Benefits of Statins for Cardiovascular Prevention in Elderly Subjects: A Population-Based Cohort Study. <i>American Journal of Medicine</i> , 2019 , 132, 740-748.e7	2.4	26
328	Secondary prevention of acute coronary events with antiplatelet agents (SPACE-AA): One-year real-world effectiveness and safety cohort study in the French nationwide claims database. <i>Atherosclerosis</i> , 2019 , 281, 98-106	3.1	9
327	Previous Drug Exposure in Patients Hospitalised for Acute Liver Injury: A Case-Population Study in the French National Healthcare Data System. <i>Drug Safety</i> , 2019 , 42, 559-572	5.1	9
326	Comparative Effectiveness and Safety of Standard or Reduced Dose Dabigatran vs. Rivaroxaban in Nonvalvular Atrial Fibrillation. <i>Clinical Pharmacology and Therapeutics</i> , 2019 , 105, 1439-1455	6.1	12
325	Effectiveness of Cetuximab as First-Line Therapy for Patients With Wild-Type KRAS and Unresectable Metastatic Colorectal Cancer in Real-Life Practice: Results of the EREBUS Cohort. <i>Clinical Colorectal Cancer</i> , 2018 , 17, 129-139	3.8	9
324	Gastrointestinal safety and tolerability of oral non-aspirin over-the-counter analgesics. <i>Postgraduate Medicine</i> , 2018 , 130, 188-199	3.7	20
323	Requests for post-registration studies (PRS), patients follow-up in actual practice: Changes in the role of databases. <i>Therapie</i> , 2018 , 73, 13-24	3.8	5
322	Medications Recommended for Secondary Prevention After First Acute Coronary Syndrome: Effectiveness of Treatment Combinations in a Real-Life Setting. <i>Clinical Pharmacology and Therapeutics</i> , 2018 , 103, 1038-1046	6.1	5
321	Inclusion of elderly or frail patients in randomized controlled trials of targeted therapies for the treatment of metastatic colorectal cancer: A systematic review. <i>Journal of Geriatric Oncology</i> , 2018 , 9, 15-23	3.6	19
320	Baseline results from the European non-interventional Antipsychotic Long acting injection in schizOphrenia (ALTO) study. <i>European Psychiatry</i> , 2018 , 52, 85-94	6	10
319	Risk of hospital admission for liver injury in users of NSAIDs and nonoverdose paracetamol: Preliminary results from the EPIHAM study. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 1174-1181	2.6	10
318	Inhaled triple therapy in chronic obstructive pulmonary disease. <i>Lancet, The</i> , 2018 , 392, 1112	4.0	
317	An observational cohort study of the use of five-grass-pollen extract sublingual immunotherapy during the 2015 pollen season in France. <i>Allergy, Asthma and Clinical Immunology</i> , 2018 , 14, 38	3.2	5
316	Trends in attention-deficit hyperactivity disorder medication use: a retrospective observational study using population-based databases. <i>Lancet Psychiatry, the</i> , 2018 , 5, 824-835	23.3	105
315	Coronary Events After Dispensing of Ibuprofen: A Propensity Score-Matched Cohort Study Versus Paracetamol in the French Nationwide Claims Database Sample. <i>Drug Safety</i> , 2018 , 41, 1049-1058	5.1	8
314	News from Tartary: an ethnopharmacological approach to drug and therapeutic discovery. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 33-37	3.8	10

313	Comparative effectiveness of recommended versus less intensive drug combinations in secondary prevention of acute coronary syndrome. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 285-293	2.6	14
312	Methods for safety signal detection in healthcare databases: a literature review. <i>Expert Opinion on Drug Safety</i> , 2017 , 16, 721-732	4.1	31
311	Real-life patterns of use, safety and effectiveness of sunitinib in first-line therapy of metastatic renal cell carcinoma: the SANTORIN cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 1561-1569	2.6	14
310	The national healthcare system claims databases in France, SNIIRAM and EGB: Powerful tools for pharmacoepidemiology. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 954-962	2.6	227
309	Outcomes in patients after myocardial infarction similar to those of the PEGASUS-TIMI 54 trial: A cohort study in the French national claims database. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 2056-2065	3.8	20
308	A multinational, drug utilization study to investigate the use of dexmedetomidine (Dexdor [®]) in clinical practice in the EU. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 2066-2076	3.8	12
307	Chronic obstructive pulmonary disease exacerbation and inhaler device handling: real-life assessment of 2935 patients. <i>European Respiratory Journal</i> , 2017 , 49,	13.6	138
306	Self-medication misuse in the Middle East: a systematic literature review. <i>Pharmacology Research and Perspectives</i> , 2017 , 5, e00323	3.1	41
305	Risk of Motor Vehicle Accidents Related to Sleepiness at the Wheel: A Systematic Review and Meta-Analysis. <i>Sleep</i> , 2017 , 40,	1.1	90
304	Impact of a public media event on the use of statins in the French population. <i>Archives of Cardiovascular Diseases</i> , 2017 , 110, 91-98	2.7	16
303	Pharmacological treatments of cardiovascular diseases: Evidence from real-life studies. <i>Pharmacological Research</i> , 2017 , 118, 43-52	10.2	13
302	Constituents and Antioxidant Activity of Bleeding Sap from Various Xinjiang Grapes. <i>Pharmacognosy Magazine</i> , 2017 , 13, S726-S730	0.8	2
301	Secondary Metastases Resection After Bevacizumab Plus Irinotecan-Based Chemotherapy in First-Line Therapy of Metastatic Colorectal Cancer in a Real-Life Setting: Results of the ETNA Cohort. <i>Targeted Oncology</i> , 2016 , 11, 83-92	5	2
300	Authors' reply to Tufan and colleagues and Boucaud-Maitre. <i>BMJ, The</i> , 2016 , 353, i3188	5.9	
299	Addition of dipeptidyl peptidase-4 inhibitors to sulphonylureas and risk of hypoglycaemia: systematic review and meta-analysis. <i>BMJ, The</i> , 2016 , 353, i2231	5.9	47
298	Road traffic crash risk associated with benzodiazepine and z-hypnotic use after implementation of a colour-graded pictogram: a responsibility study. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 1625-1635	3.8	14
297	Vaccine Case-Population: A New Method for Vaccine Safety Surveillance. <i>Drug Safety</i> , 2016 , 39, 1197-1209	9.1	1
296	298 Impact of colour-graded pictogram on medicine packages to caution against the risk of traffic crash. <i>Injury Prevention</i> , 2016 , 22, A109.1-A109	3.2	

295	Patterns and effectiveness of bortezomib use according to age in the VESUVE cohort. <i>Leukemia and Lymphoma</i> , 2016 , 57, 1349-54	1.9	3
294	Does paracetamol still have a future in osteoarthritis?. <i>Lancet, The</i> , 2016 , 387, 2065-2066	4.0	6
293	"Big data" and "open data": What kind of access should researchers enjoy?. <i>Therapie</i> , 2016 , 71, 97-105, 107-14	3.8	7
292	Sudden cardiac and sudden unexpected death related to antipsychotics: A meta-analysis of observational studies. <i>Clinical Pharmacology and Therapeutics</i> , 2016 , 99, 306-14	6.1	50
291	Using big data from health records from four countries to evaluate chronic disease outcomes: a study in 114 364 survivors of myocardial infarction. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2016 , 2, 172-183	4.6	60
290	«Big data» et «open data»: quel accès pour la recherche?. <i>Therapie</i> , 2016 , 71, 97-105	3.8	4
289	Relationship between imatinib trough concentration and outcomes in the treatment of advanced gastrointestinal stromal tumours in a real-life setting. <i>European Journal of Cancer</i> , 2016 , 57, 31-8	7.5	48
288	Methods for the Post-Marketing Monitoring of Psychotropics Safety: Interests and Pitfalls 2016 , 27-44		
287	A Method for the Minimization of Competition Bias in Signal Detection from Spontaneous Reporting Databases. <i>Drug Safety</i> , 2016 , 39, 251-60	5.1	21
286	The Benzodiazepine-Dementia Disorders Link: Current State of Knowledge. <i>CNS Drugs</i> , 2016 , 30, 1-7	6.7	89
285	Usage patterns of paracetamol in France. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 498-503	3.8	22
284	Effectiveness and safety of first-line bevacizumab plus FOLFIRI in elderly patients with metastatic colorectal cancer: Results of the ETNA observational cohort. <i>Journal of Geriatric Oncology</i> , 2016 , 7, 187-94 ⁶	3.6	11
283	A diagnostic approach that may help to discriminate inherited thrombocytopenia from chronic immune thrombocytopenia in adult patients. <i>Platelets</i> , 2016 , 27, 555-62	3.6	14
282	Persistence to 5-year hormonal breast cancer therapy: a French national population-based study. <i>British Journal of Cancer</i> , 2016 , 115, 912-919	8.7	12
281	A population database study of outcomes associated with vitamin K antagonists in atrial fibrillation before DOAC. <i>British Journal of Clinical Pharmacology</i> , 2016 , 81, 569-78	3.8	19
280	Liver injury with novel oral anticoagulants: assessing post-marketing reports in the US Food and Drug Administration adverse event reporting system. <i>British Journal of Clinical Pharmacology</i> , 2015 , 80, 285-93	3.8	53
279	Oral Propranolol for Infantile Hemangioma. <i>New England Journal of Medicine</i> , 2015 , 373, 284-5	59.2	19
278	Effects of <i>Cydonia oblonga</i> Miller leaf and fruit flavonoids on blood lipids and anti-oxidant potential in hyperlipidemia rats. <i>Journal of Ethnopharmacology</i> , 2015 , 169, 239-43	5	29

277	Traditional Uighur Medicine Karapxa decoction, inhibits liver xanthine oxidase and reduces serum uric acid concentrations in hyperuricemic mice and scavenges free radicals in vitro. <i>BMC Complementary and Alternative Medicine</i> , 2015 , 15, 131	4.7	12
276	Burnout: evaluation of the efficacy and tolerability of TARGET 1□ for professional fatigue syndrome (burnout). <i>Journal of International Medical Research</i> , 2015 , 43, 54-66	1.4	3
275	Effect of traditional Uyghur medicine abnormal Savda Munziq extract on rabbit platelet aggregation in vitro and rat arteriovenous shunt thrombosis in vivo. <i>Journal of Ethnopharmacology</i> , 2015 , 159, 184-8	5	11
274	Liver transplant associated with paracetamol overdose: results from the seven-country SALT study. <i>British Journal of Clinical Pharmacology</i> , 2015 , 80, 599-606	3.8	56
273	Parkinson's disease incidence and prevalence assessment in France using the national healthcare insurance database. <i>European Journal of Neurology</i> , 2015 , 22, 464-71	6	35
272	Choice of ICD-10 codes for the identification of acute coronary syndrome in the French hospitalization database. <i>Fundamental and Clinical Pharmacology</i> , 2015 , 29, 586-91	3.1	36
271	Adverse drug reactions and drug-drug interactions with over-the-counter NSAIDs. <i>Therapeutics and Clinical Risk Management</i> , 2015 , 11, 1061-75	2.9	99
270	Effect of Centaurium erythraea Rafn, Artemisia herba-alba Asso and Trigonella foenum-graecum L. on liver fat accumulation in C57BL/6J mice with high-fat diet-induced type 2 diabetes. <i>Journal of Ethnopharmacology</i> , 2015 , 171, 4-11	5	16
269	Effect of Ocimum basilicum L. on cyclo-oxygenase isoforms and prostaglandins involved in thrombosis. <i>Journal of Ethnopharmacology</i> , 2014 , 152, 151-5	5	19
268	Cardiovascular risks associated with low-dose ibuprofen and diclofenac as used OTC. <i>Expert Opinion on Drug Safety</i> , 2014 , 13, 167-79	4.1	27
267	Survival outcomes of bevacizumab in first-line metastatic colorectal cancer in a real-life setting: results of the ETNA cohort. <i>Targeted Oncology</i> , 2014 , 9, 311-9	5	19
266	Effect of Cydonia oblonga Mill. leaf extract on serum lipids and liver function in a rat model of hyperlipidaemia. <i>Journal of Ethnopharmacology</i> , 2014 , 151, 970-4	5	39
265	La valorisation des publications médicales avec le logiciel SIGAPS: application □□Orthopédie. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2014 , 100, 586-590	0	
264	Scoring of medical publications with SIGAPS software: Application to orthopedics. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2014 , 100, 821-5	2.9	12
263	Misuse, Abuse, and Diversion of instanyl□ (Fentanyl Nasal Spray) in France. <i>Value in Health</i> , 2014 , 17, A649	3.3	1
262	Pharmacovigilance-Related Topics at the Level of the International Conference on Harmonisation 2014 , 47-62		
261	Pharmacological prioritisation of signals of disproportionate reporting: proposal of an algorithm and pilot evaluation. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 617-25	2.8	9
260	Fibrates and risk of cancer in tissues with high PPAR-□ concentration: a nested case-control study. <i>Drug Safety</i> , 2014 , 37, 361-8	5.1	3

259	Effect of <i>Cydonia oblonga</i> Mill. leaf extracts or captopril on blood pressure and related biomarkers in renal hypertensive rats. <i>Journal of Ethnopharmacology</i> , 2014 , 153, 635-40	5	17
258	Linagliptin for elderly patients with type 2 diabetes. <i>Lancet, The</i> , 2014 , 383, 307	40	2
257	Continuation rates of levetiracetam in children from the EULEVp cohort study. <i>European Journal of Paediatric Neurology</i> , 2014 , 18, 19-24	3.8	4
256	Pilot evaluation of an automated method to decrease false-positive signals induced by co-prescriptions in spontaneous reporting databases. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 186-94	2.6	7
255	Long-term chronic diseases and crash responsibility: a record linkage study. <i>Accident Analysis and Prevention</i> , 2014 , 71, 137-43	6.1	20
254	Effect of <i>Cydonia oblonga</i> Mill. fruit and leaf extracts on blood pressure and blood rheology in renal hypertensive rats. <i>Journal of Ethnopharmacology</i> , 2014 , 152, 464-9	5	21
253	Effects of <i>Cydonia oblonga</i> Miller extracts on blood hemostasis, coagulation and fibrinolysis in mice, and experimental thrombosis in rats. <i>Journal of Ethnopharmacology</i> , 2014 , 154, 163-9	5	23
252	An Historical Perspective of the Future of Pharmacovigilance 2014 , 807-817		
251	How We Assess Causality 2014 , 319-330		1
250	Cardiovascular events associated with the long-term use of NSAIDs: a review of randomized controlled trials and observational studies. <i>Expert Opinion on Drug Safety</i> , 2014 , 13, 573-85	4.1	34
249	Quantitative Signal Detection and Analysis in Pharmacovigilance 2014 , 331-354		10
248	Propensity-based study of aminoglycoside nephrotoxicity in patients with severe sepsis or septic shock. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 7468-74	5.9	34
247	Case Reports as Evidence in Pharmacovigilance 2014 , 121-137		6
246	Usage patterns of 'over-the-counter' vs. prescription-strength nonsteroidal anti-inflammatory drugs in France. <i>British Journal of Clinical Pharmacology</i> , 2014 , 77, 887-95	3.8	46
245	Real-life patterns of use and effectiveness of bortezomib: the VESUVE cohort study. <i>Leukemia and Lymphoma</i> , 2014 , 55, 848-54	1.9	8
244	Drugs and the Elderly 2014 , 639-658		0
243	Modafinil improves real driving performance in patients with hypersomnia: a randomized double-blind placebo-controlled crossover clinical trial. <i>Sleep</i> , 2014 , 37, 483-7	1.1	62
242	Effect of <i>Bridelia ferruginea</i> Benth (Euphorbiaceae) ethyl acetate and acetone fractions on insulin resistance in fructose drinking mice. <i>Journal of Ethnopharmacology</i> , 2014 , 153, 896-9	5	7

241	Use of the recommended drug combination for secondary prevention after a first occurrence of acute coronary syndrome in France. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 429-36	2.8	29
240	Nutritional, lifestyle and environmental factors in ocular hypertension and primary open-angle glaucoma: an exploratory case-control study. <i>Acta Ophthalmologica</i> , 2013 , 91, 505-13	3.7	42
239	Contribution of prolonged-release melatonin and anti-benzodiazepine campaigns to the reduction of benzodiazepine and Z-drugs consumption in nine European countries. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 1-10	2.8	46
238	Methodology for a multinational case-population study on liver toxicity risks with NSAIDs: the Study of Acute Liver Transplant (SALT). <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 605-16	2.8	13
237	Impact of therapy escalation on ambulatory care costs among patients with type 2 diabetes in France. <i>BMC Endocrine Disorders</i> , 2013 , 13, 15	3.3	5
236	Double-blind randomized pilot trial evaluating the efficacy of oral propranolol on infantile haemangiomas in infants <i>British Journal of Dermatology</i> , 2013 , 169, 181-3	4	38
235	A potential event-competition bias in safety signal detection: results from a spontaneous reporting research database in France. <i>Drug Safety</i> , 2013 , 36, 565-72	5.1	29
234	Aminoglycosides in septic shock: an overview, with specific consideration given to their nephrotoxic risk. <i>Drug Safety</i> , 2013 , 36, 217-30	5.1	43
233	Prescription of antiepileptics and the risk of road traffic crash. <i>Journal of Clinical Pharmacology</i> , 2013 , 53, 339-44	2.9	13
232	Acute and sub-chronic (28days) oral toxicity evaluation of hydroethanolic extract of <i>Bridelia ferruginea</i> Benth root bark in male rodent animals. <i>Food and Chemical Toxicology</i> , 2013 , 52, 176-9	4.7	24
231	The past, present and perhaps future of pharmacovigilance: homage to Folke Sjoqvist. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69 Suppl 1, 33-41	2.8	12
230	Causality of Drugs Involved in Acute Liver Failure Leading to Transplantation: Results from the Study of Acute Liver Transplant (SALT). <i>Drug Safety</i> , 2013 , 36, 757-64	5.1	7
229	Transplantation for acute liver failure in patients exposed to NSAIDs or paracetamol (acetaminophen): the multinational case-population SALT study. <i>Drug Safety</i> , 2013 , 36, 135-44	5.1	76
228	Therapeutic drug monitoring of imatinib in chronic myeloid leukemia: experience from 1216 patients at a centralized laboratory. <i>Fundamental and Clinical Pharmacology</i> , 2013 , 27, 690-7	3.1	39
227	Chemotherapy and targeted agents for colorectal cancer in a real-life setting anticipate guidelines: the COLCHIC cohort study. <i>Fundamental and Clinical Pharmacology</i> , 2013 , 27, 113-9	3.1	3
226	Is paracetamol hepatotoxic at normal doses?. <i>BMJ, The</i> , 2013 , 346, f1519	5.9	5
225	Choice of the denominator in case population studies: event rates for registration for liver transplantation after exposure to NSAIDs in the SALT study in France. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 160-7	2.6	23
224	Observation of the long-term effects of lifestyle intervention during balneotherapy in metabolic syndrome. <i>Therapie</i> , 2013 , 68, 163-7	3.8	5

223	Pharmacoepidemiology studies: what levels of evidence and how can they be reached?. <i>Therapie</i> , 2013 , 68, 241-52	3.8	1
222	Relative risks from case-population data. <i>Epidemiology</i> , 2013 , 24, 935-6	3.1	6
221	Exploring the potential prognostic effect of various country-specific health service data on all-cause mortality using data from a large prospective study in schizophrenia. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 925-32	2.6	1
220	Real-life patterns of use and effectiveness of sunitinib in patients with metastatic renal cell carcinoma: The SANTORIN study.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 400-400	2.2	3
219	Fluindione and drug reaction with eosinophilia and systemic symptoms: an unrecognised adverse effect?. <i>European Journal of Clinical Pharmacology</i> , 2012 , 68, 101-5	2.8	4
218	Insulin glargine and risk of cancer: a cohort study in the French National Healthcare Insurance Database. <i>Diabetologia</i> , 2012 , 55, 644-53	10.3	78
217	Identification of abuse and dependence cases through a hospital database. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 1344-9	2.6	13
216	Effect of competition bias in safety signal generation: analysis of a research database of spontaneous reports in France. <i>Drug Safety</i> , 2012 , 35, 855-64	5.1	53
215	Dehydroepiandrosterone (DHEA) improves pulmonary hypertension in chronic obstructive pulmonary disease (COPD): a pilot study. <i>Annales DiEndocrinologie</i> , 2012 , 73, 20-5	1.7	43
214	Preventive and curative effect of <i>Trigonella foenum-graecum</i> L. seeds in C57BL/6J models of type 2 diabetes induced by high-fat diet. <i>Journal of Ethnopharmacology</i> , 2012 , 142, 516-22	5	48
213	Bioavailability of glycitein relatively to other soy isoflavones in healthy young Caucasian men. <i>Food Chemistry</i> , 2012 , 135, 1104-11	8.5	17
212	Road traffic crashes and prescribed methadone and buprenorphine: a French registry-based case-control study. <i>Drug and Alcohol Dependence</i> , 2012 , 123, 91-7	4.9	41
211	Seizure freedom is not adversely affected by early discontinuation of concomitant anti-epileptic drugs in the EULEV cohort of levetiracetam users. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 1183-9	2.6	1
210	Immunomodulatory and antitumour effects of abnormal Savda Munziq on S180 tumour-bearing mice. <i>BMC Complementary and Alternative Medicine</i> , 2012 , 12, 157	4.7	20
209	Validity of chronic drug exposure presumed from repeated patient interviews varied according to drug class. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 1061-8	5.7	11
208	Administrative complexities for a European observational study despite directives harmonising requirements. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 851-6	2.6	11
207	Use of health insurance claim patterns to identify patients using nonsteroidal anti-inflammatory drugs for rheumatoid arthritis. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 573-83	2.6	15
206	Engagement in leisure activities and benzodiazepine use in a French community-dwelling elderly population. <i>International Journal of Geriatric Psychiatry</i> , 2012 , 27, 716-21	3.9	6

205	The impact of the Uighur medicine abnormal savda munziq on antitumor and antioxidant activity in a S180 and Ehrlich ascites carcinoma mouse tumor model. <i>Pharmacognosy Magazine</i> , 2012 , 8, 141-8	0.8	12
204	Ethanol Extract of Abnormal Savda Munziq, a Herbal Preparation of Traditional Uighur Medicine, Inhibits Caco-2 Cells Proliferation via Cell Cycle Arrest and Apoptosis. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012 , 2012, 926329	2.3	13
203	Antipsychotic use and myocardial infarction in older patients with treated dementia. <i>Archives of Internal Medicine</i> , 2012 , 172, 648-53; discussion 654-5		49
202	A review of the pharmacokinetic profile of transmucosal fentanyl formulations. <i>Current Medical Research and Opinion</i> , 2012 , 28, 1781-90	2.5	12
201	Factors associated with serious traffic crashes: a prospective study in southwest France. <i>Archives of Internal Medicine</i> , 2012 , 172, 1039-41		11
200	Total Phenolic Content, Antioxidant Activity and in vitro Inhibitory Potential against Key Enzymes Relevant for Hyperglycemia of Bridelia ferruginea Extracts. <i>Research Journal of Phytochemistry</i> , 2012 , 6, 120-126	1	3
199	Risk of injurious road traffic crash after prescription of antidepressants. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 1088-94	4.6	34
198	The case-population study design: an analysis of its application in pharmacovigilance. <i>Drug Safety</i> , 2011 , 34, 861-8	5.1	26
197	Simultaneous determination of nine tyrosine kinase inhibitors by 96-well solid-phase extraction and ultra performance LC/MS-MS. <i>Clinica Chimica Acta</i> , 2011 , 412, 1060-7	6.2	136
196	Treatment of high fat diet induced type 2 diabetes in C57BL/6J mice by two medicinal plants used in traditional treatment of diabetes in the east of Algeria. <i>Journal of Ethnopharmacology</i> , 2011 , 133, 931-5	5	36
195	How to improve the clinical development paradigm and its division into phases I, II and III. <i>Therapie</i> , 2011 , 66, 331-4, 327-30	3.8	4
194	The EULEV cohort study: rates of and factors associated with continuation of levetiracetam after 1 year. <i>British Journal of Clinical Pharmacology</i> , 2011 , 71, 121-7	3.8	4
193	Benzodiazepine-like hypnotics and the associated risk of road traffic accidents. <i>Clinical Pharmacology and Therapeutics</i> , 2011 , 89, 595-601	6.1	84
192	Cardiovascular and gastrointestinal safety of NSAIDs: a systematic review of meta-analyses of randomized clinical trials. <i>Clinical Pharmacology and Therapeutics</i> , 2011 , 89, 855-66	6.1	79
191	Botulinum toxin treatment in neurological practice: how much does it really cost? A prospective cost-effectiveness study. <i>Journal of Neurology</i> , 2011 , 258, 1670-5	5.5	16
190	Are traditional NSAIDs prescribed appropriately among French elderly with osteoarthritis? Results from the CADEUS cohort. <i>European Journal of Clinical Pharmacology</i> , 2011 , 67, 833-8	2.8	4
189	Relevance of a "Dear Doctor letter" to alert healthcare providers to new recommendations for vitamin D administration. <i>European Journal of Clinical Pharmacology</i> , 2011 , 67, 681-6	2.8	13
188	Life-threatening drug-associated hyperkalemia: a retrospective study from laboratory signals. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 747-53	2.6	20

187	Inhibition of Cell Growth and Cellular Protein, DNA and RNA Synthesis in Human Hepatoma (HepG2) Cells by Ethanol Extract of Abnormal Savda Munziq of Traditional Uighur Medicine. <i>Evidence-based Complementary and Alternative Medicine</i> , 2011 , 2011, 251424	2.3	30
186	Abnormal Savda Munziq, an Herbal Preparation of Traditional Uighur Medicine, May Prevent 1,2-dimethylhydrazine-Induced Rat Colon Carcinogenesis. <i>Evidence-based Complementary and Alternative Medicine</i> , 2011 , 2011, 152015	2.3	14
185	Anti-inflammatory, immunomodulatory, and heme oxygenase-1 inhibitory activities of ravan napas, a formulation of uighur traditional medicine, in a rat model of allergic asthma. <i>Evidence-based Complementary and Alternative Medicine</i> , 2011 , 2011,	2.3	23
184	Medical and non-medical direct costs of chronic low back pain in patients consulting primary care physicians in France. <i>Fundamental and Clinical Pharmacology</i> , 2010 , 24, 101-8	3.1	41
183	Hospitalizations for gastrointestinal and cardiovascular events in the CADEUS cohort of traditional or Coxib NSAID users. <i>British Journal of Clinical Pharmacology</i> , 2010 , 69, 295-302	3.8	22
182	Effectiveness of antibiotics for acute sinusitis in real-life medical practice. <i>British Journal of Clinical Pharmacology</i> , 2010 , 70, 418-28	3.8	9
181	Sleepiness, near-misses and driving accidents among a representative population of French drivers. <i>Journal of Sleep Research</i> , 2010 , 19, 578-84	5.8	82
180	When patients report diseases that prescribers seem unaware of: discordance between patient and physician reporting of risk-related previous history in NSAID users from the CADEUS study. <i>Clinical Pharmacology and Therapeutics</i> , 2010 , 88, 668-75	6.1	8
179	Are generic drugs really inferior medicines?. <i>Clinical Pharmacology and Therapeutics</i> , 2010 , 88, 302-4	6.1	13
178	Cytomegalovirus-induced gammadelta T cells associate with reduced cancer risk after kidney transplantation. <i>Journal of the American Society of Nephrology: JASN</i> , 2010 , 21, 181-8	12.7	71
177	Antihypertensive effects of Ocimum basilicum L. (OBL) on blood pressure in renovascular hypertensive rats. <i>Hypertension Research</i> , 2010 , 33, 727-30	4.7	50
176	Improving pharmacovigilance in Europe. <i>BMJ, The</i> , 2010 , 340, c1694	5.9	16
175	Comparison of three methods (consensual expert judgement, algorithmic and probabilistic approaches) of causality assessment of adverse drug reactions: an assessment using reports made to a French pharmacovigilance centre. <i>Drug Safety</i> , 2010 , 33, 1045-54	5.1	38
174	Case series in drug safety: a review to determine characteristics and quality. <i>Drug Safety</i> , 2010 , 33, 1081-8	5.1	8
173	Prevention of type 2 diabetes induced by high fat diet in the C57BL/6J mouse by two medicinal plants used in traditional treatment of diabetes in the east of Algeria. <i>Journal of Ethnopharmacology</i> , 2010 , 128, 513-8	5	53
172	Antispasmodic and antioxidant activities of fractions and bioactive constituent davidigenin isolated from Mascarenhasia arborescens. <i>Journal of Ethnopharmacology</i> , 2010 , 130, 320-8	5	16
171	Suicide attempts in a prospective cohort of patients with schizophrenia treated with sertindole or risperidone. <i>European Neuropsychopharmacology</i> , 2010 , 20, 829-38	1.2	18
170	Cutaneous adverse effects of ketoprofen for topical use: clinical patterns and costs. <i>American Journal of Clinical Dermatology</i> , 2010 , 11, 131-6	7.1	10

169	Factors associated with serious adverse reactions to cholinesterase inhibitors: a study of spontaneous reporting. <i>CNS Drugs</i> , 2010 , 24, 55-63	6.7	19
168	A method to measure deferasirox in plasma using HPLC coupled with MS/MS detection and its potential application. <i>Therapeutic Drug Monitoring</i> , 2010 , 32, 476-81	3.2	14
167	Factors associated with persistence of cholinesterase inhibitor treatments in the elderly. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 680-6	2.6	26
166	Concordance between prescriber- and patient-reported previous medical history and NSAID indication in the CADEUS cohort. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 474-81	2.6	14
165	A potential competition bias in the detection of safety signals from spontaneous reporting databases. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 1166-71	2.6	36
164	Drug interactions between inhaled corticosteroids and enzymatic inhibitors. <i>European Journal of Clinical Pharmacology</i> , 2009 , 65, 743-5	2.8	33
163	Comparison of health insurance claims and patient interviews in assessing drug use: data from the Three-City (3C) Study. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 310-9	2.6	72
162	The impact of medicinal drugs on traffic safety: a systematic review of epidemiological studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 647-58	2.6	88
161	Data mining on electronic health record databases for signal detection in pharmacovigilance: which events to monitor?. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 1176-84	2.6	138
160	The self-reported Montgomery-Asberg Depression Rating Scale is a useful evaluative tool in Major Depressive Disorder. <i>BMC Psychiatry</i> , 2009 , 9, 26	4.2	108
159	The CADEUS study: burden of nonsteroidal anti-inflammatory drug (NSAID) utilization for musculoskeletal disorders in blue collar workers. <i>British Journal of Clinical Pharmacology</i> , 2009 , 67, 118-24	2.8	16
158	No obvious extra cardiovascular risk associated with low-dose NSAIDs. <i>Clinical Pharmacology and Therapeutics</i> , 2009 , 86, 600-1; author reply 602-4	6.1	4
157	NSAIDs discontinuation and myocardial infarction. <i>Journal of Thrombosis and Haemostasis</i> , 2009 , 7, 1600-15	4.4	1
156	The chronic oral administration of arginine aspartate decreases secretion of IGF-1 and IGFBP-3 in healthy volunteers. <i>Fundamental and Clinical Pharmacology</i> , 2009 , 23, 339-44	3.1	3
155	Effect of date of drug marketing on disproportionality measures in pharmacovigilance: the example of suicide with SSRIs using data from the UK MHRA. <i>Drug Safety</i> , 2009 , 32, 441-7	5.1	20
154	Phytalgic, a food supplement, vs placebo in patients with osteoarthritis of the knee or hip: a randomised double-blind placebo-controlled clinical trial. <i>Arthritis Research and Therapy</i> , 2009 , 11, R192	5.7	29
153	Oral diosmectite reduces stool output and diarrhea duration in children with acute watery diarrhea. <i>Clinical Gastroenterology and Hepatology</i> , 2009 , 7, 456-62	6.9	36
152	Guidelines for submitting adverse event reports for publication. <i>Therapie</i> , 2009 , 64, 289-94	3.8	21

151	Influence of ethnic origin (Asian v. Caucasian) and background diet on the bioavailability of dietary isoflavones. <i>British Journal of Nutrition</i> , 2009 , 102, 1642-53	3.6	17
150	The risk of cognitive impairment in older community-dwelling women after benzodiazepine use. <i>Age and Ageing</i> , 2009 , 38, 226-8	3	31
149	A signal of increased risk of hypoglycaemia with angiotensin receptor blockers caused by confounding. <i>British Journal of Clinical Pharmacology</i> , 2008 , 66, 142-5	3.8	20
148	Benzodiazepines and injurious falls in community dwelling elders. <i>Drugs and Aging</i> , 2008 , 25, 61-70	4.7	106
147	Higher bioavailability of isoflavones after a single ingestion of a soya-based supplement than a soya-based food in young healthy males. <i>British Journal of Nutrition</i> , 2008 , 99, 333-44	3.6	28
146	Impact of prescriber nonresponse on patient representativeness. <i>Epidemiology</i> , 2008 , 19, 186-90	3.1	17
145	European commission consultation on pharmacovigilance. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 108-9	2.6	2
144	Prevalence of cholinesterase inhibitors in subjects with dementia in Europe. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 655-60	2.6	31
143	Quantification methods of folpet degradation products in plasma with HPLC-UV/DAD: application to an in vivo toxicokinetic study in rats. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008 , 865, 106-13	3.2	9
142	Cardiovascular outcomes among sildenafil users: results of the International Men's Health Study. <i>International Journal of Clinical Practice</i> , 2008 , 62, 367-73	2.9	11
141	Quantification of eight new antidepressants and five of their active metabolites in whole blood by high-performance liquid chromatography-tandem mass spectrometry. <i>Journal of Analytical Toxicology</i> , 2007 , 31, 334-41	2.9	36
140	Guidelines for submitting adverse event reports for publication. <i>Drug Safety</i> , 2007 , 30, 367-73	5.1	88
139	Diclofenac potassium 12.5mg tablets for mild to moderate pain and fever: a review of its pharmacology, clinical efficacy and safety. <i>Clinical Drug Investigation</i> , 2007 , 27, 163-95	3.2	44
138	Aging and nocturnal driving: better with coffee or a nap? A randomized study. <i>Sleep</i> , 2007 , 30, 1808-13	1.1	80
137	Bioavailability and urinary excretion of isoflavones in humans: effects of soy-based supplements formulation and equol production. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 43, 1488-94	3.5	37
136	The CADEUS study: methods and logistics. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 571-80	2.6	17
135	Channelling of COX-2 inhibitors to patients at higher gastrointestinal risk but not at lower cardiovascular risk: the Cox2 inhibitors and tNSAIDs description of users (CADEUS) study. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 891-900	2.6	32
134	Guidelines for submitting adverse event reports for publication. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 581-7	2.6	61

133	The European sertindole safety and exposure survey: a follow-up study of 8600 patients. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 804-11	2.6	20
132	Drug-drug interactions with systemic antifungals in clinical practice. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 1227-33	2.6	18
131	Inter-expert agreement of seven criteria in causality assessment of adverse drug reactions. <i>British Journal of Clinical Pharmacology</i> , 2007 , 64, 482-8	3.8	52
130	Patterns and frequency of atypical antipsychotic prescribing in psychiatric medical centers: a cross-sectional national survey. <i>Fundamental and Clinical Pharmacology</i> , 2007 , 21, 371-8	3.1	7
129	Life-threatening adverse drug reactions at admission to medical intensive care: a prospective study in a teaching hospital. <i>Intensive Care Medicine</i> , 2007 , 33, 2150-7	14.5	24
128	Quantification of tricyclic antidepressants and monoamine oxidase inhibitors by high-performance liquid chromatography-tandem mass spectrometry in whole blood. <i>Journal of Analytical Toxicology</i> , 2007 , 31, 200-7	2.9	40
127	How is norepinephrine used in intensive care? A field study. <i>Therapie</i> , 2007 , 62, 143-9	3.8	
126	Integrity of scientific data: transparency of clinical trial data. <i>Therapie</i> , 2007 , 62, 203-9, 211-6	3.8	4
125	Maintenance of Wakefulness Test as a Predictor of Driving Performance in Patients With Untreated Obstructive Sleep Apnea. <i>Sleep</i> , 2007 ,	1.1	2
124	Cost-effectiveness of escitalopram vs. citalopram in major depressive disorder. <i>International Clinical Psychopharmacology</i> , 2007 , 22, 107-15	2.2	19
123	Effect of Armagnac fractions on human platelet aggregation in vitro and on rat arteriovenous shunt thrombosis in vivo probably not related only to polyphenols. <i>Thrombosis Research</i> , 2007 , 119, 407-13	8.2	12
122	Impact of safety alerts on measures of disproportionality in spontaneous reporting databases: the notoriety bias. <i>Drug Safety</i> , 2007 , 30, 891-8	5.1	147
121	Trough imatinib plasma levels are associated with both cytogenetic and molecular responses to standard-dose imatinib in chronic myeloid leukemia. <i>Blood</i> , 2007 , 109, 3496-9	2.2	477
120	Maintenance of wakefulness test as a predictor of driving performance in patients with untreated obstructive sleep apnea. <i>Sleep</i> , 2007 , 30, 327-30	1.1	64
119	Ibuprofen: a journey from prescription to over-the-counter use. <i>Journal of the Royal Society of Medicine</i> , 2007 , 100 Suppl 48, 2-6	2.3	5
118	Myocardium distribution of sertindole and its metabolite dehydrosertindole in guinea-pigs. <i>Biopharmaceutics and Drug Disposition</i> , 2006 , 27, 171-9	1.7	2
117	Intravesical glucidic capsaicin versus glucidic solvent in neurogenic detrusor overactivity: a double blind controlled randomized study. <i>Neurourology and Urodynamics</i> , 2006 , 25, 752-7	2.3	21
116	Postmortem redistribution of two antipsychotic drugs, haloperidol and thioridazine, in the rat. <i>Journal of Analytical Toxicology</i> , 2006 , 30, 419-25	2.9	9

115	Estimating the yearly number of eyes with treatable neovascular age-related macular degeneration using a direct standardization method and a markov model. <i>Investigative Ophthalmology and Visual Science</i> , 2006 , 47, 4270-6		10
114	The effect of abnormal Savda Munziq total flavonoids on the proliferation, apoptosis and correlative gene expression in human hepatoma (HepG2) cells. <i>Toxicology Letters</i> , 2006 , 164, S250	4.4	2
113	Cardiotoxicité des antihistaminiques de deuxième génération. <i>Revue Francaise Diallergologie Et Diimmunologie Clinique</i> , 2006 , 46, 392-401		1
112	A new method for assessing drug causation provided agreement with experts' judgment. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 308-14	5.7	40
111	Aqueous extracts of <i>Ocimum basilicum</i> L. (sweet basil) decrease platelet aggregation induced by ADP and thrombin in vitro and rats arterio-venous shunt thrombosis in vivo. <i>Thrombosis Research</i> , 2006 , 118, 733-9	8.2	28
110	Less use of NSAIDs in long-term than in recent chondroitin sulphate users in osteoarthritis: a pharmacy-based observational study in France. <i>Therapie</i> , 2006 , 61, 341-6	3.8	9
109	Fully automated analytical method for mycophenolic acid quantification in human plasma using on-line solid phase extraction and high performance liquid chromatography with diode array detection. <i>Therapeutic Drug Monitoring</i> , 2006 , 28, 505-11	3.2	13
108	The effects of coffee and napping on nighttime highway driving: a randomized trial. <i>Annals of Internal Medicine</i> , 2006 , 144, 785-91	8	190
107	Use of psychotropic drugs in 0 to 5 years old children in Aquitaine (France): prevalence and associated factors. <i>Pharmacoepidemiology and Drug Safety</i> , 2006 , 15, 504-9	2.6	7
106	Antidepressants: general practitioners' opinions and clinical practice. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 460-7	6.5	9
105	Nocturnal sustained attention during sleep deprivation can be predicted by specific periods of subjective daytime alertness in normal young humans. <i>Journal of Sleep Research</i> , 2006 , 15, 41-5	5.8	7
104	Comparative effects of ivabradine, a selective heart rate-lowering agent, and propranolol on systemic and cardiac haemodynamics at rest and during exercise. <i>British Journal of Clinical Pharmacology</i> , 2006 , 61, 127-37	3.8	79
103	Effects of armagnac or vodka on platelet aggregation in healthy volunteers: a randomized controlled clinical trial. <i>Thrombosis Research</i> , 2005 , 115, 31-7	8.2	16
102	Sleep duration and caffeine consumption in a French middle-aged working population. <i>Sleep Medicine</i> , 2005 , 6, 247-51	4.6	36
101	Atypical antipsychotics: from potassium channels to torsade de pointes and sudden death. <i>Drug Safety</i> , 2005 , 28, 35-51	5.1	64
100	Prescription channeling of COX-2 inhibitors and traditional nonselective nonsteroidal anti-inflammatory drugs: a population-based case-control study. <i>Arthritis Research</i> , 2005 , 7, R333-42		17
99	Quantification of imatinib in human plasma by high-performance liquid chromatography-tandem mass spectrometry. <i>Therapeutic Drug Monitoring</i> , 2005 , 27, 634-40	3.2	84
98	Fatigue, sleepiness, and performance in simulated versus real driving conditions. <i>Sleep</i> , 2005 , 28, 1511-61.1		198

97	Prospective, multicentre, randomized, double-blind study of the efficacy of escitalopram versus citalopram in outpatient treatment of major depressive disorder. <i>International Clinical Psychopharmacology</i> , 2005 , 20, 131-7	2.2	143
96	Simplified ultraviolet liquid chromatographic method for determination of sertindole, dehydrosertindole and norsertindole, in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005 , 814, 61-7	3.2	15
95	Fatigue, sleep restriction and driving performance. <i>Accident Analysis and Prevention</i> , 2005 , 37, 473-8	6.1	225
94	Cytotoxicity of abnormal Savda Munziq aqueous extract in human hepatoma (HepG2) cells. <i>Fundamental and Clinical Pharmacology</i> , 2005 , 19, 465-72	3.1	27
93	Agreement of expert judgment in causality assessment of adverse drug reactions. <i>European Journal of Clinical Pharmacology</i> , 2005 , 61, 169-73	2.8	70
92	Surveillance of adverse effects during a vaccination campaign against meningitis C. <i>European Journal of Clinical Pharmacology</i> , 2005 , 61, 907-11	2.8	15
91	An easy to use method to approximate Poisson confidence limits. <i>European Journal of Epidemiology</i> , 2005 , 20, 213-6	12.1	10
90	The history of disproportionality measures (reporting odds ratio, proportional reporting rates) in spontaneous reporting of adverse drug reactions. <i>Pharmacoepidemiology and Drug Safety</i> , 2005 , 14, 285-6 ⁶	2.6	35
89	A large simple clinical trial prototype for assessment of OTC drug effects using patient-reported data. <i>Pharmacoepidemiology and Drug Safety</i> , 2005 , 14, 249-55	2.6	17
88	Neuropathy associated with leflunomide: a case series. <i>Annals of the Rheumatic Diseases</i> , 2005 , 64, 649-50 ⁴	5.4	26
87	Potential impact of oral contraceptive choice on myocardial infarction mortality and deep vein thrombosis. <i>Journal of Family Planning and Reproductive Health Care</i> , 2005 , 31, 37-9		2
86	Assessing drug safety. <i>BMJ, The</i> , 2005 , 330, 539-40	5.9	7
85	Identification and quantitation by high-performance liquid chromatography of mancozeb following derivatization by 1,2-benzenedithiol. <i>Journal of Analytical Toxicology</i> , 2004 , 28, 41-5	2.9	7
84	Randomised double masked trial comparing the efficacy and tolerance of 0.05% mequitazine eye drops versus 0.05% levocabastine and placebo in allergic conjunctivitis induced by a conjunctival provocation test with <i>Dermatophagoides pteronyssinus</i> . <i>British Journal of Ophthalmology</i> , 2004 , 88, 336-40	5.5	4
83	Age, performance and sleep deprivation. <i>Journal of Sleep Research</i> , 2004 , 13, 105-10	5.8	134
82	Protective effects of Munziq and Mushil of abnormal Savda to mitochondrial oxidative damage. <i>Fundamental and Clinical Pharmacology</i> , 2004 , 18, 471-6	3.1	25
81	Interactions between aspirin and COX-2 inhibitors or NSAIDs in a rat thrombosis model. <i>Fundamental and Clinical Pharmacology</i> , 2004 , 18, 559-63	3.1	22
80	Comparison of patient questionnaires and plasma assays in intentional drug overdoses. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2004 , 95, 31-7	3.1	11

79	Determination of myocardium to plasma concentration ratios of five antipsychotic drugs: comparison with their ability to induce arrhythmia and sudden death in clinical practice. <i>Toxicology and Applied Pharmacology</i> , 2004 , 199, 52-60	4.6	68
78	Fluvastatin reduces cardiac mortality in patients with coronary heart disease. <i>Cardiovascular Drugs and Therapy</i> , 2004 , 18, 67-75	3.9	7
77	Patterns and correlates of benzodiazepine use in the French general population. <i>European Journal of Clinical Pharmacology</i> , 2004 , 60, 523-9	2.8	114
76	Patterns of risperidone prescription: a utilization study in south-west France. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 202-6	6.5	13
75	Solving Mr Peterson's doubts. <i>Pharmacoepidemiology and Drug Safety</i> , 2004 , 13, 255-256	2.6	1
74	Differences between clinical trials and postmarketing use. <i>British Journal of Clinical Pharmacology</i> , 2004 , 57, 86-92	3.8	99
73	Uighur traditional medicine syndrome of Abnormal Savda in men is associated with oxidative stress, which can be improved by Munziq and Mushil of Abnormal Savda. <i>Therapie</i> , 2004 , 59, 483-4	3.8	37
72	NSAID use profiles derived from reimbursement data in France. <i>Therapie</i> , 2004 , 59, 541-6	3.8	15
71	Transparency and trust: Clear definition of ghost writing would be helpful. <i>BMJ, The</i> , 2004 , 329, 1345-6	5.9	2
70	Safety and usage pattern of low-dose diclofenac when used as an over-the-counter medication: results of an observational cohort study in a community-based pharmacy setting. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2004 , 42, 415-22	2	16
69	High-performance liquid chromatographic method with diode array detection for identification and quantification of the eight new antidepressants and five of their active metabolites in plasma after overdose. <i>Therapeutic Drug Monitoring</i> , 2003 , 25, 581-7	3.2	92
68	How to design a negative study. <i>Chest</i> , 2003 , 123, 655-6; author reply 656	5.3	
67	Fatigue, sleep restriction, and performance in automobile drivers: a controlled study in a natural environment. <i>Sleep</i> , 2003 , 26, 277-80	1.1	79
66	Place of OTC analgesics and NSAIDs in osteoarthritis. <i>Inflammopharmacology</i> , 2003 , 11, 355-62	5.1	16
65	The delusion of reducing sample size. <i>European Journal of Clinical Pharmacology</i> , 2003 , 59, 711-2	2.8	3
64	Risk factors for adverse events in analgesic drug users: results from the PAIN study. <i>Pharmacoepidemiology and Drug Safety</i> , 2003 , 12, 601-10	2.6	33
63	Biases affecting the proportional reporting ratio (PPR) in spontaneous reports pharmacovigilance databases: the example of sertindole. <i>Pharmacoepidemiology and Drug Safety</i> , 2003 , 12, 271-81	2.6	83
62	Response to Dr Patrick Waller's comment. <i>Pharmacoepidemiology and Drug Safety</i> , 2003 , 12, 289-290	2.6	1

61	Benzodiazepine utilization patterns in Alzheimer's disease patients. <i>Pharmacoepidemiology and Drug Safety</i> , 2003 , 12, 511-5	2.6	9
60	High-performance liquid chromatographic method with diode array detection to identify and quantify atypical antipsychotics and haloperidol in plasma after overdose. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003 , 788, 179-85	3.2	79
59	Effect of age of Armagnac extract and duration of treatment on antithrombotic effects in a rat thrombosis model. <i>Thrombosis Research</i> , 2003 , 111, 185-9	8.2	19
58	Effects of armagnac extracts on human platelet function in vitro and on rat arteriovenous shunt thrombosis in vivo. <i>Thrombosis Research</i> , 2003 , 110, 135-40	8.2	29
57	A simple method to estimate sample sizes for safety equivalence studies using inverse sampling. <i>Journal of Clinical Epidemiology</i> , 2003 , 56, 433-5	5.7	4
56	Assessment of handling of inhaler devices in real life: an observational study in 3811 patients in primary care. <i>Journal of Aerosol Medicine and Pulmonary Drug Delivery</i> , 2003 , 16, 249-54		242
55	Comparative tolerability of paracetamol, aspirin and ibuprofen for short-term analgesia in patients with musculoskeletal conditions: results in 4291 patients. <i>Clinical Rheumatology</i> , 2002 , 21, 28-31	3.9	36
54	The safety of drugs for OTC use: what evidence is required for an NSAID switch?. <i>Pharmacoepidemiology and Drug Safety</i> , 2002 , 11, 577-84	2.6	15
53	Simplified high-performance liquid chromatographic method for determination of risperidone and 9-hydroxyrisperidone in plasma after overdose. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2002 , 772, 373-8	3.2	30
52	In vivo and in vitro myocardial binding of risperidone and 9-hydroxyrisperidone. <i>Toxicology and Applied Pharmacology</i> , 2002 , 180, 145-9	4.6	17
51	Gastrointestinal tolerability of ibuprofen compared with paracetamol and aspirin at over-the-counter doses. <i>Journal of International Medical Research</i> , 2002 , 30, 301-8	1.4	26
50	Pharmacokinetic interaction between high-dose methotrexate and oxacillin. <i>Therapeutic Drug Monitoring</i> , 2002 , 24, 570-2	3.2	31
49	High-performance liquid chromatographic method for the simultaneous determination of the six HIV-protease inhibitors and two non-nucleoside reverse transcriptase inhibitors in human plasma. <i>Therapeutic Drug Monitoring</i> , 2002 , 24, 417-24	3.2	42
48	Neuroleptics and mortality in schizophrenia: prospective analysis of deaths in a French cohort of schizophrenic patients. <i>Schizophrenia Research</i> , 2002 , 57, 147-56	3.6	53
47	Benzodiazepine use and risk of dementia: a nested case-control study. <i>Journal of Clinical Epidemiology</i> , 2002 , 55, 314-8	5.7	99
46	Rates of spontaneous reporting of adverse drug reactions in France. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 288, 1588	27.4	112
45	Benzodiazepine use in an elderly community-dwelling population. Characteristics of users and factors associated with subsequent use. <i>European Journal of Clinical Pharmacology</i> , 2001 , 57, 419-25	2.8	107
44	Benzodiazepine use and wine consumption in the French elderly. <i>British Journal of Clinical Pharmacology</i> , 2001 , 52, 455-6	3.8	13

43	Benzodiazepine use in patients hospitalized in a department of internal medicine: frequency and clinical correlates. <i>Pharmacoepidemiology and Drug Safety</i> , 2001 , 10, 531-5	2.6	12
42	Comparison of patient questionnaires, medical records, and plasma assays in assessing exposure to benzodiazepines in elderly subjects. <i>Clinical Pharmacology and Therapeutics</i> , 2001 , 69, 445-50	6.1	26
41	The role of the clinical pharmacologist in the management of adverse drug reactions. <i>Drug Safety</i> , 2001 , 24, 1-7	5.1	24
40	Comment on 'Quantitative estimation of rare adverse events which follow a biological progression: a new model applied to chronic NSAID use' Tramer et al., <i>Pain</i> 2000;85:169-182. <i>Pain</i> , 2001 , 91, 401-402	8	6
39	The link between sunshine and phototoxicity of sparfloxacin. <i>British Journal of Clinical Pharmacology</i> , 2000 , 49, 609-12	3.8	28
38	Adverse drug reactions in a department of systemic diseases-oriented internal medicine: prevalence, incidence, direct costs and avoidability. <i>European Journal of Clinical Pharmacology</i> , 2000 , 56, 181-6	2.8	113
37	Is reporting rate a good predictor of risks associated with drugs?. <i>British Journal of Clinical Pharmacology</i> , 1999 , 47, 329-31	3.8	68
36	Effect of water on arteries. <i>Lancet, The</i> , 1999 , 354, 516	4.0	10
35	The PAIN Study: Paracetamol, Aspirin and Ibuprofen New Tolerability Study. <i>Clinical Drug Investigation</i> , 1999 , 18, 89-98	3.2	104
34	The role of pharmacoepidemiology in pharmacovigilance: a conference at the 6th ESOP Meeting, Budapest, 28 September 1998. <i>Pharmacoepidemiology and Drug Safety</i> , 1999 , 8 Suppl 1, S1-7	2.6	7
33	Frequency and cost of serious adverse drug reactions in a department of general medicine. <i>British Journal of Clinical Pharmacology</i> , 1998 , 45, 301-8	3.8	201
32	Les médicaments administrés par voie nasale. <i>Revue Française D'allergologie Et D'immunologie Clinique</i> , 1998 , 38, 652-656		
31	Evaluation of the determinants of flow-mediated radial artery vasodilatation in humans. <i>Clinical and Experimental Hypertension</i> , 1997 , 19, 813-26	2.2	26
30	Reports of hypoglycaemia associated with the use of ACE inhibitors and other drugs: a case/non-case study in the French pharmacovigilance system database. <i>British Journal of Clinical Pharmacology</i> , 1997 , 44, 513-8	3.8	96
29	Large scale safety study of ketoprofen 25 mg (Toprec) in febrile and painful conditions. <i>Pharmacoepidemiology and Drug Safety</i> , 1996 , 5, 295-302	2.6	7
28	Indirect drug-related costs. <i>Lancet, The</i> , 1995 , 345, 588-9	4.0	14
27	Hematological toxicity of ticlopidine. <i>American Journal of Hematology</i> , 1994 , 47, 149-50	7.1	22
26	Plasma 5-fluorouracil and alpha-fluoro-beta-alanin accumulation in lung cancer patients treated with continuous infusion of cisplatin and 5-fluorouracil. <i>Cancer Chemotherapy and Pharmacology</i> , 1994 , 35, 64-70	3.5	9

25	Worsening of psychotic symptoms by clozapine in Parkinson's disease. <i>Lancet, The</i> , 1994 , 344, 955	40	4
24	Endothelins. A potential target for pharmacological intervention in diseases of the elderly. <i>Drugs and Aging</i> , 1994 , 4, 221-37	4.7	6
23	Life-threatening pseudophaeochromocytoma after toloxatone, terbutaline, and phenylephrine. <i>Lancet, The</i> , 1993 , 341, 555-6	40	17
22	Cough and ACE inhibitors. <i>Lancet, The</i> , 1993 , 341, 61	40	13
21	Lack of effect of magnesium-aluminium hydroxide on the absorption of theophylline given as a pH-dependent sustained release preparation. <i>European Journal of Clinical Pharmacology</i> , 1993 , 44, 85-8	2.8	1
20	Possible association of erythema multiforme with acamprosate. <i>Lancet, The</i> , 1992 , 339, 991	40	4
19	Misoprostol-associated fever in cirrhotic patient. <i>Lancet, The</i> , 1992 , 340, 304	40	10
18	A low molecular weight heparin decreases plasma aldosterone in patients with primary hyperaldosteronism. <i>European Journal of Clinical Pharmacology</i> , 1992 , 43, 185-7	2.8	6
17	Influence of rifampin on the pharmacokinetics of pefloxacin. <i>Clinical Pharmacology and Therapeutics</i> , 1991 , 50, 682-7	6.1	13
16	Reporting adverse drug reactions by proprietary name. <i>Lancet, The</i> , 1991 , 338, 393	40	8
15	Exacerbation of multiple sclerosis during therapy that included brain extracts. <i>Medical Journal of Australia</i> , 1988 , 149, 343-4	4	0
14	Hemodynamic, behavioral and biochemical disturbances induced by an experimental cranio-cervical injury (whiplash) in rats. <i>Journal of the Autonomic Nervous System</i> , 1985 , 13, 137-47		13
13	Spontaneous Reporting France 209-217		2
12	Pharmacovigilance: Australia 295-297		
11	Leveraging Routinely Collected Healthcare Data to Scale Up Drug Safety Surveillance: The EU-ADR Experience 439-451		
10	Spontaneous Reporting: France 203-205		
9	Pharmacovigilance in Turkey 225-227		
8	A Description of the European Network of Centres for Pharmacoepidemiology and Pharmacovigilance as a Global Resource for Pharmacovigilance and Pharmacoepidemiology 403-408		

- 7 The Council for International Organizations of Medical Sciences Working Groups and Their Contributions to Pharmacovigilance63-76
- 6 Pharmacovigilance in Spain217-220 1
- 5 Vaccine Safety Surveillance303-317
- 4 Nonsteroidal Anti-inflammatory Drugs [Cyclooxygenase-2 Inhibitors: Risks and Benefits735-749
- 3 Eu2P: The First European Online PublicPrivate Joint Training Program in Pharmacovigilance and Pharmacoepidemiology7
- 2 Surveillance for Medical Devices: USA703-715
- 1 Mechanisms of Adverse Drug Reactions463-487