

marc Hirschmann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7761865/publications.pdf>

Version: 2024-02-01

122
papers

15,779
citations

13827

67
h-index

16127

124
g-index

129
all docs

129
docs citations

129
times ranked

6117
citing authors

#	ARTICLE	IF	CITATIONS
1	Magma oceans, iron and chromium redox, and the origin of comparatively oxidized planetary mantles. <i>Geochimica Et Cosmochimica Acta</i> , 2022, 328, 221-241.	1.6	14
2	Early volatile depletion on planetesimals inferred from $\text{C}\delta^{13}\text{S}$ systematics of iron meteorite parent bodies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	31
3	Earth's carbon deficit caused by early loss through irreversible sublimation. <i>Science Advances</i> , 2021, 7, .	4.7	27
4	Iron-w $\delta^{13}\text{S}$ stite revisited: A revised calibration accounting for variable stoichiometry and the effects of pressure. <i>Geochimica Et Cosmochimica Acta</i> , 2021, 313, 74-84.	1.6	11
5	Hydrogen incorporation in plagioclase. <i>Geochimica Et Cosmochimica Acta</i> , 2020, 277, 87-110.	1.6	8
6	Nitrogen incorporation in silicates and metals: Results from SIMS, EPMA, FTIR, and laser-extraction mass spectrometry. <i>American Mineralogist</i> , 2019, 104, 31-46.	0.9	27
7	Hydrogen isotopic evidence for early oxidation of silicate Earth. <i>Earth and Planetary Science Letters</i> , 2019, 526, 115770.	1.8	24
8	Raman spectroscopy study of C-O-H-N speciation in reduced basaltic glasses: Implications for reduced planetary mantles. <i>Geochimica Et Cosmochimica Acta</i> , 2019, 265, 32-47.	1.6	33
9	Carbon storage in Fe-Ni-S liquids in the deep upper mantle and its relation to diamond and Fe-Ni alloy precipitation. <i>Earth and Planetary Science Letters</i> , 2019, 520, 164-174.	1.8	10
10	Experimental determination of carbon solubility in Fe-Ni-S melts. <i>Geochimica Et Cosmochimica Acta</i> , 2018, 225, 66-79.	1.6	19
11	An experimental study of Fe-Ni exchange between sulfide melt and olivine at upper mantle conditions: implications for mantle sulfide compositions and phase equilibria. <i>Contributions To Mineralogy and Petrology</i> , 2018, 173, 1.	1.2	15
12	Determination of Fe^{3+}/Fe of XANES basaltic glass standards by Mössbauer spectroscopy and its application to the oxidation state of iron in MORB. <i>Chemical Geology</i> , 2018, 479, 166-175.	1.4	101
13	Comparative deep Earth volatile cycles: The case for C recycling from exosphere/mantle fractionation of major (H ₂ O, C, N) volatiles and from H ₂ O/Ce, CO ₂ /Ba, and CO ₂ /Nb exosphere ratios. <i>Earth and Planetary Science Letters</i> , 2018, 502, 262-273.	1.8	106
14	Effect of pressure on Fe^{3+}/Fe ratio in a mafic magma and consequences for magma ocean redox gradients. <i>Geochimica Et Cosmochimica Acta</i> , 2017, 204, 83-103.	1.6	48
15	Volatiles beneath mid-ocean ridges: Deep melting, channelised transport, focusing, and metasomatism. <i>Earth and Planetary Science Letters</i> , 2017, 464, 55-68.	1.8	104
16	The origin of volatiles in the Earth's mantle. <i>Geochemistry, Geophysics, Geosystems</i> , 2017, 18, 3078-3092.	1.0	57
17	Constraints on volumes and patterns of asthenospheric melt from the space-time distribution of seamounts. <i>Geophysical Research Letters</i> , 2017, 44, 7203-7210.	1.5	8
18	Nitrogen and carbon fractionation during core-mantle differentiation at shallow depth. <i>Earth and Planetary Science Letters</i> , 2017, 458, 141-151.	1.8	71

#	ARTICLE	IF	CITATIONS
19	Structural environment of iron and accurate determination of Fe ³⁺ / ⁵⁷ Fe ratios in andesitic glasses by XANES and Mössbauer spectroscopy. <i>Chemical Geology</i> , 2016, 428, 48-58.	1.4	36
20	Constraints on the early delivery and fractionation of Earth's major volatiles from C/H, C/N, and C/S ratios. <i>American Mineralogist</i> , 2016, 101, 540-553.	0.9	85
21	Experimental constraints on mantle sulfide melting up to 8 GPa. <i>American Mineralogist</i> , 2016, 101, 181-192.	0.9	71
22	Experimental determination of C, F, and H partitioning between mantle minerals and carbonated basalt, CO ₂ /Ba and CO ₂ /Nb systematics of partial melting, and the CO ₂ contents of basaltic source regions. <i>Earth and Planetary Science Letters</i> , 2015, 412, 77-87.	1.8	152
23	Acceptance of the Dana Medal of the Mineralogical Society of America for 2015. <i>American Mineralogist</i> , 2015, 100, 1316-1316.	0.9	0
24	Speciation and solubility of reduced C-O-H-N volatiles in mafic melt: Implications for volcanism, atmospheric evolution, and deep volatile cycles in the terrestrial planets. <i>Geochimica Et Cosmochimica Acta</i> , 2015, 171, 283-302.	1.6	75
25	Tracing the ingredients for a habitable earth from interstellar space through planet formation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 8965-8970.	3.3	136
26	Carbon-saturated monosulfide melting in the shallow mantle: solubility and effect on solidus. <i>Contributions To Mineralogy and Petrology</i> , 2015, 170, 1.	1.2	25
27	Accurate determination of Fe ³⁺ / ⁵⁷ Fe of andesitic glass by Mössbauer spectroscopy. <i>American Mineralogist</i> , 2015, 100, 1967-1977.	0.9	15
28	Solubility of COH volatiles in graphite-saturated martian basalts. <i>Geochimica Et Cosmochimica Acta</i> , 2014, 129, 54-76.	1.6	59
29	Petrologic Structure of a Hydrous 410 Km Discontinuity. <i>Geophysical Monograph Series</i> , 2013, , 277-287.	0.1	9
30	Solubility of CH ₄ in a synthetic basaltic melt, with applications to atmosphere-magma ocean-core partitioning of volatiles and to the evolution of the Martian atmosphere. <i>Geochimica Et Cosmochimica Acta</i> , 2013, 114, 52-71.	1.6	67
31	The effects of K ₂ O on the compositions of near-solidus melts of garnet peridotite at 3 GPa and the origin of basalts from enriched mantle. <i>Contributions To Mineralogy and Petrology</i> , 2013, 166, 1029-1046.	1.2	28
32	Carbon-dioxide-rich silicate melt in the Earth's upper mantle. <i>Nature</i> , 2013, 493, 211-215.	13.7	290
33	Experimentally determined mineral/melt partitioning of first-row transition elements (FRTE) during partial melting of peridotite at 3GPa. <i>Geochimica Et Cosmochimica Acta</i> , 2013, 104, 232-260.	1.6	145
34	Fe-carbonyl is a key player in planetary magmas. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 7967-7968.	3.3	3
35	CO ₂ solubility in primitive martian basalts similar to Yamato 980459, the effect of composition on CO ₂ solubility of basalts, and the evolution of the martian atmosphere. <i>American Mineralogist</i> , 2012, 97, 1841-1848.	0.9	19
36	Water in Earth's mantle. <i>Physics Today</i> , 2012, 65, 40-45.	0.3	76

#	ARTICLE	IF	CITATIONS
37	Calibration of infrared spectroscopy by elastic recoil detection analysis of H in synthetic olivine. <i>Chemical Geology</i> , 2012, 334, 92-98.	1.4	137
38	H ₂ O storage capacity of olivine at 5–8 GPa and consequences for dehydration partial melting of the upper mantle. <i>Earth and Planetary Science Letters</i> , 2012, 345-348, 104-116.	1.8	73
39	Magma ocean influence on early atmosphere mass and composition. <i>Earth and Planetary Science Letters</i> , 2012, 341-344, 48-57.	1.8	108
40	Solubility of molecular hydrogen in silicate melts and consequences for volatile evolution of terrestrial planets. <i>Earth and Planetary Science Letters</i> , 2012, 345-348, 38-48.	1.8	139
41	The effect of H ₂ O on partial melting of garnet peridotite at 3.5 GPa. <i>Geochemistry, Geophysics, Geosystems</i> , 2012, 13, .	1.0	55
42	H ₂ O storage capacity of olivine and low-Ca pyroxene from 10 to 13 GPa: consequences for dehydration melting above the transition zone. <i>Contributions To Mineralogy and Petrology</i> , 2012, 163, 297-316.	1.2	61
43	The effect of Fe on olivine H ₂ O storage capacity: Consequences for H ₂ O in the martian mantle. <i>American Mineralogist</i> , 2011, 96, 1039-1053.	0.9	69
44	CO ₂ solubility in Martian basalts and Martian atmospheric evolution. <i>Geochimica Et Cosmochimica Acta</i> , 2011, 75, 5987-6003.	1.6	63
45	The composition of the incipient partial melt of garnet peridotite at 3 GPa and the origin of OIB. <i>Earth and Planetary Science Letters</i> , 2011, 308, 380-390.	1.8	104
46	A first-principles investigation of hydrous defects and IR frequencies in forsterite: The case for Si vacancies. <i>American Mineralogist</i> , 2011, 96, 1475-1479.	0.9	53
47	The deep carbon cycle and melting in Earth's interior. <i>Earth and Planetary Science Letters</i> , 2010, 298, 1-13.	1.8	772
48	Partial melt in the oceanic low velocity zone. <i>Physics of the Earth and Planetary Interiors</i> , 2010, 179, 60-71.	0.7	238
49	Major element analysis of natural silicates by laser ablation ICP-MS. <i>Journal of Analytical Atomic Spectrometry</i> , 2010, 25, 998.	1.6	49
50	Ironing Out the Oxidation of Earth's Mantle. <i>Science</i> , 2009, 325, 545-546.	6.0	15
51	Hydrogen partitioning between nominally anhydrous upper mantle minerals and melt between 3 and 5 ÅGPa and applications to hydrous peridotite partial melting. <i>Chemical Geology</i> , 2009, 262, 42-56.	1.4	154
52	Calibration of the infrared molar absorption coefficients for H in olivine, clinopyroxene and rhyolitic glass by elastic recoil detection analysis. <i>Chemical Geology</i> , 2009, 262, 78-86.	1.4	29
53	Trace element partitioning between garnet lherzolite and carbonatite at 6.6 and 8.6 ÅGPa with applications to the geochemistry of the mantle and of mantle-derived melts. <i>Chemical Geology</i> , 2009, 262, 57-77.	1.4	231
54	The H/C ratios of Earth's near-surface and deep reservoirs, and consequences for deep Earth volatile cycles. <i>Chemical Geology</i> , 2009, 262, 4-16.	1.4	160

#	ARTICLE	IF	CITATIONS
55	Dehydration melting of nominally anhydrous mantle: The primacy of partitioning. <i>Physics of the Earth and Planetary Interiors</i> , 2009, 176, 54-68.	0.7	233
56	The composition of KLB-1 peridotite. <i>American Mineralogist</i> , 2009, 94, 176-180.	0.9	66
57	Influence of temperature, composition, silica activity and oxygen fugacity on the H ₂ O storage capacity of olivine at 8 ÅGPa. <i>Contributions To Mineralogy and Petrology</i> , 2008, 156, 595-605.	1.2	54
58	Hydrogen partitioning between melt, clinopyroxene, and garnet at 3 ÅGPa in a hydrous MORB with 6 Åwt.% H ₂ O. <i>Contributions To Mineralogy and Petrology</i> , 2008, 156, 607-625.	1.2	64
59	Library of Experimental Phase Relations (LEPR): A database and Web portal for experimental magmatic phase equilibria data. <i>Geochemistry, Geophysics, Geosystems</i> , 2008, 9, .	1.0	72
60	Ventilation of CO ₂ from a reduced mantle and consequences for the early Martian greenhouse. <i>Earth and Planetary Science Letters</i> , 2008, 270, 147-155.	1.8	108
61	Structure and Speciation in Hydrous Silica Melts. 1. Temperature and Composition Effects. <i>Journal of Physical Chemistry B</i> , 2008, 112, 13005-13014.	1.2	3
62	Structure and Speciation in Hydrous Silica Melts. 2. Pressure Effects. <i>Journal of Physical Chemistry B</i> , 2008, 112, 13015-13021.	1.2	10
63	Late orogenic mafic magmatism in the North Cascades, Washington: Petrology and tectonic setting of the Skymo layered intrusion. <i>Bulletin of the Geological Society of America</i> , 2008, 120, 531-542.	1.6	4
64	Intercalibration of FTIR and SIMS for hydrogen measurements in glasses and nominally anhydrous minerals. <i>American Mineralogist</i> , 2007, 92, 811-828.	0.9	133
65	Partial Melting Experiments of Peridotite + CO ₂ at 3 GPa and Genesis of Alkalic Ocean Island Basalts. <i>Journal of Petrology</i> , 2007, 48, 2093-2124.	1.1	508
66	Effect of structural transitions on properties of high-pressure silicate melts: ²⁷ Al NMR, glass densities, and melt viscosities. <i>American Mineralogist</i> , 2007, 92, 1093-1104.	0.9	111
67	Correlation of seismic and petrologic thermometers suggests deep thermal anomalies beneath hotspots. <i>Earth and Planetary Science Letters</i> , 2007, 264, 308-316.	1.8	82
68	Equilibrium interface segregation in the diopside-ferroforsterite system II: Applications of interface enrichment to mantle geochemistry. <i>Geochimica Et Cosmochimica Acta</i> , 2007, 71, 1281-1289.	1.6	43
69	Effect of variable carbonate concentration on the solidus of mantle peridotite. <i>American Mineralogist</i> , 2007, 92, 370-379.	0.9	121
70	Water follows carbon: CO ₂ incites deep silicate melting and dehydration beneath mid-ocean ridges. <i>Geology</i> , 2007, 35, 135.	2.0	102
71	A modified iterative sandwich method for determination of near-solidus partial melt compositions. I. Theoretical considerations. <i>Contributions To Mineralogy and Petrology</i> , 2007, 154, 635-645.	1.2	16
72	A modified iterative sandwich method for determination of near-solidus partial melt compositions. II. Application to determination of near-solidus melt compositions of carbonated peridotite. <i>Contributions To Mineralogy and Petrology</i> , 2007, 154, 647-661.	1.2	89

#	ARTICLE	IF	CITATIONS
73	H ₂ O storage capacity of MgSiO ₃ clinoenstatite at 8–13 GPa, 1,100–1,400°C. <i>Contributions To Mineralogy and Petrology</i> , 2007, 154, 663-674.	1.2	36
74	Partial melting experiments of bimineraleclogite and the role of recycled mafic oceanic crust in the genesis of ocean island basalts. <i>Earth and Planetary Science Letters</i> , 2006, 249, 188-199.	1.8	191
75	A wet mantle conductor?. <i>Nature</i> , 2006, 439, E3-E3.	13.7	9
76	Melting in the Earth's deep upper mantle caused by carbon dioxide. <i>Nature</i> , 2006, 440, 659-662.	13.7	462
77	WATER, MELTING, AND THE DEEP EARTH H ₂ O CYCLE. <i>Annual Review of Earth and Planetary Sciences</i> , 2006, 34, 629-653.	4.6	513
78	Immiscible Transition from Carbonate-rich to Silicate-rich Melts in the 3–6 GPa Melting Interval of Eclogite + CO ₂ and Genesis of Silica-undersaturated Ocean Island Lavas. <i>Journal of Petrology</i> , 2006, 47, 647-671.	1.1	257
79	The effect of bulk composition on the solidus of carbonated eclogite from partial melting experiments at 3 GPa. <i>Contributions To Mineralogy and Petrology</i> , 2005, 149, 288-305.	1.2	119
80	A composition-independent quantitative determination of the water content in silicate glasses and silicate melt inclusions by confocal Raman spectroscopy. <i>Contributions To Mineralogy and Petrology</i> , 2005, 150, 631-642.	1.2	68
81	Storage capacity of H ₂ O in nominally anhydrous minerals in the upper mantle. <i>Earth and Planetary Science Letters</i> , 2005, 236, 167-181.	1.8	263
82	Aluminum coordination and the densification of high-pressure aluminosilicate glasses. <i>American Mineralogist</i> , 2005, 90, 1218-1222.	0.9	201
83	Hydrogen partition coefficients between nominally anhydrous minerals and basaltic melts. <i>Geophysical Research Letters</i> , 2004, 31, .	1.5	275
84	High-pressure Partial Melting of Mafic Lithologies in the Mantle. <i>Journal of Petrology</i> , 2004, 45, 2407-2422.	1.1	227
85	Deep global cycling of carbon constrained by the solidus of anhydrous, carbonated eclogite under upper mantle conditions. <i>Earth and Planetary Science Letters</i> , 2004, 227, 73-85.	1.8	395
86	Experimental determination of trace element partitioning between garnet and silica-rich liquid during anhydrous partial melting of MORB-like eclogite. <i>Geochemistry, Geophysics, Geosystems</i> , 2004, 5, n/a-n/a.	1.0	235
87	Length scales of mantle heterogeneities and their relationship to ocean island basalt geochemistry. <i>Geochimica Et Cosmochimica Acta</i> , 2004, 68, 345-360.	1.6	125
88	Hydrogen concentration analyses using SIMS and FTIR: Comparison and calibration for nominally anhydrous minerals. <i>Geochemistry, Geophysics, Geosystems</i> , 2003, 4, .	1.0	212
89	Partial melting experiments on a MORB-like pyroxenite between 2 and 3 GPa: Constraints on the presence of pyroxenite in basalt source regions from solidus location and melting rate. <i>Journal of Geophysical Research</i> , 2003, 108, .	3.3	268
90	High-pressure partial melting of garnet pyroxenite: possible mafic lithologies in the source of ocean island basalts. <i>Earth and Planetary Science Letters</i> , 2003, 216, 603-617.	1.8	378

#	ARTICLE	IF	CITATIONS
91	Alkalic magmas generated by partial melting of garnet pyroxenite. <i>Geology</i> , 2003, 31, 481.	2.0	450
92	Anhydrous Partial Melting Experiments on MORB-like Eclogite: Phase Relations, Phase Compositions and Mineral-Melt Partitioning of Major Elements at 2-3 GPa. <i>Journal of Petrology</i> , 2003, 44, 2173-2201.	1.1	361
93	Trace-element partitioning between vacancy-rich eclogitic clinopyroxene and silicate melt. <i>American Mineralogist</i> , 2002, 87, 1365-1376.	0.9	73
94	(²³¹ Pa/ ²³⁵ U)-(²³⁰ Th/ ²³⁸ U) of young mafic volcanic rocks from Nicaragua and Costa Rica and the influence of flux melting on U-series systematics of arc lavas. <i>Geochimica Et Cosmochimica Acta</i> , 2002, 66, 4287-4309.	1.6	60
95	The pMELTS: A revision of MELTS for improved calculation of phase relations and major element partitioning related to partial melting of the mantle to 3 GPa. <i>Geochemistry, Geophysics, Geosystems</i> , 2002, 3, 1-35.	1.0	670
96	The effect of titanium on the silica content and on mineral-liquid partitioning of mantle-equilibrated melts. <i>Geochimica Et Cosmochimica Acta</i> , 2001, 65, 2201-2217.	1.6	76
97	Experimental study of clinopyroxenite partial melting and the origin of ultra-calcic melt inclusions. <i>Contributions To Mineralogy and Petrology</i> , 2001, 142, 347-360.	1.2	113
98	Calculation of Peridotite Partial Melting from Thermodynamic Models of Minerals and Melts, IV. Adiabatic Decompression and the Composition and Mean Properties of Mid-ocean Ridge Basalts. <i>Journal of Petrology</i> , 2001, 42, 963-998.	1.1	159
99	Thermodynamics of multicomponent olivines and the solution properties of (Ni,Mg,Fe) ₂ SiO ₄ and (Ca,Mg,Fe) ₂ SiO ₄ olivine. Reply. <i>American Mineralogist</i> , 2000, 85, 1548-1555.	0.9	12
100	Melting of the Earth's lithospheric mantle inferred from protactinium- ²³¹ Pa, thorium- ²³⁰ Th, and uranium isotopic data. <i>Nature</i> , 2000, 406, 293-296.	13.7	45
101	Mantle solidus: Experimental constraints and the effects of peridotite composition. <i>Geochemistry, Geophysics, Geosystems</i> , 2000, 1, n/a-n/a.	1.0	640
102	An analysis of variations in isentropic melt productivity. , 1999, , 39-66.		1
103	Calculation of Peridotite Partial Melting from Thermodynamic Models of Minerals and Melts. II. Isobaric Variations in Melts near the Solidus and owing to Variable Source Composition. <i>Journal of Petrology</i> , 1999, 40, 297-313.	1.1	92
104	Calculation of Peridotite Partial Melting from Thermodynamic Models of Minerals and Melts. III. Controls on Isobaric Melt Production and the Effect of Water on Melt Production. <i>Journal of Petrology</i> , 1999, 40, 831-851.	1.1	169
105	The Effect of Alkalis on the Silica Content of Mantle-Derived Melts. <i>Geochimica Et Cosmochimica Acta</i> , 1998, 62, 883-902.	1.6	176
106	Calculation of Peridotite Partial Melting from Thermodynamic Models of Minerals and Melts. I. Review of Methods and Comparison with Experiments. <i>Journal of Petrology</i> , 1998, 39, 1091-1115.	1.1	156
107	High-resolution records of the late Paleocene thermal maximum and circum-Caribbean volcanism: Is there a causal link?. <i>Geology</i> , 1997, 25, 963.	2.0	167
108	⁴⁰ Ar/ ³⁹ Ar dating of the Skaergaard intrusion. <i>Earth and Planetary Science Letters</i> , 1997, 146, 645-658.	1.8	89

#	ARTICLE	IF	CITATIONS
109	An analysis of variations in isentropic melt productivity. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 1997, 355, 255-281.	1.6	133
110	A possible role for garnet pyroxenite in the origin of the "garnet signature" in MORB. Contributions To Mineralogy and Petrology, 1996, 124, 185-208.	1.2	721
111	Quests for low-degree mantle melts. Nature, 1996, 381, 286-286.	13.7	13
112	Reading garnet's signature. Nature, 1996, 384, 215-217.	13.7	2
113	Thermodynamics of the amphiboles: Fe-Mg cummingtonite solid solution. American Mineralogist, 1995, 80, 502-519.	0.9	28
114	Compositions of near-solidus peridotite melts from experiments and thermodynamic calculations. Nature, 1995, 375, 308-311.	13.7	411
115	Melt pathways in the mantle. Nature, 1995, 375, 737-738.	13.7	8
116	Crystal structure of $P2_1/m$ ferromagnesian amphibole and the role of cation ordering and composition in the $P2_1/m$ - $C2/m$ transition in cummingtonite. American Mineralogist, 1995, 80, 916-922.	0.9	21
117	The effect of pressure-induced solid-solid phase transitions on decompression melting of the mantle. Geochimica Et Cosmochimica Acta, 1995, 59, 4489-4506.	1.6	95
118	Activities of nickel, cobalt, and manganese silicates in magmatic liquids and applications to olivine/liquid and to silicate/metal partitioning. Geochimica Et Cosmochimica Acta, 1994, 58, 4109-4126.	1.6	80
119	New software models thermodynamics of magmatic systems. Eos, 1994, 75, 571.	0.1	51
120	Perspectives on Shallow Mantle Melting from Thermodynamic Calculations. Mineralogical Magazine, 1994, 58A, 418-419.	0.6	16
121	Zincian ilmenite-ecandrewsite from a pelitic schist, Death Valley, California, and the paragenesis of $(Zn,Fe)TiO_3$ solid solution in metamorphic rocks. Canadian Mineralogist, 1993, 31, 425-436.	0.3	19
122	Origin of the Transgressive granophyres from the Layered Series of the Skaergaard intrusion, East Greenland. Journal of Volcanology and Geothermal Research, 1992, 52, 185-207.	0.8	25