

Sergey Volobuev

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7763758/publications.pdf>

Version: 2024-02-01

28
papers

140
citations

1684188
5
h-index

1281871
11
g-index

30
all docs

30
docs citations

30
times ranked

377
citing authors

#	ARTICLE	IF	CITATIONS
1	Considerations and consequences of allowing DNA sequence data as types of fungal taxa. <i>IMA Fungus</i> , 2018, 9, 167-175.	3.8	45
2	The Phanerochaete sordida group (Polyporales, Basidiomycota) in temperate Eurasia, with a note on <i>Phanerochaete pallida</i> . <i>Mycological Progress</i> , 2015, 14, 1.	1.4	17
3	Do plant-based biogeographical regions shape aphylophoroid fungal communities in Europe?. <i>Journal of Biogeography</i> , 2018, 45, 1182-1195.	3.0	15
4	What is the type species of Phanerochaete (Polyporales, Basidiomycota)? <i>Mycological Progress</i> , 2017, 16, 171-183.	1.4	11
5	Towards the Discovery of Active Lignocellulolytic Enzyme Producers: A Screening Study of Xylotrophic Macrofungi from the Central Russian Upland. <i>Iranian Journal of Science and Technology, Transaction A: Science</i> , 2022, 46, 91-100.	1.5	8
6	Synopsis of the macrofungi (<i>Basidiomycota</i>) on wood of fruit trees in the Central Black Earth Region of Russia. <i>South of Russia: Ecology, Development</i> , 2021, 15, 75-98.	0.4	6
7	Morphologically similar but not closely related: the long-spored species of <i>Subulicystidium</i> (Treachisporales, Basidiomycota). <i>Mycological Progress</i> , 2020, 19, 691-703.	1.4	5
8	Revealing new active and biotechnologically perspective producers of oxidative and cellulolytic enzymes among pure cultures of xylotrophic Agaricomycetes from the Southern Non-Chernozem zone of the European part of Russia. <i>Current Research in Environmental and Applied Mycology</i> , 2020, 10, 113-119.	0.6	5
9	Aphylophoroid fungi (Basidiomycota) in forests of the middle part of Luga River valley, Leningrad Oblast, Russia. <i>Karstenia</i> , 2017, 57, 37-47.	0.4	5
10	Basidiome reduction in litter-inhabiting Thelephorales in boreal forest environments: morphological and molecular evidence. <i>Current Research in Environmental and Applied Mycology</i> , 2018, 8, 360-371.	0.6	4
11	<i>Subulicystidium perlongisporum</i> (Treachisporales, Basidiomycota) new to Russia, with notes on a molecular study of the species. <i>Nova Hedwigia</i> , 2016, 102, 531-537.	0.4	3
12	New data on aphylophoroid fungi (Basidiomycota) in forest-steppe communities of the Lipetsk region, European Russia. <i>Acta Mycologica</i> , 2018, 53, .	0.3	3
13	Profiles of Little-Known Medicinal Polypores: <i>Haploporus odoratus</i> (Agaricomycetes). <i>International Journal of Medicinal Mushrooms</i> , 2019, 21, 783-791.	1.5	3
14	Aphylophoroid fungi (Basidiomycota) on juniper on the Gunib Plateau, inner-mountain Dagestan.. <i>Czech Mycology</i> , 2020, 72, 83-93.	0.5	3
15	New records of aphylophoroid fungi (Agaricomycetes, Basidiomycota) from the Les na Vorskle area of the Belgorod Nature Reserve (Belgorod Region, Russia). <i>Folia Cryptogamica Estonica</i> , 2015, 52, 89.	0.5	1
16	Re-habilitation of <i>Cerioporus (Polyporus) rangiferinus</i> , a sib of <i>Cerioporus squamosus</i> . <i>Nova Hedwigia</i> , 2017, 105, 313-328.	0.4	1
17	Diversity and ecology of poroid fungi (<i>Agaricomycetes, Basidiomycota</i>) of the Gunib Plateau, Dagestan. <i>South of Russia: Ecology, Development</i> , 2021, 16, 68-80.	0.4	1
18	Aphylophoroid fungi (Basidiomycota) of the Ussuriysky Nature Reserve (Primorye Territory, Russian) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5		

