

Ana de Bettencourt-Dias

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/77641/ana-de-bettencourt-dias-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94
papers

3,321
citations

30
h-index

56
g-index

109
ext. papers

3,532
ext. citations

6.1
avg, IF

5.74
L-index

#	Paper	IF	Citations
94	Photocytotoxicity of Thiophene- and Bithiophene-Dipicolinato Luminescent Lanthanide Complexes. <i>Journal of Medicinal Chemistry</i> , 2021 , 64, 7724-7734	8.3	4
93	Metal-Organic frameworks of lanthanide iminodiacetates and tartrates: Synthesis, structural characterization and luminescence properties [Commemorating the 100th anniversary of the birth of Academician Guangxian Xu. <i>Journal of Rare Earths</i> , 2021 , 39, 487-494	3.7	0
92	Azido- and amino-substituted dipicolinates for the sensitization of the luminescent lanthanides EuIII and TbIII. <i>Inorganica Chimica Acta</i> , 2021 , 514, 120003	2.7	2
91	New up-conversion luminescence in molecular cyano-substituted naphthylsalophen lanthanide(III) complexes. <i>Chemical Communications</i> , 2021 , 57, 2551-2554	5.8	6
90	Solution structure of a europium-nicotianamine complex supports that phytosiderophores bind lanthanides. <i>Physical Chemistry Chemical Physics</i> , 2021 , 23, 4287-4299	3.6	5
89	Luminescent lanthanide complexes with a pyridine-bis(carboxamide)-bithiophene sensitizer showing wavelength-dependent singlet oxygen generation. <i>Dalton Transactions</i> , 2020 , 49, 6661-6667	4.3	4
88	Wavelength-Dependent Singlet Oxygen Generation in Luminescent Lanthanide Complexes with a Pyridine-Bis(Carboxamide)-Terthiophene Sensitizer. <i>Chemistry - A European Journal</i> , 2020 , 26, 7274-7280	4.8	9
87	Luminescence of Lanthanide Complexes with Perfluorinated Alkoxide Ligands. <i>Inorganic Chemistry</i> , 2020 , 59, 9807-9823	5.1	6
86	Luminescent Carbazole-Based Eu and Yb Complexes with a High Two-Photon Absorption Cross-Section Enable Viscosity Sensing in the Visible and Near IR with One- and Two-Photon Excitation. <i>Inorganic Chemistry</i> , 2020 , 59, 3193-3199	5.1	8
85	Thiophene-derivatized pyridine-bis-carboxamide as a sensitizer for Ln(III) luminescence and ¹ O ₂ generation. <i>Journal of Luminescence</i> , 2020 , 224, 117309	3.8	6
84	Photocytotoxicity of Oligothiophenyl-Functionalized Chelates That Sensitize Ln Luminescence and Generate O ₂ . <i>Chemistry - A European Journal</i> , 2020 , 26, 12060-12066	4.8	5
83	Effect of the aromatic substituent on the -position of pyridine-bis(oxazoline) sensitizers on the emission efficiency of their Eu and Tb complexes. <i>Dalton Transactions</i> , 2020 , 49, 17699-17708	4.3	1
82	Full Visible Spectrum and White Light Emission with a Single, Input-Tunable Organic Fluorophore. <i>Journal of the American Chemical Society</i> , 2020 ,	16.4	9
81	Secondary-Sphere Chlorolanthanide(III) Complexes with a 1,3,5-Triazine-Based Ligand Supported by Anion-π and Hydrogen-Bonding Interactions. <i>Inorganic Chemistry</i> , 2020 , 59, 151-160	5.1	9
80	O ₂ Generating Luminescent Lanthanide Complexes with 1,8-Naphthalimide-Based Sensitizers. <i>Inorganic Chemistry</i> , 2019 , 58, 13471-13480	5.1	11
79	Anion-π and H-Bonding Interactions Supporting Encapsulation of [Ln(NO)] (Ln = Nd, Er) with a Triazine-Based Ligand. <i>Journal of the American Chemical Society</i> , 2019 , 141, 15102-15110	16.4	10
78	Synthesis, Structure, Photophysical Properties, and Photostability of Benzodipyrenes. <i>Chemistry - A European Journal</i> , 2019 , 25, 1441-1445	4.8	13

77	Sensitization of near-infrared LnIII [Ln = Yb or Nd] ions using water-soluble, band gap tuneable 3-MPA-capped CdS nanoparticles. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 2814-2821	7.1	5
76	Lanthanide ion emission in multicolor OLEDs (Ce 3+ , Pr 3+ , Tb 3+ , Dy 3+ , Tm 3+ , and white light Eu 3+ /Tb 3+ hybrid systems) and device characterization 2018 , 99-131		2
75	A water-soluble TbIII complex as a temperature-sensitive luminescent probe. <i>Canadian Journal of Chemistry</i> , 2018 , 96, 859-864	0.9	10
74	Estimating the Individual Spectroscopic Properties of Three Unique Eu Sites in a Coordination Polymer. <i>Inorganic Chemistry</i> , 2018 , 57, 15421-15429	5.1	4
73	ZnS Nanoparticles Sensitize Luminescence of Capping-Ligand-Bound Lanthanide Ions. <i>Inorganic Chemistry</i> , 2017 , 56, 3260-3268	5.1	14
72	New thiophene-functionalized pyrene, peropyrene, and teropyrene via a two- or four-fold alkyne annulation and their photophysical properties. <i>Canadian Journal of Chemistry</i> , 2017 , 95, 341-345	0.9	24
71	Microwave-assisted synthesis of ternary lanthanide(2-thenoyltrifluoroacetone) 3 (triphenylphosphine oxide) 2 complexes. <i>Inorganica Chimica Acta</i> , 2017 , 464, 23-30	2.7	11
70	Estimating the Donor-Acceptor Distance To Tune the Emission Efficiency of Luminescent Lanthanide Compounds. <i>Inorganic Chemistry</i> , 2017 , 56, 709-712	5.1	28
69	Sensitization of LnIII (Ln = Eu, Tb, Tm) Ion Luminescence by Functionalized Polycarbonate-Based Materials and White Light Generation. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 5310-5317	2.3	8
68	Selective cytotoxicity and luminescence imaging of cancer cells with a dipicolinato-based Eu complex. <i>Chemical Communications</i> , 2017 , 53, 11818-11821	5.8	27
67	LnIII-centered emission sensitized through fluorescent carbon dots. <i>Journal of Luminescence</i> , 2017 , 192, 1273-1277	3.8	11
66	Mn Doped AlZS/ZnS Nanocrystals: Synthesis and Optical Properties. <i>Journal of Alloys and Compounds</i> , 2017 , 725, 1077-1083	5.7	14
65	Synthesis and Characterization of Two Tritylthio-Derivatives: 1-Bromo-3-Tritylthiopropene and 2-(Tritylthio)-Ethanethiol. <i>Journal of Chemical Crystallography</i> , 2017 , 47, 233-240	0.5	2
64	Pyrenes, Peropyrenes, and Teropyrenes: Synthesis, Structures, and Photophysical Properties. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 10427-30	16.4	61
63	Pyrenes, Peropyrenes, and Teropyrenes: Synthesis, Structures, and Photophysical Properties. <i>Angewandte Chemie</i> , 2016 , 128, 10583-10586	3.6	32
62	Unusual O-Bridged Symmetric Quinoline-Based Ligand for the Formation of Luminescent Mono-Aqua Lanthanide Complexes. <i>ChemistrySelect</i> , 2016 , 1, 6618-6622	1.8	1
61	Photophysical properties of asymmetric and water-soluble dinuclear lanthanide complexes of poly glycol chain functionalized-benzoic acid derivative: experimental and theoretical approaches. <i>RSC Advances</i> , 2016 , 6, 101133-101141	3.7	3
60	Tuning the structural and lanthanide luminescence properties of macrocyclic tetraaminodiphenolate europium(III) complexes. <i>Polyhedron</i> , 2016 , 114, 451-458	2.7	6

59	Two-Photon Excitation for Bone Imaging: A New Application for Lanthanide Luminescence. <i>Chem</i> , 2016 , 1, 342-343	16.2	3
58	Luminescence and Nonlinear Optical Properties in Copper(I) Halide Extended Networks. <i>Inorganic Chemistry</i> , 2016 , 55, 11408-11417	5.1	33
57	Ligand Design for Luminescent Lanthanide-Containing Metallopolymers. <i>Inorganic Chemistry</i> , 2016 , 55, 9954-9963	5.1	50
56	The effect of 4-halogenobenzoate ligands on luminescent and structural properties of lanthanide complexes: experimental and theoretical approaches. <i>New Journal of Chemistry</i> , 2015 , 39, 1883-1891	3.6	30
55	Aromatic N-donor ligands as chelators and sensitizers of lanthanide ion emission. <i>Coordination Chemistry Reviews</i> , 2014 , 273-274, 165-200	23.2	84
54	Upconversion of Ln ³⁺ -based Nanoparticles for Optical Bio-imaging 2014 , 269-302		
53	Synthesis and f-element ligation properties of NCMPO-decorated pyridine N-oxide platforms. <i>Dalton Transactions</i> , 2014 , 43, 8368-86	4.3	21
52	Color Inserts 2014 , 1-24		
51	Two-photon Absorption of Lanthanide Complexes: from Fundamental Aspects to Biphotonic Imaging Applications 2014 , 197-230		7
50	Spectroscopic Techniques and Instrumentation 2014 , 49-76		1
49	Lanthanide Ion Complexes as Chemosensors 2014 , 231-268		1
48	Luminescence Bioimaging with Lanthanide Complexes 2014 , 125-196		9
47	Direct Excitation Ln(III) Luminescence Spectroscopy to Probe the Coordination Sphere of Ln(III) Catalysts, Optical Sensors and MRI Agents 2014 , 303-330		0
46	Circularly Polarised Luminescence 2014 , 77-124		10
45	Introduction to Lanthanide Ion Luminescence 2014 , 1-48		15
44	Heterometallic Complexes Containing Lanthanides 2014 , 331-358		2
43	Cadmium and Zinc Alloyed Cu-In-S Nanocrystals and Their Optical Properties. <i>Journal of Nanoparticle Research</i> , 2013 , 15, 1	2.3	13
42	Synthesis, lanthanide coordination chemistry, and liquid-liquid extraction performance of CMPO-decorated pyridine and pyridine N-oxide platforms. <i>Inorganic Chemistry</i> , 2013 , 52, 3063-83	5.1	40

41	Turning on lanthanide luminescence via nanoencapsulation. <i>Inorganic Chemistry</i> , 2013 , 52, 6311-8	5.1	22
40	A water-soluble Pybox derivative and its highly luminescent lanthanide ion complexes. <i>Journal of the American Chemical Society</i> , 2012 , 134, 6987-94	16.4	161
39	Unusual nitro-coordination of europium(III) and terbium(III) with pyridinyl ligands. <i>Dalton Transactions</i> , 2012 , 41, 11212-8	4.3	15
38	Structural and photophysical properties of visible- and near-IR-emitting tris lanthanide(III) complexes formed with the enantiomers of N,NRbis(1-phenylethyl)-2,6-pyridinedicarboxamide. <i>Inorganic Chemistry</i> , 2012 , 51, 647-60	5.1	61
37	Uranyl sensitization of samarium(III) luminescence in a two-dimensional coordination polymer. <i>Inorganic Chemistry</i> , 2012 , 51, 201-6	5.1	109
36	Lanthanides: Electronic Structure 2012 ,		3
35	New k1,k1-benzoato-bridged complexes of Eu(III) and Tb(III) with a triazine-benzamide ligand. <i>Main Group Chemistry</i> , 2012 , 11, 31-44	0.6	2
34	Crystallographic Characterization of Dipyridylamine Derivatives. <i>Journal of Chemical Crystallography</i> , 2011 , 41, 192-197	0.5	2
33	An Uncommon Hexafluorosilicate Salt of the Bis(diethylamino)difluorosulfonium Cation Displaying Extensive Hydrogen Bonding. <i>Journal of Chemical Crystallography</i> , 2011 , 41, 902-907	0.5	2
32	Homobinuclear sulfato-bridged and mononuclear nitrate complexes of Cu(II) with thiophen-2-yl-dipicolylamine; structure and anion-dependent absorption spectra. <i>Inorganic Chemistry Communication</i> , 2011 , 14, 753-758	3.1	8
31	Diaqua-tris-[4,4,4-trifluoro-3-oxo-1-(thio-phen-2-yl)but-1-en-1-olato]neodymium(III) acetonitrile monosolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011 , 67, m1188-9		2
30	4-Bromo-N,N,N,N-tetra-ethyl-pyridine-2,6-dicarboxamide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o2124		1
29	Para-derivatized pybox ligands as sensitizers in highly luminescent Ln(III) complexes. <i>Inorganic Chemistry</i> , 2010 , 49, 8848-61	5.1	86
28	An oxazoline derivatized Pybox ligand for Eu(III) and Tb(III) sensitization. <i>Comptes Rendus Chimie</i> , 2010 , 13, 691-699	2.7	6
27	Counter-anions and their coordination behavior with Cu(II) complexes of thiophen-3-yl-dipicolylamine. <i>Inorganica Chimica Acta</i> , 2010 , 363, 4088-4095	2.7	6
26	Thiophene-derivatized pybox and its highly luminescent lanthanide ion complexes. <i>Journal of the American Chemical Society</i> , 2007 , 129, 15436-7	16.4	86
25	Lanthanide-based emitting materials in light-emitting diodes. <i>Dalton Transactions</i> , 2007 , 2229-41	4.3	408
24	Exploring lanthanide luminescence in metal-organic frameworks: synthesis, structure, and guest-sensitized luminescence of a mixed europium/terbium-adipate framework and a terbium-adipate framework. <i>Inorganic Chemistry</i> , 2007 , 46, 3960-5	5.1	267

23	Small Molecule Luminescent Lanthanide Ion Complexes - Photophysical Characterization and Recent Developments. <i>Current Organic Chemistry</i> , 2007 , 11, 1460-1480	1.7	50
22	Nitro-functionalization and luminescence quantum yield of Eu(III) and Tb(III) benzoic acid complexes. <i>Dalton Transactions</i> , 2006 , 4093-103	4.3	81
21	Eu(III) and Tb(III) luminescence sensitized by thiophenyl-derivatized nitrobenzoato antennas. <i>Inorganic Chemistry</i> , 2006 , 45, 10138-46	5.1	116
20	2-Chloro-5-nitrobenzoato complexes of Eu(III) and Tb(III) [A 1D coordination polymer and enhanced solution luminescence. <i>Inorganic Chemistry Communication</i> , 2006 , 9, 444-448	3.1	26
19	Phenylthiophene-dipicolinic acid-based emitters with strong solution blue and solid state green emission. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 25638-45	3.4	17
18	Isophthalato-based 2D coordination polymers of Eu(III), Gd(III), and Tb(III): enhancement of the terbium-centered luminescence through thiophene derivatization. <i>Inorganic Chemistry</i> , 2005 , 44, 2734-41	5.1	147
17	Intermolecular Forces and Functional Group Effects in the Packing Structure of Thiophene Derivatives. <i>Crystal Growth and Design</i> , 2005 , 5, 1477-1483	3.5	19
16	Luminescent Ln ³⁺ nitrobenzoato complexes: first examples of sensitization of green and red emission. <i>Chemical Communications</i> , 2004 , 1024-5	5.8	115
15	Electropolymerization of 2-Ferrocenylpyrrolidino-[3,4],2][C60]fullerene in the Presence of Palladium Acetate. Formation of an Electroactive Fullerene-Based Film with a Covalently Attached Redox Probe. <i>Chemistry of Materials</i> , 2003 , 15, 4122-4131	9.6	37
14	The influence of electroactive solutes on the properties of electrochemically formed fullerene C60-based films. <i>Journal of Electroanalytical Chemistry</i> , 2003 , 549, 109-117	4.1	11
13	Interactions of metalloporphyrins as donors with the electron acceptors C60, tetracyanoquinomethane (TCNQ) and trinitrofluorenylidene malonitrile. <i>Dalton Transactions</i> , 2003 , 3227-3	4.3	30
12	Structure and properties of C60Pd films formed by electroreduction of C60 and palladium(II) acetate trimer: evidence for the presence of palladium nanoparticles. <i>Journal of Materials Chemistry</i> , 2003 , 13, 518-525		34
11	Crystallographic characterization of the structure of the endohedral fullerene [Er ₂ @C82 isomer I] with C(s) cage symmetry and multiple sites for erbium along a band of ten contiguous hexagons. <i>Journal of the American Chemical Society</i> , 2002 , 124, 4172-3	16.4	89
10	Redox-active films formed by electrochemical reduction of solutions of C60 and platinum complexes. <i>Journal of Materials Chemistry</i> , 2002 , 12, 2116-2122		29
9	Isolierung und strukturelle Charakterisierung des endohedralen Fullerenens Sc ₃ N@C78. <i>Angewandte Chemie</i> , 2001 , 113, 1263-1265	3.6	30
8	Isolation and Structural Characterization of the Endohedral Fullerene Sc ₃ N@C78. <i>Angewandte Chemie - International Edition</i> , 2001 , 40, 1223-1225	16.4	214
7	First Unsymmetrical Bisfullerene, C121: Evidence for the Presence of Both Homofullerene and Methanofullerene Cages in One Molecule. <i>Journal of the American Chemical Society</i> , 2001 , 123, 1294-1301	16.4	46
6	Isolation and Structural Characterization of the Endohedral Fullerene Sc ₃ N@C78 2001 , 40, 1223		4

- 5 Isolation and Structural Characterization of the Endohedral Fullerene Sc(3)N@C(78) This work was supported by the US National Science Foundation (Grants CHE 9610507 and CHE 0070291 to A.L.B.), LUNA Innovations (H.C.D.), and the Gulbenkian Foundation (postdoctoral fellowship to A.L.B.-D.). *Angewandte Chemie – International Edition*, **2001**, 40, 1223-1225 16.4 6
- 4 Electrochemical Studies of C60/Pd Films Formed by the Reduction of C60 in the Presence of Palladium(II) Acetate Trimer. Effects of Varying C60/Pd(II) Ratios in the Precursor Solutions. *Chemistry of Materials*, **2000**, 12, 1386-1392 9.6 41
- 3 Isolation and Crystallographic Characterization of ErSc2N@C80: an Endohedral Fullerene Which Crystallizes with Remarkable Internal Order. *Journal of the American Chemical Society*, **2000**, 122, 12220-12226 16.4 165
- 2 Electronic interactions in a new fullerene dimer: C(122)H(4), with two methylene bridges. *Journal of Organic Chemistry*, **2000**, 65, 3269-73 4.2 36
- 1 Charging Processes in Electroactive C60/Pd Films: Effect of Solvent and Supporting Electrolyte. *Chemistry of Materials*, **1999**, 11, 2265-2273 9.6 34