

# James Boyne

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7764727/publications.pdf>

Version: 2024-02-01

26  
papers

783  
citations

471061

17  
h-index

552369

26  
g-index

26  
all docs

26  
docs citations

26  
times ranked

842  
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of CAF derived exosomal microRNAs in the tumour microenvironment of melanoma. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2021, 1875, 188456.	3.3	37
2	SFPQ promotes an oncogenic transcriptomic state in melanoma. <i>Oncogene</i> , 2021, 40, 5192-5203.	2.6	15
3	Merkel cell polyomavirus small tumour antigen activates the p38 MAPK pathway to enhance cellular motility. <i>Biochemical Journal</i> , 2020, 477, 2721-2733.	1.7	10
4	Highly branched poly( <i>N</i> -isopropyl acrylamide) functionalized with an inducer molecule suppresses quorum sensing in <i>Chromobacterium violaceum</i> . <i>Chemical Communications</i> , 2019, 55, 9765-9768.	2.2	7
5	The cellular chloride channels CLIC1 and CLIC4 contribute to virus-mediated cell motility. <i>Journal of Biological Chemistry</i> , 2018, 293, 4582-4590.	1.6	21
6	Platelet microparticle delivered microRNA-Let-7a promotes the angiogenic switch. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018, 1864, 2633-2643.	1.8	45
7	Cellular sheddases are induced by Merkel cell polyomavirus small tumour antigen to mediate cell dissociation and invasiveness. <i>PLoS Pathogens</i> , 2018, 14, e1007276.	2.1	24
8	MCV-miR-M1 Targets the Host-Cell Immune Response Resulting in the Attenuation of Neutrophil Chemotaxis. <i>Journal of Investigative Dermatology</i> , 2018, 138, 2343-2354.	0.3	22
9	ARID3B: a Novel Regulator of the Kaposi's Sarcoma-Associated Herpesvirus Lytic Cycle. <i>Journal of Virology</i> , 2016, 90, 9543-9555.	1.5	10
10	Long non-coding RNAs drive metastatic progression in melanoma (Review). <i>International Journal of Oncology</i> , 2014, 45, 2181-2186.	1.4	9
11	Mutation of a C-Terminal Motif Affects Kaposi's Sarcoma-Associated Herpesvirus ORF57 RNA Binding, Nuclear Trafficking, and Multimerization. <i>Journal of Virology</i> , 2011, 85, 7881-7891.	1.5	16
12	An Interaction between KSHV ORF57 and UIF Provides mRNA-Adaptor Redundancy in Herpesvirus Intronless mRNA Export. <i>PLoS Pathogens</i> , 2011, 7, e1002138.	2.1	44
13	Kaposi's sarcoma-associated herpesvirus ORF57 protein interacts with PYM to enhance translation of viral intronless mRNAs. <i>EMBO Journal</i> , 2010, 29, 1851-1864.	3.5	60
14	ORF57: Master regulator of KSHV mRNA biogenesis. <i>Cell Cycle</i> , 2010, 9, 2702-2703.	1.3	11
15	Identification of a response element in a herpesvirus saimiri mRNA recognized by the ORF57 protein. <i>Journal of General Virology</i> , 2009, 90, 596-601.	1.3	8
16	Nucleolar disruption impairs Kaposi's sarcoma-associated herpesvirus ORF57-mediated nuclear export of intronless viral mRNAs. <i>FEBS Letters</i> , 2009, 583, 3549-3556.	1.3	26
17	Uncoupling of hTREX demonstrates that UAP56 and hTHO-complex recruitment onto herpesvirus saimiri intronless transcripts is required for replication. <i>Journal of General Virology</i> , 2009, 90, 1455-1460.	1.3	11
18	Viral nucleolar localisation signals determine dynamic trafficking within the nucleolus. <i>Virology</i> , 2008, 380, 191-202.	1.1	34

#	ARTICLE	IF	CITATIONS
19	Recruitment of the Complete hTREX Complex Is Required for Kaposi's Sarcoma-Associated Herpesvirus Intronless mRNA Nuclear Export and Virus Replication. PLoS Pathogens, 2008, 4, e1000194.	2.1	85
20	Herpesvirus saimiri ORF57: a post-transcriptional regulatory protein. Frontiers in Bioscience - Landmark, 2008, 13, 2928.	3.0	37
21	$\beta$ -2 herpes virus post-transcriptional gene regulation. Clinical Microbiology and Infection, 2006, 12, 110-117.	2.8	22
22	IQGAP and mitotic exit network (MEN) proteins are required for cytokinesis and re-polarization of the actin cytoskeleton in the budding yeast, <i>Saccharomyces cerevisiae</i> . European Journal of Cell Biology, 2006, 85, 1201-1215.	1.6	27
23	Herpesvirus Saimiri-Based Gene Delivery Vectors. Current Gene Therapy, 2006, 6, 1-15.	0.9	18
24	Nucleolar trafficking is essential for nuclear export of intronless herpesvirus mRNA. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 15190-15195.	3.3	72
25	The prototype $\beta$ -2 herpesvirus nucleocytoplasmic shuttling protein, ORF 57, transports viral RNA through the cellular mRNA export pathway. Biochemical Journal, 2005, 387, 295-308.	1.7	69
26	Basic Fibroblast Growth Factor-induced Cell Death Is Effected through Sustained Activation of p38MAPK and Up-regulation of the Death Receptor p75NTR. Journal of Biological Chemistry, 2004, 279, 47912-47928.	1.6	43