

Jing-Lin zuo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7764851/jing-lin-zuo-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

364
papers

12,078
citations

57
h-index

90
g-index

383
ext. papers

13,942
ext. citations

5.8
avg. IF

6.59
L-index

#	Paper	IF	Citations
364	A highly stretchable autonomous self-healing elastomer. <i>Nature Chemistry</i> , 2016 , 8, 618-24	17.6	858
363	Highly efficient green and blue-green phosphorescent OLEDs based on iridium complexes with the tetraphenylimidodiphosphinate ligand. <i>Advanced Materials</i> , 2011 , 23, 4041-6	24	265
362	The observation of superparamagnetic behavior in molecular nanowires. <i>Journal of the American Chemical Society</i> , 2004 , 126, 8900-1	16.4	241
361	[[Tp](8)(H ₂ O)(6)Cu(II) (6)Fe(III) (8)(CN)(24)](4+): a cyanide-bridged face-centered-cubic cluster with single-molecule-magnet behavior. <i>Angewandte Chemie - International Edition</i> , 2004 , 43, 5940-3	16.4	212
360	A microporous luminescent europium metal-organic framework for nitro explosive sensing. <i>Dalton Transactions</i> , 2013 , 42, 5718-23	4.3	204
359	Peripheral Amplification of Multi-Resonance Induced Thermally Activated Delayed Fluorescence for Highly Efficient OLEDs. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 11316-11320	16.4	178
358	A rigid and healable polymer cross-linked by weak but abundant Zn(II)-carboxylate interactions. <i>Nature Communications</i> , 2018 , 9, 2725	17.4	168
357	Thermodynamically stable whilst kinetically labile coordination bonds lead to strong and tough self-healing polymers. <i>Nature Communications</i> , 2019 , 10, 1164	17.4	155
356	Tricyanometalate molecular chemistry: A type of versatile building blocks for the construction of cyano-bridged molecular architectures. <i>Coordination Chemistry Reviews</i> , 2011 , 255, 1713-1732	23.2	153
355	Construction of open metal-organic frameworks based on predesigned carboxylate isomers: from achiral to chiral nets. <i>Chemistry - A European Journal</i> , 2006 , 12, 3768-76	4.8	148
354	Symmetry-based magnetic anisotropy in the trigonal bipyramidal cluster [Tp ₂ (Me ₃ tacn) ₃ Cu ₃ Fe ₂ (CN) ₆] ⁴⁺ . <i>Journal of the American Chemical Society</i> , 2006 , 128, 7162-3	16.4	145
353	Rational design of phosphorescent iridium(III) complexes for emission color tunability and their applications in OLEDs. <i>Coordination Chemistry Reviews</i> , 2018 , 374, 55-92	23.2	143
352	Opto-electronic multifunctional chiral diamondoid-network coordination polymer: bis{4-[2-(4-pyridyl)ethenyl]benzoato}zinc with high thermal stability. <i>Chemical Communications</i> , 2000 , 2061-2062	5.8	143
351	A three-dimensional network coordination polymer, (terephthalato)(pyridine)cadmium, with blue fluorescent emission. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999 , 1915-1916		132
350	Self-Assembly of Metal-Organic Coordination Polymers Constructed from a Versatile Multipyridyl Ligand: Diversity of Coordination Modes and Structures. <i>Crystal Growth and Design</i> , 2009 , 9, 1041-1053	3.5	128
349	Chiral Octahydro-Binaphthol Compound-Based Thermally Activated Delayed Fluorescence Materials for Circularly Polarized Electroluminescence with Superior EQE of 32.6% and Extremely Low Efficiency Roll-Off. <i>Advanced Materials</i> , 2019 , 31, e1900524	24	123
348	Linear trimer of diruthenium linked by butadiyn-diyl units: a unique electronic wire. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 954-7	16.4	120

347	Circularly polarised phosphorescent photoluminescence and electroluminescence of iridium complexes. <i>Scientific Reports</i> , 2015 , 5, 14912	4.9	118
346	Self-Healing Polymers Based on Coordination Bonds. <i>Advanced Materials</i> , 2020 , 32, e1903762	24	116
345	Photo- and Electronically Switchable Spin-Crossover Iron(II) Metal-Organic Frameworks Based on a Tetrathiafulvalene Ligand. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 5465-5470	16.4	115
344	Ferromagnetic Ordering in a Two-Dimensional Copper Complex with Dual End-to-End and End-On Azide Bridges This work was supported by the National Natural Science Foundation of China (NSF 29631040 and 29929001), The Major State Basic Research Development Program (Grant No. G2000077500 and No. G1998061306), and the Malaysian Government research grant R&D No.	16.4	105
343	Synthesis and assembly of Pd nanoparticles on graphene for enhanced electrooxidation of formic acid. <i>Nanoscale</i> , 2013 , 5, 160-3	7.7	94
342	Photostimulus-Responsive Large-Area Two-Dimensional Covalent Organic Framework Films. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 16101-16104	16.4	92
341	Redox-switchable breathing behavior in tetrathiafulvalene-based metal-organic frameworks. <i>Nature Communications</i> , 2017 , 8, 2008	17.4	92
340	Molecule-based ferroelectric thin films: mononuclear lanthanide enantiomers displaying room-temperature ferroelectric and dielectric properties. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 6820-3	16.4	90
339	New 3d δ f Heterometallic Coordination Polymers Based on Pyrazole-Bridged CuII LnIII Dinuclear Units and Sulfate Anions: Syntheses, Structures, and Magnetic Properties. <i>Crystal Growth and Design</i> , 2009 , 9, 1028-1035	3.5	88
338	Chiral molecule-based ferrimagnets with helical structures. <i>Inorganic Chemistry</i> , 2006 , 45, 7032-4	5.1	88
337	Syntheses, photoluminescence, and electroluminescence of a series of iridium complexes with trifluoromethyl-substituted 2-phenylpyridine as the main ligands and tetraphenylimidodiphosphinate as the ancillary ligand. <i>Inorganic Chemistry</i> , 2013 , 52, 4916-25	5.1	87
336	Synthesis, crystal structures, and magnetic properties of cyano-bridged heterobimetallic chains based on [(Tp)Fe(CN) ₃] ⁻ . <i>Inorganic Chemistry</i> , 2006 , 45, 8942-9	5.1	87
335	Functional coordination polymers based on redox-active tetrathiafulvalene and its derivatives. <i>Coordination Chemistry Reviews</i> , 2017 , 345, 342-361	23.2	82
334	Rearrangement of symmetrical dicubane clusters into topological analogues of the P cluster of nitrogenase: nature's choice?. <i>Journal of the American Chemical Society</i> , 2002 , 124, 14292-3	16.4	82
333	Structural and magnetic studies on cyano-bridged rectangular Fe ₂ M ₂ (M = Cu, Ni) clusters. <i>Inorganic Chemistry</i> , 2006 , 45, 10058-65	5.1	81
332	One-dimensional azido-bridged chiral metal complexes with ferromagnetic or antiferromagnetic interactions: syntheses, structures, and magnetic studies. <i>Inorganic Chemistry</i> , 2005 , 44, 9039-45	5.1	79
331	Efficient OLEDs with low efficiency roll-off using iridium complexes possessing good electron mobility. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 3694-3701	7.1	78
330	Crystal structures and magnetic and ferroelectric properties of chiral layered metal-organic frameworks with dicyanamide as the bridging ligand. <i>Inorganic Chemistry</i> , 2007 , 46, 5462-4	5.1	76

- 329 Highly efficient green phosphorescent OLEDs based on a novel iridium complex. *Journal of Materials Chemistry C*, **2013**, 1, 560-565 7.1 75
- 328 X-Ray crystal structures of Mg²⁺ and Ca²⁺ dimers of the antibacterial drug norfloxacin. *Dalton Transactions RSC*, **2000**, 4013-4014 75
- 327 A Two-Dimensional Iron(II) Coordination Polymer with Synergetic Spin-Crossover and Luminescent Properties. *Angewandte Chemie - International Edition*, **2019**, 58, 8789-8793 16.4 74
- 326 Controlled synthesis of heterotrimetallic single-chain magnets from anisotropic high-spin 3 d-4 f nodes and paramagnetic spacers. *Chemistry - A European Journal*, **2013**, 19, 294-303 4.8 74
- 325 N-Heterocyclic carbenes: versatile second cyclometalated ligands for neutral iridium(III) heteroleptic complexes. *Inorganic Chemistry*, **2015**, 54, 161-73 5.1 74
- 324 Cyano-bridged Fe^{III}2Cu^I3 and Fe^{III}4Ni^{II}4 complexes: syntheses, structures, and magnetic properties. *Inorganic Chemistry*, **2007**, 46, 3236-44 5.1 73
- 323 Assembly of Iron(II)-Triazole Polymers from 1D Chains to 3D Interpenetrated Frameworks: Syntheses, Structures, and Magnetic Properties. *Crystal Growth and Design*, **2008**, 8, 1306-1312 3.5 68
- 322 Chiral molecular ferromagnets based on copper(II) polymers with end-on azido bridges. *Inorganic Chemistry*, **2007**, 46, 9522-4 5.1 68
- 321 Solvothermal syntheses of [Ln(en)₃(H₂O)_x(μ_{3-x}-SbS₄)] (Ln = La, x = 0; Ln = Nd, x = 1) and [Ln(en)₄]SbS₄·0.5en (Ln = Eu, Dy, Yb): a systematic study on the formation and crystal structures of new lanthanide thioantimonates(V). *Inorganic Chemistry*, **2005**, 44, 8861-7 5.1 68
- 320 Electrochromic two-dimensional covalent organic framework with a reversible dark-to-transparent switch. *Nature Communications*, **2020**, 11, 5534 17.4 68
- 319 Chiral cyanide-bridged Cr(III)-Mn(III) heterobimetallic chains based on [(Tp)Cr(CN)₃]⁻: synthesis, structures, and magnetic properties. *Inorganic Chemistry*, **2012**, 51, 2140-9 5.1 67
- 318 Crystal structures and magnetic properties of two alternating azide-bridged complexes [M(dmbpy)(N₃)₂]_n (M = Mn or Cu; dmbpy = 4,4'-dimethyl-2,2'-bipyridine). *Journal of the Chemical Society Dalton Transactions*, **1999**, 3393-3397 65
- 317 A giant metallo-supramolecular cage encapsulating a single-molecule magnet. *Chemical Communications*, **2013**, 49, 3658-60 5.8 64
- 316 Metal-Organic Coordination Polymers Generated from Chiral Camphoric Acid and Flexible Ligands with Different Spacer Lengths: Syntheses, Structures, and Properties. *Crystal Growth and Design*, **2009**, 9, 4872-4883 3.5 64
- 315 A Novel Rhombohedral Grid Based on Tetraorganodistannoxane as Corner Unit. *Organometallics*, **2000**, 19, 4183-4186 3.8 64
- 314 Assembling chirality into magnetic nanowires: cyano-bridged iron(III)-nickel(II) chains exhibiting slow magnetization relaxation and ferroelectricity. *Chemical Communications*, **2009**, 6940-2 5.8 61
- 313 Cyano-bridged pentanuclear Fe(III)₃M(II)₂ (M = Ni, Co, Fe) clusters: synthesis, structures, and magnetic properties. *Inorganic Chemistry*, **2006**, 45, 8895-901 5.1 61
- 312 Stable tetraaryldiphosphine radical cation and dication. *Journal of the American Chemical Society*, **2013**, 135, 5561-4 16.4 60

311	Syntheses, crystal structures of blue luminescent complexes based on 2,6-bis(benzimidazolyl) pyridine. <i>Journal of Molecular Structure</i> , 2004 , 705, 153-157	3.4	60
310	Tuning quantum tunnelling of magnetization through 3d π f magnetic interactions: an alternative approach for manipulating single-molecule magnetism. <i>Inorganic Chemistry Frontiers</i> , 2017 , 4, 114-122	6.8	59
309	High Electrical Conductivity in a 2D MOF with Intrinsic Superprotonic Conduction and Interfacial Pseudo-capacitance. <i>Matter</i> , 2020 , 2, 711-722	12.7	58
308	Synthesis, structure and optical limiting effect of two new nickel complexes containing strongly bound geometrically fixed multi-sulfur 1,2-dithiolene ligands showing remarkable near-IR absorption. <i>Journal of Materials Chemistry</i> , 1999 , 9, 2419-2423		58
307	Syntheses, Structures, and Physical Properties of Camphorate Coordination Polymers Controlled by Semirigid Auxiliary Ligands with Variable Coordination Positions and Conformations. <i>Crystal Growth and Design</i> , 2010 , 10, 2596-2605	3.5	57
306	Syntheses, characterization and non-linear optical properties of nickel complexes of multi-sulfur 1,2-dithioiene with strong near-IR absorption. <i>Journal of Materials Chemistry</i> , 1996 , 6, 1633		56
305	Configurationally Stable Platinahelicene Enantiomers for Efficient Circularly Polarized Phosphorescent Organic Light-Emitting Diodes. <i>Chemistry - A European Journal</i> , 2019 , 25, 5672-5676	4.8	55
304	Chiral iridium(III) complexes with four-membered Ir-S-P-S chelating rings for high-performance circularly polarized OLEDs. <i>Chemical Communications</i> , 2019 , 55, 8215-8218	5.8	54
303	Syntheses, structures, and magnetic properties of seven-coordinate lanthanide porphyrinate or phthalocyaninate complexes with Kubi's tripodal ligand. <i>Inorganic Chemistry</i> , 2013 , 52, 6407-16	5.1	54
302	Synthesis and crystal structure of a chiral two-dimensional metal-organic coordination polymer: (S-(-)-lactate) (isonicotinato)zinc(II). <i>New Journal of Chemistry</i> , 1999 , 23, 1051-1052	3.6	54
301	Organic Room-Temperature Phosphorescence with Strong Circularly Polarized Luminescence Based on Paracyclophanes. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 17220-17225	16.4	52
300	Seven-coordinate lanthanide sandwich-type complexes with a tetrathiafulvalene-fused Schiff base ligand. <i>Inorganic Chemistry</i> , 2013 , 52, 11164-72	5.1	52
299	Coordination Polymers Assembled from 3,5-Pyrazoledicarboxylic Acid and Bis(triazolyl) Ligands: Chiral and Meso-Structures Induced by Ligand Flexibility and a Six-Connected Self-Catenated Network. <i>Crystal Growth and Design</i> , 2009 , 9, 4487-4496	3.5	51
298	Redox Activities of Metal-Organic Frameworks Incorporating Rare-Earth Metal Chains and Tetrathiafulvalene Linkers. <i>Inorganic Chemistry</i> , 2019 , 58, 3698-3706	5.1	50
297	Calix[4]arene-supported mononuclear lanthanide single-molecule magnet. <i>Inorganic Chemistry</i> , 2014 , 53, 562-7	5.1	50
296	Ferroelectric heterobimetallic clusters with ferromagnetic interactions. <i>Inorganic Chemistry</i> , 2008 , 47, 7957-9	5.1	50
295	Syntheses, structures, and magnetic properties of cyano-bridged heterobimetallic complexes based on [Fe(bpca)(CN) ₃] ⁻ . <i>Inorganic Chemistry</i> , 2006 , 45, 582-90	5.1	50
294	Synthesis, structure and luminescent properties of lanthanide(III) polymeric complexes constructed by citric acid. <i>Inorganic Chemistry Communication</i> , 2005 , 8, 328-330	3.1	50

- 293 Crystallographic Elucidation of Chiral and Helical Cu(II) Polymers Assembled from a Heterodifunctional 1,2,3-Triazole Ligand *Crystal Growth and Design*, **2010**, 10, 1715-1720 3.5 49
- 292 Field-induced slow magnetic relaxation in chiral seven-coordinated mononuclear lanthanide complexes. *Dalton Transactions*, **2012**, 41, 13682-90 4.3 48
- 291 A highly stable copper(I)-olefin coordination polymer with strong red fluorescent emission. *Chemical Communications*, **2000**, 1495-1496 5.8 48
- 290 Vanadium-iron-sulfur clusters containing the cubane-type [VFe₃S₄] core unit: synthesis of a cluster with the topology of the PN cluster of nitrogenase. *Inorganic Chemistry*, **2003**, 42, 4624-31 5.1 47
- 289 The first structurally characterized 3,4'-bipyridine copper(I) coordination polymer with an approximately rectangular molecular box. *Journal of the Chemical Society Dalton Transactions*, **1999**, 1711-1712 47
- 288 Sequential Transformation of Zirconium(IV)-MOFs into Heterobimetallic MOFs Bearing Magnetic Anisotropic Cobalt(II) Centers. *Angewandte Chemie - International Edition*, **2018**, 57, 12578-12583 16.4 46
- 287 Highly stable copper(I)-olefin coordination polymers capable of co-existing with water and acid. *Dalton Transactions RSC*, **2000**, 2898-2900 46
- 286 Peripheral Amplification of Multi-Resonance Induced Thermally Activated Delayed Fluorescence for Highly Efficient OLEDs. *Angewandte Chemie*, **2018**, 130, 11486-11490 3.6 46
- 285 Hybrid NS ligands supported Cu(I)/(II) complexes for azide-alkyne cycloaddition reactions. *Dalton Transactions*, **2013**, 42, 11319-26 4.3 45
- 284 Crystal Structures, Magnetic Properties, and Electrochemical Properties of Coordination Polymers Based on the Tetra(4-pyridyl)-tetrathiafulvalene Ligand. *Inorganic Chemistry*, **2015**, 54, 10766-75 5.1 44
- 283 A three-dimensional ferromagnet based on linked copper-azido clusters. *Dalton Transactions*, **2007**, 4067-72 4.3 43
- 282 Synthesis and characterizations of a magnesium metal-organic framework with a distorted (10,3)-a-net topology. *Inorganic Chemistry Communication*, **2007**, 10, 220-222 3.1 43
- 281 Syntheses, Structures, and Electrochemical and Magnetic Properties of Rectangular Heterobimetallic Clusters Based on Tricyanometallic Building Blocks. *European Journal of Inorganic Chemistry*, **2008**, 2008, 717-727 2.3 43
- 280 Syntheses, structures, and magnetic properties of heterobimetallic clusters with tricyanometalate and pi-conjugated ligands containing 1,3-dithiol-2-ylidene. *Inorganic Chemistry*, **2010**, 49, 1905-12 5.1 40
- 279 Enantiopure heterobimetallic single-chain magnets from the chiral Ru(III) building block. *Dalton Transactions*, **2014**, 43, 933-6 4.3 39
- 278 Cluster-based copper(II) coordination polymers with azido bridges and chiral magnets. *Dalton Transactions*, **2008**, 5593-602 4.3 39
- 277 The first chiral 2-D molecular triangular grid. *Dalton Transactions RSC*, **2000**, 4010-4012 39
- 276 Chiral Spiro-Axis Induced Blue Thermally Activated Delayed Fluorescence Material for Efficient Circularly Polarized OLEDs with Low Efficiency Roll-Off. *Angewandte Chemie - International Edition*, **2021**, 60, 8435-8440 16.4 39

275	Modulating Single-Molecule Magnetic Behavior of a Dinuclear Erbium(III) Complex by Solvent Exchange. <i>Inorganic Chemistry</i> , 2017 , 56, 336-343	5.1	38
274	Syntheses and structures of novel heterobimetallic Cu(II)Au(I) complexes Cu(cyclen)[Au(CN) ₂] ₂ and Cu(pyz)[Au(CN) ₂] ₂ . <i>Dalton Transactions RSC</i> , 2000 , 629-631		38
273	Distinct Mechanical and Self-Healing Properties in Two Polydimethylsiloxane Coordination Polymers with Fine-Tuned Bond Strength. <i>Inorganic Chemistry</i> , 2018 , 57, 3232-3242	5.1	37
272	Electron mobility determination of efficient phosphorescent iridium complexes with tetraphenylimidodiphosphinate ligand via transient electroluminescence method. <i>Applied Physics Letters</i> , 2012 , 100, 073303	3.4	37
271	From monomers to stacks, from nonconductive to conductive: syntheses, characterization, and crystal structures of benzidine radical cations. <i>Chemistry - A European Journal</i> , 2012 , 18, 11828-36	4.8	37
270	Syntheses, Structures, and Properties of Tricarbonyl Rhenium(I) Heteronuclear Complexes with a New Bridging Ligand Containing Coupled Bis(2-pyridyl) and 1,2-Dithiolene Units. <i>Organometallics</i> , 2008 , 27, 126-134	3.8	37
269	Synthesis and third-order nonlinear optical properties of a sandwich-type mixed (phthalocyaninato)(schiff-base) triple-decker complexes. <i>Dyes and Pigments</i> , 2015 , 119, 70-74	4.6	36
268	Crystal Structures, Gas Adsorption, and Electrochemical Properties of Electroactive Coordination Polymers Based on the Tetrathiafulvalene-Tetrabenzoate Ligand. <i>Crystal Growth and Design</i> , 2015 , 15, 1861-1870	3.5	36
267	Synthesis and magnetic properties of a highly conducting neutral nickel complex with a highly conjugated tetrathiafulvalenedithiolate ligand. <i>Inorganic Chemistry</i> , 2007 , 46, 6837-9	5.1	36
266	Synthesis and photoluminescent properties of five homodinuclear lanthanide (Ln ³⁺ =Eu ³⁺ , Sm ³⁺ , Er ³⁺ , Yb ³⁺ , Pr ³⁺) complexes. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2009 , 208, 110-116	4.7	35
265	Hydrothermal syntheses and structures of three novel coordination polymers assembled from 1,2,3-triazolate ligands. <i>CrystEngComm</i> , 2009 , 11, 1964	3.3	35
264	Heterobimetallic Complexes Based on [(Tp)Fe(CN) ₃] ⁻ Syntheses, Crystal Structures and Magnetic Properties. <i>European Journal of Inorganic Chemistry</i> , 2004 , 2004, 3681	2.3	35
263	Non-doped and doped circularly polarized organic light-emitting diodes with high performances based on chiral octahydro-binaphthyl delayed fluorescent luminophores. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 7045-7052	7.1	34
262	Syntheses, Characterization, and Properties of Rhenium(I) Tricarbonyl Complexes with Tetrathiafulvalene-Fused Phenanthroline Ligands. <i>Organometallics</i> , 2011 , 30, 2173-2179	3.8	34
261	Rhenium(I) tricarbonyl complexes with bispyridine ligands attached to sulfur-rich core: Syntheses, structures and properties. <i>Journal of Organometallic Chemistry</i> , 2009 , 694, 763-770	2.3	34
260	Syntheses, structures, and electrochemical properties of platinum(II) complexes containing di-tert-butylbipyridine and crown ether annelated dithiolate ligands. <i>Inorganic Chemistry</i> , 2007 , 46, 866-73	5.1	34
259	Diruthenium alkynyl complexes as potential building blocks for heterometallic molecular rods. <i>Dalton Transactions RSC</i> , 2002 , 1244		34
258	Rapid room temperature synthesis of red iridium(III) complexes containing a four-membered Ir-S-C-S chelating ring for highly efficient OLEDs with EQE over 30. <i>Chemical Science</i> , 2019 , 10, 3535-3542	9.4	33

- 257 Axially Chiral Biphenyl Compound-Based Thermally Activated Delayed Fluorescent Materials for High-Performance Circularly Polarized Organic Light-Emitting Diodes. *Advanced Science*, **2020**, 7, 2000804^{13.6} 33
- 256 A sandwich-type triple-decker lanthanide complex with mixed phthalocyanine and Schiff base ligands. *Dalton Transactions*, **2013**, 42, 11043-6 4.3 33
- 255 Zinc, cobalt and copper coordination polymers with different structural motifs from picolyl-triazole hybrid ligands. *CrystEngComm*, **2012**, 14, 961-971 3.3 33
- 254 Synthesis, structural characterization and photoluminescence properties of rhenium(I) complexes based on bipyridine derivatives with carbazole moieties. *Dalton Transactions*, **2009**, 10563-9 4.3 33
- 253 Synthesis and structures of two novel one-dimensional mixed-valence iron molybdophosphate matrices. *New Journal of Chemistry*, **2001**, 25, 1342-1346 3.6 33
- 252 Tetrathiafulvalene-supported triple-decker phthalocyaninato dysprosium(III) complex: synthesis, properties and surface assembly. *Scientific Reports*, **2014**, 4, 5928 4.9 32
- 251 Syntheses, photoluminescence and electroluminescence of four heteroleptic iridium complexes with 2-(5-phenyl-1,3,4-oxadiazol-2-yl)-phenol derivatives as ancillary ligands. *Journal of Materials Chemistry C*, **2014**, 2, 1116-1124 7.1 32
- 250 Two cyano-bridged heterotrimeric complexes built from [(Tp)Fe(CN)₃][Tp = hydrotris(pyrazolyl)borate]: synthesis, crystal structures and magnetic properties. *Inorganica Chimica Acta*, **2005**, 358, 2101-2106 2.7 32
- 249 Three-Dimensional Lanthanoid-Containing Coordination Frameworks: Structure, Magnetic and Fluorescent Properties. *European Journal of Inorganic Chemistry*, **2005**, 2005, 766-772 2.3 32
- 248 Synthesis, characterization, and structures of a persistent aniline radical cation. *Angewandte Chemie - International Edition*, **2012**, 51, 11878-81 16.4 31
- 247 A new optical and electrochemical sensor for fluoride ion based on the functionalized boron dipyrromethene dye with tetrathiafulvalene moiety. *Tetrahedron Letters*, **2011**, 52, 6157-6161 2 31
- 246 Stabilizing radical cation and dication of a tetrathiafulvalene derivative by a weakly coordinating anion. *Inorganic Chemistry*, **2014**, 53, 5321-7 5.1 30
- 245 Two mono- and dinuclear Eu(III) enantiomeric pairs based on chiral bis-bidentate bridging ligands: synthesis, structures, luminescent and ferroelectric properties. *Dalton Transactions*, **2012**, 41, 11829-35 4.3 30
- 244 Syntheses, Structures, and Properties of Tricarbonyl (Chloro) Rhenium(I) Complexes with Redox-Active Tetrathiafulvalene Pyrazole Ligands. *Organometallics*, **2009**, 28, 755-762 3.8 30
- 243 Synthesis, crystal structures and triboluminescence of a pair of Eu(III)-based enantiomers. *Polyhedron*, **2007**, 26, 5257-5262 2.7 30
- 242 4-Ethynylpyridine as bridging moiety in mixed Ru/Re complexes. *New Journal of Chemistry*, **2004**, 28, 43-51 3.6 30
- 241 Synthesis, characterization and optical limiting effect of nickel complexes of multi-sulfur 1,2-dithiolene. *Journal of Physics and Chemistry of Solids*, **2005**, 66, 207-212 3.9 30
- 240 Syntheses and properties of complexes of CuI, NiII and ZnII with N,N'-trimethylene bis(salicylaldehyde imine). Crystal structure of Cu(Sal₂tn). *Polyhedron*, **1996**, 15, 903-907 2.7 30

239	Concomitant Use of Tetrathiafulvalene and 7,7,8,8-Tetracyanoquinodimethane within the Skeletons of Metal-Organic Frameworks: Structures, Magnetism, and Electrochemistry. <i>Inorganic Chemistry</i> , 2019 , 58, 8657-8664	5.1	29
238	Synthesis and characterization of efficient luminescent materials based on 2,1,3-benzothiadiazole with carbazole moieties. <i>Synthetic Metals</i> , 2011 , 161, 718-723	3.6	29
237	Structures and physical properties of oligomeric and polymeric metal complexes based on bis(pyridyl)-substituted TTF ligands and an inorganic analogue. <i>Dalton Transactions</i> , 2011 , 40, 919-26	4.3	29
236	A Metal-Organic Framework Based on a Nickel Bis(dithiolene) Connector: Synthesis, Crystal Structure, and Application as an Electrochemical Glucose Sensor. <i>Journal of the American Chemical Society</i> , 2020 ,	16.4	29
235	Fast Synthesis of Iridium(III) Complexes Incorporating a Bis(diphenylphorothioyl)amide Ligand for Efficient Pure Green OLEDs. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 7184-7191	9.5	28
234	Carboxylic acid-dependent assembly of neodymium-organic frameworks with attractive topologies and second-order nonlinear optical and/or magnetic properties. <i>CrystEngComm</i> , 2008 , 10, 1674	3.3	28
233	Spin-crossover iron(II) complexes [Fe(Medpq)(py) ₂ (NCS) ₂] and [Fe(Medpq)(py) ₂ (NCSe) ₂]: syntheses, characterization and magnetic properties. <i>Inorganica Chimica Acta</i> , 2007 , 360, 4125-4132	2.7	28
232	Zirconium metal-organic frameworks incorporating tetrathiafulvalene linkers: robust and redox-active matrices for confinement of metal nanoparticles. <i>Chemical Science</i> , 2020 , 11, 1918-1925	9.4	28
231	Highly Efficient Organic Light-Emitting Diodes with Low Efficiency Roll-Off Based on Iridium Complexes Containing Pinene Sterically Hindered Spacer. <i>Advanced Optical Materials</i> , 2016 , 4, 1726-1731	8.1	28
230	Efficient deep red electroluminescence of iridium(III) complexes with 2,3-diphenylquinoxaline derivatives and tetraphenylimidodiphosphinate. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 3714-3724	7.1	27
229	Modulating the Magnetic Interaction in New Triple-Decker Dysprosium(III) Single-Molecule Magnets. <i>Inorganic Chemistry</i> , 2018 , 57, 1408-1416	5.1	27
228	Dual-emission and thermochromic luminescence alkaline earth metal coordination polymers and their blend films with polyvinylidene fluoride for detecting nitrobenzene vapor. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 7030-7041	7.1	27
227	Reaction-condition-controlled formation of secondary-building-units in three cadmium metal-organic frameworks with an orthogonal tetrakis(tetrazolate) ligand. <i>Journal of Molecular Structure</i> , 2008 , 890, 163-169	3.4	27
226	Syntheses, Photoluminescence, and Electroluminescence of Iridium(III) Complexes with Fluorinated 2-Phenylpyridine as Main Ligands and Tetraphenylimidodiphosphinate as Ancillary Ligand. <i>European Journal of Inorganic Chemistry</i> , 2013 , 2013, 5683-5693	2.3	26
225	[(Tp) ₈ (H ₂ O) ₆ Cu ₁₁ Fe ₁₁ (CN) ₂₄] ₄₊ : A Cyanide-Bridged Face-Centered-Cubic Cluster with Single-Molecule-Magnet Behavior. <i>Angewandte Chemie</i> , 2004 , 116, 6066-6069	3.6	26
224	Photocatalyzed cascade oxidative annulation of propargylamines and phosphine oxides. <i>Chemical Communications</i> , 2017 , 53, 6637-6640	5.8	25
223	Luminescent lanthanide MOFs based on conjugated 1,1'-ethynebenzene-3,3',5,5'-tetracarboxylate ligand: syntheses, structures and photoluminescent properties. <i>Dalton Transactions</i> , 2015 , 44, 5746-54	4.3	25
222	Syntheses, structures, and magnetic properties of 3d/4f heterometallic complexes constructed from pyrazole-bridged Cu ^I /Ln ^{III} dinuclear units. <i>Inorganica Chimica Acta</i> , 2009 , 362, 3447-3453	2.7	25

221	A noncentrosymmetric 3D coordination polymer of metallocalix[4]arene. <i>Inorganic Chemistry</i> , 2008 , 47, 11514-8	5.1	25
220	Rhenium(I) Tricarbonyl Complexes with New Pyridine Ligands Containing Crown Ether-Annelated or Anthracene-Functionalized 1,3-Dithiole-2-ylidene. <i>Organometallics</i> , 2008 , 27, 2990-2997	3.8	25
219	Persistent Radical Tetrathiafulvalene-Based 2D Metal-Organic Frameworks and Their Application in Efficient Photothermal Conversion. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 4789-4795	16.4	25
218	Multicolor Circularly Polarized Photoluminescence and Electroluminescence with 1,2-Diaminecyclohexane Enantiomers. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 23172-23180	9.5	24
217	Synthesis, Crystal Structure, and Photoluminescent Properties of a Tetracarbonyl(naphthyridylcarbonyl)rhenium(I) Complex and a Highly Emissive Tetracarbonyl(naphthyridylamido)rhenium(I) Complex. <i>European Journal of Inorganic Chemistry</i> , 2003 , 2003, 255-262	2.3	24
216	Phthalocyanine supported dinuclear Ln complexes: the solvent-induced change of magnetic properties in dysprosium(iii) analogues. <i>Dalton Transactions</i> , 2017 , 46, 3353-3362	4.3	23
215	Intense greenish phosphorescence emission under ambient conditions in a two-dimensional lead(ii) coordination polymer with a 1,1'-ethynebenzene-3,3',5,5'-tetracarboxylate ligand. <i>Dalton Transactions</i> , 2017 , 46, 7953-7959	4.3	23
214	Syntheses, structure and properties of chiral copper(II) complexes with end-on azide bridge and chiral-bipyridine ligand. <i>Inorganica Chimica Acta</i> , 2005 , 358, 2565-2570	2.7	23
213	Charge-Transfer Supra-Amphiphiles Built by Water-Soluble Tetrathiafulvalenes and Viologen-Containing Amphiphiles: Supramolecular Nanoassemblies with Modifiable Dimensions. <i>Small</i> , 2015 , 11, 3597-605	11	22
212	Metal Complexes Based on Tetrathiafulvalene-Fused π -Extended Schiff Base Ligands [Syntheses, Characterization, and Properties. <i>European Journal of Inorganic Chemistry</i> , 2012 , 2012, 234-245	2.3	22
211	Efficient organic light-emitting diodes with low efficiency roll-off using iridium emitter with 2-(5-phenyl-1,3,4-oxadiazol-2-yl)phenol as ancillary ligand. <i>Journal of Organometallic Chemistry</i> , 2014 , 765, 39-45	2.3	22
210	The synthesis and electrochemical properties of a new tetra-(crown-ether-thiafulvalene)-annulated phthalocyanine derivative. <i>Dyes and Pigments</i> , 2009 , 81, 40-44	4.6	22
209	Synthesis and photoluminescent properties of series ternary lanthanide (Eu(III), Sm(III), Nd(III), Er(III), Yb(III)) complexes containing 4,4,4-trifluoro-1-(2-naphthyl)-1,3-butanedionate and carbazole-functionalized ligand. <i>Inorganica Chimica Acta</i> , 2010 , 363, 2394-2400	2.7	22
208	A novel photo-responsive europium(III) complex for advanced anti-counterfeiting and encryption. <i>Dalton Transactions</i> , 2016 , 45, 5451-4	4.3	22
207	Photo- and Electronically Switchable Spin-Crossover Iron(II) Metal-Organic Frameworks Based on a Tetrathiafulvalene Ligand. <i>Angewandte Chemie</i> , 2017 , 129, 5557-5562	3.6	21
206	An ultrafast self-healing polydimethylsiloxane elastomer with persistent sealing performance. <i>Materials Chemistry Frontiers</i> , 2019 , 3, 1411-1421	7.8	21
205	Pentanuclear lanthanide pyramids based on thiacalix[4]arene ligand exhibiting slow magnetic relaxation. <i>Dalton Transactions</i> , 2015 , 44, 15481-90	4.3	21
204	Efficient organic light-emitting diodes with low efficiency roll-off at high brightness using iridium emitters based on 2-(4-trifluoromethyl-6-fluoro phenyl)pyridine and tetraphenylimidodiphosphinate derivatives. <i>Dyes and Pigments</i> , 2014 , 105, 105-113	4.6	21

203	New Linear π -Conjugated Diruthenium Compounds Containing Axial Tetrathiafulvalene-acetylide Ligands. <i>Organometallics</i> , 2012 , 31, 8591-8597	3.8	21
202	Iron(II) Complexes Based on π -Conjugated Terpyridine Ligands with Tetrathiafulvalene or Its Radical Analogue. <i>European Journal of Inorganic Chemistry</i> , 2013 , 2013, 6037-6048	2.3	21
201	Hydrothermal synthesis, crystal structures, and luminescent properties of two lanthanide (III) complexes containing 2-sulfoterephthalate. <i>Journal of Molecular Structure</i> , 2008 , 888, 55-61	3.4	21
200	Pure Red Iridium(III) Complexes Possessing Good Electron Mobility with 1,5-Naphthyridin-4-ol Derivatives for High-Performance OLEDs with an EQE over 31. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 20192-20199	9.5	20
199	A family of polynuclear clusters containing cyano-bridged T-shaped Fe(III)3M(II) (M = Cu, Co, Mn) metal cores: syntheses, structures, and magnetic properties. <i>Inorganic Chemistry</i> , 2009 , 48, 5073-80	5.1	20
198	Three Properties in One Coordination Complex: Chirality, Spin Crossover, and Dielectric Switching. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 3144-3149	2.3	20
197	Enhanced dielectricity coupled to spin-crossover in a one-dimensional polymer iron(ii) incorporating tetrathiafulvalene. <i>Chemical Science</i> , 2020 , 11, 6229-6235	9.4	19
196	Visible-Light-Mediated Click Chemistry for Highly Regioselective Azide-Alkyne Cycloaddition by a Photoredox Electron-Transfer Strategy. <i>Chemistry - A European Journal</i> , 2020 , 26, 5694-5700	4.8	19
195	Hierarchical tandem assembly of planar [3B] building units into {3[B ₃ B]} oligomers: mixed-valency, electrical conductivity and magnetism. <i>Chemical Science</i> , 2018 , 9, 7498-7504	9.4	19
194	Highly efficient orange-red electroluminescence of iridium complexes with good electron mobility. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 8150-8159	7.1	19
193	Tuning Electron-Conduction and Spin Transport in Magnetic Iron Oxide Nanoparticle Assemblies via Tetrathiafulvalene-Fused Ligands. <i>ACS Nano</i> , 2015 , 9, 12205-13	16.7	19
192	Synthesis, structure, photophysical and electrochemical properties of series of new fac-triscyclometallated iridium complexes with carbazole or oxadiazole moieties. <i>Inorganica Chimica Acta</i> , 2012 , 391, 50-57	2.7	19
191	Hydrogencyanamido bridged multinuclear copper(II) complexes: from strong antiferromagnetic couplings to weak ferromagnetic couplings. <i>Dalton Transactions</i> , 2011 , 40, 5200-9	4.3	19
190	A water-soluble derivative of tetrathiafulvalene exhibiting pH sensitive redox properties. <i>New Journal of Chemistry</i> , 2005 , 29, 509	3.6	19
189	Synthesis, crystal structure and blue electroluminescence of a new zinc complex based on 2,6-bis(benzimidazolyl)pyridine. <i>Journal of Physics and Chemistry of Solids</i> , 2005 , 66, 735-740	3.9	19
188	Tunable Emission Color of Iridium(III) Complexes with Phenylpyrazole Derivatives as the Main Ligands for Organic Light-Emitting Diodes. <i>Organometallics</i> , 2018 , 37, 3154-3164	3.8	19
187	Simultaneous observation of ligand-based fluorescence and phosphorescence within a magnesium-based CP/MOF at room temperature. <i>Dalton Transactions</i> , 2016 , 45, 11935-8	4.3	18
186	Heterometallic complexes based on the mixed bridging ligands of tricyanometalate and terephthalate: syntheses, structures, and magnetic properties. <i>Inorganic Chemistry</i> , 2009 , 48, 9166-73	5.1	18

185	Syntheses, structures and luminescent properties of four d10-metal coordination polymers based on the 2,4,5-tri(4-pyridyl)-imidazole ligand. <i>Polyhedron</i> , 2008 , 27, 2494-2500	2.7	18
184	A new crown ether annelated tetrathiafulvalene derivative with anthracene moiety as a sensor for Li ⁺ and 1O ₂ . <i>Tetrahedron Letters</i> , 2006 , 47, 3431-3434	2	18
183	Ruthenium(II) alkynyl-hydride and ruthenium(II) bis(βpyridylacetylde) as ligands and linkers for metal-metal-bonded complexes. <i>New Journal of Chemistry</i> , 2002 , 26, 889-894	3.6	18
182	Synthesis, crystal structure and electrospray ionisation mass spectrometry of a novel one-dimensional cyano-bridged Ni(II)Au(I) polymer. <i>New Journal of Chemistry</i> , 2000 , 24, 765-769	3.6	18
181	Tuning Electrical- and Photo-Conductivity by Cation Exchange within a Redox-Active Tetrathiafulvalene-Based Metal-Organic Framework. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 18763-18767	16.4	18
180	High-Performance Lithium-Ion Capacitors Based on Porosity-Regulated Zirconium Metal-Organic Frameworks. <i>Small</i> , 2021 , 17, e2005209	11	18
179	Crystal structures and magnetic properties of chiral heterobimetallic chains based on the dicyanoruthenate building block. <i>Dalton Transactions</i> , 2014 , 43, 18047-55	4.3	17
178	Syntheses, structures, and magnetic properties of two kinds of unique heterometallic chains with mixed-bridging ligands of tricyanometalate and alkoxide. <i>Inorganic Chemistry</i> , 2010 , 49, 9275-82	5.1	17
177	4-Ethynylpyridine as a Bridging Moiety in Mixed Rh/Re Complexes. <i>European Journal of Inorganic Chemistry</i> , 2003 , 2003, 449-452	2.3	17
176	Guest-induced dimension change. A novel network intercalation complex: $[[Cd(4,4'-bipy)2(H2O)2](CF3SO3)2(4,4'-bipy)(H2O)2(C7H8N2O3)2]$ <i>Inorganic Chemistry Communication</i> , 1999 , 2, 292-297	3.1	17
175	Green organic light-emitting devices with external quantum efficiency up to nearly 30% based on an iridium complex with a tetraphenylimidodiphosphinate ligand. <i>RSC Advances</i> , 2016 , 6, 63200-63205	3.7	17
174	Synthesis, characterization, and optical properties of new metal complexes with the multi-sulfur 1,2-dithiolene ligand. <i>Dyes and Pigments</i> , 2012 , 92, 1223-1230	4.6	16
173	Tricarbonyl Mono- and Dinuclear Rhenium(I) Complexes with Redox-Active Bis(pyrazole)Tetrathiafulvalene Ligands: Syntheses, Crystal Structures, and Properties. <i>Organometallics</i> , 2012 , 31, 3938-3946	3.8	16
172	Highly sensitive identification of cancer cells by combining the new tetrathiafulvalene derivative with a βcyclodextrin/multi-walled carbon nanotubes modified GCE. <i>Analyst, The</i> , 2010 , 135, 2965-9	5	16
171	Synthesis and properties of new βconjugated pyridine ligands with tetrathiafulvalene derivatives and the rhenium(I) tricarbonyl complexes. <i>Tetrahedron Letters</i> , 2011 , 52, 675-678	2	16
170	A Novel Dimeric Zinc Complex: Bis{&mgr;-[(dimercaptomethylene)propanedinitrilato-S,S']}tetrakis(4-methylpyridine)dizinc(II)-Chloroform. <i>Inorganic Chemistry</i> , 1997 , 36, 2472-2474	5.1	16
169	A Dielectric Elastomer Actuator That Can Self-Heal Integrally. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 44137-44146	9.5	16
168	Chiral Thermally Activated Delayed Fluorescence Materials Based on R/S-N2,N2'-Diphenyl-[1,1'-binaphthalene]-2,2'-diamine Donor with Narrow Emission Spectra for Highly Efficient Circularly Polarized Electroluminescence. <i>Advanced Functional Materials</i> , 2021 , 31, 2103875	15.6	16

167	Improving the capacity and cycling-stability of Lithium-Sulfur batteries using self-healing binders containing dynamic disulfide bonds. <i>Sustainable Energy and Fuels</i> , 2020 , 4, 2760-2767	5.8	15
166	Comprehensively Understanding Isomorphism and Photoluminescent Nature of Two-Dimensional Coordination Polymers of Cd(II) and Mn(II) with 1,1'-Ethynebenzene-3,3',5,5'-tetracarboxylic Ligand. <i>Inorganic Chemistry</i> , 2018 , 57, 4171-4180	5.1	15
165	Novel heterometallic Fe-Ru ₂ -Fe arrays via "complex of complexes" approach. <i>Inorganic Chemistry</i> , 2008 , 47, 9716-22	5.1	15
164	Nonlinear optical properties and excited state dynamics of sandwich-type mixed (phthalocyaninato)(Schiff-base) triple-decker complexes: Effect of rare earth atom. <i>Optics and Laser Technology</i> , 2018 , 103, 42-47	4.2	14
163	Large and selective electrochemical response to fluoride by a tetrathiafulvalene-based sensor. <i>Tetrahedron Letters</i> , 2013 , 54, 1998-2000	2	14
162	Syntheses, structures, and magnetic properties of low-dimensional heterometallic complexes based on the versatile building block [(Tp)Cr(CN) ₃] ⁻ . <i>Inorganic Chemistry</i> , 2011 , 50, 8636-44	5.1	14
161	A novel molecular channel: thermal analyses and X-ray structure of [Ni(Et-XA) ₂ · phen] · 3H ₂ O (Et-XA = ethylcarbonodithiolato-S,S', phen = phenanthroline). <i>Polyhedron</i> , 1997 , 16, 2315-2319	2.7	14
160	Two-Photon Ionization Induced Stable White Organic Long Persistent Luminescence. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 16984-16988	16.4	14
159	In(III) Metal-Organic Framework Incorporated with Enzyme-Mimicking Nickel Bis(dithiolene) Ligand for Highly Selective CO Electroreduction. <i>Journal of the American Chemical Society</i> , 2021 , 143, 14071-14076	16.4	14
158	New insights into the mechanical and self-healing properties of polymers cross-linked by Fe(III)-2,6-pyridinedicarboxamide coordination complexes. <i>Polymer Chemistry</i> , 2019 , 10, 362-371	4.9	13
157	A Two-Dimensional Iron(II) Coordination Polymer with Synergetic Spin-Crossover and Luminescent Properties. <i>Angewandte Chemie</i> , 2019 , 131, 8881-8885	3.6	13
156	Highly efficient yellow phosphorescent organic light-emitting diodes with novel phosphine oxide-based bipolar host materials. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 11540-11547	7.1	13
155	Synthesis, structure and physical properties of the one-dimensional chain complex of tetrathiafulvalene carboxylate. <i>Science in China Series B: Chemistry</i> , 2009 , 52, 1596-1601		13
154	Syntheses, crystal structures and magnetic properties of two honeycomb-layered bimetallic assemblies, K ₂ [NiII(cyclam)] ₃ [FeII(CN) ₆] ₂ · 12H ₂ O and [NiII(cyclam)] ₃ [FeIII(CN) ₆] ₂ · 16H ₂ O. <i>Transition Metal Chemistry</i> , 2001 , 26, 345-350	2.1	13
153	A convenient route to synthesize the fully conjugated bimetallic complex (Bu ₄ N) ₂ [tto[Ni(dmit) ₂]] (tto = tetrathiooxalate, C ₂ S ₄ (2-), and dmit = 1,3-dithiole-2-thione-4,5-dithiolate, C ₃ S ₅ (2-) and the crystal structure of a new crystal form. <i>Inorganic Chemistry</i> , 2000 , 39, 1322-4	5.1	13
152	Increasing the breakdown strength of dielectric actuators by using Cu/Cu _x O/silicone dielectric elastomers. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 12175-12179	7.1	13
151	Organic Room-Temperature Phosphorescence with Strong Circularly Polarized Luminescence Based on Paracyclophanes. <i>Angewandte Chemie</i> , 2019 , 131, 17380-17385	3.6	12
150	Single-Molecule Force Spectroscopy Reveals that Iron-Ligand Bonds Modulate Proteins in Different Modes. <i>Journal of Physical Chemistry Letters</i> , 2019 , 10, 5428-5433	6.4	12

- 149 Dinuclear rhenium(I) carbonyl complexes based on π -conjugated polypyridyl ligands with tetrathiafulvalenes: Syntheses, crystal structures, properties and DFT calculations. *Journal of Organometallic Chemistry*, **2011**, 696, 3076-3085 2.3 12
- 148 Synthesis, structures and magnetic properties of nickel bis (dithiolene) complexes with $[\text{Fe}(\text{qsal})_2]^+$. *Journal of Coordination Chemistry*, **2009**, 62, 1544-1552 1.6 12
- 147 A new optical/electrochemical Na^+ sensor based on platinum(II) complexes containing crown ether annelated dithiolate ligands. *Dalton Transactions*, **2008**, 2578-82 4.3 12
- 146 Epoxidation catalyzed by iron(III) and manganese(III) pyridine-2-carboxamido complexes. *Journal of Molecular Catalysis A*, **2007**, 266, 284-289 12
- 145 Syntheses, structures, and magnetic properties of heterobimetallic complexes based on tetracyanometallic building blocks. *Inorganica Chimica Acta*, **2008**, 361, 2901-2908 2.7 12
- 144 Synthesis, crystal structure and luminescent property of the novel $\text{Et}(\text{thiocyanato})\text{-bis}[(2\text{-acetylpyridinethiosemicabazonato})(\text{thiocyanate})]$ cadmium(II) complex. *Transition Metal Chemistry*, **2006**, 31, 837-841 2.1 12
- 143 Synthesis, structure and properties of mercury complexes with a new extended tetrathiafulvalene 4,5-dithiolate ligand. *Polyhedron*, **2005**, 24, 671-677 2.7 12
- 142 X-ray crystal structure of (2,2'-bipyridine) (6,7-dihydro-5H-1,4-dithiepin-2,3-dithiolate) platinum (II). *Inorganica Chimica Acta*, **1995**, 237, 177-180 2.7 12
- 141 Cyanide-bridged single molecule magnet based on a manganese(III) complex with TTF-fused Schiff base ligand. *Science China Chemistry*, **2015**, 58, 650-657 7.9 11
- 140 1-(N-phenylamino)naphthalene oligomers as novel hole transport materials for highly efficient green electrophosphorescence. *Dyes and Pigments*, **2015**, 118, 1-8 4.6 11
- 139 Mono- and Dinuclear Co/Ni Complexes Bearing Redox-Active Tetrathiafulvaleneacetylacetonate Ligands: Syntheses, Crystal Structures, and Properties. *European Journal of Inorganic Chemistry*, **2011**, 2011, 5173-5181 2.3 11
- 138 Syntheses, structures and magnetic properties of heterobimetallic complexes based on a new tetracyanometalate precursor. *Inorganica Chimica Acta*, **2009**, 362, 5195-5202 2.7 11
- 137 Synthesis and crystal structures of manganese(II) complexes with the ligands from in situ oxidation of 2-mercaptopyridine-3-carboxylic acid. *Inorganic Chemistry Communication*, **2008**, 11, 39-43 3.1 11
- 136 Cyano-bridged one-dimensional chain containing mixed-valent $\text{Ru}_2(\text{II,III})$ dinuclear unit. *Inorganic Chemistry Communication*, **2006**, 9, 923-925 3.1 11
- 135 Progressive Structure Designing and Property Tuning of Manganese(II) Coordination Polymers with the Tetra(4-pyridyl)-tetrathiafulvalene Ligand. *Crystal Growth and Design*, **2019**, 19, 3012-3018 3.5 10
- 134 Ionic iridium complex coordinated with tetrathiafulvalene-fused phenanthroline ligand: Synthesis, photophysical, electrochemical and electrochemiluminescence properties. *Journal of Organometallic Chemistry*, **2014**, 750, 7-12 2.3 10
- 133 Synthesis, Characterization, and Structures of a Persistent Aniline Radical Cation. *Angewandte Chemie*, **2012**, 124, 12048-12051 3.6 10
- 132 Chiral cyanide-bridged 1D $\text{Fe}^{\text{III}}\text{-Mn}^{\text{III}}$ heterobimetallic chains: Synthesis, structures and magnetic properties. *Science China Chemistry*, **2012**, 55, 1022-1030 7.9 10

131	Hexanuclear Fe(III) ₂ Co(III) ₂ M(II) ₂ (M = Cu, Ni, Mn) clusters based on KI ₃ 's tripodal ligand and tricyanometalates: syntheses, structures and magnetic properties. <i>Dalton Transactions</i> , 2011 , 40, 2204-123	10
130	Ruthenium (II) polypyridyl complexes based on bipyridine and two novel diimine ligands with carrier-transporting unit: synthesis, photoluminescence and redox properties. <i>Journal of Organometallic Chemistry</i> , 2010 , 695, 2048-2056	2.3 10
129	Synthesis, structure and magnetic property of a cyanamido bridged trinuclear copper complex. <i>Inorganic Chemistry Communication</i> , 2010 , 13, 109-111	3.1 10
128	Syntheses and properties of the neutral nickel complexes of 1,2-dithiolates MEDT and PHDT. The crystal structure of [Ni(MEDT) ₂]. <i>Polyhedron</i> , 1997 , 16, 1465-1469	2.7 10
127	One-dimensional azido-bridged chiral copper(II) coordination polymers: Syntheses, structures and magnetic studies. <i>Inorganica Chimica Acta</i> , 2007 , 360, 2875-2880	2.7 10
126	Crystal structures of amarine and isoamarine and copper(I) coordination chemistry with their allylation products. <i>Journal of Organometallic Chemistry</i> , 2006 , 691, 1065-1074	2.3 10
125	Syntheses and properties of the nickel complexes of 1,2-dithiolates MEDT and PHDT. The crystal structure of [Bu ₄ N][Ni(MEDT) ₂]. <i>Polyhedron</i> , 1995 , 14, 1487-1494	2.7 10
124	Efficient green electroluminescent devices based on iridium complex with wide energy gap complexes as sensitizers. <i>Organic Electronics</i> , 2016 , 37, 85-92	3.5 10
123	Carbazole-Based Iridium(III) Complexes for Electrophosphorescence with EQE of 32.2% and Low Efficiency Roll-Off. <i>Advanced Optical Materials</i> , 2021 , 9, 2001390	8.1 10
122	Syntheses, Crystal Structures, and Photoluminescence of a Series of Iridium(III) Complexes Containing the Pentafluorosulfanyl Group. <i>Organometallics</i> , 2019 , 38, 3553-3559	3.8 9
121	Efficient phosphorescent red iridium(III) complexes containing a four-membered Ir ₂ OS ring backbone and large hindered spacers for high-performance OLEDs. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 3862-3868	7.1 9
120	Linear trimers of diruthenium linked by polyynediyl or phenylenediethynyl bridges: A family of unique electronic wires. <i>Polyhedron</i> , 2015 , 86, 76-80	2.7 9
119	Electrical Conductivity of Copper Hexamers Tuned by their Ground-State Valences. <i>Inorganic Chemistry</i> , 2018 , 57, 3443-3450	5.1 9
118	Synthesis, properties and surface self-assembly of a pentanuclear cluster based on the new E-conjugated TTF-triazole ligand. <i>Scientific Reports</i> , 2016 , 6, 25544	4.9 9
117	Enhancing magnetoresistance in tetrathiafulvalene carboxylate modified iron oxide nanoparticle assemblies. <i>Nanoscale</i> , 2016 , 8, 12128-33	7.7 9
116	Thiacalix[4]arene-supported heterodinuclear NiII ₂ III complexes: slow magnetic relaxation behavior in the dysprosium analogue. <i>RSC Advances</i> , 2016 , 6, 1143-1150	3.7 9
115	Multistep Protein Unfolding Scenarios from the Rupture of a Complex Metal Cluster CdS. <i>Scientific Reports</i> , 2019 , 9, 10518	4.9 9
114	Dinuclear Cu(II) 1,2,3-Triazole-Bridged Complex with Ferromagnetic Coupling. <i>Australian Journal of Chemistry</i> , 2013 , 66, 1029	1.2 9

- 113 Syntheses, structures, and magnetic properties of heterobimetallic Fe₂III^MII (M = Cu, Mn) chains based on tetracyanometallic building block. *Inorganica Chimica Acta*, **2009**, 362, 1485-1490 2.7 9
- 112 The architectures of 1D coordination polymers with the versatile 7-chloroquinoline-4-alanine ligand mediated by anions: Syntheses, structures and luminescent properties. *Polyhedron*, **2009**, 28, 947-953 2.7 9
- 111 Syntheses and physical properties of three-dimensional coordination polymers with the flexible tripodal ligand 1,3,5-tris(1,2,4-triazol-1-ylmethyl)benzene. *Inorganic Chemistry Communication*, **2009**, 12, 548-551 3.1 9
- 110 Syntheses, electrochemical studies and crystal structures of new unsymmetrical tetrathiafulvalene carboxylate derivatives. *Journal of Heterocyclic Chemistry*, **2007**, 44, 831-836 1.9 9
- 109 Dinuclear copper(II) complex with tetrathiafulvalene-based bis-acetylacetonate ligands. *Inorganic Chemistry Communication*, **2008**, 11, 1466-1469 3.1 9
- 108 Long-range superexchanged magnetic interaction observed in heterometallic complex: {[FeII(Tpms)(CN)₃][MnII(H₂O)₂(DMF)₂]}DMF. *Inorganica Chimica Acta*, **2005**, 358, 4057-4061 2.7 9
- 107 Chemical studies on the nonlinear optics of coordination compounds. *Science Bulletin*, **2001**, 46, 178-184 9
- 106 Hydrothermal synthesis and crystal structure of the first layered iron molybdate KH₃FeII₂MoVI₂O₁₀. *Inorganic Chemistry Communication*, **2000**, 3, 697-699 3.1 9
- 105 A Puncture-Resistant and Self-Healing Conductive Gel for Multifunctional Electronic Skin. *Advanced Functional Materials*, 2107006 15.6 9
- 104 A heterometallic ferrimagnet based on a new TTF-bis(oxamato) ligand. *Dalton Transactions*, **2017**, 46, 3980-3988 4.3 8
- 103 Efficient green electroluminescence based on an iridium(III) complex with different device structures. *RSC Advances*, **2017**, 7, 2615-2620 3.7 8
- 102 Modulating Magnetic Property of Phthalocyanine Supported M-Dy (M = Ni, Zn) Heterodinuclear Complexes. *Inorganic Chemistry*, **2019**, 58, 9387-9396 5.1 8
- 101 A series of red iridium(III) complexes using flexible dithiocarbamate derivatives as ancillary ligands for highly efficient phosphorescent OLEDs. *Materials Chemistry Frontiers*, **2019**, 3, 860-866 7.8 8
- 100 A simple but efficient strategy to enhance hydrostability of intensely fluorescent Mg-based coordination polymer (CP) via forming a composite of CP with hydrophobic PVDF. *Dalton Transactions*, **2016**, 45, 3372-9 4.3 8
- 99 Efficient blue-green and green electroluminescent devices obtained by doping iridium complexes into hole-block material as supplementary light-emitting layer. *Journal of Luminescence*, **2014**, 148, 6-9 3.8 8
- 98 Syntheses, structures, and properties of metal complexes involving E-conjugated tetrathiafulvalene- π -pyridine ligand. *Polyhedron*, **2011**, 30, 2473-2478 2.7 8
- 97 Synthesis and characterization of neutral iron(II) and ruthenium(II) complexes with the isocyanotriphenylborate ligand. *Dalton Transactions*, **2009**, 10256-62 4.3 8
- 96 Synthesis and photoluminescence properties of four rhenium(I) complexes based on diimine ligands with oxadiazole/carbazole moiety. *Journal of Photochemistry and Photobiology A: Chemistry*, **2010**, 211, 135-142 4.7 8

95	Ferromagnetic Ordering in a Two-Dimensional Copper Complex with Dual End-to-End and End-On Azide Bridges. <i>Angewandte Chemie</i> , 2000 , 112, 3779-3781	3.6	8
94	Syntheses, properties and crystal structures of a series of mixtures of dmit and dmise metal complexes (DMIT1,3-DITHIOLE-2-THIONE-4,5-DITHIOLATE, DMISE1,3-DITHIOLE-2-SELONE-4,5-DITHIOLATE). Single-crystal esr study of [Bu ₄ N] ⁺ [Cu ^{II} /Ni ^{II} (C ₂ S ₄ S ₂ O ₆) ₂] ⁻ . <i>Polyhedron</i> , 1996 , 15, 3547-3557	2.7	8
93	Dinuclear Ruthenium Complex Based on a Extended Bridging Ligand with Redox-Active Tetrathiafulvalene and 1,10-Phenanthroline Units. <i>Inorganic Chemistry</i> , 2016 , 55, 4606-15	5.1	8
92	Iridium(III) complexes adopting thienylpyridine derivatives for yellow-to-deep red OLEDs with low efficiency roll-off. <i>Dyes and Pigments</i> , 2019 , 162, 863-871	4.6	8
91	A Cuprous [4 × 4] Grid: Single-Crystal to Single-Crystal Transformation and Fading of Luminescence by Solvent Inclusion. <i>Inorganic Chemistry</i> , 2018 , 57, 15040-15043	5.1	8
90	Yellow electrophosphorescent devices with hosts containing N1-(naphthalen-1-yl)-N1,N4-diphenylnaphthalene-1,4-diamine and tetraphenylsilane units. <i>RSC Advances</i> , 2015 , 5, 27235-27241	3.7	7
89	Pinene-Functionalized Polysiloxane as an Excellent Self-Healing Superhydrophobic Polymer. <i>Macromolecular Chemistry and Physics</i> , 2019 , 220, 1900361	2.6	7
88	Carbon Dioxide (CO) Fixation: Linearly Bridged Zn Paddlewheel Nodes by CO in a Metal-Organic Framework. <i>Inorganic Chemistry</i> , 2019 , 58, 16040-16046	5.1	7
87	Unprecedented (4,6)-Connected Net with Mixed-Valence M ₂ IIIM _{III} Trinuclear and M ₆ II Hexanuclear Clusters (M = Ni, Co): Syntheses, Crystal Structures, and Magnetic Properties. <i>Crystal Growth and Design</i> , 2017 , 17, 5263-5268	3.5	7
86	Syntheses, Characterization, and Properties of Functionalized 9,10-Bis(1,3-dithiol-2-ylidene)-9,10-dihydroanthracene Derivatives and Tricarbonylrhenium(I) Complexes. <i>European Journal of Inorganic Chemistry</i> , 2012 , 2012, 2494-2501	2.3	7
85	Synthesis, crystal structure and magnetic properties of a novel one-dimensional heterobimetallic polymer [{Co(dpa)(DMF) (μ-SCN)3Ag} _n] [dpa=bis(2-pyridyl)amine]. <i>New Journal of Chemistry</i> , 1998 , 22, 923-925	3.6	7
84	Syntheses, crystal structures, and electrochemical properties of transition metal complexes with new tetrathiafulvalene-derivatized acetylacetonate ligands. <i>Transition Metal Chemistry</i> , 2008 , 33, 767-773 ²¹	2.1	7
83	Synthesis, structure and electrochemical properties of two new unsymmetrical tetrathiafulvalene derivatives. <i>Journal of Heterocyclic Chemistry</i> , 2005 , 42, 847-850	1.9	7
82	A novel trinuclear copper(II) complex bridged by tren: [Cu ₃ (tren) ₄][Pt(CN) ₄] ₃ ·3H ₂ O. <i>New Journal of Chemistry</i> , 1999 , 23, 1049-1050	3.6	7
81	Efficient yellow electroluminescence of four iridium(III) complexes with benzo[d]thiazole derivatives as main ligands. <i>Dalton Transactions</i> , 2018 , 47, 8032-8040	4.3	7
80	A Tough and Self-Healing Polymer Enabled by Promoting Bond Exchange in Boronic Esters with Neighboring Hydroxyl Groups 2021 , 3, 1328-1338		7
79	Fused Extended Multiple-Resonance Induced Thermally Activated Delayed Fluorescence Materials for High-Efficiency and Narrowband OLEDs with Low Efficiency Roll-Off. <i>Advanced Optical Materials</i> , 2021 , 2102513	8.1	7
78	Redox state manipulation of a tris(p-tetrazolylphenyl)amine ligand and its Mn coordination frameworks. <i>Dalton Transactions</i> , 2017 , 46, 2998-3007	4.3	6

- 77 Ferrocene-isocoumarin conjugated molecules: synthesis, structural characterization, electronic properties, and DFT-TDDFT computational study. *Dalton Transactions*, **2015**, 44, 14465-74 4.3 6
- 76 Observation of divergent La³⁺ ion dilute effect in two series of 3-D fluorescent lanthanide-MOFs-based molecular alloys RELa₁EBTC (RE³⁺=Eu³⁺ or Tb³⁺; EBTC=1,1',1'-ethynebenzene-3,3',5,5'-tetracarboxylate). *Journal of Solid State Chemistry*, **2015**, 230, 14-18 3.3 6
- 75 Highly efficient yellow phosphorescent OLEDs based on two novel bipolar host materials. *New Journal of Chemistry*, **2015**, 39, 7954-7960 3.6 6
- 74 Rational Design of the Platinahelicene Enantiomers for Deep-Red Circularly Polarized Organic Light-Emitting Diodes. *Frontiers in Chemistry*, **2020**, 8, 501 5 6
- 73 Chiral heterobimetallic chains from a dicyanideferrite building block including a π -conjugated TTF annulated ligand. *Dalton Transactions*, **2016**, 45, 16575-16584 4.3 6
- 72 Synthesis, Magnetic and Spectral Properties of One-dimension Chain Adducts of Ni(Bu-dtp)₂, NiQ₂ and Ni(TTA)₂ with 4,4'-bipyridine. Crystal Structure of [4,4'-(bipy)-Ni(Bu-dtp)₂]_n (Bu-dtp=dibutyldithiophosphate, Q=8-quinolinol, TTA=4,4'-trifluoro-2-thiopyridone). *Spectroscopy Letters*, **2016**, 49, 103-106 1.1 6
- 71 Mesoporous titania nanostructures thermally stabilized by doping with sodium oxide. *Dalton Transactions RSC*, **2001**, 2719-2720 6
- 70 Synthesis and crystal structure of a novel zinc(II) complex [Zn(pbp)₂](ClO₄)₂. *Polyhedron*, **1996**, 15, 2051-2055 6
- 69 A Supramolecular Polymer Formed by Small Molecules. *Cell Reports Physical Science*, **2020**, 1, 100144 6.1 6
- 68 Chiral Spiro-Axis Induced Blue Thermally Activated Delayed Fluorescence Material for Efficient Circularly Polarized OLEDs with Low Efficiency Roll-Off. *Angewandte Chemie*, **2021**, 133, 8516-8521 3.6 6
- 67 Phthalorubines: Fused-Ring Compounds Synthesized from Phthalonitrile. *Angewandte Chemie - International Edition*, **2018**, 57, 15384-15389 16.4 6
- 66 Facile encapsulating Ag nanoparticles into a Tetrathiafulvalene-based Zr-MOF for enhanced Photocatalysis. *Chemical Engineering Journal*, **2022**, 427, 131970 14.7 6
- 65 Surprisingly high quantum yield of emission in a fluorescent coordination polymer with paramagnetic Mn(II) ions. *Dalton Transactions*, **2017**, 46, 16779-16782 4.3 5
- 64 The new dicyanoruthenium(III) building block with 2'-hydroxyacetophenone imine for heterobimetallic complexes. *RSC Advances*, **2015**, 5, 93470-93479 3.7 5
- 63 Synthesis, photoluminescence and electrochemiluminescence of ruthenium(II) polypyridyl complexes based on bipyridine derivatives with carbazole moieties. *Inorganica Chimica Acta*, **2011**, 370, 398-404 2.7 5
- 62 New anthracene-tetrathiafulvalene derivative-encapsulated SWNT nanocomposite and its application for biosensing. *Journal of Colloid and Interface Science*, **2010**, 343, 48-51 9.3 5
- 61 Two-dimensional cyanide-bridged heterobimetallic complexes based on CpCo(CN)₃⁻: Syntheses, structures and magnetic properties. *Inorganica Chimica Acta*, **2006**, 359, 3790-3794 2.7 5
- 60 N,N'-Bis[2-(methylsulfonyl)phenyl]pyridine-2,6-dicarboxamide. *Acta Crystallographica Section E: Structure Reports Online*, **2004**, 60, o1527-o1529 5

59	Synthesis and x-ray structure of the first lanthanide 2-mercaptopyridine n-oxide complex, tris-(1-hydroxy-2(1H)-pyridinethionato-o, s) bis [sulfinylbis (methane)] samarium(III). <i>Polyhedron</i> , 1996 , 15, 3321-3324	2.7	5
58	Preparation and properties of [PtII(SS)(NN)]-type complexes and their iodine-doped analogues. <i>Transition Metal Chemistry</i> , 1994 , 19, 614-618	2.1	5
57	Coordination-bond-directed synthesis of hydrogen-bonded organic frameworks from metal-organic frameworks as templates. <i>Chemical Science</i> , 2021 , 12, 14254-14259	9.4	5
56	Blue Axially Chiral Biphenyl Based Thermally Activated Delayed Fluorescence Materials for Efficient Circularly Polarized OLEDs. <i>Advanced Optical Materials</i> , 2021 , 9, 2100596	8.1	5
55	Syntheses, characterization, and properties of Ru(II) complexes based on pi-conjugated terpyridine ligand with tetrathiafulvalene moiety. <i>Acta Chimica Slovenica</i> , 2014 , 61, 740-5	1.9	5
54	Magnetostructural relationship for μ -phenoxido bridged ferric dimers. <i>Dalton Transactions</i> , 2017 , 46, 4317-4324	4.3	4
53	Enhancing low-field magnetoresistance in magnetite nanoparticles via zinc substitution. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 17245-17252	3.6	4
52	Reply to comments on "synthesis, characterization, and structures of persistent aniline radical cation". <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 943-5	16.4	4
51	Syntheses, crystal structures, and characterization of heteronuclear complexes based on a versatile ligand with both acetylacetonate and bis(2-pyridyl) units. <i>Inorganica Chimica Acta</i> , 2011 , 376, 36-43	2.7	4
50	Synthesis and characterization of new ruthenium(II) complexes containing coupled di(2-pyridyl) and 1,3-dithiole units. <i>Inorganica Chimica Acta</i> , 2009 , 362, 143-148	2.7	4
49	Syntheses, structures, and properties of tricarbonyl rhenium(I) heteronuclear complexes with the multidentate bridging ligand containing bis(2-pyridine) and carboxylic acid. <i>Inorganica Chimica Acta</i> , 2010 , 363, 3742-3749	2.7	4
48	A mixed-valence manganese(III)-manganese(IV) di- μ -oxo complex, [(cyclam)MnO]2(ClO4)2(NO3). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2001 , 57, 911-3		4
47	Tuning Electrical- and Photo-Conductivity by Cation Exchange within a Redox-Active Tetrathiafulvalene-Based Metal-Organic Framework. <i>Angewandte Chemie</i> , 2020 , 132, 18922-18926	3.6	4
46	Charge Transfer Metal-Organic Framework Containing Redox-Active TTF/NDI Units for Highly Efficient Near-Infrared Photothermal Conversion. <i>Chemistry - A European Journal</i> , 2021 , 27, 11050-11055	4.8	4
45	Rare-Earth Metal Tetrathiafulvalene Carboxylate Frameworks as Redox-Switchable Single-Molecule Magnets. <i>Chemistry - A European Journal</i> , 2021 , 27, 622-627	4.8	4
44	Persistent Radical Tetrathiafulvalene-Based 2D Metal-Organic Frameworks and Their Application in Efficient Photothermal Conversion. <i>Angewandte Chemie</i> , 2021 , 133, 4839-4845	3.6	4
43	A Fast and Room-temperature Self-healing Thermal Conductive Polymer Composite. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2021 , 39, 1328-1336	3.5	4
42	Efficient and Stable Wide-Bandgap Perovskite Solar Cells Derived from a Thermodynamic Phase-Pure Intermediate. <i>Solar Rrl</i> , 2022 , 6, 2100906	7.1	4

- 41 Spectroscopic and electrochemical studies on molecular recognition of tetrathiafulvalene derivative with P-glycoprotein and drug-resistant leukemia cells. *Science China Chemistry*, **2015**, 58, 1193-1199 3
- 40 Syntheses, crystal structures and properties of dinuclear hydrido-tris(3,5-diphenylpyrazol-1-yl)borate complexes with the SB coupled and dimerized quinoxaline-2,3-dithiolate ligand. *Inorganic Chemistry Communication*, **2013**, 35, 79-82 3.1 3
- 39 Controlling the assembly and spin transport of tetrathiafulvalene carboxylate coated iron oxide nanoparticles. *Journal of Materials Chemistry C*, **2017**, 5, 7200-7206 7.1 3
- 38 Syntheses, characterization and properties of oxo-centered triruthenium cluster with tetrathiafulvalene-fused ligands. *Journal of Organometallic Chemistry*, **2012**, 716, 275-280 2.3 3
- 37 Rhenium(I) tricarbonyl complexes based on the new tetrathiafulvalene bipyridine ligand. *Inorganic Chemistry Communication*, **2011**, 14, 1944-1947 3.1 3
- 36 Synthesis, crystal structure and properties of 2-[p--dimethylaminostyryl]pyridylmethyl bis[6,7-dihydro-5h-1,4-dithiepin-dithiolato] nickelate(III). *Polyhedron*, **1995**, 14, 483-487 2.7 3
- 35 N-Methylquinolinium Bis(6,7-dihydro-5H-1,4-dithiepine-2,3-dithiolato)nickelate(III). *Acta Crystallographica Section C: Crystal Structure Communications*, **1996**, 52, 46-48 3
- 34 Enhancing the photothermal conversion of tetrathiafulvalene-based MOFs by redox doping and plasmon resonance.. *Chemical Science*, **2022**, 13, 1657-1664 9.4 3
- 33 Two-Photon Ionization Induced Stable White Organic Long Persistent Luminescence. *Angewandte Chemie*, **2021**, 133, 17121-17125 3.6 3
- 32 Highly Dynamic Polynuclear Metal Cluster Revealed in a Single Metallothionein Molecule. *Research*, **2021**, 2021, 9756945 7.8 3
- 31 Toward a dodecanuclear molecular Re(i) box: structural and spectroscopic properties. *Dalton Transactions*, **2019**, 48, 7946-7952 4.3 2
- 30 Reply to Comments on Synthesis, Characterization, and Structures of Persistent Aniline Radical Cation. *Angewandte Chemie*, **2014**, 126, 959-961 3.6 2
- 29 Aromaticity-Driven Molecular Structural Variation and Electronic Configuration Alternation: An Example of Cyclic Conjugation Involving a Mo-Mo Bond. *Inorganic Chemistry*, **2017**, 56, 14888-14899 5.1 2
- 28 An unusual (3,4)-connected cubic-C3N4 type network constructed with [FeIII(Tp)(CN)3][Tp]-hydrotris(pyrazolyl)borate). *CrystEngComm*, **2013**, 15, 3772 3.3 2
- 27 Antiwear and Extreme-Pressure Action of Copper(II) Complex With Alkyl Phosphonic Acid Mono Alkyl Ester. *Journal of Tribology*, **1996**, 118, 676-680 1.8 2
- 26 Synthesis, structure and optical limiting properties of a new S-methylated derivative of a nickel dithiolene, bis[2-ethoxycarbonylsulfanyl-1,2-bis(methylthio)-1-ethenethiolato]nickel. *Journal of Coordination Chemistry*, **2006**, 59, 421-427 1.6 2
- 25 Synthesis, structure and physical properties of nickel bis(dithiolene) complexes with different cations. *Journal of Coordination Chemistry*, **2005**, 58, 1573-1579 1.6 2
- 24 {N,N'-Bis[2-(methylsulfanyl)phenyl]pyridine-2,6-dicarboxamidato(2-)}nickel(II). *Acta Crystallographica Section E: Structure Reports Online*, **2004**, 60, m1153-m1155 2

23	A new self-assembled copper(I) complex of 2-thioxo-5H-1,3-dithiolo[4,5-b][1,4]dithiepin-6(7H)-one showing three-dimensional supramolecular networks. <i>Inorganica Chimica Acta</i> , 1999 , 292, 117-120	2.7	2
22	Synthesis and crystal structure of 4,5-(cis-cyclohexylenedithio)-1,3-dithiole-2-one. <i>Journal of Chemical Crystallography</i> , 1999 , 29, 719-723	0.5	2
21	Coordination Strategy Driving the Formation of Compact CuSCN Hole-Transporting Layers for Efficient Perovskite Solar Cells. <i>Solar Rrl</i> , 2021 , 5, 2000777	7.1	2
20	Phthalorubines: Fused-Ring Compounds Synthesized from Phthalonitrile. <i>Angewandte Chemie</i> , 2018 , 130, 15610-15615	3.6	2
19	Organic Long Persistent Luminescence Through In Situ Generation of Cuprous(I) Ion Pairs in Ionic Solids. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 24437-24442	16.4	2
18	An Underwater Long-Term Strong Adhesive Based on Boronic Esters with Enhanced Hydrolytic Stability. <i>Advanced Functional Materials</i> , 2201959	15.6	2
17	Structure-dependent electronic transition in a new type of π -electron delocalized multi-sulfur bis(dithiolene)nickel complex. <i>RSC Advances</i> , 2016 , 6, 100783-100789	3.7	1
16	Conversion of CO ₂ to ethanol by using a metal-organic framework catalyst. <i>Science China Chemistry</i> , 2019 , 62, 1263-1264	7.9	1
15	Syntheses, characterization and properties of rhenium(I) tricarbonyl complexes based on tetrathiafulvalene substituted naphthyridine ligands. <i>Inorganic Chemistry Communication</i> , 2012 , 21, 104-108	3.1	1
14	Syntheses, Structure, Magnetic Properties and ⁵⁷ Fe Mossbauer Spectroscopies of Two Iron(II) Complexes: Room-temperature Spin Crossover Behavior Observed in [Fe(dpq)(MePy) ₂ (NCS) ₂]. <i>Chinese Journal of Chemistry</i> , 2009 , 27, 1280-1284	4.9	1
13	New fluorescent benzocrown ether derivatives of tetrathiafulvalene: facile synthesis and recognition properties. <i>Research on Chemical Intermediates</i> , 2008 , 34, 257-266	2.8	1
12	Synthesis of new TTF-anthracene dyads as potential fluorescence probe for IO ₂ . <i>Journal of Heterocyclic Chemistry</i> , 2006 , 43, 1685-1689	1.9	1
11	Di- μ -acetato-bis[(2-acetylpyridine thiosemicarbazonato)zinc(II)]. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2006 , 62, m211-3		1
10	Tris[bis[hydrotris(1-pyrazolyl)borato-kappa ³ N ₂ ,N ₂ ',N ₂ "]iron(III)] hexaisothiocyanatoiron(III). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2004 , 60, m258-60		1
9	Electrochemical identification of leukemia cells from clinical samples with a tetrathiafulvalene probe at an ITO electrode. <i>Analytical Methods</i> , 2015 , 7, 6479-6482	3.2	0
8	Retention of a Four-Fold Interpenetrating Cadmium-Organic Framework through a Three-Step Single Crystal Transformation. <i>Inorganic Chemistry</i> , 2021 , 60, 8331-8338	5.1	0
7	Organic Long Persistent Luminescence Through In Situ Generation of Cuprous(I) Ion Pairs in Ionic Solids. <i>Angewandte Chemie</i> , 2021 , 133, 24642	3.6	0
6	Multifunctional Single-Molecule Magnets and Single-Chain Magnets 2013 , 105-131		

- 5 Transition metal complexes based on pyridine ligand containing both bis(2-pyridyl) and 1,3-dithiole-2-ylidene units: Syntheses, structures, and magnetic studies. *Inorganica Chimica Acta*, **2009**, 362, 2556-2564 2.7
- 4 Syntheses, structure, and electrochemical properties of unsymmetrical crown-annelated TTF derivatives. *Journal of Heterocyclic Chemistry*, **2006**, 43, 1361-1365 1.9
- 3 Di-azido-bis[[hydrotris(pyrazol-1-yl)borato]copper(II)]. *Acta Crystallographica Section E: Structure Reports Online*, **2004**, 60, m376-m377
- 2 trans-Dichloro(1,5,9,13-tetramethyl-1,5,9, 13-tetrazacyclohexadecane-kappa4N)ruthenium(III) triiodide. *Acta Crystallographica Section C: Crystal Structure Communications*, **2000**, 56 (Pt 8), 941-2
- 1 The bis(ethylene)-dithiotetrathiafulvalene radical salt of [PVMo11O40]4- *Transition Metal Chemistry*, **1999**, 24, 160-162 2.1