

Jing-Lin zuo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7764851/jing-lin-zuo-publications-by-year.pdf>

Version: 2023-12-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

364
papers

12,078
citations

57
h-index

90
g-index

383
ext. papers

13,942
ext. citations

5.8
avg, IF

6.59
L-index

#	Paper	IF	Citations
364	Enhancing the photothermal conversion of tetrathiafulvalene-based MOFs by redox doping and plasmon resonance.. <i>Chemical Science</i> , 2022 , 13, 1657-1664	9.4	3
363	Facile encapsulating Ag nanoparticles into a Tetrathiafulvalene-based Zr-MOF for enhanced Photocatalysis. <i>Chemical Engineering Journal</i> , 2022 , 427, 131970	14.7	6
362	Efficient and Stable Wide-Bandgap Perovskite Solar Cells Derived from a Thermodynamic Phase-Pure Intermediate. <i>Solar Rrl</i> , 2022 , 6, 2100906	7.1	4
361	Coordination-bond-directed synthesis of hydrogen-bonded organic frameworks from metal-organic frameworks as templates. <i>Chemical Science</i> , 2021 , 12, 14254-14259	9.4	5
360	Chiral Spiro-Axis Induced Blue Thermally Activated Delayed Fluorescence Material for Efficient Circularly Polarized OLEDs with Low Efficiency Roll-Off. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 8435-8440	16.4	39
359	Retention of a Four-Fold Interpenetrating Cadmium-Organic Framework through a Three-Step Single Crystal Transformation. <i>Inorganic Chemistry</i> , 2021 , 60, 8331-8338	5.1	0
358	Two-Photon Ionization Induced Stable White Organic Long Persistent Luminescence. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 16984-16988	16.4	14
357	Charge Transfer Metal-Organic Framework Containing Redox-Active TTF/NDI Units for Highly Efficient Near-Infrared Photothermal Conversion. <i>Chemistry - A European Journal</i> , 2021 , 27, 11050-11055	4.8	4
356	Two-Photon Ionization Induced Stable White Organic Long Persistent Luminescence. <i>Angewandte Chemie</i> , 2021 , 133, 17121-17125	3.6	3
355	Chiral Thermally Activated Delayed Fluorescence Materials Based on R/S-N2,N2'-Diphenyl-[1,1'-binaphthalene]-2,2'-diamine Donor with Narrow Emission Spectra for Highly Efficient Circularly Polarized Electroluminescence. <i>Advanced Functional Materials</i> , 2021 , 31, 2103875	15.6	16
354	Rare-Earth Metal Tetrathiafulvalene Carboxylate Frameworks as Redox-Switchable Single-Molecule Magnets. <i>Chemistry - A European Journal</i> , 2021 , 27, 622-627	4.8	4
353	Persistent Radical Tetrathiafulvalene-Based 2D Metal-Organic Frameworks and Their Application in Efficient Photothermal Conversion. <i>Angewandte Chemie</i> , 2021 , 133, 4839-4845	3.6	4
352	High-Performance Lithium-Ion Capacitors Based on Porosity-Regulated Zirconium Metal-Organic Frameworks. <i>Small</i> , 2021 , 17, e2005209	11	18
351	Carbazole-Based Iridium(III) Complexes for Electrophosphorescence with EQE of 32.2% and Low Efficiency Roll-Off. <i>Advanced Optical Materials</i> , 2021 , 9, 2001390	8.1	10
350	Persistent Radical Tetrathiafulvalene-Based 2D Metal-Organic Frameworks and Their Application in Efficient Photothermal Conversion. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 4789-4795	16.4	25
349	Coordination Strategy Driving the Formation of Compact CuSCN Hole-Transporting Layers for Efficient Perovskite Solar Cells. <i>Solar Rrl</i> , 2021 , 5, 2000777	7.1	2
348	Chiral Spiro-Axis Induced Blue Thermally Activated Delayed Fluorescence Material for Efficient Circularly Polarized OLEDs with Low Efficiency Roll-Off. <i>Angewandte Chemie</i> , 2021 , 133, 8516-8521	3.6	6

347	Highly Dynamic Polynuclear Metal Cluster Revealed in a Single Metallothionein Molecule. <i>Research</i> , 2021 , 2021, 9756945	7.8	3
346	A Fast and Room-temperature Self-healing Thermal Conductive Polymer Composite. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2021 , 39, 1328-1336	3.5	4
345	Blue Axially Chiral Biphenyl Based Thermally Activated Delayed Fluorescence Materials for Efficient Circularly Polarized OLEDs. <i>Advanced Optical Materials</i> , 2021 , 9, 2100596	8.1	5
344	A Tough and Self-Healing Polymer Enabled by Promoting Bond Exchange in Boronic Esters with Neighboring Hydroxyl Groups 2021 , 3, 1328-1338		7
343	In(III) Metal-Organic Framework Incorporated with Enzyme-Mimicking Nickel Bis(dithiolene) Ligand for Highly Selective CO Electroreduction. <i>Journal of the American Chemical Society</i> , 2021 , 143, 14071-14076	16.4	14
342	Organic Long Persistent Luminescence Through In Situ Generation of Cuprous(I) Ion Pairs in Ionic Solids. <i>Angewandte Chemie</i> , 2021 , 133, 24642	3.6	0
341	Organic Long Persistent Luminescence Through In Situ Generation of Cuprous(I) Ion Pairs in Ionic Solids. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 24437-24442	16.4	2
340	Enhanced dielectricity coupled to spin-crossover in a one-dimensional polymer iron(ii) incorporating tetrathiafulvalene. <i>Chemical Science</i> , 2020 , 11, 6229-6235	9.4	19
339	Axially Chiral Biphenyl Compound-Based Thermally Activated Delayed Fluorescent Materials for High-Performance Circularly Polarized Organic Light-Emitting Diodes. <i>Advanced Science</i> , 2020 , 7, 2000804	13.6	33
338	Rational Design of the Platinahelicene Enantiomers for Deep-Red Circularly Polarized Organic Light-Emitting Diodes. <i>Frontiers in Chemistry</i> , 2020 , 8, 501	5	6
337	Improving the capacity and cycling-stability of Lithium-Sulfur batteries using self-healing binders containing dynamic disulfide bonds. <i>Sustainable Energy and Fuels</i> , 2020 , 4, 2760-2767	5.8	15
336	High Electrical Conductivity in a 2D MOF with Intrinsic Superprotonic Conduction and Interfacial Pseudo-capacitance. <i>Matter</i> , 2020 , 2, 711-722	12.7	58
335	Visible-Light-Mediated Click Chemistry for Highly Regioselective Azide-Alkyne Cycloaddition by a Photoredox Electron-Transfer Strategy. <i>Chemistry - A European Journal</i> , 2020 , 26, 5694-5700	4.8	19
334	Multicolor Circularly Polarized Photoluminescence and Electroluminescence with 1,2-Diaminecyclohexane Enantiomers. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 23172-23180	9.5	24
333	Self-Healing Polymers Based on Coordination Bonds. <i>Advanced Materials</i> , 2020 , 32, e1903762	24	116
332	Zirconium metal-organic frameworks incorporating tetrathiafulvalene linkers: robust and redox-active matrices for confinement of metal nanoparticles. <i>Chemical Science</i> , 2020 , 11, 1918-1925	9.4	28
331	A Supramolecular Polymer Formed by Small Molecules. <i>Cell Reports Physical Science</i> , 2020 , 1, 100144	6.1	6
330	Tuning Electrical- and Photo-Conductivity by Cation Exchange within a Redox-Active Tetrathiafulvalene-Based Metal-Organic Framework. <i>Angewandte Chemie</i> , 2020 , 132, 18922-18926	3.6	4

329	Tuning Electrical- and Photo-Conductivity by Cation Exchange within a Redox-Active Tetrathiafulvalene-Based Metal-Organic Framework. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 18763-18767	16.4	18
328	A Metal-Organic Framework Based on a Nickel Bis(dithiolene) Connector: Synthesis, Crystal Structure, and Application as an Electrochemical Glucose Sensor. <i>Journal of the American Chemical Society</i> , 2020 ,	16.4	29
327	Electrochromic two-dimensional covalent organic framework with a reversible dark-to-transparent switch. <i>Nature Communications</i> , 2020 , 11, 5534	17.4	68
326	A Dielectric Elastomer Actuator That Can Self-Heal Integrally. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 44137-44146	9.5	16
325	Organic Room-Temperature Phosphorescence with Strong Circularly Polarized Luminescence Based on Paracyclophanes. <i>Angewandte Chemie</i> , 2019 , 131, 17380-17385	3.6	12
324	Single-Molecule Force Spectroscopy Reveals that Iron-Ligand Bonds Modulate Proteins in Different Modes. <i>Journal of Physical Chemistry Letters</i> , 2019 , 10, 5428-5433	6.4	12
323	Syntheses, Crystal Structures, and Photoluminescence of a Series of Iridium(III) Complexes Containing the Pentafluorosulfanyl Group. <i>Organometallics</i> , 2019 , 38, 3553-3559	3.8	9
322	New insights into the mechanical and self-healing properties of polymers cross-linked by Fe(III)-2,6-pyridinedicarboxamide coordination complexes. <i>Polymer Chemistry</i> , 2019 , 10, 362-371	4.9	13
321	Fast Synthesis of Iridium(III) Complexes Incorporating a Bis(diphenylphosphorothioyl)amide Ligand for Efficient Pure Green OLEDs. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 7184-7191	9.5	28
320	Chiral iridium(III) complexes with four-membered Ir-S-P-S chelating rings for high-performance circularly polarized OLEDs. <i>Chemical Communications</i> , 2019 , 55, 8215-8218	5.8	54
319	Modulating Magnetic Property of Phthalocyanine Supported M-Dy (M = Ni, Zn) Heterodinuclear Complexes. <i>Inorganic Chemistry</i> , 2019 , 58, 9387-9396	5.1	8
318	Concomitant Use of Tetrathiafulvalene and 7,7,8,8-Tetracyanoquinodimethane within the Skeletons of Metal-Organic Frameworks: Structures, Magnetism, and Electrochemistry. <i>Inorganic Chemistry</i> , 2019 , 58, 8657-8664	5.1	29
317	Pure Red Iridium(III) Complexes Possessing Good Electron Mobility with 1,5-Naphthyridin-4-ol Derivatives for High-Performance OLEDs with an EQE over 31. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 20192-20199	9.5	20
316	Non-doped and doped circularly polarized organic light-emitting diodes with high performances based on chiral octahydro-binaphthyl delayed fluorescent luminophores. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 7045-7052	7.1	34
315	Toward a dodecanuclear molecular Re(I) box: structural and spectroscopic properties. <i>Dalton Transactions</i> , 2019 , 48, 7946-7952	4.3	2
314	An ultrafast self-healing polydimethylsiloxane elastomer with persistent sealing performance. <i>Materials Chemistry Frontiers</i> , 2019 , 3, 1411-1421	7.8	21
313	Chiral Octahydro-Binaphthol Compound-Based Thermally Activated Delayed Fluorescence Materials for Circularly Polarized Electroluminescence with Superior EQE of 32.6% and Extremely Low Efficiency Roll-Off. <i>Advanced Materials</i> , 2019 , 31, e1900524	24	123
312	A Two-Dimensional Iron(II) Coordination Polymer with Synergetic Spin-Crossover and Luminescent Properties. <i>Angewandte Chemie</i> , 2019 , 131, 8881-8885	3.6	13

311	A Two-Dimensional Iron(II) Coordination Polymer with Synergetic Spin-Crossover and Luminescent Properties. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 8789-8793	16.4	74
310	Progressive Structure Designing and Property Tuning of Manganese(II) Coordination Polymers with the Tetra(4-pyridyl)-tetrathiafulvalene Ligand. <i>Crystal Growth and Design</i> , 2019 , 19, 3012-3018	3.5	10
309	A series of red iridium(III) complexes using flexible dithiocarbamate derivatives as ancillary ligands for highly efficient phosphorescent OLEDs. <i>Materials Chemistry Frontiers</i> , 2019 , 3, 860-866	7.8	8
308	Efficient phosphorescent red iridium(III) complexes containing a four-membered IrS ₂ CS ring backbone and large hindered spacers for high-performance OLEDs. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 3862-3868	7.1	9
307	Configurationally Stable Platinahelicene Enantiomers for Efficient Circularly Polarized Phosphorescent Organic Light-Emitting Diodes. <i>Chemistry - A European Journal</i> , 2019 , 25, 5672-5676	4.8	55
306	Redox Activities of Metal-Organic Frameworks Incorporating Rare-Earth Metal Chains and Tetrathiafulvalene Linkers. <i>Inorganic Chemistry</i> , 2019 , 58, 3698-3706	5.1	50
305	Thermodynamically stable whilst kinetically labile coordination bonds lead to strong and tough self-healing polymers. <i>Nature Communications</i> , 2019 , 10, 1164	17.4	155
304	Rapid room temperature synthesis of red iridium(III) complexes containing a four-membered Ir-S-C-S chelating ring for highly efficient OLEDs with EQE over 30. <i>Chemical Science</i> , 2019 , 10, 3535-3542	9.4	33
303	Conversion of CO ₂ to ethanol by using a metal-organic framework catalyst. <i>Science China Chemistry</i> , 2019 , 62, 1263-1264	7.9	1
302	Multistep Protein Unfolding Scenarios from the Rupture of a Complex Metal Cluster CdS. <i>Scientific Reports</i> , 2019 , 9, 10518	4.9	9
301	Pinene-Functionalized Polysiloxane as an Excellent Self-Healing Superhydrophobic Polymer. <i>Macromolecular Chemistry and Physics</i> , 2019 , 220, 1900361	2.6	7
300	Carbon Dioxide (CO) Fixation: Linearly Bridged Zn Paddlewheel Nodes by CO in a Metal-Organic Framework. <i>Inorganic Chemistry</i> , 2019 , 58, 16040-16046	5.1	7
299	Organic Room-Temperature Phosphorescence with Strong Circularly Polarized Luminescence Based on Paracyclophanes. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 17220-17225	16.4	52
298	Photostimulus-Responsive Large-Area Two-Dimensional Covalent Organic Framework Films. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 16101-16104	16.4	92
297	Iridium(III) complexes adopting thienylpyridine derivatives for yellow-to-deep red OLEDs with low efficiency roll-off. <i>Dyes and Pigments</i> , 2019 , 162, 863-871	4.6	8
296	Electrical Conductivity of Copper Hexamers Tuned by their Ground-State Valences. <i>Inorganic Chemistry</i> , 2018 , 57, 3443-3450	5.1	9
295	Distinct Mechanical and Self-Healing Properties in Two Polydimethylsiloxane Coordination Polymers with Fine-Tuned Bond Strength. <i>Inorganic Chemistry</i> , 2018 , 57, 3232-3242	5.1	37
294	Nonlinear optical properties and excited state dynamics of sandwich-type mixed (phthalocyaninato)(Schiff-base) triple-decker complexes: Effect of rare earth atom. <i>Optics and Laser Technology</i> , 2018 , 103, 42-47	4.2	14

293	Modulating the Magnetic Interaction in New Triple-Decker Dysprosium(III) Single-Molecule Magnets. <i>Inorganic Chemistry</i> , 2018 , 57, 1408-1416	5.1	27
292	Comprehensively Understanding Isomorphism and Photoluminescent Nature of Two-Dimensional Coordination Polymers of Cd(II) and Mn(II) with 1,1'-Ethynebenzene-3,3',5,5'-tetracarboxylic Ligand. <i>Inorganic Chemistry</i> , 2018 , 57, 4171-4180	5.1	15
291	Hierarchical tandem assembly of planar [3B] building units into {3[B]} oligomers: mixed-valency, electrical conductivity and magnetism. <i>Chemical Science</i> , 2018 , 9, 7498-7504	9.4	19
290	Rational design of phosphorescent iridium(III) complexes for emission color tunability and their applications in OLEDs. <i>Coordination Chemistry Reviews</i> , 2018 , 374, 55-92	23.2	143
289	A rigid and healable polymer cross-linked by weak but abundant Zn(II)-carboxylate interactions. <i>Nature Communications</i> , 2018 , 9, 2725	17.4	168
288	Sequential Transformation of Zirconium(IV)-MOFs into Heterobimetallic MOFs Bearing Magnetic Anisotropic Cobalt(II) Centers. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 12578-12583	16.4	46
287	Enhancing low-field magnetoresistance in magnetite nanoparticles via zinc substitution. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 17245-17252	3.6	4
286	Dual-emission and thermochromic luminescence alkaline earth metal coordination polymers and their blend films with polyvinylidene fluoride for detecting nitrobenzene vapor. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 7030-7041	7.1	27
285	Increasing the breakdown strength of dielectric actuators by using Cu/Cu ₂ O/silicone dielectric elastomers. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 12175-12179	7.1	13
284	A Cuprous [4 B] Grid: Single-Crystal to Single-Crystal Transformation and Fading of Luminescence by Solvent Inclusion. <i>Inorganic Chemistry</i> , 2018 , 57, 15040-15043	5.1	8
283	Phthalorubines: Fused-Ring Compounds Synthesized from Phthalonitrile. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 15384-15389	16.4	6
282	Phthalorubines: Fused-Ring Compounds Synthesized from Phthalonitrile. <i>Angewandte Chemie</i> , 2018 , 130, 15610-15615	3.6	2
281	Tunable Emission Color of Iridium(III) Complexes with Phenylpyrazole Derivatives as the Main Ligands for Organic Light-Emitting Diodes. <i>Organometallics</i> , 2018 , 37, 3154-3164	3.8	19
280	Efficient yellow electroluminescence of four iridium(III) complexes with benzo[d]thiazole derivatives as main ligands. <i>Dalton Transactions</i> , 2018 , 47, 8032-8040	4.3	7
279	Peripheral Amplification of Multi-Resonance Induced Thermally Activated Delayed Fluorescence for Highly Efficient OLEDs. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 11316-11320	16.4	178
278	Peripheral Amplification of Multi-Resonance Induced Thermally Activated Delayed Fluorescence for Highly Efficient OLEDs. <i>Angewandte Chemie</i> , 2018 , 130, 11486-11490	3.6	46
277	Phthalocyanine supported dinuclear Ln complexes: the solvent-induced change of magnetic properties in dysprosium(III) analogues. <i>Dalton Transactions</i> , 2017 , 46, 3353-3362	4.3	23
276	A heterometallic ferrimagnet based on a new TTF-bis(oxamato) ligand. <i>Dalton Transactions</i> , 2017 , 46, 3980-3988	4.3	8

275	Magnetostructural relationship for phenoxido bridged ferric dimers. <i>Dalton Transactions</i> , 2017 , 46, 4317-4324	4.3	4
274	Efficient green electroluminescence based on an iridium(III) complex with different device structures. <i>RSC Advances</i> , 2017 , 7, 2615-2620	3.7	8
273	Redox state manipulation of a tris(p-tetrazolylphenyl)amine ligand and its Mn coordination frameworks. <i>Dalton Transactions</i> , 2017 , 46, 2998-3007	4.3	6
272	Photo- and Electronically Switchable Spin-Crossover Iron(II) Metal-Organic Frameworks Based on a Tetrathiafulvalene Ligand. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 5465-5470	16.4	115
271	Photo- and Electronically Switchable Spin-Crossover Iron(II) Metal-Organic Frameworks Based on a Tetrathiafulvalene Ligand. <i>Angewandte Chemie</i> , 2017 , 129, 5557-5562	3.6	21
270	Photocatalyzed cascade oxidative annulation of propargylamines and phosphine oxides. <i>Chemical Communications</i> , 2017 , 53, 6637-6640	5.8	25
269	Intense greenish phosphorescence emission under ambient conditions in a two-dimensional lead(ii) coordination polymer with a 1,1'-ethynebenzene-3,3',5,5'-tetracarboxylate ligand. <i>Dalton Transactions</i> , 2017 , 46, 7953-7959	4.3	23
268	Efficient deep red electroluminescence of iridium(III) complexes with 2,3-diphenylquinoxaline derivatives and tetraphenylimidodiphosphate. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 3714-3724	7.1	27
267	Modulating Single-Molecule Magnetic Behavior of a Dinuclear Erbium(III) Complex by Solvent Exchange. <i>Inorganic Chemistry</i> , 2017 , 56, 336-343	5.1	38
266	Unprecedented (4,6)-Connected Net with Mixed-Valence M2IIIMIII Trinuclear and M6II Hexanuclear Clusters (M = Ni, Co): Syntheses, Crystal Structures, and Magnetic Properties. <i>Crystal Growth and Design</i> , 2017 , 17, 5263-5268	3.5	7
265	Highly efficient orange-red electroluminescence of iridium complexes with good electron mobility. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 8150-8159	7.1	19
264	Aromaticity-Driven Molecular Structural Variation and Electronic Configuration Alternation: An Example of Cyclic π -Conjugation Involving a Mo-Mo δ -Bond. <i>Inorganic Chemistry</i> , 2017 , 56, 14888-14899	5.1	2
263	Redox-switchable breathing behavior in tetrathiafulvalene-based metal-organic frameworks. <i>Nature Communications</i> , 2017 , 8, 2008	17.4	92
262	Surprisingly high quantum yield of emission in a fluorescent coordination polymer with paramagnetic Mn(ii) ions. <i>Dalton Transactions</i> , 2017 , 46, 16779-16782	4.3	5
261	Controlling the assembly and spin transport of tetrathiafulvalene carboxylate coated iron oxide nanoparticles. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 7200-7206	7.1	3
260	Tuning quantum tunnelling of magnetization through 3d δ f magnetic interactions: an alternative approach for manipulating single-molecule magnetism. <i>Inorganic Chemistry Frontiers</i> , 2017 , 4, 114-122	6.8	59
259	Functional coordination polymers based on redox-active tetrathiafulvalene and its derivatives. <i>Coordination Chemistry Reviews</i> , 2017 , 345, 342-361	23.2	82
258	Three Properties in One Coordination Complex: Chirality, Spin Crossover, and Dielectric Switching. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 3144-3149	2.3	20

257	Structure-dependent electronic transition in a new type of π -electron delocalized multi-sulfur bis(dithiolene)nickel complex. <i>RSC Advances</i> , 2016 , 6, 100783-100789	3.7	1
256	Synthesis, properties and surface self-assembly of a pentanuclear cluster based on the new π -conjugated TTF-triazole ligand. <i>Scientific Reports</i> , 2016 , 6, 25544	4.9	9
255	Chiral heterobimetallic chains from a dicyanideferrite building block including a π -conjugated TTF annulated ligand. <i>Dalton Transactions</i> , 2016 , 45, 16575-16584	4.3	6
254	Enhancing magnetoresistance in tetrathiafulvalene carboxylate modified iron oxide nanoparticle assemblies. <i>Nanoscale</i> , 2016 , 8, 12128-33	7.7	9
253	Simultaneous observation of ligand-based fluorescence and phosphorescence within a magnesium-based CP/MOF at room temperature. <i>Dalton Transactions</i> , 2016 , 45, 11935-8	4.3	18
252	Thiacalix[4]arene-supported heterodinuclear NiII/III complexes: slow magnetic relaxation behavior in the dysprosium analogue. <i>RSC Advances</i> , 2016 , 6, 1143-1150	3.7	9
251	A simple but efficient strategy to enhance hydrostability of intensely fluorescent Mg-based coordination polymer (CP) via forming a composite of CP with hydrophobic PVDF. <i>Dalton Transactions</i> , 2016 , 45, 3372-9	4.3	8
250	Efficient green electroluminescent devices based on iridium complex with wide energy gap complexes as sensitizers. <i>Organic Electronics</i> , 2016 , 37, 85-92	3.5	10
249	Green organic light-emitting devices with external quantum efficiency up to nearly 30% based on an iridium complex with a tetraphenylimidodiphosphinate ligand. <i>RSC Advances</i> , 2016 , 6, 63200-63205	3.7	17
248	A novel photo-responsive europium(III) complex for advanced anti-counterfeiting and encryption. <i>Dalton Transactions</i> , 2016 , 45, 5451-4	4.3	22
247	Dinuclear Ruthenium Complex Based on a π -Extended Bridging Ligand with Redox-Active Tetrathiafulvalene and 1,10-Phenanthroline Units. <i>Inorganic Chemistry</i> , 2016 , 55, 4606-15	5.1	8
246	A highly stretchable autonomous self-healing elastomer. <i>Nature Chemistry</i> , 2016 , 8, 618-24	17.6	858
245	Highly Efficient Organic Light-Emitting Diodes with Low Efficiency Roll-Off Based on Iridium Complexes Containing Pinene Sterically Hindered Spacer. <i>Advanced Optical Materials</i> , 2016 , 4, 1726-1731	8.1	28
244	Electrochemical identification of leukemia cells from clinical samples with a tetrathiafulvalene probe at an ITO electrode. <i>Analytical Methods</i> , 2015 , 7, 6479-6482	3.2	0
243	Pentanuclear lanthanide pyramids based on thiacalix[4]arene ligand exhibiting slow magnetic relaxation. <i>Dalton Transactions</i> , 2015 , 44, 15481-90	4.3	21
242	Ferrocene-isocoumarin conjugated molecules: synthesis, structural characterization, electronic properties, and DFT-TDDFT computational study. <i>Dalton Transactions</i> , 2015 , 44, 14465-74	4.3	6
241	Observation of divergent La ³⁺ ion dilute effect in two series of 3-D fluorescent lanthanide-MOFs-based molecular alloys RELa ₁ BBTC (RE ³⁺ =Eu ³⁺ or Tb ³⁺ ; EBTC=1,1'-ethynebenzene-3,3',5,5'-tetracarboxylate). <i>Journal of Solid State Chemistry</i> , 2015 , 230, 14-18	3.3	6
240	Cyanide-bridged single molecule magnet based on a manganese(III) complex with TTF-fused Schiff base ligand. <i>Science China Chemistry</i> , 2015 , 58, 650-657	7.9	11

239	1-(N-phenylamino)naphthalene oligomers as novel hole transport materials for highly efficient green electrophosphorescence. <i>Dyes and Pigments</i> , 2015 , 118, 1-8	4.6	11
238	Charge-Transfer Supra-Amphiphiles Built by Water-Soluble Tetrathiafulvalenes and Viologen-Containing Amphiphiles: Supramolecular Nanoassemblies with Modifiable Dimensions. <i>Small</i> , 2015 , 11, 3597-605	11	22
237	Yellow electrophosphorescent devices with hosts containing N1-(naphthalen-1-yl)-N1,N4-diphenylnaphthalene-1,4-diamine and tetraphenylsilane units. <i>RSC Advances</i> , 2015 , 5, 27235-27241	3.7	7
236	Efficient OLEDs with low efficiency roll-off using iridium complexes possessing good electron mobility. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 3694-3701	7.1	78
235	Synthesis and third-order nonlinear optical properties of a sandwich-type mixed (phthalocyaninato)(schiff-base) triple-decker complexes. <i>Dyes and Pigments</i> , 2015 , 119, 70-74	4.6	36
234	Spectroscopic and electrochemical studies on molecular recognition of tetrathiafulvalene derivative with P-glycoprotein and drug-resistant leukemia cells. <i>Science China Chemistry</i> , 2015 , 58, 1193-1199 ³	7.9	199 ³
233	Crystal Structures, Magnetic Properties, and Electrochemical Properties of Coordination Polymers Based on the Tetra(4-pyridyl)-tetrathiafulvalene Ligand. <i>Inorganic Chemistry</i> , 2015 , 54, 10766-75	5.1	44
232	Highly efficient yellow phosphorescent organic light-emitting diodes with novel phosphine oxide-based bipolar host materials. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 11540-11547	7.1	13
231	Highly efficient yellow phosphorescent OLEDs based on two novel bipolar host materials. <i>New Journal of Chemistry</i> , 2015 , 39, 7954-7960	3.6	6
230	Linear trimers of diruthenium linked by polyynediyl or phenylenediethynyl bridges: A family of unique electronic wires. <i>Polyhedron</i> , 2015 , 86, 76-80	2.7	9
229	Circularly polarised phosphorescent photoluminescence and electroluminescence of iridium complexes. <i>Scientific Reports</i> , 2015 , 5, 14912	4.9	118
228	Tuning Electron-Conduction and Spin Transport in Magnetic Iron Oxide Nanoparticle Assemblies via Tetrathiafulvalene-Fused Ligands. <i>ACS Nano</i> , 2015 , 9, 12205-13	16.7	19
227	The new dicyanoruthenium(III) building block with 2'-hydroxyacetophenone imine for heterobimetallic complexes. <i>RSC Advances</i> , 2015 , 5, 93470-93479	3.7	5
226	Luminescent lanthanide MOFs based on conjugated 1,1'-ethynebenzene-3,3',5,5'-tetracarboxylate ligand: syntheses, structures and photoluminescent properties. <i>Dalton Transactions</i> , 2015 , 44, 5746-54	4.3	25
225	Crystal Structures, Gas Adsorption, and Electrochemical Properties of Electroactive Coordination Polymers Based on the Tetrathiafulvalene-Tetrabenzoate Ligand. <i>Crystal Growth and Design</i> , 2015 , 15, 1861-1870	3.5	36
224	N-Heterocyclic carbenes: versatile second cyclometalated ligands for neutral iridium(III) heteroleptic complexes. <i>Inorganic Chemistry</i> , 2015 , 54, 161-73	5.1	74
223	Tetrathiafulvalene-supported triple-decker phthalocyaninato dysprosium(III) complex: synthesis, properties and surface assembly. <i>Scientific Reports</i> , 2014 , 4, 5928	4.9	32
222	Efficient organic light-emitting diodes with low efficiency roll-off at high brightness using iridium emitters based on 2-(4-trifluoromethyl-6-fluoro phenyl)pyridine and tetraphenylimidodiphosphinate derivatives. <i>Dyes and Pigments</i> , 2014 , 105, 105-113	4.6	21

221	Calix[4]arene-supported mononuclear lanthanide single-molecule magnet. <i>Inorganic Chemistry</i> , 2014 , 53, 562-7	5.1	50
220	Efficient blue-green and green electroluminescent devices obtained by doping iridium complexes into hole-block material as supplementary light-emitting layer. <i>Journal of Luminescence</i> , 2014 , 148, 6-9	3.8	8
219	Enantiopure heterobimetallic single-chain magnets from the chiral Ru(III) building block. <i>Dalton Transactions</i> , 2014 , 43, 933-6	4.3	39
218	Syntheses, photoluminescence and electroluminescence of four heteroleptic iridium complexes with 2-(5-phenyl-1,3,4-oxadiazol-2-yl)-phenol derivatives as ancillary ligands. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 1116-1124	7.1	32
217	Crystal structures and magnetic properties of chiral heterobimetallic chains based on the dicyanoruthenate building block. <i>Dalton Transactions</i> , 2014 , 43, 18047-55	4.3	17
216	Stabilizing radical cation and dication of a tetrathiafulvalene derivative by a weakly coordinating anion. <i>Inorganic Chemistry</i> , 2014 , 53, 5321-7	5.1	30
215	Ionic iridium complex coordinated with tetrathiafulvalene-fused phenanthroline ligand: Synthesis, photophysical, electrochemical and electrochemiluminescence properties. <i>Journal of Organometallic Chemistry</i> , 2014 , 750, 7-12	2.3	10
214	Reply to Comments on Synthesis, Characterization, and Structures of Persistent Aniline Radical Cation. <i>Angewandte Chemie</i> , 2014 , 126, 959-961	3.6	2
213	Reply to comments on "synthesis, characterization, and structures of persistent aniline radical cation". <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 943-5	16.4	4
212	Efficient organic light-emitting diodes with low efficiency roll-off using iridium emitter with 2-(5-phenyl-1,3,4-oxadiazol-2-yl)phenol as ancillary ligand. <i>Journal of Organometallic Chemistry</i> , 2014 , 765, 39-45	2.3	22
211	Syntheses, characterization, and properties of Ru(II) complexes based on pi-conjugated terpyridine ligand with tetrathiafulvalene moiety. <i>Acta Chimica Slovenica</i> , 2014 , 61, 740-5	1.9	5
210	A sandwich-type triple-decker lanthanide complex with mixed phthalocyanine and Schiff base ligands. <i>Dalton Transactions</i> , 2013 , 42, 11043-6	4.3	33
209	Syntheses, crystal structures and properties of dinuclear hydrido-tris(3,5-diphenylpyrazol-1-yl)borate complexes with the SB coupled and dimerized quinoxaline-2,3-dithiolate ligand. <i>Inorganic Chemistry Communication</i> , 2013 , 35, 79-82	3.1	3
208	Dinuclear Cu(II) 1,2,3-Triazole-Bridged Complex with Ferromagnetic Coupling. <i>Australian Journal of Chemistry</i> , 2013 , 66, 1029	1.2	9
207	A giant metallo-supramolecular cage encapsulating a single-molecule magnet. <i>Chemical Communications</i> , 2013 , 49, 3658-60	5.8	64
206	Seven-coordinate lanthanide sandwich-type complexes with a tetrathiafulvalene-fused Schiff base ligand. <i>Inorganic Chemistry</i> , 2013 , 52, 11164-72	5.1	52
205	Syntheses, Photoluminescence, and Electroluminescence of Iridium(III) Complexes with Fluorinated 2-Phenylpyridine as Main Ligands and Tetraphenylimidodiphosphinate as Ancillary Ligand. <i>European Journal of Inorganic Chemistry</i> , 2013 , 2013, 5683-5693	2.3	26
204	Controlled synthesis of heterotrimetallic single-chain magnets from anisotropic high-spin 3 d-4 f nodes and paramagnetic spacers. <i>Chemistry - A European Journal</i> , 2013 , 19, 294-303	4.8	74

203	Synthesis and assembly of Pd nanoparticles on graphene for enhanced electrooxidation of formic acid. <i>Nanoscale</i> , 2013 , 5, 160-3	7.7	94
202	Highly efficient green phosphorescent OLEDs based on a novel iridium complex. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 560-565	7.1	75
201	Large and selective electrochemical response to fluoride by a tetrathiafulvalene-based sensor. <i>Tetrahedron Letters</i> , 2013 , 54, 1998-2000	2	14
200	A microporous luminescent europium metal-organic framework for nitro explosive sensing. <i>Dalton Transactions</i> , 2013 , 42, 5718-23	4.3	204
199	Syntheses, photoluminescence, and electroluminescence of a series of iridium complexes with trifluoromethyl-substituted 2-phenylpyridine as the main ligands and tetraphenylimidodiphosphinate as the ancillary ligand. <i>Inorganic Chemistry</i> , 2013 , 52, 4916-25	5.1	87
198	Stable tetraaryldiphosphine radical cation and dication. <i>Journal of the American Chemical Society</i> , 2013 , 135, 5561-4	16.4	60
197	An unusual (3,4)-connected cubic-C3N4 type network constructed with [FeIII(Tp)(CN)3][Tp] hydrotris(pyrazolyl)borate). <i>CrystEngComm</i> , 2013 , 15, 3772	3.3	2
196	Syntheses, structures, and magnetic properties of seven-coordinate lanthanide porphyrinate or phthalocyaninate complexes with Kf's tripodal ligand. <i>Inorganic Chemistry</i> , 2013 , 52, 6407-16	5.1	54
195	Hybrid NS ligands supported Cu(I)/(II) complexes for azide-alkyne cycloaddition reactions. <i>Dalton Transactions</i> , 2013 , 42, 11319-26	4.3	45
194	Iron(II) Complexes Based on Conjugated Terpyridine Ligands with Tetrathiafulvalene or Its Radical Analogue. <i>European Journal of Inorganic Chemistry</i> , 2013 , 2013, 6037-6048	2.3	21
193	Multifunctional Single-Molecule Magnets and Single-Chain Magnets 2013 , 105-131		
192	Synthesis, characterization, and optical properties of new metal complexes with the multi-sulfur 1,2-dithiolene ligand. <i>Dyes and Pigments</i> , 2012 , 92, 1223-1230	4.6	16
191	Metal Complexes Based on Tetrathiafulvalene-Fused Extended Schiff Base Ligands Syntheses, Characterization, and Properties. <i>European Journal of Inorganic Chemistry</i> , 2012 , 2012, 234-245	2.3	22
190	Synthesis, Characterization, and Structures of a Persistent Aniline Radical Cation. <i>Angewandte Chemie</i> , 2012 , 124, 12048-12051	3.6	10
189	Synthesis, characterization, and structures of a persistent aniline radical cation. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 11878-81	16.4	31
188	Electron mobility determination of efficient phosphorescent iridium complexes with tetraphenylimidodiphosphinate ligand via transient electroluminescence method. <i>Applied Physics Letters</i> , 2012 , 100, 073303	3.4	37
187	Synthesis, structure, photophysical and electrochemical properties of series of new fac-tris-cyclometallated iridium complexes with carbazole or oxadiazole moieties. <i>Inorganica Chimica Acta</i> , 2012 , 391, 50-57	2.7	19
186	Chiral cyanide-bridged Cr(III)-Mn(III) heterobimetallic chains based on [(Tp)Cr(CN)3]-: synthesis, structures, and magnetic properties. <i>Inorganic Chemistry</i> , 2012 , 51, 2140-9	5.1	67

- 185 Tricarbonyl Mono- and Dinuclear Rhenium(I) Complexes with Redox-Active Bis(pyrazole) π tetrathiafulvalene Ligands: Syntheses, Crystal Structures, and Properties. *Organometallics*, **2012**, 31, 3938-3946 3.8 16
- 184 Two mono- and dinuclear Eu(III) enantiomeric pairs based on chiral bis-bidentate bridging ligands: synthesis, structures, luminescent and ferroelectric properties. *Dalton Transactions*, **2012**, 41, 11829-35 4.3 30
- 183 Syntheses, characterization and properties of rhenium(I) tricarbonyl complexes based on tetrathiafulvalene substituted naphthyridine ligands. *Inorganic Chemistry Communication*, **2012**, 21, 104-108 3.1 1
- 182 Syntheses, characterization and properties of oxo-centered triruthenium cluster with tetrathiafulvalene-fused ligands. *Journal of Organometallic Chemistry*, **2012**, 716, 275-280 2.3 3
- 181 Field-induced slow magnetic relaxation in chiral seven-coordinated mononuclear lanthanide complexes. *Dalton Transactions*, **2012**, 41, 13682-90 4.3 48
- 180 New Linear π Conjugated Diruthenium Compounds Containing Axial Tetrathiafulvalene-acetylide Ligands. *Organometallics*, **2012**, 31, 8591-8597 3.8 21
- 179 Syntheses, Characterization, and Properties of Functionalized 9,10-Bis(1,3-dithiol-2-ylidene)-9,10-dihydroanthracene Derivatives and Tricarbonylrhenium(I) Complexes. *European Journal of Inorganic Chemistry*, **2012**, 2012, 2494-2501 2.3 7
- 178 Zinc, cobalt and copper coordination polymers with different structural motifs from picolyl-triazole hybrid ligands. *CrystEngComm*, **2012**, 14, 961-971 3.3 33
- 177 From monomers to π stacks, from nonconductive to conductive: syntheses, characterization, and crystal structures of benzidine radical cations. *Chemistry - A European Journal*, **2012**, 18, 11828-36 4.8 37
- 176 Chiral cyanide-bridged 1D Fe(III)-Mn(III) heterobimetallic chains: Synthesis, structures and magnetic properties. *Science China Chemistry*, **2012**, 55, 1022-1030 7.9 10
- 175 Syntheses, structures, and magnetic properties of low-dimensional heterometallic complexes based on the versatile building block $[(Tp)Cr(CN)_3]^-$. *Inorganic Chemistry*, **2011**, 50, 8636-44 5.1 14
- 174 Hexanuclear Fe(III) $_2$ Co(III) $_2$ M(II) $_2$ (M = Cu, Ni, Mn) clusters based on Kl \ddot{u} i's tripodal ligand and tricyanometalates: syntheses, structures and magnetic properties. *Dalton Transactions*, **2011**, 40, 2204-12 4.3 10
- 173 Synthesis and characterization of efficient luminescent materials based on 2,1,3-benzothiadiazole with carbazole moieties. *Synthetic Metals*, **2011**, 161, 718-723 3.6 29
- 172 Hydrogencyanamido bridged multinuclear copper(II) complexes: from strong antiferromagnetic couplings to weak ferromagnetic couplings. *Dalton Transactions*, **2011**, 40, 5200-9 4.3 19
- 171 A new optical and electrochemical sensor for fluoride ion based on the functionalized boron π pyrromethene dye with tetrathiafulvalene moiety. *Tetrahedron Letters*, **2011**, 52, 6157-6161 2 31
- 170 Syntheses, structures, and properties of metal complexes involving π conjugated tetrathiafulvalene π pyridine ligand. *Polyhedron*, **2011**, 30, 2473-2478 2.7 8
- 169 Rhenium(I) tricarbonyl complexes based on the new tetrathiafulvalene bipyridine ligand. *Inorganic Chemistry Communication*, **2011**, 14, 1944-1947 3.1 3
- 168 Syntheses, crystal structures, and characterization of heteronuclear complexes based on a versatile ligand with both acetylacetonate and bis(2-pyridyl) units. *Inorganica Chimica Acta*, **2011**, 376, 36-43 2.7 4

167	Syntheses, Characterization, and Properties of Rhenium(I) Tricarbonyl Complexes with Tetrathiafulvalene-Fused Phenanthroline Ligands. <i>Organometallics</i> , 2011 , 30, 2173-2179	3.8	34
166	Tricyanometalate molecular chemistry: A type of versatile building blocks for the construction of cyano-bridged molecular architectures. <i>Coordination Chemistry Reviews</i> , 2011 , 255, 1713-1732	23.2	153
165	Highly efficient green and blue-green phosphorescent OLEDs based on iridium complexes with the tetraphenylimidodiphosphinate ligand. <i>Advanced Materials</i> , 2011 , 23, 4041-6	24	265
164	Mono- and Dinuclear Co/Ni Complexes Bearing Redox-Active Tetrathiafulvaleneacetylacetonate Ligands: Syntheses, Crystal Structures, and Properties. <i>European Journal of Inorganic Chemistry</i> , 2011 , 2011, 5173-5181	2.3	11
163	Structures and physical properties of oligomeric and polymeric metal complexes based on bis(pyridyl)-substituted TTF ligands and an inorganic analogue. <i>Dalton Transactions</i> , 2011 , 40, 919-26	4.3	29
162	Synthesis, photoluminescence and electrochemiluminescence of ruthenium(II) polypyridyl complexes based on bipyridine derivatives with carbazole moieties. <i>Inorganica Chimica Acta</i> , 2011 , 370, 398-404	2.7	5
161	Dinuclear rhenium(I) carbonyl complexes based on π -conjugated polypyridyl ligands with tetrathiafulvalenes: Syntheses, crystal structures, properties and DFT calculations. <i>Journal of Organometallic Chemistry</i> , 2011 , 696, 3076-3085	2.3	12
160	Synthesis and properties of new π -conjugated pyridine ligands with tetrathiafulvalene derivatives and the rhenium(I) tricarbonyl complexes. <i>Tetrahedron Letters</i> , 2011 , 52, 675-678	2	16
159	Crystallographic Elucidation of Chiral and Helical Cu(II) Polymers Assembled from a Heterodifunctional 1,2,3-Triazole Ligand. <i>Crystal Growth and Design</i> , 2010 , 10, 1715-1720	3.5	49
158	Syntheses, Structures, and Physical Properties of Camphorate Coordination Polymers Controlled by Semirigid Auxiliary Ligands with Variable Coordination Positions and Conformations. <i>Crystal Growth and Design</i> , 2010 , 10, 2596-2605	3.5	57
157	Syntheses, structures, and magnetic properties of heterobimetallic clusters with tricyanometalate and π -conjugated ligands containing 1,3-dithiol-2-ylidene. <i>Inorganic Chemistry</i> , 2010 , 49, 1905-12	5.1	40
156	Syntheses, structures, and magnetic properties of two kinds of unique heterometallic chains with mixed-bridging ligands of tricyanometalate and alkoxide. <i>Inorganic Chemistry</i> , 2010 , 49, 9275-82	5.1	17
155	Highly sensitive identification of cancer cells by combining the new tetrathiafulvalene derivative with a β -cyclodextrin/multi-walled carbon nanotubes modified GCE. <i>Analyst</i> , 2010 , 135, 2965-9	5	16
154	Syntheses, structures, and properties of tricarbonyl rhenium(I) heteronuclear complexes with the multidentate bridging ligand containing bis(2-pyridine) and carboxylic acid. <i>Inorganica Chimica Acta</i> , 2010 , 363, 3742-3749	2.7	4
153	Linear trimer of diruthenium linked by butadiyn-diyl units: a unique electronic wire. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 954-7	16.4	120
152	New anthracene-tetrathiafulvalene derivative-encapsulated SWNT nanocomposite and its application for biosensing. <i>Journal of Colloid and Interface Science</i> , 2010 , 343, 48-51	9.3	5
151	Ruthenium (II) polypyridyl complexes based on bipyridine and two novel diimine ligands with carrier-transporting unit: synthesis, photoluminescence and redox properties. <i>Journal of Organometallic Chemistry</i> , 2010 , 695, 2048-2056	2.3	10
150	Synthesis and photoluminescence properties of four rhenium(I) complexes based on diimine ligands with oxadiazole/carbazole moiety. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2010 , 211, 135-142	4.7	8

149	Synthesis and photoluminescent properties of series ternary lanthanide (Eu(III), Sm(III), Nd(III), Er(III), Yb(III)) complexes containing 4,4,4-trifluoro-1-(2-naphthyl)-1,3-butanedionate and carbazole-functionalized ligand. <i>Inorganica Chimica Acta</i> , 2010 , 363, 2394-2400	2.7	22
148	Synthesis, structure and magnetic property of a cyanamido bridged trinuclear copper complex. <i>Inorganic Chemistry Communication</i> , 2010 , 13, 109-111	3.1	10
147	Syntheses, Structure, Magnetic Properties and ⁵⁷ Fe Mossbauer Spectroscopies of Two Iron(II) Complexes: Room-temperature Spin Crossover Behavior Observed in [Fe(dpq)(MePy) ₂ (NCS) ₂]. <i>Chinese Journal of Chemistry</i> , 2009 , 27, 1280-1284	4.9	1
146	Synthesis, structure and physical properties of the one-dimensional chain complex of tetrathiafulvalene carboxylate. <i>Science in China Series B: Chemistry</i> , 2009 , 52, 1596-1601		13
145	Synthesis and characterization of new ruthenium(II) complexes containing coupled di(2-pyridyl) and 1,3-dithiole units. <i>Inorganica Chimica Acta</i> , 2009 , 362, 143-148	2.7	4
144	Syntheses, structures, and magnetic properties of heterobimetallic Fe ₂ M ₂ (M = Cu, Mn) chains based on tetracyanometallic building block. <i>Inorganica Chimica Acta</i> , 2009 , 362, 1485-1490	2.7	9
143	Transition metal complexes based on pyridine ligand containing both bis(2-pyridyl) and 1,3-dithiole-2-ylidene units: Syntheses, structures, and magnetic studies. <i>Inorganica Chimica Acta</i> , 2009 , 362, 2556-2564	2.7	
142	Syntheses, structures, and magnetic properties of 3d ^{4f} heterometallic complexes constructed from pyrazole-bridged Cu ^{II} Ln ^{III} dinuclear units. <i>Inorganica Chimica Acta</i> , 2009 , 362, 3447-3453	2.7	25
141	Syntheses, structures and magnetic properties of heterobimetallic complexes based on a new tetracyanometalate precursor. <i>Inorganica Chimica Acta</i> , 2009 , 362, 5195-5202	2.7	11
140	The architectures of 1D coordination polymers with the versatile 7-chloroquinoline-4-alanine ligand mediated by anions: Syntheses, structures and luminescent properties. <i>Polyhedron</i> , 2009 , 28, 947-953	2.7	9
139	Rhenium(I) tricarbonyl complexes with bispyridine ligands attached to sulfur-rich core: Syntheses, structures and properties. <i>Journal of Organometallic Chemistry</i> , 2009 , 694, 763-770	2.3	34
138	Synthesis and photoluminescent properties of five homodinuclear lanthanide (Ln ³⁺ =Eu ³⁺ , Sm ³⁺ , Er ³⁺ , Yb ³⁺ , Pr ³⁺) complexes. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2009 , 208, 110-117	4.7	35
137	The synthesis and electrochemical properties of a new tetra-(crown-ether-thiafulvalene)-annulated phthalocyanine derivative. <i>Dyes and Pigments</i> , 2009 , 81, 40-44	4.6	22
136	Syntheses and physical properties of three-dimensional coordination polymers with the flexible tripodal ligand 1,3,5-tris(1,2,4-triazol-1-ylmethyl)benzene. <i>Inorganic Chemistry Communication</i> , 2009 , 12, 548-551	3.1	9
135	Syntheses, Structures, and Properties of Tricarbonyl (Chloro) Rhenium(I) Complexes with Redox-Active Tetrathiafulvalene Pyrazole Ligands. <i>Organometallics</i> , 2009 , 28, 755-762	3.8	30
134	Assembling chirality into magnetic nanowires: cyano-bridged iron(III)-nickel(II) chains exhibiting slow magnetization relaxation and ferroelectricity. <i>Chemical Communications</i> , 2009 , 6940-2	5.8	61
133	Self-Assembly of Metal-Organic Coordination Polymers Constructed from a Versatile Multipyridyl Ligand: Diversity of Coordination Modes and Structures. <i>Crystal Growth and Design</i> , 2009 , 9, 1041-1053	3.5	128
132	Heterometallic complexes based on the mixed bridging ligands of tricyanometalate and terephthalate: syntheses, structures, and magnetic properties. <i>Inorganic Chemistry</i> , 2009 , 48, 9166-73	5.1	18

131	Coordination Polymers Assembled from 3,5-Pyrazoledicarboxylic Acid and Bis(triazolyl) Ligands: Chiral and Meso-Structures Induced by Ligand Flexibility and a Six-Connected Self-Catenated Network. <i>Crystal Growth and Design</i> , 2009 , 9, 4487-4496	3.5	51
130	A family of polynuclear clusters containing cyano-bridged T-shaped Fe(III)3M(II) (M = Cu, Co, Mn) metal cores: syntheses, structures, and magnetic properties. <i>Inorganic Chemistry</i> , 2009 , 48, 5073-80	5.1	20
129	Metal-Organic Coordination Polymers Generated from Chiral Camphoric Acid and Flexible Ligands with Different Spacer Lengths: Syntheses, Structures, and Properties. <i>Crystal Growth and Design</i> , 2009 , 9, 4872-4883	3.5	64
128	New 3d ^f Heterometallic Coordination Polymers Based on Pyrazole-Bridged CuIIInIII Dinuclear Units and Sulfate Anions: Syntheses, Structures, and Magnetic Properties. <i>Crystal Growth and Design</i> , 2009 , 9, 1028-1035	3.5	88
127	Synthesis, structural characterization and photoluminescence properties of rhenium(I) complexes based on bipyridine derivatives with carbazole moieties. <i>Dalton Transactions</i> , 2009 , 10563-9	4.3	33
126	Hydrothermal syntheses and structures of three novel coordination polymers assembled from 1,2,3-triazolate ligands. <i>CrystEngComm</i> , 2009 , 11, 1964	3.3	35
125	Synthesis and characterization of neutral iron(II) and ruthenium(II) complexes with the isocyanotriphenylborate ligand. <i>Dalton Transactions</i> , 2009 , 10256-62	4.3	8
124	Synthesis, structures and magnetic properties of nickel bis (dithiolene) complexes with [Fe(qsal)2] ⁺ . <i>Journal of Coordination Chemistry</i> , 2009 , 62, 1544-1552	1.6	12
123	Assembly of Iron(II)-Triazole Polymers from 1D Chains to 3D Interpenetrated Frameworks: Syntheses, Structures, and Magnetic Properties. <i>Crystal Growth and Design</i> , 2008 , 8, 1306-1312	3.5	68
122	A noncentrosymmetric 3D coordination polymer of metallocalix[4]arene. <i>Inorganic Chemistry</i> , 2008 , 47, 11514-8	5.1	25
121	A new optical/electrochemical Na ⁺ sensor based on platinum(II) complexes containing crown ether annelated dithiolate ligands. <i>Dalton Transactions</i> , 2008 , 2578-82	4.3	12
120	Carboxylic acid-dependent assembly of neodymium-organic frameworks with attractive topologies and second-order nonlinear optical and/or magnetic properties. <i>CrystEngComm</i> , 2008 , 10, 1674	3.3	28
119	Cluster-based copper(II) coordination polymers with azido bridges and chiral magnets. <i>Dalton Transactions</i> , 2008 , 5593-602	4.3	39
118	Ferroelectric heterobimetallic clusters with ferromagnetic interactions. <i>Inorganic Chemistry</i> , 2008 , 47, 7957-9	5.1	50
117	Novel heterometallic Fe-Ru2-Fe arrays via "complex of complexes" approach. <i>Inorganic Chemistry</i> , 2008 , 47, 9716-22	5.1	15
116	Syntheses, crystal structures, and electrochemical properties of transition metal complexes with new tetrathiafulvalene-derivatized acetylacetonate ligands. <i>Transition Metal Chemistry</i> , 2008 , 33, 767-773 ¹	2.1	7
115	Syntheses, Structures, and Electrochemical and Magnetic Properties of Rectangular Heterobimetallic Clusters Based on Tricyanometallic Building Blocks. <i>European Journal of Inorganic Chemistry</i> , 2008 , 2008, 717-727	2.3	43
114	Syntheses, structures and luminescent properties of four d ¹⁰ -metal coordination polymers based on the 2,4,5-tri(4-pyridyl)-imidazole ligand. <i>Polyhedron</i> , 2008 , 27, 2494-2500	2.7	18

- 113 Synthesis and crystal structures of manganese(II) complexes with the ligands from in situ oxidation of 2-mercaptopyridine. *Inorganic Chemistry Communication*, **2008**, 11, 39-43 3.1 11
- 112 Dinuclear copper(II) complex with tetrathiafulvalene-based bis-acetylacetonate ligands. *Inorganic Chemistry Communication*, **2008**, 11, 1466-1469 3.1 9
- 111 Syntheses, structures, and magnetic properties of heterobimetallic complexes based on tetracyanometallic building blocks. *Inorganica Chimica Acta*, **2008**, 361, 2901-2908 2.7 12
- 110 Hydrothermal synthesis, crystal structures, and luminescent properties of two lanthanide (III) complexes containing 2-sulfoterephthalate. *Journal of Molecular Structure*, **2008**, 888, 55-61 3.4 21
- 109 Reaction-condition-controlled formation of secondary-building-units in three cadmium metal-organic frameworks with an orthogonal tetrakis(tetrazolate) ligand. *Journal of Molecular Structure*, **2008**, 890, 163-169 3.4 27
- 108 New fluorescent benzocrown ether derivatives of tetrathiafulvalene: facile synthesis and recognition properties. *Research on Chemical Intermediates*, **2008**, 34, 257-266 2.8 1
- 107 Syntheses, Structures, and Properties of Tricarbonyl Rhenium(I) Heteronuclear Complexes with a New Bridging Ligand Containing Coupled Bis(2-pyridyl) and 1,2-Dithiolene Units. *Organometallics*, **2008**, 27, 126-134 3.8 37
- 106 Rhenium(I) Tricarbonyl Complexes with New Pyridine Ligands Containing Crown Ether-Annelated or Anthracene-Functionalized 1,3-Dithiole-2-ylidene. *Organometallics*, **2008**, 27, 2990-2997 3.8 25
- 105 A three-dimensional ferromagnet based on linked copper-azido clusters. *Dalton Transactions*, **2007**, 4067-432 4.3 43
- 104 Synthesis and magnetic properties of a highly conducting neutral nickel complex with a highly conjugated tetrathiafulvalenedithiolate ligand. *Inorganic Chemistry*, **2007**, 46, 6837-9 5.1 36
- 103 Syntheses, structures, and electrochemical properties of platinum(II) complexes containing di-tert-butylbipyridine and crown ether annelated dithiolate ligands. *Inorganic Chemistry*, **2007**, 46, 866-73 5.1 34
- 102 Cyano-bridged FeIII2CuII3 and FeIII4NiII4 complexes: syntheses, structures, and magnetic properties. *Inorganic Chemistry*, **2007**, 46, 3236-44 5.1 73
- 101 Crystal structures and magnetic and ferroelectric properties of chiral layered metal-organic frameworks with dicyanamide as the bridging ligand. *Inorganic Chemistry*, **2007**, 46, 5462-4 5.1 76
- 100 Molecule-based ferroelectric thin films: mononuclear lanthanide enantiomers displaying room-temperature ferroelectric and dielectric properties. *Angewandte Chemie - International Edition*, **2007**, 46, 6820-3 16.4 90
- 99 Syntheses, electrochemical studies and crystal structures of new unsymmetrical tetrathiafulvalene carboxylate derivatives. *Journal of Heterocyclic Chemistry*, **2007**, 44, 831-836 1.9 9
- 98 Synthesis and characterizations of a magnesium metal-organic framework with a distorted (10,3)-a-net topology. *Inorganic Chemistry Communication*, **2007**, 10, 220-222 3.1 43
- 97 One-dimensional azido-bridged chiral copper(II) coordination polymers: Syntheses, structures and magnetic studies. *Inorganica Chimica Acta*, **2007**, 360, 2875-2880 2.7 10
- 96 Spin-crossover iron(II) complexes [Fe(Medpq)(py)2(NCS)2] and [Fe(Medpq)(py)2(NCSe)2]: syntheses, characterization and magnetic properties. *Inorganica Chimica Acta*, **2007**, 360, 4125-4132 2.7 28

95	Epoxidation catalyzed by iron(III) and manganese(III) pyridine-2-carboxamido complexes. <i>Journal of Molecular Catalysis A</i> , 2007 , 266, 284-289		12
94	Synthesis, crystal structures and triboluminescence of a pair of Eu(III)-based enantiomers. <i>Polyhedron</i> , 2007 , 26, 5257-5262	2.7	30
93	Chiral molecular ferromagnets based on copper(II) polymers with end-on azido bridges. <i>Inorganic Chemistry</i> , 2007 , 46, 9522-4	5.1	68
92	Crystal structures of amarine and isoamarine and copper(I) coordination chemistry with their allylation products. <i>Journal of Organometallic Chemistry</i> , 2006 , 691, 1065-1074	2.3	10
91	Construction of open metal-organic frameworks based on predesigned carboxylate isomers: from achiral to chiral nets. <i>Chemistry - A European Journal</i> , 2006 , 12, 3768-76	4.8	148
90	Syntheses, structure, and electrochemical properties of unsymmetrical crown-annelated TTF derivatives. <i>Journal of Heterocyclic Chemistry</i> , 2006 , 43, 1361-1365	1.9	
89	Synthesis of new TTF-anthracene dyads as potential fluorescence probe for 1O ₂ . <i>Journal of Heterocyclic Chemistry</i> , 2006 , 43, 1685-1689	1.9	1
88	Synthesis, structure and optical limiting properties of a new S-methylated derivative of a nickel dithiolene, bis[2-ethoxycarbonylsulfanyl-1,2-bis (methylthio)-1-ethenethiolato]nickel. <i>Journal of Coordination Chemistry</i> , 2006 , 59, 421-427	1.6	2
87	Symmetry-based magnetic anisotropy in the trigonal bipyramidal cluster [Tp ₂ (Me ₃ tacn) ₃ Cu ₃ Fe ₂ (CN) ₆] ⁴⁺ . <i>Journal of the American Chemical Society</i> , 2006 , 128, 7162-3	16.4	145
86	Synthesis, crystal structures, and magnetic properties of cyano-bridged heterobimetallic chains based on [(Tp)Fe(CN) ₃] ⁻ . <i>Inorganic Chemistry</i> , 2006 , 45, 8942-9	5.1	87
85	Syntheses, structures, and magnetic properties of cyano-bridged heterobimetallic complexes based on [Fe(bpca)(CN) ₃] ⁻ . <i>Inorganic Chemistry</i> , 2006 , 45, 582-90	5.1	50
84	Structural and magnetic studies on cyano-bridged rectangular Fe ₂ M ₂ (M = Cu, Ni) clusters. <i>Inorganic Chemistry</i> , 2006 , 45, 10058-65	5.1	81
83	Chiral molecule-based ferrimagnets with helical structures. <i>Inorganic Chemistry</i> , 2006 , 45, 7032-4	5.1	88
82	Cyano-bridged pentanuclear Fe(III) ₃ M(II) ₂ (M = Ni, Co, Fe) clusters: synthesis, structures, and magnetic properties. <i>Inorganic Chemistry</i> , 2006 , 45, 8895-901	5.1	61
81	Di-μ-acetato-bis[(2-acetylpyridine thiosemicarbazonato)zinc(II)]. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2006 , 62, m211-3		1
80	Cyano-bridged one-dimensional chain containing mixed-valent Ru ₂ (II,III) dinuclear unit. <i>Inorganic Chemistry Communication</i> , 2006 , 9, 923-925	3.1	11
79	Two-dimensional cyanide-bridged heterobimetallic complexes based on CpCo(CN) ₃ ⁻ : Syntheses, structures and magnetic properties. <i>Inorganica Chimica Acta</i> , 2006 , 359, 3790-3794	2.7	5
78	A new crown ether annelated tetrathiafulvalene derivative with anthracene moiety as a sensor for Li ⁺ and 1O ₂ . <i>Tetrahedron Letters</i> , 2006 , 47, 3431-3434	2	18

- 77 Synthesis, crystal structure and luminescent property of the novel β -thiocyanato-bis[(2-acetylpyridinethiosemicabazonato)(thiocyanate)] cadmium(II) complex. *Transition Metal Chemistry*, **2006**, 31, 837-841 2.1 12
- 76 A water-soluble derivative of tetrathiafulvalene exhibiting pH sensitive redox properties. *New Journal of Chemistry*, **2005**, 29, 509 3.6 19
- 75 Synthesis, structure and physical properties of nickel bis(dithiolene) complexes with different cations. *Journal of Coordination Chemistry*, **2005**, 58, 1573-1579 1.6 2
- 74 One-dimensional azido-bridged chiral metal complexes with ferromagnetic or antiferromagnetic interactions: syntheses, structures, and magnetic studies. *Inorganic Chemistry*, **2005**, 44, 9039-45 5.1 79
- 73 Solvothermal syntheses of $[\text{Ln}(\text{en})_3(\text{H}_2\text{O})_x(\mu(3-x)\text{-SbS}_4)]$ ($\text{Ln} = \text{La}$, $x = 0$; $\text{Ln} = \text{Nd}$, $x = 1$) and $[\text{Ln}(\text{en})_4]\text{SbS}_4 \cdot 0.5\text{en}$ ($\text{Ln} = \text{Eu}$, Dy , Yb): a systematic study on the formation and crystal structures of new lanthanide thioantimonates(V). *Inorganic Chemistry*, **2005**, 44, 8861-7 5.1 68
- 72 Synthesis, characterization and optical limiting effect of nickel complexes of multi-sulfur 1,2-dithiolene. *Journal of Physics and Chemistry of Solids*, **2005**, 66, 207-212 3.9 30
- 71 Synthesis, crystal structure and blue electroluminescence of a new zinc complex based on 2,6-bis(benzimidazolyl)pyridine. *Journal of Physics and Chemistry of Solids*, **2005**, 66, 735-740 3.9 19
- 70 Synthesis, structure and properties of mercury complexes with a new extended tetrathiafulvalene 4,5-dithiolate ligand. *Polyhedron*, **2005**, 24, 671-677 2.7 12
- 69 Two cyano-bridged heterotrimeric complexes built from $[(\text{Tp})\text{Fe}(\text{CN})_3][\text{Tp} = \text{hydrotris}(\text{pyrazolyl})\text{borate}]$: synthesis, crystal structures and magnetic properties. *Inorganica Chimica Acta*, **2005**, 358, 2101-2106 2.7 32
- 68 Syntheses, structure and properties of chiral copper(II) complexes with end-on azide bridge and chiral-bipyridine ligand. *Inorganica Chimica Acta*, **2005**, 358, 2565-2570 2.7 23
- 67 Long-range superexchanged magnetic interaction observed in heterometallic complex: $\{[\text{Fe}(\text{Tpms})(\text{CN})_3][\text{Mn}(\text{H}_2\text{O})_2(\text{DMF})_2]\}[\text{DMF}]$. *Inorganica Chimica Acta*, **2005**, 358, 4057-4061 2.7 9
- 66 Synthesis, structure and luminescent properties of lanthanide(III) polymeric complexes constructed by citric acid. *Inorganic Chemistry Communication*, **2005**, 8, 328-330 3.1 50
- 65 Three-Dimensional Lanthanoid-Containing Coordination Frameworks: Structure, Magnetic and Fluorescent Properties. *European Journal of Inorganic Chemistry*, **2005**, 2005, 766-772 2.3 32
- 64 Synthesis, structure and electrochemical properties of two new unsymmetrical tetrathiafulvalene derivatives. *Journal of Heterocyclic Chemistry*, **2005**, 42, 847-850 1.9 7
- 63 Tris[bis[hydrotris(1-pyrazolyl)borato-kappa³N₂,N₂',N₂'']iron(III)] hexaisothiocyanatoiron(III). *Acta Crystallographica Section C: Crystal Structure Communications*, **2004**, 60, m258-60 1
- 62 Di- β -azido-bis[[hydrotris(pyrazol-1-yl)borato]copper(II)]. *Acta Crystallographica Section E: Structure Reports Online*, **2004**, 60, m376-m377
- 61 $\{N,N'$ -Bis[2-(methylsulfanyl)phenyl]pyridine-2,6-dicarboxamidato(2-)]nickel(II). *Acta Crystallographica Section E: Structure Reports Online*, **2004**, 60, m1153-m1155 2
- 60 N,N' -Bis[2-(methylsulfanyl)phenyl]pyridine-2,6-dicarboxamide. *Acta Crystallographica Section E: Structure Reports Online*, **2004**, 60, o1527-o1529 5

59	[(Tp)(8)(H ₂ O)(6)Cu(II) (6)Fe(III) (8)(CN)(24)](4+): a cyanide-bridged face-centered-cubic cluster with single-molecule-magnet behavior. <i>Angewandte Chemie - International Edition</i> , 2004 , 43, 5940-3	16.4	212
58	[(Tp) ₈ (H ₂ O) ₆ Cu ₁₁ Fe ₁₁ (CN) ₂₄] ⁴⁺ : A Cyanide-Bridged Face-Centered-Cubic Cluster with Single-Molecule-Magnet Behavior. <i>Angewandte Chemie</i> , 2004 , 116, 6066-6069	3.6	26
57	Heterobimetallic Complexes Based on [(Tp)Fe(CN) ₃] [−] Syntheses, Crystal Structures and Magnetic Properties. <i>European Journal of Inorganic Chemistry</i> , 2004 , 2004, 3681	2.3	35
56	Syntheses, crystal structures of blue luminescent complexes based on 2,6-bis(benzimidazolyl)pyridine. <i>Journal of Molecular Structure</i> , 2004 , 705, 153-157	3.4	60
55	4-Ethynylpyridine as bridging moiety in mixed Ru/Re complexes. <i>New Journal of Chemistry</i> , 2004 , 28, 43-51	3.6	30
54	The observation of superparamagnetic behavior in molecular nanowires. <i>Journal of the American Chemical Society</i> , 2004 , 126, 8900-1	16.4	241
53	Synthesis, Crystal Structure, and Photoluminescent Properties of a Tetracarbonyl(naphthyridylcarbonyl)rhenium(I) Complex and a Highly Emissive Tetracarbonyl(naphthyridylamido)rhenium(I) Complex. <i>European Journal of Inorganic Chemistry</i> , 2003 , 2003, 255-262	2.3	24
52	4-Ethynylpyridine as a Bridging Moiety in Mixed Rh/Re Complexes. <i>European Journal of Inorganic Chemistry</i> , 2003 , 2003, 449-452	2.3	17
51	Vanadium-iron-sulfur clusters containing the cubane-type [VFe ₃ S ₄] core unit: synthesis of a cluster with the topology of the PN cluster of nitrogenase. <i>Inorganic Chemistry</i> , 2003 , 42, 4624-31	5.1	47
50	Ruthenium(II) alkynyl-hydride and ruthenium(II) bis(πpyridylacetylidyne) as ligands and linkers for metal-metal bonded complexes. <i>New Journal of Chemistry</i> , 2002 , 26, 889-894	3.6	18
49	Diruthenium alkynyl complexes as potential building blocks for heterometallic molecular rods. <i>Dalton Transactions RSC</i> , 2002 , 1244		34
48	Rearrangement of symmetrical dicubane clusters into topological analogues of the P cluster of nitrogenase: nature's choice?. <i>Journal of the American Chemical Society</i> , 2002 , 124, 14292-3	16.4	82
47	Chemical studies on the nonlinear optics of coordination compounds. <i>Science Bulletin</i> , 2001 , 46, 178-184		9
46	A mixed-valence manganese(III)-manganese(IV) di-μ-oxo complex, [(cyclam)MnO] ₂ (ClO ₄) ₂ (NO ₃). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2001 , 57, 911-3		4
45	Syntheses, crystal structures and magnetic properties of two honeycomb-layered bimetallic assemblies, K ₂ [NiII(cyclam)] ₃ [FeII(CN) ₆] ₂ · 12H ₂ O and [NiII(cyclam)] ₃ [FeIII(CN) ₆] ₂ · 16H ₂ O. <i>Transition Metal Chemistry</i> , 2001 , 26, 345-350	2.1	13
44	Synthesis and structures of two novel one-dimensional mixed-valence iron molybdophosphate matrices. <i>New Journal of Chemistry</i> , 2001 , 25, 1342-1346	3.6	33
43	Mesoporous titania nanostructures thermally stabilized by doping with sodium oxide. <i>Dalton Transactions RSC</i> , 2001 , 2719-2720		6
42	Ferromagnetic Ordering in a Two-Dimensional Copper Complex with Dual End-to-End and End-On Azide Bridges. <i>Angewandte Chemie</i> , 2000 , 112, 3779-3781	3.6	8

41	Ferromagnetic Ordering in a Two-Dimensional Copper Complex with Dual End-to-End and End-On Azide Bridges This work was supported by the National Natural Science Foundation of China (NSF 29631040 and 29929001), The Major State Basic Research Development Program (Grant No. G2000077500 and No. G1998061306), and the Malaysian Government research grant R&D No. trans-Dichloro(1,5,9,13-tetramethyl-1,5,9,13-tetraazacyclohexadecane-kappa4N)ruthenium(III) triiodide. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2000 , 56 (Pt 8), 941-2	16.4	105
40			
39	Hydrothermal synthesis and crystal structure of the first layered iron molybdate $\text{KH}_3\text{FeI}_2\text{MoVI}_2\text{O}_{10}$. <i>Inorganic Chemistry Communication</i> , 2000 , 3, 697-699	3.1	9
38	A highly stable copper(I)-olefin coordination polymer with strong red fluorescent emission. <i>Chemical Communications</i> , 2000 , 1495-1496	5.8	48
37	X-Ray crystal structures of Mg^{2+} and Ca^{2+} dimers of the antibacterial drug norfloxacin. <i>Dalton Transactions RSC</i> , 2000 , 4013-4014		75
36	Highly stable copper(I)-olefin coordination polymers capable of co-existing with water and acid. <i>Dalton Transactions RSC</i> , 2000 , 2898-2900		46
35	Synthesis, crystal structure and electrospray ionisation mass spectrometry of a novel one-dimensional cyano-bridged Ni(II)Au(I) polymer. <i>New Journal of Chemistry</i> , 2000 , 24, 765-769	3.6	18
34	The first chiral 2-D molecular triangular grid. <i>Dalton Transactions RSC</i> , 2000 , 4010-4012		39
33	A convenient route to synthesize the fully conjugated bimetallic complex $(\text{Bu}_4\text{N})_2[\text{tto}[\text{Ni}(\text{dmit})_2]]$ (tto = tetrathiooxalate, $\text{C}_2\text{S}_4(2-)$, and dmit = 1,3-dithiole-2-thione-4,5-dithiolate, $\text{C}_3\text{S}_5(2-)$) and the crystal structure of a new crystal form. <i>Inorganic Chemistry</i> , 2000 , 39, 1322-4	5.1	13
32	A Novel Rhombohedral Grid Based on Tetraorganodistannoxane as Corner Unit. <i>Organometallics</i> , 2000 , 19, 4183-4186	3.8	64
31	Opto-electronic multifunctional chiral diamondoid-network coordination polymer: bis{4-[2-(4-pyridyl)ethenyl]benzoato}zinc with high thermal stability. <i>Chemical Communications</i> , 2000 , 2061-2062	5.8	143
30	Syntheses and structures of novel heterobimetallic Cu(II)Au(I) complexes $\text{Cu}(\text{cyclen})[\text{Au}(\text{CN})_2]_2$ and $\text{Cu}(\text{pyz})[\text{Au}(\text{CN})_2]_2$. <i>Dalton Transactions RSC</i> , 2000 , 629-631		38
29	Guest-induced dimension change. A novel network intercalation complex: $\{[\text{Cd}(4,4\text{-bipy})_2(\text{H}_2\text{O})_2](\text{CF}_3\text{SO}_3)_2(4,4\text{-bipy})(\text{H}_2\text{O})_2(\text{C}_7\text{H}_8\text{N}_2\text{O}_3)_2\}$. <i>Inorganic Chemistry Communication</i> , 1999 , 2, 292-297	3.1	17
28	A new self-assembled copper(I) complex of 2-thioxo-5H-1,3-dithiolo[4,5-b][1,4]dithiepin-6(7H)-one showing three-dimensional supramolecular networks. <i>Inorganica Chimica Acta</i> , 1999 , 292, 117-120	2.7	2
27	Synthesis and crystal structure of 4,5-(cis-cyclohexylenedithio)-1,3-dithiole-2-one. <i>Journal of Chemical Crystallography</i> , 1999 , 29, 719-723	0.5	2
26	The bis(ethylene)-dithiotetrathiafulvalene radical salt of $[\text{PVMo}_{11}\text{O}_{40}]_4$. <i>Transition Metal Chemistry</i> , 1999 , 24, 160-162	2.1	
25	Synthesis, structure and optical limiting effect of two new nickel complexes containing strongly bound geometrically fixed multi-sulfur 1,2-dithiolene ligands showing remarkable near-IR absorption. <i>Journal of Materials Chemistry</i> , 1999 , 9, 2419-2423		58
24	The first structurally characterized 3,4'-bipyridine copper(I) coordination polymer with an approximately rectangular molecular box. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999 , 1711-1712		47

23	A novel trinuclear copper(II) complex bridged by tren: $[\text{Cu}_3(\text{tren})_4][\text{Pt}(\text{CN})_4]_3 \cdot 3\text{H}_2\text{O}$. <i>New Journal of Chemistry</i> , 1999 , 23, 1049-1050	3.6	7
22	Synthesis and crystal structure of a chiral two-dimensional metal-organic coordination polymer: (S-(-)-lactate) (isonicotinato)zinc(II). <i>New Journal of Chemistry</i> , 1999 , 23, 1051-1052	3.6	54
21	Crystal structures and magnetic properties of two alternating azide-bridged complexes $[\{\text{M}(\text{dmbpy})(\text{N}_3)_2\}_n]$ (M = Mn or Cu; dmbpy = 4,4'-dimethyl-2,2'-bipyridine) <i>Journal of the Chemical Society Dalton Transactions</i> , 1999 , 3393-3397		65
20	A three-dimensional network coordination polymer, (terephthalato)(pyridine)cadmium, with blue fluorescent emission. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999 , 1915-1916		132
19	Synthesis, crystal structure and magnetic properties of a novel one-dimensional heterobimetallic polymer $[\{\text{Co}(\text{dpa})(\text{DMF})(\mu\text{-SCN})_3\text{Ag}\}_n]$ [dpa=bis(2-pyridyl)amine]. <i>New Journal of Chemistry</i> , 1998 , 22, 923-925	3.6	7
18	Synthesis, Magnetic and Spectral Properties of One-dimension Chain Adducts of Ni(Bu-dtp) ₂ , NiQ ₂ and Ni(TTA) ₂ with 4,4'-bipyridine. Crystal Structure of $[4,4'-(\text{bipy})\text{-Ni}(\text{Bu-dtp})_2]_n$ (Bu-dtp=dibutylthiophosphate, Q=8-quinolinol, TTA=1,4-bis(2-thienyl)butane, TTA=1,4-bis(2-thienyl)butane, 4,4'-bipy=4,4'-bipyridine). <i>Spectroscopy Letters</i> , 1998 , 31, 101-104	1.1	6
17	A Novel Dimeric Zinc Complex: Bis(μ -[(dimercaptomethylene)propanedinitrilato-S,S'])tetrakis(4-methylpyridine)dizinc(II)-Chloroform. <i>Inorganic Chemistry</i> , 1997 , 36, 2472-2474	5.1	16
16	Syntheses and properties of the neutral nickel complexes of 1,2-dithiolates MEDT and PHDT. The crystal structure of $[\text{Ni}(\text{MEDT})_2]$. <i>Polyhedron</i> , 1997 , 16, 1465-1469	2.7	10
15	A novel molecular channel: thermal analyses and X-ray structure of $[\text{Ni}(\text{Et-XA})_2 \cdot \text{phen}] \cdot 3\text{H}_2\text{O}$ (Et-XA = ethylcarbonodithiolato-S,S', phen = phenanthroline). <i>Polyhedron</i> , 1997 , 16, 2315-2319	2.7	14
14	Antiwear and Extreme-Pressure Action of Copper(II) Complex With Alkyl Phosphonic Acid Mono Alkyl Ester. <i>Journal of Tribology</i> , 1996 , 118, 676-680	1.8	2
13	Syntheses, characterization and non-linear optical properties of nickel complexes of multi-sulfur 1,2-dithioiene with strong near-IR absorption. <i>Journal of Materials Chemistry</i> , 1996 , 6, 1633		56
12	Syntheses and properties of complexes of CuII, NiII and ZnII with N,N'-trimethylene bis(salicylaldehyde imine). Crystal structure of $\text{Cu}(\text{Sal}_2\text{tn})$. <i>Polyhedron</i> , 1996 , 15, 903-907	2.7	30
11	Synthesis and crystal structure of a novel zinc(II) complex $[\text{Zn}(\text{pbp})_2](\text{ClO}_4)_2$. <i>Polyhedron</i> , 1996 , 15, 2051-2055	2.7	6
10	Synthesis and x-ray structure of the first lanthanide 2-mercaptopyridine n-oxide complex, tris-(1-hydroxy-2(1H)-pyridinethionato-o, s) bis [sulfinylbis (methane)] samarium(III). <i>Polyhedron</i> , 1996 , 15, 3321-3324	2.7	5
9	Syntheses, properties and crystal structures of a series of mixtures of dmit and dmise metal complexes (DMIT1,3-DITHIOLE-2-THIONE-4,5-DITHIOLATE, DMISE1,3-DITHIOLE-2-SELONE-4,5-DITHIOLATE). Single-crystal esr study of $[\text{Bu}_4\text{N}]_2[\text{Cu}/\text{Ni}(\text{C}_3\text{S}_4.4\text{Se}0.6)_2]$. <i>Polyhedron</i> , 1996 , 15, 3547-3557	2.7	8
8	N-Methylquinolinium Bis(6,7-dihydro-5H-1,4-dithiepine-2,3-dithiolato)nickelate(III). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1996 , 52, 46-48		3
7	Synthesis, crystal structure and properties of 2-[p--dimethylaminostyryl]pyridylmethyl bis[6,7-dihydro-5h-1,4-dithiepin-dithiolato] nickelate(III). <i>Polyhedron</i> , 1995 , 14, 483-487	2.7	3
6	Syntheses and properties of the nickel complexes of 1,2-dithiolates MEDT and PHDT. The crystal structure of $[\text{Bu}_4\text{N}][\text{Ni}(\text{MEDT})_2]$. <i>Polyhedron</i> , 1995 , 14, 1487-1494	2.7	10

5	X-ray crystal structure of (2,2'-bipyridine) (6,7-dihydro-5H-1,4-dithiepin-2,3-dithiolate) platinum (II). <i>Inorganica Chimica Acta</i> , 1995 , 237, 177-180	2.7	12
4	Preparation and properties of [PtII(SS)(NN)]-type complexes and their iodine-doped analogues. <i>Transition Metal Chemistry</i> , 1994 , 19, 614-618	2.1	5
3	A Puncture-Resistant and Self-Healing Conductive Gel for Multifunctional Electronic Skin. <i>Advanced Functional Materials</i> , 2107006	15.6	9
2	Fused π -Extended Multiple-Resonance Induced Thermally Activated Delayed Fluorescence Materials for High-Efficiency and Narrowband OLEDs with Low Efficiency Roll-Off. <i>Advanced Optical Materials</i> , 2102513	8.1	7
1	An Underwater Long-Term Strong Adhesive Based on Boronic Esters with Enhanced Hydrolytic Stability. <i>Advanced Functional Materials</i> , 2201959	15.6	2