

MaciÀ Buades-Rotger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7764869/publications.pdf>

Version: 2024-02-01

21
papers

258
citations

1163117

8
h-index

996975

15
g-index

29
all docs

29
docs citations

29
times ranked

369
citing authors

#	ARTICLE	IF	CITATIONS
1	Open Peer Commentary and Authors' Response. <i>European Journal of Personality</i> , 2015, 29, 382-432.	3.1	58
2	Endogenous testosterone is associated with lower amygdala reactivity to angry faces and reduced aggressive behavior in healthy young women. <i>Scientific Reports</i> , 2016, 6, 38538.	3.3	46
3	Avoidant Responses to Interpersonal Provocation Are Associated with Increased Amygdala and Decreased Mentalizing Network Activity. <i>ENeuro</i> , 2017, 4, ENEURO.0337-16.2017.	1.9	24
4	Winning is not enough: ventral striatum connectivity during physical aggression. <i>Brain Imaging and Behavior</i> , 2016, 10, 105-114.	2.1	16
5	The role of the monoamine oxidase A gene in moderating the response to adversity and associated antisocial behavior: a review. <i>Psychology Research and Behavior Management</i> , 2014, 7, 185.	2.8	13
6	Hit or Run: Exploring Aggressive and Avoidant Reactions to Interpersonal Provocation Using a Novel Fight-or-Escape Paradigm (FOE). <i>Frontiers in Behavioral Neuroscience</i> , 2017, 11, 190.	2.0	12
7	Trait and state patterns of basolateral amygdala connectivity at rest are related to endogenous testosterone and aggression in healthy young women. <i>Brain Imaging and Behavior</i> , 2019, 13, 564-576.	2.1	12
8	Prednisolone increases neural reactivity to negative socio-emotional stimuli in healthy young men. <i>European Neuropsychopharmacology</i> , 2016, 26, 1176-1189.	0.7	11
9	The corticosteroid prednisolone increases amygdala and insula reactivity to food approach signals in healthy young men. <i>Psychoneuroendocrinology</i> , 2019, 99, 154-165.	2.7	10
10	From words to action: Implicit attention to antisocial semantic cues predicts aggression and amygdala reactivity to angry faces in healthy young women. <i>Aggressive Behavior</i> , 2018, 44, 624-637.	2.4	9
11	Effects of hunger, satiety and oral glucose on effective connectivity between hypothalamus and insular cortex. <i>NeuroImage</i> , 2020, 217, 116931.	4.2	8
12	Patients with Ventromedial Prefrontal Lesions Show an Implicit Approach Bias to Angry Faces. <i>Journal of Cognitive Neuroscience</i> , 2021, 33, 1069-1081.	2.3	6
13	Structural covariance of amygdala subregions is associated with trait aggression and endogenous testosterone in healthy individuals. <i>Neuropsychologia</i> , 2022, 165, 108113.	1.6	6
14	The Meaning of Aggression Varies Across Culture: Testing the Measurement Invariance of the Refined Aggression Questionnaire in Samples From Spain, the United States, and Hong Kong. <i>Journal of Personality Assessment</i> , 2019, 101, 515-520.	2.1	4
15	Low competitive status elicits aggression in healthy young men: behavioural and neural evidence. <i>Social Cognitive and Affective Neuroscience</i> , 2021, 16, 1123-1137.	3.0	4
16	Abnormal processing of interpersonal cues during an aggressive encounter in women with borderline personality disorder: Neural and behavioral findings.., 2022, 131, 493-506.		4
17	Intact Proactive Motor Inhibition after Unilateral Prefrontal Cortex or Basal Ganglia Lesions. <i>Journal of Cognitive Neuroscience</i> , 2021, 33, 1862-1879.	2.3	3
18	Staring at the (sur)face of the antisocial brain. <i>Lancet Psychiatry</i> , 2020, 7, 218-219.	7.4	2

#	ARTICLE	IF	CITATIONS
19	The influence of anger on empathy and theory of mind. PLoS ONE, 2021, 16, e0255068.	2.5	1
20	Regulating interpersonal stress: the link between heart-rate variability, physical exercise and social perspective taking under stress. Stress, 2021, , 1-10.	1.8	0
21	Prednisolone reinforces the food reward system by bilateral amygdala activation - an fMRI study. Endocrine Abstracts, 0, , .	0.0	0