

# Henning JÃ¸rgensen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7765243/publications.pdf>

Version: 2024-02-01

74  
papers

5,878  
citations

101384

36  
h-index

85405

71  
g-index

74  
all docs

74  
docs citations

74  
times ranked

5666  
citing authors

#	ARTICLE	IF	CITATIONS
1	Increasing the value of <i>Salicornia bigelovii</i> green biomass grown in a desert environment through biorefining. <i>Industrial Crops and Products</i> , 2021, 160, 113105.	2.5	14
2	Residual nitrogen pools in mature winter wheat straw as affected by nitrogen application. <i>Plant and Soil</i> , 2020, 453, 561-575.	1.8	1
3	The potential for biorefining of triticale to protein and sugar depends on nitrogen supply and harvest time. <i>Industrial Crops and Products</i> , 2020, 149, 112333.	2.5	8
4	Ensiling of the pulp fraction after biorefining of grass into pulp and protein juice. <i>Industrial Crops and Products</i> , 2019, 139, 111576.	2.5	10
5	Breeding for dual-purpose wheat varieties using marker-trait associations for biomass yield and quality traits. <i>Theoretical and Applied Genetics</i> , 2019, 132, 3375-3398.	1.8	15
6	Wheat as a dual crop for biorefining: Straw quality parameters and their interactions with nitrogen supply in modern elite cultivars. <i>GCB Bioenergy</i> , 2019, 11, 400-415.	2.5	15
7	Green biorefining: Effect of nitrogen fertilization on protein yield, protein extractability and amino acid composition of tall fescue biomass. <i>Industrial Crops and Products</i> , 2019, 130, 642-652.	2.5	12
8	Improvement of Tryptophan Analysis by Liquid Chromatography-Single Quadrupole Mass Spectrometry Through the Evaluation of Multiple Parameters. <i>Frontiers in Chemistry</i> , 2019, 7, 797.	1.8	22
9	Enhancing Protein Recovery in Green Biorefineries by Lignosulfonate-Assisted Precipitation. <i>Frontiers in Sustainable Food Systems</i> , 2019, 3, .	1.8	18
10	Hydrothermal Liquefaction of Enzymatic Hydrolysis Lignin: Biomass Pretreatment Severity Affects Lignin Valorization. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 5940-5949.	3.2	39
11	Membrane separation of enzyme-converted biomass compounds: Recovery of xylose and production of gluconic acid as a value-added product. <i>Separation and Purification Technology</i> , 2018, 194, 73-80.	3.9	15
12	Test of Efficacy of Cellulases for Biomass Degradation. <i>Methods in Molecular Biology</i> , 2018, 1796, 283-297.	0.4	3
13	Lignin from hydrothermally pretreated grass biomass retards enzymatic cellulose degradation by acting as a physical barrier rather than by inducing nonproductive adsorption of enzymes. <i>Biotechnology for Biofuels</i> , 2018, 11, 85.	6.2	61
14	High-throughput analysis of amino acids in plant materials by single quadrupole mass spectrometry. <i>Plant Methods</i> , 2018, 14, 8.	1.9	47
15	Impact of the fouling mechanism on enzymatic depolymerization of xylan in different configurations of membrane reactors. <i>Separation and Purification Technology</i> , 2017, 178, 154-162.	3.9	16
16	Surface properties correlate to the digestibility of hydrothermally pretreated lignocellulosic Poaceae biomass feedstocks. <i>Biotechnology for Biofuels</i> , 2017, 10, 49.	6.2	25
17	High-performance removal of acids and furans from wheat straw pretreatment liquid by diananofiltration. <i>Separation Science and Technology</i> , 2017, 52, 1901-1912.	1.3	10
18	Separation of xylose and glucose using an integrated membrane system for enzymatic cofactor regeneration and downstream purification. <i>Journal of Membrane Science</i> , 2017, 523, 327-335.	4.1	15

#	ARTICLE	IF	CITATIONS
19	Enzyme recycling in lignocellulosic biorefineries. <i>Biofuels, Bioproducts and Biorefining</i> , 2017, 11, 150-167.	1.9	90
20	Significance of membrane bioreactor design on the biocatalytic performance of glucose oxidase and catalase: Free vs. immobilized enzyme systems. <i>Biochemical Engineering Journal</i> , 2017, 117, 41-47.	1.8	39
21	Toward a sustainable biorefinery using high-gravity technology. <i>Biofuels, Bioproducts and Biorefining</i> , 2017, 11, 15-27.	1.9	27
22	An <i>Aspergillus nidulans</i> GH26 endo- $\beta$ -mannanase with a novel degradation pattern on highly substituted galactomannans. <i>Enzyme and Microbial Technology</i> , 2016, 83, 68-77.	1.6	35
23	Enzymatic cellulose oxidation is linked to lignin by long-range electron transfer. <i>Scientific Reports</i> , 2015, 5, 18561.	1.6	180
24	Lignocellulose pretreatment technologies affect the level of enzymatic cellulose oxidation by LPMO. <i>Green Chemistry</i> , 2015, 17, 2896-2903.	4.6	101
25	Cellobiohydrolase and endoglucanase respond differently to surfactants during the hydrolysis of cellulose. <i>Biotechnology for Biofuels</i> , 2015, 8, 52.	6.2	41
26	High performance separation of xylose and glucose by enzyme assisted nanofiltration. <i>Journal of Membrane Science</i> , 2015, 492, 107-115.	4.1	37
27	Continuous recycling of enzymes during production of lignocellulosic bioethanol in demonstration scale. <i>Applied Energy</i> , 2015, 159, 188-195.	5.1	30
28	Do new cellulolytic enzyme preparations affect the industrial strategies for high solids lignocellulosic ethanol production?. <i>Biotechnology and Bioengineering</i> , 2014, 111, 59-68.	1.7	183
29	Recovery of cellulase activity after ethanol stripping in a novel pilot-scale unit. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2014, 41, 637-646.	1.4	5
30	The Challenging Measurement of Protein in Complex Biomass-Derived Samples. <i>Applied Biochemistry and Biotechnology</i> , 2014, 172, 87-101.	1.4	10
31	Extractability and digestibility of plant cell wall polysaccharides during hydrothermal and enzymatic degradation of wheat straw ( <i>Triticum aestivum</i> L.). <i>Industrial Crops and Products</i> , 2014, 55, 63-69.	2.5	22
32	The role of endoglucanase and endoxylanase in liquefaction of hydrothermally pretreated wheat straw. <i>Biotechnology Progress</i> , 2014, 30, 923-931.	1.3	24
33	Evaluation of high throughput screening methods in picking up differences between cultivars of lignocellulosic biomass for ethanol production. <i>Biomass and Bioenergy</i> , 2014, 66, 261-267.	2.9	20
34	Cellulase Inhibition by High Concentrations of Monosaccharides. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 3800-3805.	2.4	148
35	PEI detoxification of pretreated spruce for high solids ethanol fermentation. <i>Applied Energy</i> , 2014, 132, 394-403.	5.1	48
36	Influence of high gravity process conditions on the environmental impact of ethanol production from wheat straw. <i>Bioresource Technology</i> , 2014, 173, 148-158.	4.8	30

#	ARTICLE	IF	CITATIONS
37	Cyanobacterial biomass as carbohydrate and nutrient feedstock for bioethanol production by yeast fermentation. <i>Biotechnology for Biofuels</i> , 2014, 7, 64.	6.2	165
38	Structure and enzymatic accessibility of leaf and stem from wheat straw before and after hydrothermal pretreatment. <i>Biotechnology for Biofuels</i> , 2014, 7, 74.	6.2	23
39	Assessment of leaf/stem ratio in wheat straw feedstock and impact on enzymatic conversion. <i>GCB Bioenergy</i> , 2014, 6, 90-96.	2.5	32
40	Recycling cellulases for cellulosic ethanol production at industrial relevant conditions: Potential and temperature dependency at high solid processes. <i>Bioresource Technology</i> , 2013, 148, 180-188.	4.8	38
41	Structural and chemical analysis of process residue from biochemical conversion of wheat straw ( <i>Triticum aestivum</i> L.) to ethanol. <i>Biomass and Bioenergy</i> , 2013, 56, 572-581.	2.9	26
42	Influence of high temperature and ethanol on thermostable lignocellulolytic enzymes. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2013, 40, 447-456.	1.4	28
43	Adsorption of $\beta$ -glucosidases in two commercial preparations onto pretreated biomass and lignin. <i>Biotechnology for Biofuels</i> , 2013, 6, 165.	6.2	88
44	Production and effect of aldonic acids during enzymatic hydrolysis of lignocellulose at high dry matter content. <i>Biotechnology for Biofuels</i> , 2012, 5, 26.	6.2	203
45	Cultivar variation and selection potential relevant to the production of cellulosic ethanol from wheat straw. <i>Biomass and Bioenergy</i> , 2012, 37, 221-228.	2.9	54
46	Pretreatment and enzymatic hydrolysis of wheat straw ( <i>Triticum aestivum</i> L.) – The impact of lignin relocation and plant tissues on enzymatic accessibility. <i>Bioresource Technology</i> , 2011, 102, 2804-2811.	4.8	92
47	Cellulase Hydrolysis of Unsorted MSW. <i>Applied Biochemistry and Biotechnology</i> , 2011, 165, 1799-1811.	1.4	8
48	A new Density Functional Theory (DFT) based method for supporting the assignment of vibrational signatures of mannan and cellulose – Analysis of palm kernel cake hydrolysis by ATR-FT-IR spectroscopy as a case study. <i>Carbohydrate Polymers</i> , 2011, 85, 457-464.	5.1	10
49	Production of Ethanol and Feed by High Dry Matter Hydrolysis and Fermentation of Palm Kernel Press Cake. <i>Applied Biochemistry and Biotechnology</i> , 2010, 161, 318-332.	1.4	52
50	High-throughput microarray profiling of cell wall polymers during hydrothermal pretreatment of wheat straw. <i>Biotechnology and Bioengineering</i> , 2010, 105, 509-514.	1.7	27
51	Enzymatic hydrolysis and fermentation of palm kernel press cake for production of bioethanol. <i>Enzyme and Microbial Technology</i> , 2010, 46, 177-184.	1.6	86
52	Cellulosic ethanol: interactions between cultivar and enzyme loading in wheat straw processing. <i>Biotechnology for Biofuels</i> , 2010, 3, 25.	6.2	24
53	Enzymatic processing of municipal solid waste. <i>Waste Management</i> , 2010, 30, 2497-2503.	3.7	29
54	Near Infrared Spectroscopy as a Screening Tool for Sugar Release and Chemical Composition of Wheat Straw. <i>Journal of Biobased Materials and Bioenergy</i> , 2010, 4, 378-383.	0.1	23

#	ARTICLE	IF	CITATIONS
55	Determining Yields in High Solids Enzymatic Hydrolysis of Biomass. <i>Applied Biochemistry and Biotechnology</i> , 2009, 156, 127-132.	1.4	107
56	Effect of Nutrients on Fermentation of Pretreated Wheat Straw at very High Dry Matter Content by <i>Saccharomyces cerevisiae</i> . <i>Applied Biochemistry and Biotechnology</i> , 2009, 153, 44-57.	1.4	73
57	Yield-determining factors in high-solids enzymatic hydrolysis of lignocellulose. <i>Biotechnology for Biofuels</i> , 2009, 2, 11.	6.2	504
58	Cellulose-water interactions during enzymatic hydrolysis as studied by time domain NMR. <i>Cellulose</i> , 2008, 15, 703-710.	2.4	110
59	Cell wall structural changes in wheat straw pretreated for bioethanol production. <i>Biotechnology for Biofuels</i> , 2008, 1, 5.	6.2	342
60	Enzymatic conversion of lignocellulose into fermentable sugars: challenges and opportunities. <i>Biofuels, Bioproducts and Biorefining</i> , 2007, 1, 119-134.	1.9	894
61	Liquefaction of lignocellulose at high-solids concentrations. <i>Biotechnology and Bioengineering</i> , 2007, 96, 862-870.	1.7	444
62	Use of surface active additives in enzymatic hydrolysis of wheat straw lignocellulose. <i>Enzyme and Microbial Technology</i> , 2007, 40, 888-895.	1.6	291
63	Lignin Radicals in the Plant Cell Wall Probed by Kerr-Gated Resonance Raman Spectroscopy. <i>Biophysical Journal</i> , 2006, 90, 2978-2986.	0.2	39
64	Production of cellulases by <i>Penicillium brasilianum</i> IBT 20888-Effect of substrate on hydrolytic performance. <i>Enzyme and Microbial Technology</i> , 2006, 38, 381-390.	1.6	112
65	Preliminary Results on Optimization of Pilot Scale Pretreatment of Wheat Straw Used in Coproduction of Bioethanol and Electricity. , 2006, 129-132, 448-460.		28
66	Preliminary Results on Optimization of Pilot Scale Pretreatment of Wheat Straw Used in Coproduction of Bioethanol and Electricity. <i>Applied Biochemistry and Biotechnology</i> , 2006, 130, 447-460.	1.4	18
67	Production of cellulases and hemicellulases by three <i>Penicillium</i> species: effect of substrate and evaluation of cellulase adsorption by capillary electrophoresis. <i>Enzyme and Microbial Technology</i> , 2005, 36, 42-48.	1.6	109
68	Screening Genus <i>Penicillium</i> for Producers of Cellulolytic and Xylanolytic Enzymes. <i>Applied Biochemistry and Biotechnology</i> , 2004, 114, 389-402.	1.4	73
69	Growth and enzyme production by three <i>Penicillium</i> species on monosaccharides. <i>Journal of Biotechnology</i> , 2004, 109, 295-299.	1.9	29
70	Screening Genus <i>Penicillium</i> for Producers of Cellulolytic and Xylanolytic Enzymes. , 2004, , 389-401.		3
71	Separation and quantification of cellulases and hemicellulases by capillary electrophoresis. <i>Analytical Biochemistry</i> , 2003, 317, 85-93.	1.1	40
72	Production of cellulose and hemicellulose-degrading enzymes by filamentous fungi cultivated on wet-oxidised wheat straw. <i>Enzyme and Microbial Technology</i> , 2003, 32, 606-615.	1.6	91

#	ARTICLE	IF	CITATIONS
73	Purification and characterization of five cellulases and one xylanase from <i>Penicillium brasilianum</i> IBT 20888. <i>Enzyme and Microbial Technology</i> , 2003, 32, 851-861.	1.6	102
74	Fed-batch cultivation of baker's yeast followed by nitrogen or carbon starvation: effects on fermentative capacity and content of trehalose and glycogen. <i>Applied Microbiology and Biotechnology</i> , 2002, 59, 310-317.	1.7	45