

# Rodrigo L Massara

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7765505/publications.pdf>

Version: 2024-02-01

29  
papers

822  
citations

394421

19  
h-index

526287

27  
g-index

29  
all docs

29  
docs citations

29  
times ranked

1173  
citing authors

#	ARTICLE	IF	CITATIONS
1	Benthic macroinvertebrate assemblages detect the consequences of a sewage spill: a case study of a South American environmental challenge. <i>Limnology</i> , 2022, 23, 181-194.	1.5	10
2	Density and habitat use of one of the last jaguar populations of the Brazilian Atlantic Forest: Is there still hope?. <i>Ecology and Evolution</i> , 2022, 12, e8487.	1.9	3
3	Factors influencing the habitat use by ocelots in one of the last large Atlantic Forest remnants in southeastern Brazil. <i>Ecology and Evolution</i> , 2021, 11, 4631-4643.	1.9	7
4	NEOTROPICAL ALIEN MAMMALS: a data set of occurrence and abundance of alien mammals in the Neotropics. <i>Ecology</i> , 2020, 101, e03115.	3.2	22
5	NEOTROPICAL CARNIVORES: a data set on carnivore distribution in the Neotropics. <i>Ecology</i> , 2020, 101, e03128.	3.2	26
6	Why are they here? Local variables explain the distribution of invasive mollusk species in neotropical hydropower reservoirs. <i>Ecological Indicators</i> , 2020, 117, 106674.	6.3	11
7	Using a multistate occupancy approach to determine molecular diagnostic accuracy and factors affecting avian haemosporidian infections. <i>Scientific Reports</i> , 2020, 10, 8480.	3.3	10
8	Feline predatorâ€“prey relationships in a semiâ€“arid biome in Brazil. <i>Journal of Zoology</i> , 2019, 307, 282-291.	1.7	30
9	Use of habitats by donkeys and cattle within a protected area of the Caatinga dry forest biome in northeastern Brazil. <i>Perspectives in Ecology and Conservation</i> , 2019, 17, 64-70.	1.9	11
10	NEOTROPICAL XENARTHTRANS: a data set of occurrence of xenarthran species in the Neotropics. <i>Ecology</i> , 2019, 100, e02663.	3.2	54
11	Human activities influence the occupancy probability of mammalian carnivores in the Brazilian Caatinga. <i>Biotropica</i> , 2019, 51, 253-265.	1.6	39
12	A Humboldtian Approach to Mountain Conservation and Freshwater Ecosystem Services. <i>Frontiers in Environmental Science</i> , 2019, 7, .	3.3	39
13	Effect of humans and pumas on the temporal activity of ocelots in protected areas of Atlantic Forest. <i>Mammalian Biology</i> , 2018, 92, 86-93.	1.5	34
14	Factors influencing ocelot occupancy in Brazilian Atlantic Forest reserves. <i>Biotropica</i> , 2018, 50, 125-134.	1.6	35
15	Anthropogenic Disturbances Drive Domestic Dog Use of Atlantic Forest Protected Areas. <i>Tropical Conservation Science</i> , 2018, 11, 194008291878983.	1.2	19
16	<scp>ATLANTIC</scp>â€“<scp>CAMTRAPS</scp>: a dataset of medium and large terrestrial mammal communities in the Atlantic Forest of South America. <i>Ecology</i> , 2017, 98, 2979-2979.	3.2	52
17	Risk factors for gastrointestinal parasite infections of dogs living around protected areas of the Atlantic Forest: implications for human and wildlife health. <i>Brazilian Journal of Biology</i> , 2017, 77, 388-395.	0.9	21
18	Prevalence and risk factors for viral exposure in rural dogs around protected areas of the Atlantic forest. <i>BMC Veterinary Research</i> , 2016, 12, 21.	1.9	28

#	ARTICLE	IF	CITATIONS
19	Ecological interactions between ocelots and sympatric mesocarnivores in protected areas of the Atlantic Forest, southeastern Brazil. <i>Journal of Mammalogy</i> , 2016, 97, 1634-1644.	1.3	38
20	Use of Atlantic Forest protected areas by free-ranging dogs: estimating abundance and persistence of use. <i>Ecosphere</i> , 2016, 7, e01480.	2.2	29
21	Gastrointestinal parasites of maned wolf ( <i>Chrysocyon brachyurus</i> , Illiger 1815) in a suburban area in southeastern Brazil. <i>Brazilian Journal of Biology</i> , 2015, 75, 643-649.	0.9	7
22	Ocelot Population Status in Protected Brazilian Atlantic Forest. <i>PLoS ONE</i> , 2015, 10, e0141333.	2.5	40
23	Factors Associated with the Seroprevalence of Leishmaniasis in Dogs Living around Atlantic Forest Fragments. <i>PLoS ONE</i> , 2014, 9, e104003.	2.5	20
24	High consumption of primates by pumas and ocelots in a remnant of the Brazilian Atlantic Forest. <i>Brazilian Journal of Biology</i> , 2014, 74, 632-641.	0.9	19
25	Diet and Habitat Use by Maned Wolf Outside Protected Areas in Eastern Brazil. <i>Tropical Conservation Science</i> , 2012, 5, 284-300.	1.2	23
26	Is the domestic dog becoming an abundant species in the Atlantic forest? A study case in southeastern Brazil. <i>Mammalia</i> , 2012, 76, .	0.7	37
27	Etiological treatment during early chronic indeterminate Chagas disease incites an activated status on innate and adaptive immunity associated with a type 1-modulated cytokine pattern. <i>Microbes and Infection</i> , 2008, 10, 103-113.	1.9	48
28	Are increased frequency of macrophage-like and natural killer (NK) cells, together with high levels of NKT and CD4+CD25 <sup>high</sup> T cells balancing activated CD8+ T cells, the key to control Chagas' disease morbidity?. <i>Clinical and Experimental Immunology</i> , 2006, 145, 81-92.	2.6	70
29	Benznidazole Treatment during Early-indeterminate Chagas' Disease Shifted the Cytokine Expression by Innate and Adaptive Immunity Cells toward a Type 1-modulated Immune Profile. <i>Scandinavian Journal of Immunology</i> , 2006, 64, 554-563.	2.7	40