Bayardo Perez-Ordonez

List of Publications by Citations

Source: https://exaly.com/author-pdf/7766272/bayardo-perez-ordonez-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147 papers 8,750 citations

49 h-index 91 g-index

153 ext. papers

9,889 ext. citations

4./ avg, IF 5.53 L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 147 | Mammary analogue secretory carcinoma of salivary glands, containing the ETV6-NTRK3 fusion gene: a hitherto undescribed salivary gland tumor entity. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 599-608 | 6.7 | 678 |
| 146 | Deintensification candidate subgroups in human papillomavirus-related oropharyngeal cancer according to minimal risk of distant metastasis. <i>Journal of Clinical Oncology</i> , 2013 , 31, 543-50 | 2.2 | 454 |
| 145 | Comprehensive MicroRNA profiling for head and neck squamous cell carcinomas. <i>Clinical Cancer Research</i> , 2010 , 16, 1129-39 | 12.9 | 317 |
| 144 | Validation of methods for oropharyngeal cancer HPV status determination in US cooperative group trials. <i>American Journal of Surgical Pathology</i> , 2012 , 36, 945-54 | 6.7 | 285 |
| 143 | Refining American Joint Committee on Cancer/Union for International Cancer Control TNM stage and prognostic groups for human papillomavirus-related oropharyngeal carcinomas. <i>Journal of Clinical Oncology</i> , 2015 , 33, 836-45 | 2.2 | 279 |
| 142 | EWSR1-ATF1 fusion is a novel and consistent finding in hyalinizing clear-cell carcinoma of salivary gland. <i>Genes Chromosomes and Cancer</i> , 2011 , 50, 559-70 | 5 | 274 |
| 141 | Renal oncocytoma: a clinicopathologic study of 70 cases. <i>American Journal of Surgical Pathology</i> , 1997 , 21, 871-83 | 6.7 | 260 |
| 140 | Comparative prognostic value of HPV16 E6 mRNA compared with in situ hybridization for human oropharyngeal squamous carcinoma. <i>Journal of Clinical Oncology</i> , 2009 , 27, 6213-21 | 2.2 | 255 |
| 139 | Low etiologic fraction for high-risk human papillomavirus in oral cavity squamous cell carcinomas. <i>Oral Oncology</i> , 2013 , 49, 1-8 | 4.4 | 245 |
| 138 | Follicular dendritic cell tumor: report of 13 additional cases of a distinctive entity. <i>American Journal of Surgical Pathology</i> , 1996 , 20, 944-55 | 6.7 | 206 |
| 137 | mRNA transcript quantification in archival samples using multiplexed, color-coded probes. <i>BMC Biotechnology</i> , 2011 , 11, 46 | 3.5 | 201 |
| 136 | Natural course of distant metastases following radiotherapy or chemoradiotherapy in HPV-related oropharyngeal cancer. <i>Oral Oncology</i> , 2013 , 49, 79-85 | 4.4 | 193 |
| 135 | Mammary analog secretory carcinoma of salivary gland origin with the ETV6 gene rearrangement by FISH: expanded morphologic and immunohistochemical spectrum of a recently described entity. <i>American Journal of Surgical Pathology</i> , 2012 , 36, 27-34 | 6.7 | 190 |
| 134 | Identification of a microRNA signature associated with progression of leukoplakia to oral carcinoma. <i>Human Molecular Genetics</i> , 2009 , 18, 4818-29 | 5.6 | 187 |
| 133 | Atypical clinical behavior of p16-confirmed HPV-related oropharyngeal squamous cell carcinoma treated with radical radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 82, 276-83 | 4 | 171 |
| 132 | Involvement of multiple signaling pathways in follicular lymphoma transformation: p38-mitogen-activated protein kinase as a target for therapy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 7259-64 | 11.5 | 152 |
| 131 | Hotspot activating PRKD1 somatic mutations in polymorphous low-grade adenocarcinomas of the salivary glands. <i>Nature Genetics</i> , 2014 , 46, 1166-9 | 36.3 | 150 |

(2013-2012)

| 130 | Outcomes of HPV-related oropharyngeal cancer patients treated by radiotherapy alone using altered fractionation. <i>Radiotherapy and Oncology</i> , 2012 , 103, 49-56 | 5.3 | 142 |
|-----|--|------|-----|
| 129 | Expression of Skp2, a p27(Kip1) ubiquitin ligase, in malignant lymphoma: correlation with p27(Kip1) and proliferation index. <i>Blood</i> , 2002 , 100, 2950-6 | 2.2 | 115 |
| 128 | Solid serous adenoma of the pancreas. The solid variant of serous cystadenoma?. <i>American Journal of Surgical Pathology</i> , 1996 , 20, 1401-5 | 6.7 | 115 |
| 127 | Small cell neuroendocrine carcinoma of the nasal cavity and paranasal sinuses. <i>Human Pathology</i> , 1998 , 29, 826-32 | 3.7 | 112 |
| 126 | Prognostic value of pretreatment circulating neutrophils, monocytes, and lymphocytes in oropharyngeal cancer stratified by human papillomavirus status. <i>Cancer</i> , 2015 , 121, 545-55 | 6.4 | 109 |
| 125 | Programmed cell death 4 loss increases tumor cell invasion and is regulated by miR-21 in oral squamous cell carcinoma. <i>Molecular Cancer</i> , 2010 , 9, 238 | 42.1 | 107 |
| 124 | Novel PRKD gene rearrangements and variant fusions in cribriform adenocarcinoma of salivary gland origin. <i>Genes Chromosomes and Cancer</i> , 2014 , 53, 845-56 | 5 | 102 |
| 123 | Olfactory neuroblastoma is not related to the Ewing family of tumors: absence of EWS/FLI1 gene fusion and MIC2 expression. <i>American Journal of Surgical Pathology</i> , 1998 , 22, 391-8 | 6.7 | 100 |
| 122 | Human Papillomavirus Testing in Head and Neck Carcinomas: ASCO Clinical Practice Guideline Endorsement of the College of American Pathologists Guideline. <i>Journal of Clinical Oncology</i> , 2018 , 36, 3152-3161 | 2.2 | 97 |
| 121 | Solitary extramedullary plasmacytoma of the head and necklong-term outcome analysis of 68 cases. <i>Head and Neck</i> , 2008 , 30, 1012-9 | 4.2 | 91 |
| 120 | Cribriform adenocarcinoma of minor salivary gland origin principally affecting the tongue: characterization of new entity. <i>American Journal of Surgical Pathology</i> , 2011 , 35, 1168-76 | 6.7 | 86 |
| 119 | Claudin 1 overexpression increases invasion and is associated with aggressive histological features in oral squamous cell carcinoma. <i>Cancer</i> , 2008 , 113, 3169-80 | 6.4 | 86 |
| 118 | Potentially prognostic miRNAs in HPV-associated oropharyngeal carcinoma. <i>Clinical Cancer Research</i> , 2013 , 19, 2154-62 | 12.9 | 85 |
| 117 | Esthesioneuroblastoma: The Princess Margaret Hospital experience. <i>Head and Neck</i> , 2008 , 30, 1607-14 | 4.2 | 84 |
| 116 | Low-grade intraductal carcinoma of salivary gland: report of 3 cases with marked apocrine differentiation. <i>American Journal of Surgical Pathology</i> , 2006 , 30, 1014-21 | 6.7 | 84 |
| 115 | A gene signature in histologically normal surgical margins is predictive of oral carcinoma recurrence. <i>BMC Cancer</i> , 2011 , 11, 437 | 4.8 | 81 |
| 114 | Oncocytic mucoepidermoid carcinoma: clinicopathologic description in a series of 12 cases. <i>American Journal of Surgical Pathology</i> , 2009 , 33, 409-16 | 6.7 | 80 |
| 113 | Temporal nodal regression and regional control after primary radiation therapy for N2-N3 head-and-neck cancer stratified by HPV status. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 87, 1078-85 | 4 | 79 |

| 112 | Significance of dysregulated metadherin and microRNA-375 in head and neck cancer. <i>Clinical Cancer Research</i> , 2011 , 17, 7539-50 | 12.9 | 75 |
|-----|---|------|----|
| 111 | Epithelial-myoepithelial carcinoma with high grade transformation. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 1258-65 | 6.7 | 75 |
| 110 | Multiple dysregulated pathways in nasopharyngeal carcinoma revealed by gene expression profiling. <i>International Journal of Cancer</i> , 2006 , 119, 2467-75 | 7.5 | 74 |
| 109 | Ewing family of tumors of the sinonasal tract and maxillary bone. <i>Head and Neck Pathology</i> , 2011 , 5, 8-16 | 3.3 | 68 |
| 108 | The association between EGFR variant III, HPV, p16, c-MET, EGFR gene copy number and response to EGFR inhibitors in patients with recurrent or metastatic squamous cell carcinoma of the head and neck. <i>Head & Neck Oncology</i> , 2011 , 3, 11 | | 68 |
| 107 | Low prevalence of human papillomavirus in oral cavity carcinomas. <i>Head & Neck Oncology</i> , 2010 , 2, 6 | | 67 |
| 106 | Salivary duct carcinoma: Treatment, outcomes, and patterns of failure. <i>Head and Neck</i> , 2016 , 38 Suppl 1, E820-6 | 4.2 | 63 |
| 105 | Recurrent RET Gene Rearrangements in Intraductal Carcinomas of Salivary Gland. <i>American Journal of Surgical Pathology</i> , 2018 , 42, 442-452 | 6.7 | 62 |
| 104 | Recurrent hyalinizing clear cell carcinoma of the base of tongue with high-grade transformation and EWSR1 gene rearrangement by FISH. <i>Head and Neck Pathology</i> , 2012 , 6, 389-94 | 3.3 | 58 |
| 103 | Canadian Association of Pathologists-Association canadienne des pathologistes National Standards Committee/Immunohistochemistry: best practice recommendations for standardization of immunohistochemistry tests. <i>American Journal of Clinical Pathology</i> , 2010 , 133, 354-65 | 1.9 | 57 |
| 102 | Recognition of nonkeratinizing morphology in oropharyngeal squamous cell carcinoma - a prospective cohort and interobserver variability study. <i>Histopathology</i> , 2012 , 60, 427-36 | 7.3 | 53 |
| 101 | Potentially novel candidate biomarkers for head and neck squamous cell carcinoma identified using an integrated cell line-based discovery strategy. <i>Molecular and Cellular Proteomics</i> , 2012 , 11, 1404-15 | 7.6 | 51 |
| 100 | Role of Pirh2 in mediating the regulation of p53 and c-Myc. <i>PLoS Genetics</i> , 2011 , 7, e1002360 | 6 | 51 |
| 99 | An analysis of PLAG1 and HMGA2 rearrangements in salivary duct carcinoma and examination of the role of precursor lesions. <i>Histopathology</i> , 2013 , 63, 250-62 | 7.3 | 49 |
| 98 | CD30 and Epstein-Barr virus RNA expression in sclerosing angiomatoid nodular transformation of spleen. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2007 , 451, 73-9 | 5.1 | 49 |
| 97 | Non-small cell neuroendocrine carcinoma of the sinonasal tract and nasopharynx. Report of 2 cases and review of the literature. <i>Head and Neck Pathology</i> , 2007 , 1, 21-6 | 3.3 | 48 |
| 96 | Calretinin staining facilitates differentiation of olfactory neuroblastoma from other small round blue cell tumors in the sinonasal tract. <i>American Journal of Surgical Pathology</i> , 2011 , 35, 1786-93 | 6.7 | 47 |
| 95 | Impact of cisplatin dose intensity on human papillomavirus-related and -unrelated locally advanced head and neck squamous cell carcinoma. <i>European Journal of Cancer</i> , 2016 , 67, 174-182 | 7.5 | 46 |

| 94 | Neuroendocrine neoplasms of the sinonasal region. <i>Head and Neck</i> , 2016 , 38 Suppl 1, E2259-66 | 4.2 | 44 |
|----|--|-----|----|
| 93 | Nodular fasciitis of the head and neck region: a clinicopathologic description in a series of 30 cases. Journal of Cutaneous Pathology, 2009 , 36, 1168-73 | 1.7 | 44 |
| 92 | Re-evaluation of Ipsilateral Radiation for T1-T2N0-N2b Tonsil Carcinoma at the Princess Margaret Hospital in the Human Papillomavirus Era, 25 Years Later. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 98, 159-169 | 4 | 41 |
| 91 | Equivocal p16 immunostaining in squamous cell carcinoma of the head and neck: staining patterns are suggestive of HPV status. <i>Head and Neck Pathology</i> , 2012 , 6, 422-9 | 3.3 | 41 |
| 90 | SATB2 augments Np63In head and neck squamous cell carcinoma. <i>EMBO Reports</i> , 2010 , 11, 777-83 | 6.5 | 41 |
| 89 | Identification of a microRNA signature associated with risk of distant metastasis in nasopharyngeal carcinoma. <i>Oncotarget</i> , 2015 , 6, 4537-50 | 3.3 | 40 |
| 88 | Radiologic Extranodal Extension Portends Worse Outcome in cN+ TNM-8 Stage I Human Papillomavirus-Mediated Oropharyngeal Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019 , 104, 1017-1027 | 4 | 38 |
| 87 | Neuroendocrine neoplasms of the head and neck: some suggestions for the new WHO classification of head and neck tumors. <i>Head and Neck Pathology</i> , 2014 , 8, 24-32 | 3.3 | 38 |
| 86 | Intercalated duct lesions of salivary gland: a morphologic spectrum from hyperplasia to adenoma. <i>American Journal of Surgical Pathology</i> , 2009 , 33, 1322-9 | 6.7 | 37 |
| 85 | Primary extraskeletal Ewing family tumor with complex epithelial differentiation: a unique case arising in the lateral neck presenting with Horner syndrome. <i>American Journal of Surgical Pathology</i> , 2008 , 32, 1742-8 | 6.7 | 37 |
| 84 | Activating KRAS mutations are characteristic of oncocytic sinonasal papilloma and associated sinonasal squamous cell carcinoma. <i>Journal of Pathology</i> , 2016 , 239, 394-8 | 9.4 | 37 |
| 83 | Recurrent genomic alterations in sequential progressive leukoplakia and oral cancer: drivers of oral tumorigenesis?. <i>Human Molecular Genetics</i> , 2014 , 23, 2618-28 | 5.6 | 36 |
| 82 | A Phase II trial of erlotinib as maintenance treatment after gemcitabine plus platinum-based chemotherapy in patients with recurrent and/or metastatic nasopharyngeal carcinoma. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2012 , 35, 255-60 | 2.7 | 36 |
| 81 | The changing incidence of human papillomavirus-associated oropharyngeal cancer using multiple imputation from 2000 to 2010 at a Comprehensive Cancer Centre. <i>Cancer Epidemiology</i> , 2013 , 37, 820-9 | 2.8 | 35 |
| 80 | Radiologic-Pathologic Correlation of Extranodal Extension in Patients With Squamous Cell Carcinoma of the Oral Cavity: Implications for Future Editions of the TNM Classification. International Journal of Radiation Oncology Biology Physics, 2018, 102, 698-708 | 4 | 34 |
| 79 | Low-grade salivary duct carcinoma or low-grade intraductal carcinoma? Review of the literature. Head and Neck Pathology, 2013 , 7 Suppl 1, S59-67 | 3.3 | 33 |
| 78 | Primary chordoid meningioma of lung. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2005 , 446, 333-7 | 5.1 | 33 |
| 77 | Association of high-risk human papillomavirus infection with oral epithelial dysplasia. <i>Oral Surgery,</i> Oral Medicine, Oral Pathology and Oral Radiology, 2013 , 115, 541-9 | 2 | 32 |

| 76 | Young patients with oral squamous cell carcinoma: study of the involvement of GSTP1 and deregulation of the Fanconi anemia genes. <i>JAMA Otolaryngology</i> , 2006 , 132, 958-66 | | 30 |
|----|---|------|----|
| 75 | Neuroendocrine Neoplasms of the Sinonasal Tract: Neuroendocrine Carcinomas and Olfactory Neuroblastoma. <i>Head and Neck Pathology</i> , 2016 , 10, 85-94 | 3.3 | 28 |
| 74 | INI1 (SMARCB1)-Deficient Sinonasal Carcinoma: A Clinicopathologic Report of 2 Cases. <i>Head and Neck Pathology</i> , 2017 , 11, 256-261 | 3.3 | 28 |
| 73 | Sarcomatoid variant of B-cell lymphoma of the uterine cervix. <i>International Journal of Gynecological Pathology</i> , 2003 , 22, 289-93 | 3.2 | 28 |
| 72 | Outcome analysis of 215 patients with parotid gland tumors: a retrospective cohort analysis. Journal of Otolaryngology - Head and Neck Surgery, 2015 , 44, 43 | 5.4 | 27 |
| 71 | Outcomes of squamous cell cancer of the oral tongue managed at the Princess Margaret Hospital. Head and Neck, 2013 , 35, 632-41 | 4.2 | 25 |
| 70 | Radiologic-Pathologic Correlation of Tumor Thickness and Its Prognostic Importance in Squamous Cell Carcinoma of the Oral Cavity: Implications for the Eighth Edition Tumor, Node, Metastasis Classification. <i>American Journal of Neuroradiology</i> , 2018 , 39, 1896-1902 | 4.4 | 25 |
| 69 | Impact of p16 expression, nodal status, and smoking on oncologic outcomes of patients with head and neck unknown primary squamous cell carcinoma. <i>Head and Neck</i> , 2016 , 38, 1347-53 | 4.2 | 24 |
| 68 | Morphologic and topographic radiologic features of human papillomavirus-related and -unrelated oropharyngeal carcinoma. <i>Head and Neck</i> , 2017 , 39, 1524-1534 | 4.2 | 23 |
| 67 | Oncocytic lipoadenoma of the parotid gland with sebaceous differentiation. Study of its keratin profile. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2006 , 449, 722-5 | 5.1 | 23 |
| 66 | Neuroendocrine Carcinomas of the Larynx and Head and Neck: Challenges in Classification and Grading. <i>Head and Neck Pathology</i> , 2018 , 12, 1-8 | 3.3 | 22 |
| 65 | Functional interplay of p53 and Mus81 in DNA damage responses and cancer. <i>Cancer Research</i> , 2007 , 67, 8527-35 | 10.1 | 22 |
| 64 | Ductal adenomas of salivary gland showing features of striated duct differentiation (Ratriated duct adenoma): a report of six cases. <i>Histopathology</i> , 2010 , 57, 707-15 | 7.3 | 21 |
| 63 | SNAI1 expression and the mesenchymal phenotype: an immunohistochemical study performed on 46 cases of oral squamous cell carcinoma. <i>BMC Clinical Pathology</i> , 2010 , 10, 1 | 3 | 20 |
| 62 | Correlation of Epstein-Barr virus DNA in cell-free plasma, functional imaging and clinical course in locally advanced nasopharyngeal cancer: a pilot study. <i>Head and Neck</i> , 2004 , 26, 815-22 | 4.2 | 19 |
| 61 | Human papillomavirus-16 associated adenocarcinoma NOS of base of tongue. <i>Head and Neck Pathology</i> , 2013 , 7, 268-73 | 3.3 | 18 |
| 60 | Expression of matrix metalloproteinase-1, -7, -9, -13, Ki-67, and HER-2 in epithelial-myoepithelial salivary gland cancer. <i>Head and Neck</i> , 2010 , 32, 1019-27 | 4.2 | 17 |
| 59 | EBV-associated perianal Hodgkinß disease in an HIV-positive individual. <i>American Journal of Hematology</i> , 2001 , 66, 42-5 | 7.1 | 16 |

(2007-2020)

| 58 | Histologic Classification and Molecular Signature of Polymorphous Adenocarcinoma (PAC) and Cribriform Adenocarcinoma of Salivary Gland (CASG): An International Interobserver Study. <i>American Journal of Surgical Pathology</i> , 2020 , 44, 545-552 | 6.7 | 15 | |
|----|---|-----|----|--|
| 57 | Expression patterns of Trk-A, Trk-B, GRP78, and p75NRT in olfactory neuroblastoma. <i>Human Pathology</i> , 2009 , 40, 1330-5 | 3.7 | 15 | |
| 56 | Metastatic adamantinoma diagnosed by fine-needle aspiration biopsy of the lung. <i>Diagnostic Cytopathology</i> , 1994 , 10, 347-51 | 1.4 | 14 | |
| 55 | Exploring the Impact of Human Papillomavirus Status, Comorbidity, Polypharmacy, and Treatment Intensity on Outcome of Elderly Oropharyngeal Cancer Patients Treated With Radiation Therapy With or Without Chemotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , | 4 | 13 | |
| 54 | Longer survival in patients with human papillomavirus-related head and neck cancer after positive postradiation planned neck dissection. <i>Head and Neck</i> , 2015 , 37, 946-52 | 4.2 | 12 | |
| 53 | Does Catecholamine Secretion from Head and Neck Paragangliomas Respond to Radiotherapy? Case Report and Literature Review. <i>Skull Base</i> , 2003 , 13, 229-234 | | 12 | |
| 52 | Nodal Metastases in Acinic Cell Carcinoma of the Parotid Gland. <i>Journal of Clinical Medicine</i> , 2019 , 8, | 5.1 | 10 | |
| 51 | Treatment implications of postoperative chemoradiotherapy for squamous cell carcinoma of the oral cavity with minor and major extranodal extension. <i>Oral Oncology</i> , 2020 , 110, 104845 | 4.4 | 10 | |
| 50 | Epstein-Barr Virus-Positive Large Cell Neuroendocrine Carcinoma of the Nasopharynx: Report of a Case with Complete Clinical and Radiological Response After Combined Chemoradiotherapy. <i>Head and Neck Pathology</i> , 2018 , 12, 587-591 | 3.3 | 10 | |
| 49 | Human papillomavirus-associated adenocarcinoma of the base of tongue: potentially actionable genetic changes. <i>Head and Neck Pathology</i> , 2014 , 8, 151-6 | 3.3 | 10 | |
| 48 | Canadian Association of Pathologists-Association canadienne des pathologistes National Standards Committee for High Complexity Testing/Immunohistochemistry: guidelines for the preparation, release, and storage of unstained archived diagnostic tissue sections for immunohistochemistry. | 1.9 | 9 | |
| 47 | American Journal of Clinical Pathology, 2014 , 142, 629-33 Patterns of failure and histopathologic outcome predictors following definitive radiotherapy and planned neck dissection with residual disease. <i>Head and Neck</i> , 2012 , 34, 913-22 | 4.2 | 9 | |
| 46 | Molecular characterization of salivary gland malignancy using the Smgb-Tag transgenic mouse model. <i>Laboratory Investigation</i> , 2005 , 85, 947-61 | 5.9 | 8 | |
| 45 | Human Papillomavirus Testing in Head and Neck Carcinomas: ASCO Clinical Practice Guideline Endorsement Summary of the CAP Guideline. <i>Journal of Oncology Practice</i> , 2018 , 14, 613-617 | 3.1 | 8 | |
| 44 | A 4-gene signature from histologically normal surgical margins predicts local recurrence in patients with oral carcinoma: clinical validation. <i>Scientific Reports</i> , 2020 , 10, 1713 | 4.9 | 7 | |
| 43 | Human papillomavirus-associated poorly differentiated (small cell) neuroendocrine carcinoma of the oropharynx. <i>Diagnostic Histopathology</i> , 2013 , 19, 20-24 | 0.7 | 7 | |
| 42 | Large cell neuroendocrine carcinoma of the head and neck. <i>American Journal of Surgical Pathology</i> , 2012 , 36, 1102-3 | 6.7 | 7 | |
| 41 | Primary intraosseous meningioma of the calvaria: analysis of the literature and case report. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2007 , 104, e34-41 | | 7 | |

| 40 | Transitions in oral and gut microbiome of HPV+ oropharyngeal squamous cell carcinoma following definitive chemoradiotherapy (ROMA LA-OPSCC study). <i>British Journal of Cancer</i> , 2021 , 124, 1543-1551 | 8.7 | 7 |
|----|---|-----|---|
| 39 | Prevalence, prognosis, and treatment implications of retropharyngeal nodes in unknown primary head and neck carcinoma. <i>Oral Oncology</i> , 2018 , 82, 162-167 | 4.4 | 7 |
| 38 | Association of human papilloma virus with atypical and malignant oral papillary lesions. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology,</i> 2014 , 117, 722-32 | 2 | 6 |
| 37 | High-grade intracranial chondrosarcoma presenting with haemorrhage. <i>Journal of Clinical Neuroscience</i> , 2013 , 20, 1457-60 | 2.2 | 6 |
| 36 | Nonsquamous Lesions of the Nasal Cavity, Paranasal Sinuses, and Nasopharynx 2009 , 111-189 | | 6 |
| 35 | Spiradenocarcinoma arising from a spiradenocylindroma: unusual case with lymphoepithelioma-like areas. <i>Journal of Cutaneous Medicine and Surgery</i> , 2009 , 13, 215-20 | 1.6 | 6 |
| 34 | Noncontiguous bilateral esthesioneuroblastoma: a case report. Skull Base, 2007, 17, 405-7 | | 6 |
| 33 | Differential impact of cisplatin dose intensity on human papillomavirus (HPV)-related (+) and HPV-unrelated (Dlocoregionally advanced head and neck squamous cell carcinoma (LAHNSCC) <i>Journal of Clinical Oncology</i> , 2015 , 33, 6020-6020 | 2.2 | 6 |
| 32 | Phase I trial of dacomitinib, a pan-human epidermal growth factor receptor (HER) inhibitor, with concurrent radiotherapy and cisplatin in patients with locoregionally advanced squamous cell carcinoma of the head and neck (XDC-001). <i>Investigational New Drugs</i> , 2016 , 34, 575-83 | 4.3 | 6 |
| 31 | Multiple imputation and clinico-serological models to predict human papillomavirus status in oropharyngeal carcinoma: An alternative when tissue is unavailable. <i>International Journal of Cancer</i> , 2020 , 146, 2166-2174 | 7.5 | 6 |
| 30 | New tumor phenotypes reported in the larynx in the last decades: a critique. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2015 , 36, 494-7 | 2.8 | 5 |
| 29 | Impact of cisplatin dose and smoking pack-years in human papillomavirus-positive oropharyngeal squamous cell carcinoma treated with chemoradiotherapy. <i>European Journal of Cancer</i> , 2019 , 118, 112- | 120 | 5 |
| 28 | Rhabdomyosarcoma with rhabdoid-like features. Pathology Research and Practice, 1998, 194, 357-61 | 3.4 | 5 |
| 27 | Middle Ear "Adenoma": a Neuroendocrine Tumor with Predominant L Cell Differentiation. <i>Endocrine Pathology</i> , 2021 , 32, 433-441 | 4.2 | 5 |
| 26 | Finding/identifying primaries with neck disease (FIND) clinical trial protocol: a study integrating transoral robotic surgery, histopathological localisation and tailored deintensification of radiotherapy for unknown primary and small oropharyngeal head and neck squamous cell | 3 | 5 |
| 25 | carcinoma. <i>BMJ Open</i> , 2019 , 9, e035431 Antitumor immune effects of preoperative sitravatinib and nivolumab in oral cavity cancer: SNOW window-of-opportunity study 2021 , 9, | | 4 |
| 24 | Epithelioid myofibroblastoma of the female breast. <i>Diagnostic Histopathology</i> , 2015 , 21, 299-302 | 0.7 | 3 |
| 23 | Adenosquamous carcinoma of hypopharynx with intestinal-phenotype. <i>Head and Neck Pathology</i> , 2015 , 9, 114-8 | 3.3 | 3 |

(2022-2013)

| 22 | Parotid gland metastasis originating from malignant meningioma. <i>Clinical Imaging</i> , 2013 , 37, 740-3 | 2.7 | 3 |
|----|--|-------------------|-----|
| 21 | Progress in salivary gland pathology: new entities and selected molecular features. <i>Diagnostic Histopathology</i> , 2012 , 18, 253-260 | 0.7 | 3 |
| 20 | Osteolysis after the use of a silicon-stabilized tricalcium phosphate-based bone substitute in a radius fracture: a case report. <i>Journal of Hand Surgery</i> , 2007 , 32, 497-500 | 2.6 | 3 |
| 19 | Role of the oral and gut microbiota as a biomarker in locoregionally advanced oropharyngeal squamous cell carcinoma (ROMA LA-OPSCC) <i>Journal of Clinical Oncology</i> , 2019 , 37, 6045-6045 | 2.2 | 3 |
| 18 | SNOW: Sitravatinib and nivolumab in oral cavity cancer (OCC) window of opportunity study <i>Journal of Clinical Oncology</i> , 2020 , 38, 6569-6569 | 2.2 | 3 |
| 17 | Data Set for the Reporting of Carcinomas of the Hypopharynx, Larynx, and Trachea: Explanations and Recommendations of the Guidelines From the International Collaboration on Cancer Reporting. <i>Archives of Pathology and Laboratory Medicine</i> , 2019 , 143, 432-438 | 5 | 3 |
| 16 | Giant Prolactinoma Presenting As a Base of Skull Tumor With Nasopharyngeal Extension: A Potential Diagnostic Pitfall in Neuroendocrine Lesions of the Base of Skull. <i>Head and Neck Pathology</i> , 2017 , 11, 537-540 | 3.3 | 2 |
| 15 | Treatment outcomes in oropharynx cancer patients who did not complete planned curative radiotherapy. <i>Oral Oncology</i> , 2019 , 97, 124-130 | 4.4 | 2 |
| 14 | Recurrent Undifferentiated Carcinoma of the Sella in a Patient with Lynch Syndrome. <i>World Neurosurgery</i> , 2019 , 132, 219-222 | 2.1 | 2 |
| 13 | Chondroid lipoma of the parotid gland. <i>Diagnostic Histopathology</i> , 2014 , 20, 422-424 | 0.7 | 2 |
| 12 | Long term control of a maxillary sinus mucoepidermoid carcinoma with low dose radiation therapy: a case report. <i>Radiation Oncology</i> , 2013 , 8, 251 | 4.2 | 2 |
| 11 | | | |
| | Mucoepidermoid carcinoma ex-inverted papilloma. <i>Diagnostic Histopathology</i> , 2015 , 21, 212-215 | 0.7 | 1 |
| 10 | Mucoepidermoid carcinoma ex-inverted papilloma. <i>Diagnostic Histopathology</i> , 2015 , 21, 212-215 Regional Recurrences and Hyams Grade in Esthesioneuroblastoma. <i>Journal of Neurological Surgery</i> , <i>Part B: Skull Base</i> , 2021 , 82, 608-614 | 0.7 | 1 |
| 10 | Regional Recurrences and Hyams Grade in Esthesioneuroblastoma. <i>Journal of Neurological Surgery</i> , | | |
| | Regional Recurrences and Hyams Grade in Esthesioneuroblastoma. <i>Journal of Neurological Surgery, Part B: Skull Base</i> , 2021 , 82, 608-614 Longitudinal health utility and symptom-toxicity trajectories in patients with head and neck | 1.5 | 1 |
| 9 | Regional Recurrences and Hyams Grade in Esthesioneuroblastoma. <i>Journal of Neurological Surgery, Part B: Skull Base</i> , 2021 , 82, 608-614 Longitudinal health utility and symptom-toxicity trajectories in patients with head and neck cancers. <i>Cancer</i> , 2021 , Prospective manipulation of the gut microbiome with Microbial Ecosystem Therapeutic 4 (MET4) in locoregionally advanced oropharyngeal squamous cell carcinoma (LA-OPSCC) undergoing primary | 1.5 6.4 | 1 |
| 9 | Regional Recurrences and Hyams Grade in Esthesioneuroblastoma. <i>Journal of Neurological Surgery, Part B: Skull Base</i> , 2021 , 82, 608-614 Longitudinal health utility and symptom-toxicity trajectories in patients with head and neck cancers. <i>Cancer</i> , 2021 , Prospective manipulation of the gut microbiome with Microbial Ecosystem Therapeutic 4 (MET4) in locoregionally advanced oropharyngeal squamous cell carcinoma (LA-OPSCC) undergoing primary chemoradiation (ROMA2) <i>Journal of Clinical Oncology</i> , 2021 , 39, 6059-6059 | 1.5 6.4 2.2 | 1 1 |

| 4 | Selected epithelial sinonasal neoplasms: an update. <i>Diagnostic Histopathology</i> , 2019 , 25, 281-288 | 0.7 |
|---|--|------|
| 3 | Subdural Collection as Initial Presentation of Granulomatosis With Polyangiitis. <i>JAMA Neurology</i> , 2016 , 73, 602-3 | 17.2 |
| 2 | P53 Gene Mutation Identified by Next Generation Sequencing in Poorly Differentiated Neuroendocrine Carcinoma of the Nasal Cavity. <i>Head and Neck Pathology</i> , 2019 , 13, 516-522 | 3.3 |
| 1 | Simultaneous choroidal and conjunctival metastases from renal cell carcinoma. <i>Indian Journal of Ophthalmology</i> , 2020 , 68, 1652-1654 | 1.6 |