Toni Petan

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7766487/toni-petan-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

32	722 citations	15	26
papers		h-index	g-index
37 ext. papers	950	4.9	4.88
	ext. citations	avg, IF	L-index

#	Paper	IF	Citations
32	Astrocytes in stress accumulate lipid droplets. <i>Glia</i> , 2021 , 69, 1540-1562	9	11
31	A twist of FATe: Lipid droplets and inflammatory lipid mediators. <i>Biochimie</i> , 2020 , 169, 69-87	4.6	41
30	Lipid Droplets in Cancer. Reviews of Physiology, Biochemistry and Pharmacology, 2020, 1	2.9	13
29	Synergy between 15-lipoxygenase and secreted PLA promotes inflammation by formation of TLR4 agonists from extracellular vesicles. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 25679-25689	11.5	7
28	The neurotoxic secreted phospholipase A from the Vipera a. ammodytes venom targets cytochrome c oxidase in neuronal mitochondria. <i>Scientific Reports</i> , 2019 , 9, 283	4.9	7
27	Lipid Droplets and the Management of Cellular Stress. <i>Yale Journal of Biology and Medicine</i> , 2019 , 92, 435-452	2.4	53
26	Lipidomic data on lipid droplet triglyceride remodelling associated with protection of breast cancer cells from lipotoxic stress. <i>Data in Brief</i> , 2018 , 18, 234-240	1.2	6
25	Lipid Droplets in Cancer: Guardians of Fat in a Stressful World. <i>Molecules</i> , 2018 , 23,	4.8	135
24	Lipid droplets induced by secreted phospholipase A and unsaturated fatty acids protect breast cancer cells from nutrient and lipotoxic stress. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2018 , 1863, 247-265	5	58
23	Engineering recombinant Lactococcus lactis as a delivery vehicle for BPC-157 peptide with antioxidant activities. <i>Applied Microbiology and Biotechnology</i> , 2018 , 102, 10103-10117	5.7	10
22	Harmful at non-cytotoxic concentrations: SiO-SPIONs affect surfactant metabolism and lamellar body biogenesis in A549 human alveolar epithelial cells. <i>Nanotoxicology</i> , 2017 , 11, 419-429	5.3	18
21	Lipid Droplet Formation in HeLa Cervical Cancer Cells Depends on Cell Density and the Concentration of Exogenous Unsaturated Fatty Acids. <i>Acta Chimica Slovenica</i> , 2017 , 64, 549-554	1.9	5
20	Disintegrins from the Venom of Vipera ammodytes ammodytes Efficiently Inhibit Migration of Breast Cancer Cells. <i>Acta Chimica Slovenica</i> , 2017 , 64, 555-559	1.9	3
19	Phospholipase A2 group IIA is elevated in endometriomas but not in peritoneal fluid and serum of ovarian endometriosis patients. <i>Gynecological Endocrinology</i> , 2015 , 31, 214-8	2.4	6
18	Secreted phospholipases A2 in cancer: diverse mechanisms of action. <i>Biochimie</i> , 2014 , 107 Pt A, 114-23	4.6	50
17	Secreted phospholipases Allre differentially expressed and epigenetically silenced in human breast cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 445, 230-5	3.4	19
16	Differential inhibition of LINE1 and LINE2 retrotransposition by vertebrate AID/APOBEC proteins. <i>Retrovirology</i> , 2013 , 10, 156	3.6	17

LIST OF PUBLICATIONS

15	Ammodytoxins efficiently release arachidonic acid and induce apoptosis in a motoneuronal cell line in an enzymatic activity-dependent manner. <i>NeuroToxicology</i> , 2013 , 35, 91-100	4.4	3
14	Neurotoxic phospholipase A2 toxicity model: An insight from mammalian cells. <i>Communicative and Integrative Biology</i> , 2013 , 6, e23600	1.7	10
13	Recombinant human erythropoietin alters gene expression and stimulates proliferation of MCF-7 breast cancer cells. <i>Radiology and Oncology</i> , 2013 , 47, 382-9	3.8	8
12	Group X secreted phospholipase A(2) induces lipid droplet formation and prolongs breast cancer cell survival. <i>Molecular Cancer</i> , 2013 , 12, 111	42.1	49
11	A neurotoxic phospholipase A2 impairs yeast amphiphysin activity and reduces endocytosis. <i>PLoS ONE</i> , 2012 , 7, e40931	3.7	9
10	Structure-function relationship studies of ammodytoxins and ammodytins by protein engineering. <i>Acta Chimica Slovenica</i> , 2011 , 58, 660-70	1.9	3
9	Structural basis of the significant calmodulin-induced increase in the enzymatic activity of secreted phospholipases A(2). <i>Protein Engineering, Design and Selection</i> , 2010 , 23, 479-87	1.9	11
8	A neurotoxic secretory phospholipase A2 induces apoptosis in motoneuron-like cells. <i>Annals of the New York Academy of Sciences</i> , 2009 , 1152, 215-24	6.5	8
7	Calmodulin is a nonessential activator of secretory phospholipase A(2). <i>Biochemistry</i> , 2009 , 48, 11319-2	283.2	15
6	Mapping the structural determinants of presynaptic neurotoxicity of snake venom phospholipases A2. <i>Toxicon</i> , 2008 , 51, 1520-9	2.8	21
5	Restoration of enzymatic activity in a Ser-49 phospholipase A2 homologue decreases its Ca(2+)-independent membrane-damaging activity and increases its toxicity. <i>Biochemistry</i> , 2007 , 46, 127	79 3 5-2809	9 ³⁹
4	Ammodytoxins, potent presynaptic neurotoxins, are also highly efficient phospholipase A2 enzymes. <i>Biochemistry</i> , 2005 , 44, 12535-45	3.2	32
3	Basic amino acid residues in the beta-structure region contribute, but not critically, to presynaptic neurotoxicity of ammodytoxin A. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2004 , 1702, 217-25	4	8
2	Phenylalanine-24 in the N-terminal region of ammodytoxins is important for both enzymic activity and presynaptic toxicity. <i>Biochemical Journal</i> , 2002 , 363, 353-8	3.8	18
1	Phenylalanine-24 in the N-terminal region of ammodytoxins is important for both enzymic activity and presynaptic toxicity. <i>Biochemical Journal</i> , 2002 , 363, 353-358	3.8	26