Teresa Marafioti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7766665/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Burkitt lymphoma with a granulomatous reaction: an M1/Th1â€polarised microenvironment is associated with controlled growth and spontaneous regression. Histopathology, 2022, 80, 430-442.	2.9	8
2	Spatial patterns of tumour growth impact clonal diversification in a computational model and the TRACERx Renal study. Nature Ecology and Evolution, 2022, 6, 88-102.	7.8	30
3	Systematic Evaluation of the Immune Environment of Small Intestinal Neuroendocrine Tumors. Clinical Cancer Research, 2022, 28, 2657-2668.	7.0	4
4	Allele-informed copy number evaluation of plasma DNA samples from metastatic prostate cancer patients: the PCF_SELECT consortium assay. NAR Cancer, 2022, 4, .	3.1	4
5	A local human Vδ1 T cell population is associated with survival in nonsmall-cell lung cancer. Nature Cancer, 2022, 3, 696-709.	13.2	39
6	Abstract 6091: Evolutionary characterisation of lung adenocarcinoma pathological subtypes in TRACERx. Cancer Research, 2022, 82, 6091-6091.	0.9	0
7	Programmed Cell Death Ligand Expression Drives Immune Tolerogenesis across the Diverse Subtypes of Neuroendocrine Tumours. Neuroendocrinology, 2021, 111, 465-474.	2.5	15
8	Lymph node core biopsies reliably permit diagnosis of lymphoproliferative diseases. Realâ€World Experience from 554 sequential core biopsies from a single centre. European Journal of Haematology, 2021, 106, 267-272.	2.2	9
9	Somatostatin receptor 2 expression in nasopharyngeal cancer is induced by Epstein Barr virus infection: impact on prognosis, imaging and therapy. Nature Communications, 2021, 12, 117.	12.8	34
10	Single-cell profiling of myasthenia gravis identifies a pathogenic T cell signature. Acta Neuropathologica, 2021, 141, 901-915.	7.7	28
11	Phenotypic Characteristics of the Tumour Microenvironment in Primary and Secondary Hepatocellular Carcinoma. Cancers, 2021, 13, 2137.	3.7	11
12	Exaggerated IL-17A activity in human in vivo recall responses discriminates active tuberculosis from latent infection and cured disease. Science Translational Medicine, 2021, 13, .	12.4	27
13	Selection of metastasis competent subclones in the tumour interior. Nature Ecology and Evolution, 2021, 5, 1033-1045.	7.8	50
14	Thyroid MALT lymphoma: self-harm to gain potential T-cell help. Leukemia, 2021, 35, 3497-3508.	7.2	17
15	Induction of APOBEC3 Exacerbates DNA Replication Stress and Chromosomal Instability in Early Breast and Lung Cancer Evolution. Cancer Discovery, 2021, 11, 2456-2473.	9.4	74
16	Trans-arterial chemoembolization as a loco-regional inducer of immunogenic cell death in hepatocellular carcinoma: implications for immunotherapy , 2021, 9, e003311.		66
17	Using DNA sequencing data to quantify T cell fraction and therapy response. Nature, 2021, 597, 555-560.	27.8	36
18	Axillary lymphadenopathy in a high-risk breast screening patient following the COVID-19 vaccine: a diagnostic conundrum. BJR case Reports, 2021, 7, 20210063.	0.2	0

#	Article	IF	CITATIONS
19	Transcriptional analysis of multiple ovarian cancer cohorts reveals prognostic and immunomodulatory consequences of ERV expression. , 2021, 9, e001519.		10
20	Determinants of anti-PD-1 response and resistance in clear cell renal cell carcinoma. Cancer Cell, 2021, 39, 1497-1518.e11.	16.8	126
21	Megakaryocytes, erythropoietic and granulopoietic cells express CAL2 antibody in myeloproliferative neoplasms carrying CALR gene mutations. International Journal of Experimental Pathology, 2021, 102, 45-50.	1.3	1
22	Aberrant chromatin landscape following loss of the H3.3 chaperone Daxx in haematopoietic precursors leads to Pu.1-mediated neutrophilia and inflammation. Nature Cell Biology, 2021, 23, 1224-1239.	10.3	10
23	Regulatory T Cells Restrain Interleukin-2- and Blimp-1-Dependent Acquisition of Cytotoxic Function by CD4+ T Cells. Immunity, 2020, 52, 151-166.e6.	14.3	130
24	Antitumor activity without on-target off-tumor toxicity of GD2–chimeric antigen receptor T cells in patients with neuroblastoma. Science Translational Medicine, 2020, 12, .	12.4	108
25	CD25-Treg-depleting antibodies preserving IL-2 signaling on effector T cells enhance effector activation and antitumor immunity. Nature Cancer, 2020, 1, 1153-1166.	13.2	97
26	Multiplex immunohistochemistry in lymphoma pathology: a research tool for study of the immune microenvironment. Diagnostic Histopathology, 2020, 26, 407-420.	0.4	2
27	Immune Surveillance in Clinical Regression of Preinvasive Squamous Cell Lung Cancer. Cancer Discovery, 2020, 10, 1489-1499.	9.4	60
28	Recent Advancements in Hematology: Knowledge, Methods and Dissemination. Hemato, 2020, 1, 5-6.	0.6	0
29	Immune landscape in Burkitt lymphoma reveals M2-macrophage polarization and correlation between PD-L1 expression and non-canonical EBV latency program. Infectious Agents and Cancer, 2020, 15, 28.	2.6	30
30	Geospatial immune variability illuminates differential evolution of lung adenocarcinoma. Nature Medicine, 2020, 26, 1054-1062.	30.7	181
31	Representative Sequencing: Unbiased Sampling of Solid Tumor Tissue. Cell Reports, 2020, 31, 107550.	6.4	51
32	Intratumoural (IT) evolutionary landscape of high-risk prostate cancer and outcome: The PROGENY (PROstate cancer GENomic heterogeneitY) study of genomic and immune parameters Journal of Clinical Oncology, 2020, 38, e17500-e17500.	1.6	0
33	Immune microenvironment profiling of gastrointestinal stromal tumors (GIST) shows gene expression patterns associated to immune checkpoint inhibitors response. Oncolmmunology, 2019, 8, e1617588.	4.6	41
34	THU-485-Trans-arterial chemoembolization as a loco-regional inducer of immunogenic cell death in hepatocellular carcinoma. Journal of Hepatology, 2019, 70, e374-e375.	3.7	0
35	Genomic and Transcriptomic Determinants of Therapy Resistance and Immune Landscape Evolution during Anti-EGFR Treatment in Colorectal Cancer. Cancer Cell, 2019, 36, 35-50.e9.	16.8	179
36	Novel markers in pediatric-type follicular lymphoma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2019, 475, 771-779.	2.8	22

#	Article	IF	CITATIONS
37	Activated stromal cells transfer mitochondria to rescue acute lymphoblastic leukemia cells from oxidative stress. Blood, 2019, 134, 1415-1429.	1.4	148
38	Clinical implications of heterogeneity in PD-L1 immunohistochemical detection in hepatocellular carcinoma: the Blueprint-HCC study. British Journal of Cancer, 2019, 120, 1033-1036.	6.4	66
39	Neoantigen-directed immune escape in lung cancer evolution. Nature, 2019, 567, 479-485.	27.8	639
40	Role of Epstein-Barr virus in transformation of follicular lymphoma to diffuse large B-cell lymphoma: a case report and review of the literature. Haematologica, 2019, 104, e269-e273.	3.5	13
41	PD-L1 expressing granulomatous reaction as an on-target mechanism of steroid-refractory immune hepatotoxicity. Immunotherapy, 2019, 11, 585-590.	2.0	6
42	Circulating tumour cells and their association with bone metastases in patients with neuroendocrine tumours. British Journal of Cancer, 2019, 120, 294-300.	6.4	25
43	ConCORDe-Net: Cell Count Regularized Convolutional Neural Network for Cell Detection in Multiplex Immunohistochemistry Images. Lecture Notes in Computer Science, 2019, , 667-675.	1.3	14
44	Nivolumab and ipilimumab treatment in prostate cancer with an immunogenic signature (NEPTUNES) Journal of Clinical Oncology, 2019, 37, TPS5090-TPS5090.	1.6	4
45	Molecular characterization of the tumour microenvironment in neuroendocrine malignancy Journal of Clinical Oncology, 2019, 37, 4107-4107.	1.6	0
46	Clonal evolution in the transition from cutaneous disease to acute leukemia suggested by liquid biopsy in blastic plasmacytoid dendritic cell neoplasm. Haematologica, 2018, 103, e196-e199.	3.5	8
47	ADCT-402, a PBD dimer–containing antibody drug conjugate targeting CD19-expressing malignancies. Blood, 2018, 131, 1094-1105.	1.4	115
48	Fc Effector Function Contributes to the Activity of Human Anti-CTLA-4 Antibodies. Cancer Cell, 2018, 33, 649-663.e4.	16.8	448
49	THUR 220â€To c or not to c. Journal of Neurology, Neurosurgery and Psychiatry, 2018, 89, A32.1-A32.	1.9	0
50	Urine-derived lymphocytes as a non-invasive measure of the bladder tumor immune microenvironment. Journal of Experimental Medicine, 2018, 215, 2748-2759.	8.5	34
51	LUBAC prevents lethal dermatitis by inhibiting cell death induced by TNF, TRAIL and CD95L. Nature Communications, 2018, 9, 3910.	12.8	81
52	Granulysin, a novel marker for extranodal NK/T cell lymphoma, nasal type. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2018, 473, 749-757.	2.8	6
53	Can somatic GATA2 mutation mimic germ line GATA2 mutation?. Blood Advances, 2018, 2, 904-908.	5.2	15
54	Functional immune characterization of HIV-associated non-small-cell lung cancer. Annals of Oncology, 2018, 29, 1486-1488.	1.2	10

#	Article	IF	CITATIONS
55	Pan-cancer deconvolution of tumour composition using DNA methylation. Nature Communications, 2018, 9, 3220.	12.8	205
56	Argx-110 for Treatment of CD70-Positive Advanced Cutaneous T-Cell Lymphoma in a Phase 1/2 Clinical Trial. Blood, 2018, 132, 1627-1627.	1.4	6
57	Quantitative comparison of PD-L1 immuno-histochemical assays in hepatocellular carcinoma: The Blueprint-HCC study Journal of Clinical Oncology, 2018, 36, 91-91.	1.6	2
58	Abstract 3812: A best in class anti-CD38 antibody with antitumor and immune-modulatory properties. , 2018, , .		0
59	Cytotoxic CD4+ Cells in Chronic Lymphocytic Leukaemia: An Extended Immunophenotypic Analysis Examining Their Association with Cytomegalovirus Serostatus and Similarities with Cytotoxic CD8+ Cells. Blood, 2018, 132, 3130-3130.	1.4	0
60	Analysis of T-Cell Receptor Beta-Constant Region Expression for Rapid Assessment of T-Cell Clonality. Blood, 2018, 132, 2867-2867.	1.4	1
61	Does cell-of-origin or <i>MYC</i> , <i>BCL2</i> or <i>BCL6</i> translocation status provide prognostic information beyond the International Prognostic Index score in patients with diffuse large B-cell lymphoma treated with rituximab and chemotherapy? A systematic review. Leukemia and Lymphoma, 2017 58 2403-2418	1.3	15
62	Fc-Optimized Anti-CD25 Depletes Tumor-Infiltrating Regulatory T Cells and Synergizes with PD-1 Blockade to Eradicate Established Tumors. Immunity, 2017, 46, 577-586.	14.3	323
63	Hypoxic adaptation of leukemic cells infiltrating the CNS affords a therapeutic strategy targeting VEGFA. Blood, 2017, 129, 3126-3129.	1.4	23
64	Phylogenetic ctDNA analysis depicts early-stage lung cancer evolution. Nature, 2017, 545, 446-451.	27.8	1,287
65	Tracking the Evolution of Non–Small-Cell Lung Cancer. New England Journal of Medicine, 2017, 376, 2109-2121.	27.0	1,786
66	Mutations of MAP2K1 are frequent in pediatric-type follicular lymphoma and result in ERK pathway activation. Blood, 2017, 130, 323-327.	1.4	69
67	Emergence of Bruton's tyrosine kinaseâ€negative Hodgkin lymphoma during ibrutinib treatment of chronic lymphocytic leukaemia. European Journal of Haematology, 2017, 99, 378-380.	2.2	11
68	Allele-Specific HLA Loss and Immune Escape in Lung Cancer Evolution. Cell, 2017, 171, 1259-1271.e11.	28.9	968
69	Intratumoural evolutionary landscape of high-risk prostate cancer: the PROGENY study of genomic and immune parameters. Annals of Oncology, 2017, 28, 2472-2480.	1.2	45
70	Targeting the T cell receptor \hat{l}^2 -chain constant region for immunotherapy of T cell malignancies. Nature Medicine, 2017, 23, 1416-1423.	30.7	196
71	Pembrolizumab is effective for drug-resistant gestational trophoblastic neoplasia. Lancet, The, 2017, 390, 2343-2345.	13.7	148
72	Abstract 51: Characterization of the mechanism of action, pharmacodynamics and preclinical safety of ADCT-402, a pyrrolobenzodiazepine (PBD) dimer-containing antibody-drug conjugate (ADC) targeting CD19-expressing hematological malignancies. , 2017, , .		1

#	Article	IF	CITATIONS
73	Immune-infiltrate characterization in localized osteosarcoma patients treated within protocol ISG-OS1 Journal of Clinical Oncology, 2017, 35, 11025-11025.	1.6	1
74	Tumoral immune-infiltrate (IF), PD-L1 expression and role of CD8/TIA-1 lymphocytes in localized osteosarcoma patients treated within protocol ISC-OS1. Oncotarget, 2017, 8, 111836-111846.	1.8	44
75	Cell cycle status in <scp>AML</scp> blast cells from peripheral blood, bone marrow aspirates and trephines and implications for biological studies and treatment. British Journal of Haematology, 2016, 174, 275-279.	2.5	7
76	Genome-wide analysis of pediatric-type follicular lymphoma reveals low genetic complexity and recurrent alterations of TNFRSF14 gene. Blood, 2016, 128, 1101-1111.	1.4	115
77	Guidelines for the investigation and management of nodular lymphocyte predominant Hodgkin lymphoma. British Journal of Haematology, 2016, 172, 32-43.	2.5	27
78	ADCT-301, a Pyrrolobenzodiazepine (PBD) Dimer–Containing Antibody–Drug Conjugate (ADC) Targeting CD25-Expressing Hematological Malignancies. Molecular Cancer Therapeutics, 2016, 15, 2709-2721.	4.1	102
79	Paediatric follicular lymphoma. Diagnostic Histopathology, 2016, 22, 6-10.	0.4	1
80	LLT1 and CD161 Expression in Human Germinal Centers Promotes B Cell Activation and CXCR4 Downregulation. Journal of Immunology, 2016, 196, 2085-2094.	0.8	49
81	Clonal neoantigens elicit T cell immunoreactivity and sensitivity to immune checkpoint blockade. Science, 2016, 351, 1463-1469.	12.6	2,445
82	VEGFA- a New Therapeutic Target in CNS Leukemia. Blood, 2016, 128, 911-911.	1.4	6
83	Defining the mechanisms of response and resistance to anti-PD-1 therapy: An exploratory phase II study of pembrolizumab in advanced melanoma (ADAPTeM) Journal of Clinical Oncology, 2016, 34, TPS9599-TPS9599.	1.6	0
84	Targeting T-Cell Receptor β-Constant Domain for Immunotherapy of T-Cell Malignancies. Blood, 2016, 128, 811-811.	1.4	0
85	<i>BRAF</i> ^V ^{600E} mutations are found in Richter syndrome and may allow targeted therapy in a subset of patients. British Journal of Haematology, 2015, 170, 282-285.	2.5	7
86	Deep in vivo photoacoustic imaging of mammalian tissues using a tyrosinase-based genetic reporter. Nature Photonics, 2015, 9, 239-246.	31.4	362
87	Bruton's tyrosine kinase (Btk) is a useful marker for Hodgkin and B cell non-Hodgkin lymphoma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2015, 466, 229-235.	2.8	23
88	Diagnostic Pitfalls in "Low-Grade Lymphoma―of the Orbit and Lacrimal Gland. Orbit, 2015, 34, 206-211.	0.8	4
89	Diffuse large B-cell lymphoma and Burkitt lymphoma. Diagnostic Histopathology, 2015, 21, 391-399.	0.4	0
00	Mechanistic and Pharmacodynamic Studies of Adct-301, a Pyrrolobenzodiazepine (PBD)	1.4	6

#	Article	IF	CITATIONS
91	Cutaneous T Cell Lymphoma Expresses Immunosuppressive CD80 (B7-1) Cell Surface Protein in a STAT5-Dependent Manner. Journal of Immunology, 2014, 192, 2913-2919.	0.8	27
92	A highly compact epitope-based marker/suicide gene for easier and safer T-cell therapy. Blood, 2014, 124, 1277-1287.	1.4	308
93	Kappa and lambda light chain mRNA in situ hybridization compared to flow cytometry and immunohistochemistry in B cell lymphomas. Diagnostic Pathology, 2014, 9, 144.	2.0	21
94	Intracellular TCR-signaling Pathway. American Journal of Surgical Pathology, 2014, 38, 1349-1359.	3.7	19
95	The number and growth pattern of plasmacytoid dendritic cells vary in different types of reactive lymph nodes: an immunohistochemical study. Human Pathology, 2013, 44, 1003-1010.	2.0	18
96	Another look at follicular lymphoma: immunophenotypic and molecular analyses identify distinct follicular lymphoma subgroups. Histopathology, 2013, 62, 860-875.	2.9	32
97	CD30-positive peripheral T-cell lymphomas share molecular and phenotypic features. Haematologica, 2013, 98, 1250-1258.	3.5	56
98	<scp>BRAF</scp> V600E mutationâ€specific antibody, a sensitive diagnostic marker revealing minimal residual disease in hairy cell leukaemia. British Journal of Haematology, 2013, 162, 848-851.	2.5	36
99	Nodal reactive and neoplastic proliferation of monocytoid and marginal zone B cells: an immunoarchitectural and molecular study highlighting the relevance of <scp>IRTA</scp> 1 and Tâ€bet as positive markers. Histopathology, 2013, 63, 482-498.	2.9	30
100	Ultraâ€deep T cell receptor sequencing reveals the complexity and intratumour heterogeneity of T cell clones in renal cell carcinomas. Journal of Pathology, 2013, 231, 424-432.	4.5	93
101	ALDH, CA I, and CD2AP. American Journal of Clinical Pathology, 2012, 137, 30-38.	0.7	9
102	Follicular Peripheral T-cell Lymphoma Expands the Spectrum of Classical Hodgkin Lymphoma Mimics. American Journal of Surgical Pathology, 2012, 36, 1636-1646.	3.7	79
103	Immunohistochemical detection of CD3 in T-cell lymphomas: superior sensitivity of rabbit monoclonal 2GV6 antibody compared to mouse monoclonal F7·2·38 antibody. Journal of Histotechnology, 2012, 35, 175-179.	0.5	2
104	Molecular features of hepatosplenic T-cell lymphoma unravels potential novel therapeutic targets. Blood, 2012, 119, 5795-5806.	1.4	99
105	Characterization of intratumoral follicular helper T cells in follicular lymphoma: role in the survival of malignant B cells. Leukemia, 2012, 26, 1053-1063.	7.2	163
106	Detection of LIM domain only 2 (LMO2) in normal human tissues and haematopoietic and nonâ€haematopoietic tumours using a newly developed rabbit monoclonal antibody. Histopathology, 2012, 61, 33-46.	2.9	32
107	The Ataxia Telangiectasia Nude Mouse with No Risk of Thymoma: A Model to Investigate Tumour Development of B Cell and Myeloid Origin Associated with ATM Loss. Blood, 2012, 120, 1320-1320.	1.4	0
108	APRIL promotes cell-cycle progression in primary multiple myeloma cells: influence of D-type cyclin group and translocation status. Blood, 2011, 117, 890-901.	1.4	50

Teresa Marafioti

#	Article	IF	CITATIONS
109	Oncogenic tyrosine kinase NPM-ALK induces expression of the growth-promoting receptor ICOS. Blood, 2011, 118, 3062-3071.	1.4	32
110	Rituximab in combination with CODOXâ€M/IVAC: a retrospective analysis of 23 cases of nonâ€HIV related Bâ€cell nonâ€Hodgkin lymphoma with proliferation index >95%. British Journal of Haematology, 2011, 152, 175-181.	2.5	29
111	Heterogeneous expression of B cellâ€associated markers in follicular lymphoma. Histopathology, 2011, 58, 633-636.	2.9	0
112	Peripheral T cell lymphomas with follicular T helper phenotype: a new basket or a distinct entity? Revising Karl Lennert's personal archive. Histopathology, 2011, 59, 679-691.	2.9	51
113	Revising the historical collection of epithelioid cell-rich lymphomas of the Kiel Lymph Node Registry: what is Lennert's lymphoma nowadays?. Histopathology, 2011, 59, 1173-1182.	2.9	47
114	The inducible T-cell co-stimulator molecule is expressed on subsets of T cells and is a new marker of lymphomas of T follicular helper cell-derivation. Haematologica, 2010, 95, 432-439.	3.5	99
115	Characterization of a New Monoclonal Antibody Against PAX5/BASP in 1525 Paraffin-embedded Human and Animal Tissue Samples. Applied Immunohistochemistry and Molecular Morphology, 2010, 18, 561-572.	1.2	24
116	Gene expression profiling identifies emerging oncogenic pathways operating in extranodal NK/T-cell lymphoma, nasal type. Blood, 2010, 115, 1226-1237.	1.4	285
117	Induction of p53 and up-regulation of the p53 pathway in the human 5qâ°' syndrome. Blood, 2010, 115, 2721-2723.	1.4	65
118	The pre-B-cell receptor associated protein VpreB3 is a useful diagnostic marker for identifying c-MYC translocated lymphomas. Haematologica, 2010, 95, 2056-2062.	3.5	28
119	The expression of Bclâ€2 by proliferating cells varies in different categories of B ell lymphoma. Histopathology, 2010, 56, 617-626.	2.9	4
120	Immune Phenotype Predicts Risk for Posttransplantation Squamous Cell Carcinoma. Journal of the American Society of Nephrology: JASN, 2010, 21, 713-722.	6.1	82
121	Can cytoplasmic nucleophosmin be detected by immunocytochemical staining of cell smears in acute myeloid leukemia?. Haematologica, 2010, 95, 670-673.	3.5	17
122	Regulatory T-Cell Depletion in Angioimmunoblastic T-Cell Lymphoma. American Journal of Pathology, 2010, 177, 570-574.	3.8	26
123	Automated brightfield break-apart in situ hybridization (ba-ISH) application: ALK and MALT1 genes as models. Methods, 2010, 52, 352-358.	3.8	19
124	Epigenetic Silencing of a Proapoptotic Cell Adhesion Molecule, the Immunoglobulin Superfamily Member IGSF4, by Promoter CpG Methylation Protects Hodgkin Lymphoma Cells from Apoptosis. American Journal of Pathology, 2010, 177, 1480-1490.	3.8	22
125	Characterization of c-Maf Transcription Factor in Normal and Neoplastic Hematolymphoid Tissue and Its Relevance in Plasma Cell Neoplasia. American Journal of Clinical Pathology, 2009, 132, 361-371.	0.7	14
126	BCL2 protein expression in follicular lymphomas with t(14;18) chromosomal translocations. British Journal of Haematology, 2009, 144, 716-725.	2.5	46

Teresa Marafioti

#	Article	IF	CITATIONS
127	Marked downregulation of the granulopoiesis regulator <i>LEF1</i> is associated with disease progression in the myelodysplastic syndromes. British Journal of Haematology, 2009, 146, 86-90.	2.5	25
128	Angioimmunoblastic T-cell lymphoma with hyperplastic germinal centres: a neoplasia with origin in the outer zone of the germinal centre? Clinicopathological and immunohistochemical study of 10 cases with follicular T-cell markers. Modern Pathology, 2009, 22, 753-761.	5.5	65
129	Focal adhesion kinase (FAK) expression in normal and neoplastic lymphoid tissues. Pathology Research and Practice, 2009, 205, 781-788.	2.3	21
130	Peripheral T-cell Lymphomas With a Follicular Growth Pattern are Derived From Follicular Helper T Cells (TFH) and may Show Overlapping Features With Angioimmunoblastic T-cell Lymphomas. American Journal of Surgical Pathology, 2009, 33, 682-690.	3.7	189
131	Peripheral Tâ€cell lymphoma with a follicular growth pattern: derivation from follicular helper T cells and relationship to angioimmunoblastic Tâ€cell lymphoma. British Journal of Haematology, 2008, 143, 439-441.	2.5	30
132	Novel markers of normal and neoplastic human plasmacytoid dendritic cells. Blood, 2008, 111, 3778-3792.	1.4	204
133	Labeling of Multiple Cell Markers and mRNA Using Automated Apparatus. Applied Immunohistochemistry and Molecular Morphology, 2008, 16, 371-381.	1.2	12
134	Dysregulation of Pax5 Activity Contributes to the Extinction of the B-Cell Phenotype in Reed-Sternberg Cells. Blood, 2008, 112, 517-517.	1.4	1
135	Expression of two markers of germinal center T cells (SAP and PD-1) in angioimmunoblastic T-cell lymphoma. Haematologica, 2007, 92, 1059-1066.	3.5	142
136	Detection of Genetic Alterations by ImmunoFISH Analysis of Whole Cells Extracted from Routine Biopsy Material. Journal of Molecular Diagnostics, 2007, 9, 479-489.	2.8	19
137	Microrna expression distinguishes between germinal center B cell-like and activated B cell-like subtypes of diffuse large B cell lymphoma. International Journal of Cancer, 2007, 121, 1156-1161.	5.1	361
138	Selective loss of Bâ€cell phenotype in lymphocyte predominant Hodgkin lymphoma. Journal of Pathology, 2007, 213, 429-440.	4.5	22
139	Frequent epigenetic silencing of <i>protocadherin 10</i> by methylation in multiple haematologic malignancies. British Journal of Haematology, 2007, 136, 829-832.	2.5	52
140	B cell activator PAX5 promotes lymphomagenesis through stimulation of B cell receptor signaling. Journal of Clinical Investigation, 2007, 117, 2602-2610.	8.2	37
141	Aberrant somatic hypermutation in tumor cells of nodular-lymphocyte-predominant and classic Hodgkin lymphoma. Blood, 2006, 108, 1013-1020.	1.4	75
142	Transmembrane adaptor molecules: a new category of lymphoid-cell markers. Blood, 2006, 107, 213-221.	1.4	39
143	Jaw1/LRMP, a germinal centre-associated marker for the immunohistological study of B-cell lymphomas. Journal of Pathology, 2006, 209, 454-463.	4.5	40
144	Loss of CD19 expression in B-cell neoplasms. Histopathology, 2006, 48, 239-246.	2.9	42

#	Article	IF	CITATIONS
145	Cancer-associated carbohydrate identification in Hodgkin's lymphoma by carbohydrate array profiling. International Journal of Cancer, 2006, 118, 3161-3166.	5.1	44
146	Follicular lymphoma with trisomy 18 exhibiting loss of BCL-2 expression on transformation to a large cell lymphoma. Journal of Clinical Pathology, 2006, 60, 1061-1064.	2.0	3
147	ZAP-70 Expression in Normal Pro/Pre B Cells, Mature B Cells, and in B-Cell Acute Lymphoblastic Leukemia. Clinical Cancer Research, 2006, 12, 726-734.	7.0	50
148	The Oncoprotein LMO2 Is Expressed in a Germinal Center B-Cell-Associated Pattern and Predicts Survival in Patients with Diffuse Large B-Cell Lymphoma Blood, 2006, 108, 810-810.	1.4	0
149	PRDM1/BLIMP-1 expression in multiple B and T-cell lymphoma. Haematologica, 2006, 91, 467-74.	3.5	70
150	The differential expression of LCK and BAFF-receptor and their role in apoptosis in human lymphomas. Haematologica, 2006, 91, 772-80.	3.5	37
151	Expression of the human germinal center-associated lymphoma (HGAL) protein, a new marker of germinal center B-cell derivation. Blood, 2005, 105, 3979-3986.	1.4	111
152	The NFATc1 transcription factor is widely expressed in white cells and translocates from the cytoplasm to the nucleus in a subset of human lymphomas. British Journal of Haematology, 2005, 128, 333-342.	2.5	69
153	Expression pattern of intracellular leukocyte-associated proteins in primary mediastinal B cell lymphoma. Leukemia, 2005, 19, 856-861.	7.2	23
154	The FOXP1 Transcription Factor is Expressed in the Majority of Follicular Lymphomas but is Rarely Expressed in Classical and Lymphocyte Predominant Hodgkin's Lymphoma. Journal of Molecular Histology, 2005, 36, 249-256.	2.2	25
155	Intracellular signalling molecules as immunohistochemical markers of normal and neoplastic human leucocytes in routine biopsy samples. British Journal of Haematology, 2004, 124, 519-533.	2.5	23
156	Expression pattern of FCRL (FREB, FcRX) in normal and neoplastic human B cells. British Journal of Haematology, 2004, 127, 335-343.	2.5	30
157	Histopathology of B-cell chronic lymphocytic leukemia. Hematology/Oncology Clinics of North America, 2004, 18, 807-826.	2.2	6
158	Expression of intracellular signaling molecules in classical and lymphocyte predominance Hodgkin disease. Blood, 2004, 103, 188-193.	1.4	59
159	ZAP-70 Expression in Human B cells: Analysis of Normal Cells and Acute Lymphoblastic Leukemia (ALL) Cells with Pro/Pre B Phenotype Blood, 2004, 104, 4443-4443.	1.4	0
160	Leukocyte-specific phosphoprotein-1 and PU.1: two useful markers for distinguishing T-cell-rich B-cell lymphoma from lymphocyte-predominant Hodgkin's disease. Haematologica, 2004, 89, 957-64.	3.5	26
161	Leucocyte-specific protein (LSP1) in malignant lymphoma and Hodgkin's disease. British Journal of Haematology, 2003, 120, 671-678.	2.5	13
162	Primary Mediastinal B-Cell Lymphoma. American Journal of Pathology, 2003, 162, 243-253.	3.8	160

#	Article	IF	CITATIONS
163	Expression of B-Lymphocyte-Associated Transcription Factors in Human T-Cell Neoplasms. American Journal of Pathology, 2003, 162, 861-871.	3.8	37
164	Phenotype and genotype of interfollicular large B cells, a subpopulation of lymphocytes often with dendritic morphology. Blood, 2003, 102, 2868-2876.	1.4	89
165	Immunoglobulin Gene Rearrangement Analysis in Composite Hodgkin Disease and Large B-Cell Lymphoma: Evidence for Receptor Revision of Immunoglobulin Heavy Chain Variable Region Genes in Hodgkin-Reed-Sternberg Cells?. Diagnostic Molecular Pathology, 2002, 11, 2-8.	2.1	46
166	Tyrosine phosphorylation in human lymphomas. The Histochemical Journal, 2002, 34, 545-552.	0.6	4
167	Diffuse large B-cell lymphoma: one or more entities? Present controversies and possible tools for its subclassification. Histopathology, 2002, 41, 482-509.	2.9	75
168	Defective octamer-dependent transcription is responsible for silenced immunoglobulin transcription in Reed-Sternberg cells. Blood, 2001, 97, 3191-3196.	1.4	71
169	Down-regulation of BOB.1/OBF.1 and Oct2 in classical Hodgkin disease but not in lymphocyte predominant Hodgkin disease correlates with immunoglobulin transcription. Blood, 2001, 97, 496-501.	1.4	264
170	Detection of c-kit mutation Asp 816 to Val in microdissected bone marrow infiltrates in a case of systemic mastocytosis associated with chronic myelomonocytic leukaemia. Journal of Clinical Pathology, 2000, 53, 188-193.	1.9	81
171	A monoclonal antibody (MUM1p) detects expression of the MUM1/IRF4 protein in a subset of germinal center B cells, plasma cells, and activated T cells. Blood, 2000, 95, 2084-2092.	1.4	409
172	Acute Reaction to Dipyridamole during Myocardial Scintigraphy. New England Journal of Medicine, 1999, 340, 394-394.	27.0	12
173	Clonality of Reed–Sternberg Cells in Hodgkin's Disease. New England Journal of Medicine, 1999, 340, 394-395.	27.0	20
174	Reduced phagocytosis of apoptotic cells in malignant lymphoma. International Journal of Cancer, 1998, 75, 675-679.	5.1	11
175	L&H Cells in Lymphocyte-Predominant Hodgkin's Disease. New England Journal of Medicine, 1998, 338, 763-765.	27.0	12
176	Origin of Nodular Lymphocyte-Predominant Hodgkin's Disease from a Clonal Expansion of Highly Mutated Germinal-Center B Cells. New England Journal of Medicine, 1997, 337, 453-458.	27.0	311
177	Disappearance of the Epstein-Barr virus in a relapse of Hodgkin's disease. , 1997, 182, 475-479.		34
178	CUTANEOUS AGGRESSIVE OSTEOBLASTOMA. International Journal of Dermatology, 1996, 35, 504-505.	1.0	5
179	Immunoglobulin V Genes in Reed–Sternberg Cells. New England Journal of Medicine, 1996, 334, 404-406.	27.0	15
180	Focal lymphocytic aggregates in chronic hepatitis C: Occurrence, immunohistochemical characterization, and relation to markers of autoimmunity. Hepatology, 1995, 22, 389-394.	7.3	1

#	Article	IF	CITATIONS
181	Amyotrophic choreo-acanthocytosis: A neuropathological and immunocytochemical study. Italian Journal of Neurological Sciences, 1993, 14, 49-54.	0.1	8
182	Coexistence of growth hormone-secreting pituitary adenoma and intracranial meningioma: A case report and review of the literature. Journal of Endocrinological Investigation, 1993, 16, 703-708.	3.3	43
183	Mucin histochemistry and lectin binding sites in intestinal metaplasia of the urinary bladder. Histopathology, 1990, 17, 219-223.	2.9	8
184	Epidural spinal meningioma. Role of magnetic resonance in differential diagnosis. Acta Neurochirurgica, 1990, 107, 70-73.	1.7	21