
Johannes Holfeld

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/776703/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Predictors of safety and success in minimally invasive surgery for degenerative mitral disease. European Journal of Cardio-thoracic Surgery, 2022, 61, 637-644. | 0.6 | 17 |
| 2 | Impact of aortic root repair or replacement in severe destructive aortic valve endocarditis with paravalvular abscesses on long-term survival. Interactive Cardiovascular and Thoracic Surgery, 2022, 34, 361-368. | 0.5 | 1 |
| 3 | Impact of myocardial injury after coronary artery bypass grafting on long-term prognosis. European Heart Journal, 2022, 43, 2407-2417. | 1.0 | 18 |
| 4 | Lockdown surgery: the impact of coronavirus disease 2019 measures on cardiac cases. Interactive Cardiovascular and Thoracic Surgery, 2022, 35, . | 0.5 | 1 |
| 5 | The effect of extracorporeal shock wave therapy in acute traumatic spinal cord injury on motor and sensory function within 6 months post-injury: a study protocol for a two-arm three-stage adaptive, prospective, multi-center, randomized, blinded, placebo-controlled clinical trial. Trials, 2022, 23, 245. | 0.7 | 6 |
| 6 | Corrigendum to â€~Predictors of safety and success in minimally invasive surgery for degenerative mitral disease'. European Journal of Cardio-thoracic Surgery, 2022, 61, 493-493. | 0.6 | 0 |
| 7 | Neuronal Pre- and Postconditioning via Toll-like Receptor 3 Agonist or Extracorporeal Shock Wave Therapy as New Treatment Strategies for Spinal Cord Ischemia: An In Vitro Study. Journal of Clinical Medicine, 2022, 11, 2115. | 1.0 | 2 |
| 8 | Standardized Aortic Valve Neocuspidization for Treatment of Aortic Valve Diseases. Annals of Thoracic Surgery, 2022, 114, 1108-1117. | 0.7 | 8 |
| 9 | Cardiac Shockwave Therapy $\mathbf{\hat{a}} \in$ " A Novel Therapy for Ischemic Cardiomyopathy?. Frontiers in Cardiovascular Medicine, 2022, 9, . | 1.1 | 5 |
| 10 | Excellent Hemodynamic Performance After Aortic Valve Neocuspidization Using Autologous Pericardium. Annals of Thoracic Surgery, 2021, 111, 126-133. | 0.7 | 30 |
| 11 | Cardiotoxic mechanisms of cancer immunotherapy – A systematic review. International Journal of Cardiology, 2021, 323, 179-187. | 0.8 | 31 |
| 12 | Defining a therapeutic range for regeneration of ischemic myocardium via shock waves. Scientific Reports, 2021, 11, 409. | 1.6 | 3 |
| 13 | Acid sphingomyelinase promotes SGK1-dependent vascular calcification. Clinical Science, 2021, 135, 515-534. | 1.8 | 9 |
| 14 | A Standardized Murine Model of Extracorporeal Shockwave Therapy Induced Soft Tissue Regeneration. Journal of Visualized Experiments, 2021, , . | 0.2 | 0 |
| 15 | Bicuspid Aortic Valve Is Associated with Less Coronary Calcium and Coronary Artery Disease Burden. Journal of Clinical Medicine, 2021, 10, 3070. | 1.0 | 2 |
| 16 | O7 Toll-like receptor 3 mediates osteoblastic phenotype switch in calcific aortic valve disease. British Journal of Surgery, 2021, 108, . | 0.1 | 0 |
| 17 | The Role of Innate Immunity and Bioactive Lipid Mediators in COVID-19 and Influenza. Frontiers in Physiology, 2021, 12, 688946. | 1.3 | 16 |
| 18 | Cardiopulmonary recovery after COVID-19: an observational prospective multicentre trial. European Respiratory Journal, 2021, 57, 2003481. | 3.1 | 313 |

JOHANNES HOLFELD

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Bicuspid aortic valve is associated with less coronary artery calcium and coronary artery disease burden by computed tomography. European Heart Journal, 2021, 42, . | 1.0 | Ο |
| 20 | miR-19a-3p containing exosomes improve function of ischaemic myocardium upon shock wave therapy. Cardiovascular Research, 2020, 116, 1226-1236. | 1.8 | 71 |
| 21 | Infective endocarditis and neurologic events: indications and timing for surgical interventions. European Heart Journal Supplements, 2020, 22, M19-M25. | 0.0 | 17 |
| 22 | Safety and efficacy of direct Cardiac Shockwave Therapy in patients with ischemic cardiomyopathy undergoing coronary artery bypass grafting (the CAST-HF trial): study protocol for a randomized controlled trial. Trials, 2020, 21, 447. | 0.7 | 5 |
| 23 | Cannulation of the Carotid Artery for Minimally Invasive Mitral or Tricuspid Valve Surgery. Annals of Thoracic Surgery, 2020, 110, e517-e519. | 0.7 | 4 |
| 24 | Impact of β-glycerophosphate on the bioenergetic profile of vascular smooth muscle cells. Journal of Molecular Medicine, 2020, 98, 985-997. | 1.7 | 20 |
| 25 | Toll-like receptor 3 mediates ischaemia/reperfusion injury after cardiac transplantation. European Journal of Cardio-thoracic Surgery, 2020, 57, 826-835. | 0.6 | 9 |
| 26 | The haemochromatosis gene Hfe and Kupffer cells control LDL cholesterol homeostasis and impact on atherosclerosis development. European Heart Journal, 2020, 41, 3949-3959. | 1.0 | 32 |
| 27 | Shock waves promote spinal cord repair via TLR3. JCI Insight, 2020, 5, . | 2.3 | 15 |
| 28 | P4665High sensitivity troponin t and n-terminal pro brain natriuretic peptide plasma levels predict long-term postoperative survival in patients with severe aortic stenosis admitted for valve implantation. European Heart Journal, 2019, 40, . | 1.0 | 0 |
| 29 | Regenerative Medicine 3.TX: What Can We Learn About Organ Regeneration From Organ Replacement?. Transplantation, 2019, 103, 227-228. | 0.5 | Ο |
| 30 | Shock wave treatment after hindlimb ischaemia results in increased perfusion and M2 macrophage presence. Journal of Tissue Engineering and Regenerative Medicine, 2018, 12, e486-e494. | 1.3 | 15 |
| 31 | P5127Toll-Like receptor 3 mediates radiation induced calcific aortic valve disease. European Heart Journal, 2018, 39, . | 1.0 | Ο |
| 32 | P532Mechanical preconditioning causes microvesicle release and induces angiogenesis via thrombospondin 1. Cardiovascular Research, 2018, 114, S130-S130. | 1.8 | 1 |
| 33 | Shock Wave Therapy Improves Cardiac Function in a Model of Chronic Ischemic Heart Failure: Evidence for a Mechanism Involving VEGF Signaling and the Extracellular Matrix. Journal of the American Heart Association, 2018, 7, e010025. | 1.6 | 31 |
| 34 | 52Mechanical strain upon aortic valves causes release of danger associated molecular patterns and activates innate immunity. Cardiovascular Research, 2018, 114, S13-S13. | 1.8 | 0 |
| 35 | miR-19a-3p Containing Exosomes Improve Cardiac Function in Ischemic Myocardium. Thoracic and Cardiovascular Surgeon, 2018, 66, S1-S110. | 0.4 | 0 |
| 36 | Toll-like Receptor 3 Mediates the Onset of Calcific Aortic Valve Disease. Thoracic and Cardiovascular Surgeon, 2018, 66, S1-S110. | 0.4 | 0 |

JOHANNES HOLFELD

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Beating heart porcine high-fidelity simulator for the training of edge-to-edge mitral valve repair. , 2018, 2018, . | | 4 |
| 38 | Three-dimensional cinematric volume rendering technique: a novel photon-based post-processing technique for reverse right internal mammary artery/right coronary artery bypass visualization. European Heart Journal, 2017, 38, ehw397. | 1.0 | 0 |
| 39 | Shockwaves prevent from heart failure after acute myocardial ischaemia <i>via </i> <scp>RNA</scp> /protein complexes. Journal of Cellular and Molecular Medicine, 2017, 21, 791-801. | 1.6 | 19 |
| 40 | ESC Joint Working Groups on Cardiovascular Surgery and the Cellular Biology of the Heart Position Paper: Peri-operative myocardial injury and infarction in patients undergoing coronary artery bypass graft surgery. European Heart Journal, 2017, 38, 2392-2411. | 1.0 | 118 |
| 41 | Epicardial shock-wave therapy improves ventricular function in a porcine model of ischaemic heart disease. Journal of Tissue Engineering and Regenerative Medicine, 2016, 10, 1057-1064. | 1.3 | 38 |
| 42 | Toll-like receptor 3 signalling mediates angiogenic response upon shock wave treatment of ischaemic muscle. Cardiovascular Research, 2016, 109, 331-343. | 1.8 | 55 |
| 43 | Shockwave therapy of the heart. International Journal of Surgery, 2015, 24, 218-222. | 1.1 | 11 |
| 44 | Combined peri-ischemic administration of Bβ 15–42 in treating ischemia reperfusion injury of the mouse kidney. Microvascular Research, 2015, 101, 48-54. | 1.1 | 13 |
| 45 | Alteration of inflammatory response by shock wave therapy leads to reduced calcification of decellularized aortic xenografts in miceâ€. European Journal of Cardio-thoracic Surgery, 2015, 47, e80-e90. | 0.6 | 17 |
| 46 | Shock Wave Treatment Protects From Neuronal Degeneration via a Tollâ€Like Receptor 3 Dependent Mechanism: Implications of a Firstâ€Ever Causal Treatment for Ischemic Spinal Cord Injury. Journal of the American Heart Association, 2015, 4, e002440. | 1.6 | 28 |
| 47 | The Early Activation of Toll-Like Receptor (TLR)-3 Initiates Kidney Injury after Ischemia and Reperfusion. PLoS ONE, 2014, 9, e94366. | 1.1 | 30 |
| 48 | 249 * SHOCK WAVE TREATMENT REDUCES NEURONAL DEGENERATION UPON SPINAL CORD ISCHAEMIA AFTER AORTIC CROSS CLAMP. Interactive Cardiovascular and Thoracic Surgery, 2014, 19, S74-S74. | 0.5 | 0 |
| 49 | Shockwave Therapy Differentially Stimulates Endothelial Cells: Implications on the Control of Inflammation via Toll-Like Receptor 3. Inflammation, 2014, 37, 65-70. | 1.7 | 62 |
| 50 | Shock Wave Application to Cell Cultures. Journal of Visualized Experiments, 2014, , . | 0.2 | 16 |
| 51 | Low Energy Shock Wave Therapy Induces Angiogenesis in Acute Hind-Limb Ischemia via VEGF Receptor 2 Phosphorylation. PLoS ONE, 2014, 9, e103982. | 1.1 | 51 |
| 52 | Shock wave treatment induces angiogenesis and mobilizes endogenous CD31/CD34-positive endothelial cells in a hindlimb ischemia model: Implications for angiogenesis and vasculogenesis. Journal of Thoracic and Cardiovascular Surgery, 2013, 146, 971-978. | 0.4 | 88 |
| 53 | Visualizing changes in vessel wall dynamics due to stent-grafting in the aortic arch. , 2012, , . | | 2 |
| 54 | The Angiogenic Factor Secretoneurin Induces Coronary Angiogenesis in a Model of Myocardial Infarction by Stimulation of Vascular Endothelial Growth Factor Signaling in Endothelial Cells. Circulation, 2012, 126, 2491-2501. | 1.6 | 99 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Direct epicardial shock wave therapy improves ventricular function and induces angiogenesis in ischemic heart failure. Journal of Thoracic and Cardiovascular Surgery, 2009, 137, 963-970. | 0.4 | 50 |