

Jessica M Turner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7767186/publications.pdf>

Version: 2024-02-01

23
papers

371
citations

840776

11
h-index

794594

19
g-index

24
all docs

24
docs citations

24
times ranked

496
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Phosphodiesteraseâ€5 inhibitors in pregnancy: Systematic review and metaâ€analysis of maternal and perinatal safety and clinical outcomes. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 1817-1831. | 2.3 | 13 |
| 2 | Neurodevelopmental outcomes in infants following intrapartum maternal oral sildenafil citrate treatment. American Journal of Obstetrics and Gynecology, 2021, 224, 316-317. | 1.3 | 2 |
| 3 | Evaluation of Pregnancy Outcomes Among Women With Decreased Fetal Movements. JAMA Network Open, 2021, 4, e215071. | 5.9 | 14 |
| 4 | Maternal age potentiates the impact of operative birth on serious neonatal outcomes. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 33, 598-605. | 1.5 | 6 |
| 5 | The physiology of intrapartum fetal compromise at term. American Journal of Obstetrics and Gynecology, 2020, 222, 17-26. | 1.3 | 95 |
| 6 | Impact of lowâ€dose aspirin on adverse perinatal outcome: metaâ€analysis and metaâ€regression. Ultrasound in Obstetrics and Gynecology, 2020, 55, 157-169. | 1.7 | 22 |
| 7 | Reply. American Journal of Obstetrics and Gynecology, 2020, 222, 283-284. | 1.3 | 0 |
| 8 | Epidural use in labour is not associated with an increased risk of maternal or neonatal morbidity when the second stage is prolonged. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2020, 60, 336-343. | 1.0 | 13 |
| 9 | Changes in fetoplacental Doppler indices following intrapartum maternal sildenafil citrate treatment. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2020, 254, 302-307. | 1.1 | 4 |
| 10 | Oral sildenafil citrate during labor mitigates the intrapartum decline in placental growth factor in term pregnancies. American Journal of Obstetrics and Gynecology, 2020, 223, 588-590. | 1.3 | 4 |
| 11 | Reply. American Journal of Obstetrics and Gynecology, 2020, 223, 303. | 1.3 | 0 |
| 12 | The Impact of Severe Maternal Morbidity on Perinatal Outcomes in High Income Countries: Systematic Review and Meta-Analysis. Journal of Clinical Medicine, 2020, 9, 2035. | 2.4 | 15 |
| 13 | Safety and efficacy of sildenafil citrate to reduce operative birth for intrapartum fetal compromise atâ€term: a phase 2 randomized controlled trial. American Journal of Obstetrics and Gynecology, 2020, 222, 401-414. | 1.3 | 25 |
| 14 | Low First Trimester Pregnancy-Associated Plasma Protein-A Levels Are Not Associated with an Increased Risk of Intrapartum Fetal Compromise or Adverse Neonatal Outcomes: A Retrospective Cohort Study. Journal of Clinical Medicine, 2020, 9, 1108. | 2.4 | 5 |
| 15 | Cancer in Pregnancy. Asia-Pacific Journal of Clinical Oncology, 2019, 15, 296-308. | 1.1 | 17 |
| 16 | Impact of severe maternal morbidity on adverse perinatal outcomes in high-income countries: systematic review and meta-analysis protocol. BMJ Open, 2019, 9, e027100. | 1.9 | 6 |
| 17 | Pathophysiological changes associated with sleep disordered breathing and supine sleep position in pregnancy. Sleep Medicine Reviews, 2019, 46, 1-8. | 8.5 | 21 |
| 18 | Prolonged second stage of labour increases maternal morbidity but not neonatal morbidity. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2019, 59, 555-560. | 1.0 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Metastatic uterine leiomyosarcoma at 26 weeks gestation. BMJ Case Reports, 2019, 12, e230028. | 0.5 | 0 |
| 20 | The intrapartum and perinatal risks of sleep-disordered breathing in pregnancy: a systematic review and metaanalysis. American Journal of Obstetrics and Gynecology, 2018, 219, 147-161.e1. | 1.3 | 59 |
| 21 | ALK-rearranged inflammatory myofibroblastic tumour of placental membranes. Pathology, 2018, 50, 777-779. | 0.6 | 9 |
| 22 | A low fetal cerebroplacental ratio confers a greater risk of intrapartum fetal compromise and adverse neonatal outcomes in low risk multiparous women at term. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 230, 15-21. | 1.1 | 5 |
| 23 | Using cerebroplacental ratio in non-ESGA fetuses to predict adverse perinatal outcome: caution is required. Ultrasound in Obstetrics and Gynecology, 2018, 52, 427-429. | 1.7 | 20 |