

Atallah F Ahmed

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7767252/publications.pdf>

Version: 2024-02-01

190
papers

4,802
citations

101543

36
h-index

189892

50
g-index

199
all docs

199
docs citations

199
times ranked

3020
citing authors

#	ARTICLE	IF	CITATIONS
1	Physical and ecological processes of internal waves on an isolated reef ecosystem in the South China Sea. <i>Geophysical Research Letters</i> , 2007, 34, .	4.0	130
2	Scabrolides A~D, Four New Norditerpenoids Isolated from the Soft Coral <i>Sinulariascabra</i> . <i>Journal of Natural Products</i> , 2002, 65, 1904-1908.	3.0	98
3	Sinulochmodins A~C, Three Novel Terpenoids from the Soft Coral <i>Sinularia lochmodes</i> . <i>Organic Letters</i> , 2005, 7, 3813-3816.	4.6	82
4	Five novel norcembranoids from <i>Sinularia leptoclados</i> and <i>S. parva</i> . <i>Tetrahedron</i> , 2003, 59, 7337-7344.	1.9	81
5	Manaarenolides A~I, Diterpenoids from the Soft Coral <i>Sinulariamanaarensis</i> . <i>Journal of Natural Products</i> , 2006, 69, 1134-1139.	3.0	73
6	Can resistant coral- <i>Symbiodinium</i> associations enable coral communities to survive climate change? A study of a site exposed to long-term hot water input. <i>PeerJ</i> , 2014, 2, e327.	2.0	71
7	Scabrolides E~G, Three New Norditerpenoids from the Soft Coral <i>Sinulariascabra</i> . <i>Journal of Natural Products</i> , 2004, 67, 2079-2082.	3.0	67
8	The production of sexual and asexual larvae within single broods of the scleractinian coral, <i>Pocillopora damicornis</i> . <i>Marine Biology</i> , 2010, 157, 351-359.	1.5	67
9	Durumolides A~E, anti-inflammatory and antibacterial cembranolides from the soft coral <i>Lobophytum durum</i> . <i>Tetrahedron</i> , 2008, 64, 9698-9704.	1.9	65
10	New Î ² -Caryophyllene-Derived Terpenoids from the Soft Coral <i>Sinulariananolobata</i> . <i>Journal of Natural Products</i> , 2004, 67, 592-597.	3.0	63
11	Bioactive norditerpenoids from the soft coral <i>Sinularia gyrosa</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 3379-3386.	3.0	60
12	Cytotoxic Cembrenolides and Steroids from the Formosan Soft Coral <i>Sarcophyton crassocaule</i> . <i>Journal of Natural Products</i> , 2000, 63, 1634-1637.	3.0	59
13	Polyoxygenated Sterols from the Formosan Soft Coral <i>Sinularia gibberosa</i> . <i>Journal of Natural Products</i> , 2006, 69, 1275-1279.	3.0	59
14	Cytotoxic and anti-inflammatory cembranoids from the Dongsha Atoll soft coral <i>Sarcophyton crassocaule</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 1936-1941.	3.0	59
15	Cytotoxic Cembrenolide Diterpenes from the Formosan Soft Coral <i>Lobophytum crassum</i> . <i>Journal of Natural Products</i> , 2000, 63, 884-885.	3.0	57
16	Eunicellin-Based Diterpenoids, Australins A~D, Isolated from the Soft Coral <i>Cladiella australis</i> . <i>Journal of Natural Products</i> , 2005, 68, 1051-1055.	3.0	56
17	Suberosols A~D, Four New Sesquiterpenes with Î ² -Caryophyllene Skeletons from a Taiwanese Gorgonian Coral <i>Subergorgiasuberosa</i> . <i>Journal of Natural Products</i> , 2002, 65, 887-891.	3.0	53
18	Simplexins A~I, Eunicellin-Based Diterpenoids from the Soft Coral <i>Klyxum simplex</i> . <i>Journal of Natural Products</i> , 2009, 72, 994-1000.	3.0	51

#	ARTICLE	IF	CITATIONS
19	Crassocolides A ^F , Cembranoids with atrans-Fused Lactone from the Soft Coral Sarcophyton crassocaule. Journal of Natural Products, 2006, 69, 1554-1559.	3.0	50
20	Paraminabeolides A ^F , Cytotoxic and Anti-inflammatory Marine Withanolides from the Soft Coral <i>Paraminabea acronocephala</i> . Journal of Natural Products, 2011, 74, 1132-1141.	3.0	46
21	Cytotoxic Dolabellane Diterpenes from the Formosan Soft Coral <i>Clavularia inflata</i> . Journal of Natural Products, 2001, 64, 1028-1031.	3.0	45
22	Onion Peel Ethylacetate Fraction and Its Derived Constituent Quercetin 4-O-β-D Glucopyranoside Attenuates Quorum Sensing Regulated Virulence and Biofilm Formation. Frontiers in Microbiology, 2017, 8, 1675.	3.5	45
23	Oxygenated Cembranoids from a Formosan Soft Coral <i>Sinularia gibberosa</i> . Journal of Natural Products, 2008, 71, 179-185.	3.0	44
24	Steroid and cembranoids from the Dongsha atoll soft coral <i>Lobophytum sarcophytoides</i> . Tetrahedron, 2010, 66, 7129-7135.	1.9	44
25	A novel symmetric sulfur-containing biscembranoid from the Formosan soft coral <i>Sinularia flexibilis</i> . Tetrahedron Letters, 2010, 51, 5764-5766.	1.4	44
26	Hirsutalins A ^H , Eunicellin-Based Diterpenoids from the Soft Coral <i>Cladiella hirsuta</i> . Journal of Natural Products, 2010, 73, 1785-1791.	3.0	44
27	Antiviral and Anti-inflammatory Diterpenoids from the Soft Coral <i>Sinularia gyrosa</i> . Journal of Natural Products, 2010, 73, 1184-1187.	3.0	44
28	9,11-Secosterols from the Soft Corals <i>Sinularia lochmodes</i> and <i>Sinularia leptocladus</i> . Journal of Natural Products, 2006, 69, 850-852.	3.0	43
29	Unprecedented Hemiketal Cembranolides with Anti-inflammatory Activity from the Soft Coral <i>Lobophytum durum</i> . Journal of Natural Products, 2009, 72, 152-155.	3.0	43
30	Polyoxygenated Steroids from the Gorgonian <i>Isis hippuris</i> . Journal of Natural Products, 2005, 68, 880-885.	3.0	42
31	Bioactive Cembranoids from the Dongsha Atoll Soft Coral Sarcophyton crassocaule. Marine Drugs, 2011, 9, 994-1006.	4.6	42
32	Structural Elucidation and Structure-Activity Relationships of Cembranoids from Cultured Soft Corals <i>Sinularia sandensis</i> and <i>Sinularia flexibilis</i> . Journal of Agricultural and Food Chemistry, 2015, 63, 7211-7218.	5.2	41
33	Patterns of Coral Distribution and Benthic Space Partitioning on the Fringing Reefs of Southern Taiwan. Marine Ecology, 1993, 14, 185-204.	1.1	40
34	A C-3 Methylated Isocembranoid and 10-Oxocembranoids from a Formosan Soft Coral, <i>Sinularia grandilobata</i> . Journal of Natural Products, 2008, 71, 946-951.	3.0	40
35	Bioactive Cembranoids from the Soft Coral <i>Sinularia crassa</i> . Marine Drugs, 2011, 9, 1955-1968.	4.6	40
36	Terpenoid-Related Metabolites from a Formosan Soft Coral <i>Nephthea chabrolii</i> . Chemical and Pharmaceutical Bulletin, 2007, 55, 594-597.	1.3	39

#	ARTICLE	IF	CITATIONS
37	Cembranoids from the Octocoral <i>Sarcophyton ehrenbergi</i> . Journal of Natural Products, 2010, 73, 197-203.	3.0	39
38	Novel sesquiterpenoids from the Formosan soft coral <i>Paralemnalia thyrsoides</i> . Tetrahedron Letters, 2006, 47, 8751-8755.	1.4	38
39	Oxygenated Terpenoids from a Formosan Soft Coral <i>Sinularia gibberosa</i> . Journal of Natural Products, 2005, 68, 1208-1212.	3.0	37
40	Steroids from the Soft Coral <i>Sinularia crassa</i> . Marine Drugs, 2012, 10, 439-450.	4.6	37
41	Bioactive Isoprenoid-Derived Natural Products from a Dongsha Atoll Soft Coral <i>Sinularia erecta</i> . Journal of Natural Products, 2016, 79, 1339-1346.	3.0	37
42	Spatial and temporal variation of coral recruitment in Taiwan. Coral Reefs, 2003, 22, 224-228.	2.2	36
43	Eunicellin-Based Diterpenoids from the Formosan Soft Coral <i>Klyxum molle</i> with Inhibitory Activity on Superoxide Generation and Elastase Release by Neutrophils. Journal of Natural Products, 2013, 76, 1661-1667.	3.0	36
44	Glucumolides A and B, Biscembranoids with New Structural Type from a Cultured Soft Coral <i>Sarcophyton glaucum</i> . Scientific Reports, 2015, 5, 15624.	3.3	36
45	Proanthocyanidin-Rich Date Seed Extract Protects Against Chemically Induced Hepatorenal Toxicity. Journal of Medicinal Food, 2015, 18, 280-289.	1.5	36
46	Two New Subergane-Based Sesquiterpenes from a Taiwanese Gorgonian Coral <i>Subergorgiasuberosa</i> . Journal of Natural Products, 2002, 65, 1033-1036.	3.0	35
47	Population genetic structure of the neon damselfish (<i>Pomacentrus coelestis</i>) in the northwestern Pacific Ocean. Marine Biology, 2008, 154, 745-753.	1.5	35
48	Thymoquinone inhibits growth of human medulloblastoma cells by inducing oxidative stress and caspase-dependent apoptosis while suppressing NF- κ B signaling and IL-8 expression. Molecular and Cellular Biochemistry, 2016, 416, 141-155.	3.1	35
49	Structures of isorugosin E and hirtellin B, dimeric hydrolyzable tannins having a trisgalloyl group. Tetrahedron, 1991, 47, 3575-3584.	1.9	34
50	A novel chlorinated norsesquiterpenoid and two related new metabolites from the soft coral <i>Paralemnalia thyrsoides</i> . Tetrahedron Letters, 2005, 46, 7711-7714.	1.4	34
51	Sinugrandisterols A-D, trihydroxysteroids from the soft coral <i>Sinularia grandilobata</i> . Steroids, 2007, 72, 368-374.	1.8	34
52	Bioactive Eunicellin-Based Diterpenoids from the Soft Coral <i>Cladiella krempfi</i> . Marine Drugs, 2011, 9, 2036-2045.	4.6	34
53	Sinularianins A and B, novel sesquiterpenoids from the Formosan soft coral <i>Sinularia</i> sp.. Tetrahedron Letters, 2006, 47, 5889-5891.	1.4	33
54	Cytotoxic and anti-inflammatory diterpenoids from the Dongsha Atoll soft coral <i>Sinularia flexibilis</i> . Tetrahedron, 2012, 68, 244-249.	1.9	33

#	ARTICLE	IF	CITATIONS
55	Phytochemical Analysis of <i>Geigeria alata</i> and <i>Francoeuria crispa</i> Essential Oils. <i>Planta Medica</i> , 1997, 63, 479-482.	1.3	32
56	New Cytotoxic Constituents from the Formosan Soft Corals <i>Clavularia viridis</i> and <i>Clavularia violacea</i> . <i>Journal of Natural Products</i> , 2002, 65, 1535-1539.	3.0	32
57	11 α ,3 β ,5 β -Trihydroxy-24-methylenecholestan-6-one: a novel steroid from a soft coral <i>Sinularia gibberosa</i> . <i>Steroids</i> , 2003, 68, 377-381.	1.8	32
58	Phenanthrenoids from <i>Juncus acutus</i> L., New Natural Lipopolysaccharide-Inducible Nitric Oxide Synthase Inhibitors. <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 1264-1266.	1.3	32
59	Revision of the Absolute Configuration at C(23) of Lanostanoids and Isolation of Secondary Metabolites from Formosan Soft Coral <i>Nephthea erecta</i> . <i>Chemistry and Biodiversity</i> , 2009, 6, 86-95.	2.1	32
60	Hippuristerone A, a novel polyoxygenated steroid from the gorgonian <i>Isis hippuris</i> . <i>Tetrahedron Letters</i> , 2000, 41, 7885-7888.	1.4	31
61	Nanolobatolide, a New C ₁₈ Metabolite from the Formosan Soft Coral <i>Sinularia nanolobata</i> . <i>Organic Letters</i> , 2009, 11, 5030-5032.	4.6	31
62	Klymollins A-H, Bioactive Eunicellin-Based Diterpenoids from the Formosan Soft Coral <i>Klyxum molle</i> . <i>Journal of Natural Products</i> , 2011, 74, 2467-2471.	3.0	31
63	Edible Oils for Liver Protection: Hepatoprotective Potentiality of <i>Moringa Oleifera</i> Seed Oil against Chemical-Induced Hepatitis in Rats. <i>Journal of Food Science</i> , 2012, 77, T124-30.	3.1	31
64	Cytotoxic and Anti-Inflammatory Eunicellin-Based Diterpenoids from the Soft Coral <i>Cladiella krempfi</i> . <i>Marine Drugs</i> , 2013, 11, 788-799.	4.6	31
65	Cytotoxic Clerodane Diterpenoids from <i>Casearia membranacea</i> . <i>Journal of Natural Products</i> , 2005, 68, 1665-1668.	3.0	30
66	Local phase shift from <i>Acropora</i> -dominant to <i>Condylactis</i> -dominant community in the Tiao-Shi Reef, Kenting National Park, southern Taiwan. <i>Coral Reefs</i> , 2004, 23, 508.	2.2	29
67	New Terpenoids from the Soft Corals <i>Sinularia capillosa</i> and <i>Nephthea chabroli</i> . <i>Organic Letters</i> , 2009, 11, 4830-4833.	4.6	29
68	Withanolide-Based Steroids from the Cultured Soft Coral <i>Sinularia brassica</i> . <i>Journal of Natural Products</i> , 2013, 76, 1902-1908.	3.0	29
69	New bioactive steroids from the soft coral <i>Klyxum flaccidum</i> . <i>RSC Advances</i> , 2015, 5, 12546-12554.	3.6	29
70	New cytotoxic and anti-inflammatory steroids from the soft coral <i>Klyxum flaccidum</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 3253-3257.	2.2	29
71	Novel cyclic sesquiterpene peroxides from the Formosan soft coral <i>Sinularia</i> sp.. <i>Tetrahedron Letters</i> , 2006, 47, 2175-2178.	1.4	28
72	Tannins of Tamaricaceous Plants. II. New Monomeric and Dimeric Hydrolyzable Tannins from <i>Reaumuria hirtella</i> and <i>Tamarix pakistanica</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 1991, 39, 2849-2854.	1.3	27

#	ARTICLE	IF	CITATIONS
73	Sesquiterpenoids and Norsesquiterpenoids from the Formosan Soft Coral <i>Lemnalia laevis</i> . <i>Journal of Natural Products</i> , 2005, 68, 1749-1753.	3.0	27
74	Meroditerpenoids from a Formosan Soft Coral <i>Nephthea chabrolii</i> . <i>Journal of Natural Products</i> , 2005, 68, 1651-1655.	3.0	27
75	Novel steroids from the soft coral <i>Nephthea chabrolii</i> . <i>Tetrahedron</i> , 2007, 63, 703-707.	1.9	27
76	Tannins of Tamaricaceous Plants. III. New Dimeric Hydrolyzable Tannins from <i>Reaumuria hirtella</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 1993, 41, 672-679.	1.3	26
77	New Cytotoxic Xenia Diterpenoids from the Formosan Soft Coral <i>Xenia umbellata</i> . <i>Journal of Natural Products</i> , 2002, 65, 1882-1885.	3.0	26
78	A novel antioxidant phenanthrenoid dimer from <i>Juncus acutus</i> L. <i>Natural Product Research</i> , 2013, 27, 155-163.	1.8	26
79	C18 Dibenzocyclooctadiene Lignans from <i>Kadsuraphilippinensis</i> . <i>Journal of Natural Products</i> , 2006, 69, 963-966.	3.0	25
80	Nardosinane-Type Sesquiterpenoids from the Formosan Soft Coral <i>Paralemnalia thyrsoidea</i> . <i>Marine Drugs</i> , 2011, 9, 1543-1553.	4.6	25
81	Tortuosenes A and B, New Diterpenoid Metabolites from the Formosan Soft Coral <i>Sarcophyton tortuosum</i> . <i>Organic Letters</i> , 2014, 16, 1314-1317.	4.6	25
82	Bioactive Steroids from the Formosan Soft Coral <i>Umbellulifera petasites</i> . <i>Marine Drugs</i> , 2016, 14, 180.	4.6	25
83	Novel Meroditerpenoid-Related Metabolites from the Formosan Soft Coral <i>Nephthea chabrolii</i> . <i>Journal of Natural Products</i> , 2004, 67, 2048-2052.	3.0	24
84	Glycolipids from the Formosan Soft Coral <i>Lobophytum crassum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 1720-1723.	1.3	24
85	Synthesis, anti-inflammatory and neuroprotective activity of pyrazole and pyrazolo[3,4-d]pyridazine bearing 3,4,5-trimethoxyphenyl. <i>Medicinal Chemistry Research</i> , 2017, 26, 1557-1566.	2.4	24
86	Lochmolins A-G, New Sesquiterpenoids from the Soft Coral <i>Sinularia lochmodes</i> . <i>Marine Drugs</i> , 2012, 10, 1572-1581.	4.6	23
87	Isoprenoids from the Soft Coral <i>Sarcophyton glaucum</i> . <i>Marine Drugs</i> , 2017, 15, 202.	4.6	23
88	Cembranoid-Related Metabolites and Biological Activities from the Soft Coral <i>Sinularia flexibilis</i> . <i>Marine Drugs</i> , 2018, 16, 278.	4.6	23
89	Anti-Inflammatory Polyoxygenated Steroids from the Soft Coral <i>Lobophytum michaelae</i> . <i>Marine Drugs</i> , 2018, 16, 93.	4.6	23
90	Why selection favors protandrous sex change for the parasitic isopod, <i>Ichthyoxenus fushanensis</i> (Isopoda: Cymothoidae). <i>Evolutionary Ecology</i> , 1999, 13, 327-338.	1.2	22

#	ARTICLE	IF	CITATIONS
91	Sarcocrassocolides <i>Mâ€™O</i> , Bioactive Cembranoids from the Dongsha Atoll Soft Coral Sarcophyton crassocaula. Marine Drugs, 2012, 10, 617-626.	4.6	22
92	Briacavatolides <i>Aâ€™C</i> , New Briaranes from the Taiwanese Octocoral Briareum excavatum. Marine Drugs, 2012, 10, 1019-1026.	4.6	22
93	Phylogeography of the humbug damselfish, <i>Dascyllus aruanus</i> (Linnaeus, 1758): evidence of Indo-Pacific vicariance and genetic differentiation of peripheral populations. Biological Journal of the Linnean Society, 2014, 113, 931-942.	1.6	22
94	Isolation and Structure Elucidation of Cembranoids from a Dongsha Atoll Soft Coral Sarcophyton stellatum. Marine Drugs, 2018, 16, 210.	4.6	22
95	Dimeric hydrolysable tannins from Tamarix pakistanica. Phytochemistry, 1993, 33, 197-202.	2.9	21
96	Sinugibberosides <i>Aâ€™E</i> , new terpenoids with cyclic peroxyhemiketal from the soft coral Sinularia gibberosa. Tetrahedron, 2006, 62, 6802-6807.	1.9	21
97	Dietary separation between two blennies and the Pacific gregory in northern Taiwan: evidence from stomach content and stable isotope analyses. Marine Biology, 2007, 151, 729-736.	1.5	21
98	New Cembranoids and a Biscembranoid Peroxide from the Soft Coral Sarcophyton cherbonnieri. Marine Drugs, 2018, 16, 276.	4.6	21
99	Four New Nonoxygenated C18 Dibenzocyclooctadiene Lignans from Kadsura philippinensis. Chemical and Pharmaceutical Bulletin, 2007, 55, 280-283.	1.3	20
100	Anti-Inflammatory Polyoxygenated Steroids from the Soft Coral <i>Sinularia</i> sp.. Bulletin of the Chemical Society of Japan, 2008, 81, 1616-1620.	3.2	20
101	Sesquiterpenoids from the Formosan Soft Coral Sinularia leptoclados. Chemical and Pharmaceutical Bulletin, 2010, 58, 250-253.	1.3	20
102	Bioactive Cembranoids, Sarcocrassocolides <i>Pâ€™R</i> , from the Dongsha Atoll Soft Coral Sarcophyton crassocaula. Marine Drugs, 2014, 12, 840-850.	4.6	20
103	Bioactive new withanolides from the cultured soft coral Sinularia brassica. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 3267-3271.	2.2	20
104	Bioactive Steroids with Methyl Ester Group in the Side Chain from a Reef Soft Coral Sinularia brassica Cultured in a Tank. Marine Drugs, 2017, 15, 280.	4.6	20
105	Novel Norhumulene and Xeniaphyllane-Derived Terpenoids from a Formosan Soft Coral Sinularia gibberosa. Chemical and Pharmaceutical Bulletin, 2009, 57, 162-166.	1.3	19
106	Metabolites with Cytotoxic Activity from the Formosan Soft Coral <i>Cladiella Australis</i> . Journal of the Chinese Chemical Society, 2006, 53, 489-494.	1.4	18
107	Phylogeny and systematics of deep-sea precious corals (Anthozoa: Octocorallia: Coralliidae). Molecular Phylogenetics and Evolution, 2015, 84, 173-184.	2.7	18
108	Steroidal and $\hat{\pm}$ -tocopherylhydroquinone glycosides from two soft corals Cladiella hirsuta and Sinularia nanolobata. RSC Advances, 2015, 5, 74256-74262.	3.6	18

#	ARTICLE	IF	CITATIONS
109	New Inducible Nitric Oxide Synthase and Cyclooxygenase-2 Inhibitors, Nalidixic Acid Linked to Isatin Schiff Bases via Certain L-Amino Acid Bridges. <i>Molecules</i> , 2016, 21, 498.	3.8	18
110	Eunicellin-Based Diterpenoids, Hirsutalins Nâ€“R, from the Formosan Soft Coral <i>Cladiella hirsuta</i> . <i>Marine Drugs</i> , 2014, 12, 2446-2457.	4.6	17
111	Klyflaccisteroids Kâ€“M, bioactive steroidal derivatives from a soft coral <i>Klyxum flaccidum</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 1220-1224.	2.2	17
112	Tannins of Tamaricaceous Plants. V. New Dimeric, Trimeric and Tetrameric Ellagitannins from <i>Reaumuria hirtella</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 1994, 42, 246-253.	1.3	16
113	Pituranthoside from <i>Pituranthos triradiatus</i> . <i>Phytochemistry</i> , 1995, 40, 927-929.	2.9	16
114	New xenicane diterpenoids from <i>Xenia florida</i> . <i>Tetrahedron Letters</i> , 2005, 46, 4793-4796.	1.4	16
115	New Î²-Caryophyllene-Derived Terpenoids from the Formosan Soft Coral <i>Sinularia gibberosa</i> . <i>Bulletin of the Chemical Society of Japan</i> , 2006, 79, 1547-1551.	3.2	16
116	Bioactive pregnane-type steroids from the soft coral <i>Scleronephthya gracillimum</i> . <i>Tetrahedron</i> , 2012, 68, 9694-9700.	1.9	16
117	New Cembranoid Diterpenes from the Cultured Octocoral <i>Nephtea columnaris</i> . <i>Molecules</i> , 2015, 20, 13205-13215.	3.8	16
118	New Biscembranoids Sardigitolides Aâ€“D and Known Cembranoid-Related Compounds from <i>Sarcophyton digitatum</i> : Isolation, Structure Elucidation, and Bioactivities. <i>Marine Drugs</i> , 2020, 18, 452.	4.6	16
119	New Norcembranoids from the Soft Coral <i>Sinularia Lochmodes</i> . <i>Journal of the Chinese Chemical Society</i> , 2007, 54, 1041-1044.	1.4	15
120	Secondary Metabolites from the Soft Coral <i>Sinularia arborea</i> . <i>Marine Drugs</i> , 2013, 11, 3372-3380.	4.6	15
121	Cubitanoids and Cembranoids from the Soft Coral <i>Sinularia nanolobata</i> . <i>Marine Drugs</i> , 2016, 14, 150.	4.6	15
122	Bioactive Capnosanes and Cembranes from the Soft Coral <i>Klyxum flaccidum</i> . <i>Marine Drugs</i> , 2019, 17, 461.	4.6	15
123	Xeniaphyllane-Derived Terpenoids from the Formosan Soft Coral <i>Sinularia gibberosa</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 1471-1475.	1.3	14
124	Two New Cembranes from a Formosan Soft Coral <i>Sinularia facile</i> . <i>Bulletin of the Chemical Society of Japan</i> , 2011, 84, 1371-1373.	3.2	14
125	Pleistocene diversification of the <i>Pomacentrus coelestis</i> species complex (Pisces: Pomacentridae): historical biogeography and species boundaries. <i>Marine Biology</i> , 2014, 161, 2495-2507.	1.5	14
126	Eunicellin-Based Diterpenoids, Hirsutalins Sâ€“V, from the Formosan Soft Coral <i>Cladiella hirsuta</i> . <i>Marine Drugs</i> , 2015, 13, 2757-2769.	4.6	14

#	ARTICLE	IF	CITATIONS
127	Taxonomic revision of Coralliidae with descriptions of new species from New Caledonia and the Hawaiian Archipelago. <i>Marine Biology Research</i> , 2016, 12, 1003-1038.	0.7	14
128	Biochemical and Molecular Investigation of In Vitro Antioxidant and Anticancer Activity Spectrum of Crude Extracts of Willow Leaves <i>Salix safsaf</i> . <i>Plants</i> , 2020, 9, 1295.	3.5	14
129	Polyoxygenated Steroids from a Formosan Soft Coral <i>Sinularia facile</i> . <i>Bulletin of the Chemical Society of Japan</i> , 2008, 81, 1304-1307.	3.2	13
130	A New 5 β ,8 β -Epidioxysterol from the Soft Coral <i>Sinularia gaweli</i> . <i>Molecules</i> , 2013, 18, 2895-2903.	3.8	13
131	Pregnane-Type Steroids from the Formosan Soft Coral <i>Scleronephthya flexilis</i> . <i>International Journal of Molecular Sciences</i> , 2014, 15, 10136-10149.	4.1	13
132	Tannins of Tamaricaceous Plants. VI. Four New Trimeric Hydrolyzable Tannins from <i>Reaumuria hirtella</i> and <i>Tamarix pakistanica</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 1994, 42, 254-264.	1.3	12
133	Macroalgal assemblage structure on a coral reef in Nanwan Bay in southern Taiwan. <i>Botanica Marina</i> , 2004, 47, .	1.2	12
134	From the drawing board to the field: an example for establishing an MPA in Penghu, Taiwan. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2007, 17, 619-635.	2.0	12
135	Cucurbitacins from <i>Bryonia cretica</i> . <i>Phytochemistry Letters</i> , 2010, 3, 117-121.	1.2	12
136	Bioactive Cembranoids from the Dongsha Atoll Soft Coral <i>Lobophytum crassum</i> . <i>Bulletin of the Chemical Society of Japan</i> , 2011, 84, 1102-1106.	3.2	12
137	Klyflaccicembranols A–I, New Cembranoids from the Soft Coral <i>Klyxum flaccidum</i> . <i>Marine Drugs</i> , 2017, 15, 23.	4.6	12
138	Antioxidant and hepatorenal protective effects of bee pollen fractions against propionic acid-induced autistic feature in rats. <i>Food Science and Nutrition</i> , 2020, 8, 5114-5127.	3.4	12
139	Penipyranicins A–C: Antibacterial Methylpyran Polyketides from a Hydrothermal Spring Sediment <i>Penicillium</i> sp.. <i>Journal of Natural Products</i> , 2020, 83, 3591-3597.	3.0	12
140	Sesquiterpenoids-Related Metabolites from the Soft Coral <i>Sinularia</i> sp.. <i>Journal of the Chinese Chemical Society</i> , 2008, 55, 1286-1289.	1.4	11
141	Sinulanorcembranolide A, a novel norcembranoidal diterpene from the octocoral <i>Sinularia gaweli</i> . <i>Tetrahedron Letters</i> , 2013, 54, 2267-2270.	1.4	11
142	Anti-Inflammatory Lobane and Prenyleudesmane Diterpenoids from the Soft Coral <i>Lobophytum varium</i> . <i>Marine Drugs</i> , 2017, 15, 300.	4.6	11
143	Cannibalism within Mating Pairs of the Parasitic Isopod, <i>Ichthyoxenus Fushanensis</i> . <i>Journal of Crustacean Biology</i> , 2003, 23, 662-668.	0.8	10
144	Pregnane-Based Steroids from a Formosan Gorgonian <i>Subergorgia Mollis</i> . <i>Journal of the Chinese Chemical Society</i> , 2004, 51, 205-208.	1.4	10

#	ARTICLE	IF	CITATIONS
145	New Steroids from the Soft Coral <i>Nephthea chabrolii</i> . Bulletin of the Chemical Society of Japan, 2007, 80, 2208-2212.	3.2	10
146	Sarcophytonins F and G, New Dihydrofuranocembranoids from a Dongsha Atoll Soft Coral <i>Sarcophyton</i> sp.. Bulletin of the Chemical Society of Japan, 2012, 85, 920-922.	3.2	10
147	Isolation of Lobane and Prenyleudesmane Diterpenoids from the Soft Coral <i>Lobophytum varium</i> . Marine Drugs, 2020, 18, 223.	4.6	10
148	The Mechanism Underlying the Spasmolytic and Bronchodilatory Activities of the Flavonoid-rich Red Onion <i>Allium cepa</i> L. Peel Extract. International Journal of Pharmacology, 2014, 10, 82-89.	0.3	10
149	The Octocorals of Dongsha Atoll (South China Sea): An Iterative Approach to Species Identification Using Classical Taxonomy and Molecular Barcodes. Zoological Studies, 2018, 57, e50.	0.3	10
150	ICHTHYOXENUS FUSHANENSIS, NEW SPECIES (ISOPODA: CYMOTHOIDAE), PARASITE OF THE FRESH-WATER FISH VARICORHINUS BARBATULUS FROM NORTHERN TAIWAN. Journal of Crustacean Biology, 1999, 19, 917-923.	0.8	9
151	Eight microsatellite loci in Clark's anemonefish, <i>Amphiprion clarkii</i> . Molecular Ecology Notes, 2007, 7, 1169-1171.	1.7	9
152	Sesquiterpene Lactones from <i>Daucus glaber</i> . Helvetica Chimica Acta, 2010, 93, 48-57.	1.6	9
153	Two Polycyclic Geranylhydroquinone-Derived Metabolites from Roots of <i>Arnebia hispidissima</i> (Lehm.) DC.. Molecules, 2014, 19, 5940-5951.	3.8	9
154	Assessment of the effects of cage fish-farming on damselfish-associated food chains using stable-isotope analyses. Marine Pollution Bulletin, 2014, 86, 111-121.	5.0	9
155	Evidence-based medicinal value of <i>Rudbeckia hirta</i> L. flowers. Natural Product Research, 2014, 28, 909-913.	1.8	9
156	New anti-inflammatory tocopherol-derived metabolites from the Taiwanese soft coral <i>Cladiella hirsuta</i> . Bioorganic and Medicinal Chemistry Letters, 2015, 25, 92-95.	2.2	9
157	Evaluation of Antimycobacterial Activity of Higenamine Using <i>Galleria mellonella</i> as an In Vivo Infection Model. Natural Products and Bioprospecting, 2018, 8, 63-69.	4.3	9
158	The Phytochemical and Biological Investigation of <i>Jatropha pelargoniifolia</i> Root Native to the Kingdom of Saudi Arabia. Molecules, 2018, 23, 1892.	3.8	9
159	Anti-Inflammatory Cembranoids from a Formosa Soft Coral <i>Sarcophyton cherbonnieri</i> . Marine Drugs, 2020, 18, 573.	4.6	9
160	New secondary metabolite with cytotoxicity from spawning soft coral <i>Asterospicularia laurae</i> in Taiwan. Natural Product Research, 2021, 35, 967-975.	1.8	9
161	Asporychalsin, a bioactive cytochalasin with an unprecedented 6/6/11 skeleton from the Red Sea sediment <i>Aspergillus oryzae</i> . Phytochemistry, 2021, 192, 112952.	2.9	9
162	Novel Polyhydroxysteroids from the Formosan Soft Coral <i>Sarcophyton Glaucum</i> . Journal of the Chinese Chemical Society, 2004, 51, 217-220.	1.4	8

#	ARTICLE	IF	CITATIONS
163	First Find of <i>Epigonichthys maldivensis</i> (Cooper) and Rediscovery of <i>E. lucayanus</i> (Andrews) from Nanwan Bay, Southern Taiwan (Cephalochordata). <i>Benthos Research</i> , 1997, 52, 103-109.	0.2	7
164	Genotyping the clonal structure of a gorgonian coral, <i>Junceella juncea</i> (Anthozoa: Octocorallia), using microsatellite loci. <i>Coral Reefs</i> , 2005, 24, 352-358.	2.2	7
165	Hepatorenal protective effect of Antistax [®] against chemically-induced toxicity. <i>Pharmacognosy Magazine</i> , 2015, 11, 173.	0.6	7
166	Briarenones A-C, New Briarellin Diterpenoids from the Gorgonian <i>Briareum violaceum</i> . <i>Marine Drugs</i> , 2019, 17, 120.	4.6	7
167	An Anti-Inflammatory 2,4-Cyclized-3,4-Secospongian Diterpenoid and Furanoterpene-Related Metabolites of a Marine Sponge <i>Spongia</i> sp. from the Red Sea. <i>Marine Drugs</i> , 2021, 19, 38.	4.6	7
168	Antiproliferative Illudalane Sesquiterpenes from the Marine Sediment Ascomycete <i>Aspergillus oryzae</i> . <i>Marine Drugs</i> , 2021, 19, 333.	4.6	7
169	Cembranoid-Related Diterpenes, Novel Secoditerpenes, and an Unusual Bisditerpene from a Formosan Soft Coral <i>Sarcophyton tortuosum</i> . <i>Bulletin of the Chemical Society of Japan</i> , 2021, 94, 2774-2783.	3.2	7
170	A Major <i>Diplotaxis harra</i> -Derived Bioflavonoid Glycoside as a Protective Agent against Chemically Induced Neurotoxicity and Parkinson's Models; In Silico Target Prediction; and Biphasic HPTLC-Based Quantification. <i>Plants</i> , 2022, 11, 648.	3.5	7
171	A new highly oxygenated pseudoguaianolide with 5-LOX inhibitory activity from <i>Rudbeckia hirta</i> L. flowers. <i>Natural Product Research</i> , 2013, 27, 2281-2285.	1.8	6
172	Subtidal sabellarid reefs in Hualien, eastern Taiwan. <i>Coral Reefs</i> , 2009, 28, 275-275.	2.2	5
173	A bioeroding foraminifer, <i>Hyrrokkin sarcophaga</i> , on deepwater corals from the South China Sea. <i>Coral Reefs</i> , 2016, 35, 901-901.	2.2	5
174	Administration of Zinc with Paroxetine Improved the Forced Swim Test Behavioral Pattern of Treated Mice in Acute and Sub-Acute Study. <i>Journal of Behavioral and Brain Science</i> , 2015, 05, 213-220.	0.5	5
175	An Unprecedented Cembranoid with a Novel Tricyclo[9.3.0.02,12]tetradecane Skeleton and Related Diterpenes from the Soft Coral <i>Sarcophyton cinereum</i> . <i>Bulletin of the Chemical Society of Japan</i> , 2022, 95, 374-379.	3.2	5
176	The Chemically Highly Diversified Metabolites from the Red Sea Marine Sponge <i>Spongia</i> sp.. <i>Marine Drugs</i> , 2022, 20, 241.	4.6	5
177	Computationally Assisted Structural Elucidation of Cembranoids from the Soft Coral <i>Sarcophyton tortuosum</i> . <i>Marine Drugs</i> , 2022, 20, 297.	4.6	5
178	Poecilostomatoid copepods associated with two species of widely distributed corals, <i>Galaxea astreata</i> (Lamarck, 1816) and <i>Galaxea fascicularis</i> (Linnaeus 1767), in the South China Sea. <i>Marine Biodiversity</i> , 2018, 48, 1057-1072.	1.0	4
179	Withanolides and 26-Hydroxylated Derivatives with Anti-Inflammatory Property from <i>Solanum Capsicoide</i> . <i>Bulletin of the Chemical Society of Japan</i> , 2019, 92, 336-343.	3.2	4
180	Cembranolides and Related Constituents from the Soft Coral <i>Sarcophyton cinereum</i> . <i>Molecules</i> , 2022, 27, 1760.	3.8	4

#	ARTICLE	IF	CITATIONS
181	Phenylpropanoid triesters from <i>Daucus glaber</i> . <i>Phytochemistry Letters</i> , 2009, 2, 188-191.	1.2	3
182	Is Large Body Size always Advantageous for Terrestrial Adaptation?. <i>Evolutionary Ecology</i> , 2000, 14, 61-78.	1.2	2
183	New Cembranoids from the Soft Coral <i>Sinularia arborea</i> . <i>Natural Product Communications</i> , 2014, 9, 1934578X1400900.	0.5	2
184	5-(6-Hydroxy-2,5,7,8-tetramethylchroman-2-yl)-2-methyl-pentanoic Acid Methyl Ester. <i>MolBank</i> , 2014, 2014, M822.	0.5	2
185	Four anchimolgid copepods (Poecilostomatoida: Anchimolgidae) associated with the scleractinian coral <i>Pavona explanulata</i> (Lamarck, 1816) in Taiwan. <i>Zootaxa</i> , 2016, 4174, 274.	0.5	2
186	Simultaneous quantification of two phenolic biomarkers by a validated high-performance thin-layer chromatographic method in antimicrobial and antioxidant active ethyl acetate fraction of <i>Allium cepa</i> L. (peel). <i>Journal of Planar Chromatography - Modern TLC</i> , 2017, 30, 510-515.	1.2	2
187	A new family of poecilostomatoid copepods (<i>Strepidae</i> fam. nov.) associated with the sun coral, <i>Tubastraea coccinea</i> Lesson, 1829 in Taiwan. <i>Zootaxa</i> , 2016, 4174, 346.	0.5	1
188	Spatial Patterns and Environmental Settings of Non-reefal Coral Communities Across the Tropic of Cancer in the Penghu Archipelago (Pescadores), Taiwan. <i>Zoological Studies</i> , 2016, 55, e45.	0.3	1
189	Polyoxygenated Klysimplexane- and Eunicellin-Based Diterpenoids from the Gorgonian <i>Briareum violaceum</i> . <i>Molecules</i> , 2021, 26, 3276.	3.8	0
190	MULTI-BIOACTIVE METABOLITES FROM <i>RUDBECKIA HIRTA</i> L. FLOWERS. <i>Reviews on Clinical Pharmacology and Drug Therapy</i> , 2012, 10, 33-2.	0.6	0