

Atallah F Ahmed

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7767252/publications.pdf>

Version: 2024-02-01

190
papers

4,802
citations

101543

36
h-index

189892

50
g-index

199
all docs

199
docs citations

199
times ranked

3020
citing authors

#	ARTICLE	IF	CITATIONS
1	An Unprecedented Cembranoid with a Novel Tricyclo[9.3.0.02,12]tetradecane Skeleton and Related Diterpenes from the Soft Coral <i>Sarcophyton cinereum</i> . Bulletin of the Chemical Society of Japan, 2022, 95, 374-379.	3.2	5
2	A Major Diplotaxis harra-Derived Bioflavonoid Glycoside as a Protective Agent against Chemically Induced Neurotoxicity and Parkinson's Models; In Silico Target Prediction; and Biphasic HPTLC-Based Quantification. Plants, 2022, 11, 648.	3.5	7
3	The Chemically Highly Diversified Metabolites from the Red Sea Marine Sponge <i>Spongia</i> sp.. Marine Drugs, 2022, 20, 241.	4.6	5
4	Cembranolides and Related Constituents from the Soft Coral <i>Sarcophyton cinereum</i> . Molecules, 2022, 27, 1760.	3.8	4
5	Computationally Assisted Structural Elucidation of Cembranoids from the Soft Coral <i>Sarcophyton tortuosum</i> . Marine Drugs, 2022, 20, 297.	4.6	5
6	New secondary metabolite with cytotoxicity from spawning soft coral <i>Asterospicularia lauræ</i> in Taiwan. Natural Product Research, 2021, 35, 967-975.	1.8	9
7	An Anti-Inflammatory 2,4-Cyclized-3,4-Secospongian Diterpenoid and Furanoterpene-Related Metabolites of a Marine Sponge <i>Spongia</i> sp. from the Red Sea. Marine Drugs, 2021, 19, 38.	4.6	7
8	Polyoxygenated Klysimplexane- and Eunicellin-Based Diterpenoids from the Gorgonian <i>Briareum violaceum</i> . Molecules, 2021, 26, 3276.	3.8	0
9	Antiproliferative Illudalane Sesquiterpenes from the Marine Sediment Ascomycete <i>Aspergillus oryzae</i> . Marine Drugs, 2021, 19, 333.	4.6	7
10	Asporychalasin, a bioactive cytochalasan with an unprecedented 6/6/11 skeleton from the Red Sea sediment <i>Aspergillus oryzae</i> . Phytochemistry, 2021, 192, 112952.	2.9	9
11	Cembranoid-Related Diterpenes, Novel Secoditerpenes, and an Unusual Bisditerpene from a Formosan Soft Coral <i>Sarcophyton Tortuosum</i> . Bulletin of the Chemical Society of Japan, 2021, 94, 2774-2783.	3.2	7
12	Anti-Inflammatory Cembranoids from a Formosa Soft Coral <i>Sarcophyton cherbonnieri</i> . Marine Drugs, 2020, 18, 573.	4.6	9
13	Biochemical and Molecular Investigation of In Vitro Antioxidant and Anticancer Activity Spectrum of Crude Extracts of Willow Leaves <i>Salix safsaf</i> . Plants, 2020, 9, 1295.	3.5	14
14	New Biscembranoids Sardigitolides A-D and Known Cembranoid-Related Compounds from <i>Sarcophyton digitatum</i> : Isolation, Structure Elucidation, and Bioactivities. Marine Drugs, 2020, 18, 452.	4.6	16
15	Antioxidant and hepatorenal protective effects of bee pollen fractions against propionic acid-induced autistic feature in rats. Food Science and Nutrition, 2020, 8, 5114-5127.	3.4	12
16	Penipyranicins A-C: Antibacterial Methylpyran Polyketides from a Hydrothermal Spring Sediment <i>Penicillium</i> sp.. Journal of Natural Products, 2020, 83, 3591-3597.	3.0	12
17	Isolation of Lobane and Prenyleudesmane Diterpenoids from the Soft Coral <i>Lobophytum varium</i> . Marine Drugs, 2020, 18, 223.	4.6	10
18	Bioactive Capnosanes and Cembranes from the Soft Coral <i>Klyxum flaccidum</i> . Marine Drugs, 2019, 17, 461.	4.6	15

#	ARTICLE	IF	CITATIONS
19	Briarenones Aâ€™C, New Briarellin Diterpenoids from the Gorgonian Briareum violaceum. Marine Drugs, 2019, 17, 120.	4.6	7
20	Withanolides and 26-Hydroxylated Derivatives with Anti-Inflammatory Property from <i>Solanum Capsicoide</i>. Bulletin of the Chemical Society of Japan, 2019, 92, 336-343.	3.2	4
21	Evaluation of Antimycobacterial Activity of Higenamine Using Galleria mellonella as an In Vivo Infection Model. Natural Products and Bioprospecting, 2018, 8, 63-69.	4.3	9
22	Poecilostomatoid copepods associated with two species of widely distributed corals, Galaxea astreata (Lamarck, 1816) and Galaxea fascicularis (Linnaeus 1767), in the South China Sea. Marine Biodiversity, 2018, 48, 1057-1072.	1.0	4
23	Cembranoid-Related Metabolites and Biological Activities from the Soft Coral Sinularia flexibilis. Marine Drugs, 2018, 16, 278.	4.6	23
24	Anti-Inflammatory Polyoxygenated Steroids from the Soft Coral Lobophytum michaelae. Marine Drugs, 2018, 16, 93.	4.6	23
25	Isolation and Structure Elucidation of Cembranoids from a Dongsha Atoll Soft Coral Sarcophyton stellatum. Marine Drugs, 2018, 16, 210.	4.6	22
26	New Cembranoids and a Biscembranoid Peroxide from the Soft Coral Sarcophyton cherbonnieri. Marine Drugs, 2018, 16, 276.	4.6	21
27	The Phytochemical and Biological Investigation of Jatropha pelargoniifolia Root Native to the Kingdom of Saudi Arabia. Molecules, 2018, 23, 1892.	3.8	9
28	The Octocorals of Dongsha Atoll (South China Sea): An Iterative Approach to Species Identification Using Classical Taxonomy and Molecular Barcodes. Zoological Studies, 2018, 57, e50.	0.3	10
29	Klyflaccisteroids Kâ€™M, bioactive steroidal derivatives from a soft coral Klyxum flaccidum. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 1220-1224.	2.2	17
30	Bioactive new withanolides from the cultured soft coral Sinularia brassica. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 3267-3271.	2.2	20
31	Synthesis, anti-inflammatory and neuroprotective activity of pyrazole and pyrazolo[3,4-d]pyridazine bearing 3,4,5-trimethoxyphenyl. Medicinal Chemistry Research, 2017, 26, 1557-1566.	2.4	24
32	Klyflaccicembranols Aâ€™I, New Cembranoids from the Soft Coral Klyxum flaccidum. Marine Drugs, 2017, 15, 23.	4.6	12
33	Isoprenoids from the Soft Coral Sarcophyton glaucum. Marine Drugs, 2017, 15, 202.	4.6	23
34	Anti-Inflammatory Lobane and Prenyleudesmane Diterpenoids from the Soft Coral Lobophytum varium. Marine Drugs, 2017, 15, 300.	4.6	11
35	Onion Peel Ethylacetate Fraction and Its Derived Constituent Quercetin 4â€™-O-Î²-D Glucopyranoside Attenuates Quorum Sensing Regulated Virulence and Biofilm Formation. Frontiers in Microbiology, 2017, 8, 1675.	3.5	45
36	Simultaneous quantification of two phenolic biomarkers by a validated high-performance thin-layer chromatographic method in antimicrobial and antioxidant active ethyl acetate fraction of Allium cepa L. (peel). Journal of Planar Chromatography - Modern TLC, 2017, 30, 510-515.	1.2	2

#	ARTICLE	IF	CITATIONS
37	Bioactive Steroids with Methyl Ester Group in the Side Chain from a Reef Soft Coral <i>Sinularia brassica</i> Cultured in a Tank. <i>Marine Drugs</i> , 2017, 15, 280.	4.6	20
38	New Inducible Nitric Oxide Synthase and Cyclooxygenase-2 Inhibitors, Nalidixic Acid Linked to Isatin Schiff Bases via Certain l-Amino Acid Bridges. <i>Molecules</i> , 2016, 21, 498.	3.8	18
39	Cubitanoids and Cembranoids from the Soft Coral <i>Sinularia nanolobata</i> . <i>Marine Drugs</i> , 2016, 14, 150.	4.6	15
40	Bioactive Steroids from the Formosan Soft Coral <i>Umbellulifera petasites</i> . <i>Marine Drugs</i> , 2016, 14, 180.	4.6	25
41	Taxonomic revision of Coralliidae with descriptions of new species from New Caledonia and the Hawaiian Archipelago. <i>Marine Biology Research</i> , 2016, 12, 1003-1038.	0.7	14
42	Thymoquinone inhibits growth of human medulloblastoma cells by inducing oxidative stress and caspase-dependent apoptosis while suppressing NF- κ B signaling and IL-8 expression. <i>Molecular and Cellular Biochemistry</i> , 2016, 416, 141-155.	3.1	35
43	Bioactive Isoprenoid-Derived Natural Products from a Dongsha Atoll Soft Coral <i>Sinularia erecta</i> . <i>Journal of Natural Products</i> , 2016, 79, 1339-1346.	3.0	37
44	Four anchimolgid copepods (Poecilostomatoida: Anchimolgidae) associated with the scleractinian coral <i>Pavona explanulata</i> (Lamarck, 1816) in Taiwan. <i>Zootaxa</i> , 2016, 4174, 274.	0.5	2
45	A new family of poecilostomatoid copepods (Strepidae fam. nov.) associated with the sun coral, <i>Tubastraea coccinea</i> Lesson, 1829 in Taiwan. <i>Zootaxa</i> , 2016, 4174, 346.	0.5	1
46	A bioeroding foraminifer, <i>Hyrrokin sarcophaga</i> , on deepwater corals from the South China Sea. <i>Coral Reefs</i> , 2016, 35, 901-901.	2.2	5
47	New cytotoxic and anti-inflammatory steroids from the soft coral <i>Klyxum flaccidum</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 3253-3257.	2.2	29
48	Spatial Patterns and Environmental Settings of Non-reefal Coral Communities Across the Tropic of Cancer in the Penghu Archipelago (Pescadores), Taiwan. <i>Zoological Studies</i> , 2016, 55, e45.	0.3	1
49	Glucumolides A and B, Biscembranoids with New Structural Type from a Cultured Soft Coral Sarcophyton <i>glucum</i> . <i>Scientific Reports</i> , 2015, 5, 15624.	3.3	36
50	Eunicellin-Based Diterpenoids, Hirsutalins A-V, from the Formosan Soft Coral <i>Cladiella hirsuta</i> . <i>Marine Drugs</i> , 2015, 13, 2757-2769.	4.6	14
51	New Cembranoid Diterpenes from the Cultured Octocoral <i>Nephthea columnaris</i> . <i>Molecules</i> , 2015, 20, 13205-13215.	3.8	16
52	Hepatorenal protective effect of Antistax against chemically-induced toxicity. <i>Pharmacognosy Magazine</i> , 2015, 11, 173.	0.6	7
53	New bioactive steroids from the soft coral <i>Klyxum flaccidum</i> . <i>RSC Advances</i> , 2015, 5, 12546-12554.	3.6	29
54	Proanthocyanidin-Rich Date Seed Extract Protects Against Chemically Induced Hepatorenal Toxicity. <i>Journal of Medicinal Food</i> , 2015, 18, 280-289.	1.5	36

#	ARTICLE	IF	CITATIONS
55	Phylogeny and systematics of deep-sea precious corals (Anthozoa: Octocorallia: Coralliidae). <i>Molecular Phylogenetics and Evolution</i> , 2015, 84, 173-184.	2.7	18
56	Structural Elucidation and Structure-Activity Relationships of Cembranoids from Cultured Soft Corals <i>Sinularia sandensis</i> and <i>Sinularia flexibilis</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 7211-7218.	5.2	41
57	Steroidal and \pm -tocopherylhydroquinone glycosides from two soft corals <i>Cladiella hirsuta</i> and <i>Sinularia nanolobata</i> . <i>RSC Advances</i> , 2015, 5, 74256-74262.	3.6	18
58	New anti-inflammatory tocopherol-derived metabolites from the Taiwanese soft coral <i>Cladiella hirsuta</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 92-95.	2.2	9
59	Administration of Zinc with Paroxetine Improved the Forced Swim Test Behavioral Pattern of Treated Mice in Acute and Sub-Acute Study. <i>Journal of Behavioral and Brain Science</i> , 2015, 05, 213-220.	0.5	5
60	Bioactive Cembranoids, Sarcocrassocolides, from the Dongsha Atoll Soft Coral <i>Sarcophyton crassocaule</i> . <i>Marine Drugs</i> , 2014, 12, 840-850.	4.6	20
61	Two Polycyclic Geranylhydroquinone-Derived Metabolites from Roots of <i>Arnebia hispidissima</i> (Lehm.) DC.. <i>Molecules</i> , 2014, 19, 5940-5951.	3.8	9
62	Eunicellin-Based Diterpenoids, Hirsutalins, from the Formosan Soft Coral <i>Cladiella hirsuta</i> . <i>Marine Drugs</i> , 2014, 12, 2446-2457.	4.6	17
63	New Cembranoids from the Soft Coral <i>Sinularia arborea</i> . <i>Natural Product Communications</i> , 2014, 9, 1934578X1400900.	0.5	2
64	Pleistocene diversification of the <i>Pomacentrus coelestis</i> species complex (Pisces: Pomacentridae): historical biogeography and species boundaries. <i>Marine Biology</i> , 2014, 161, 2495-2507.	1.5	14
65	Pregnane-Type Steroids from the Formosan Soft Coral <i>Scleronephthya flexilis</i> . <i>International Journal of Molecular Sciences</i> , 2014, 15, 10136-10149.	4.1	13
66	5-(6-Hydroxy-2,5,7,8-tetramethylchroman-2-yl)-2-methyl-pentanoic Acid Methyl Ester. <i>MolBank</i> , 2014, 2014, M822.	0.5	2
67	Phylogeography of the humbug damselfish, <i>Dascyllus aruanus</i> (Linnaeus, 1758): evidence of Indo-Pacific vicariance and genetic differentiation of peripheral populations. <i>Biological Journal of the Linnean Society</i> , 2014, 113, 931-942.	1.6	22
68	Assessment of the effects of cage fish-farming on damselfish-associated food chains using stable-isotope analyses. <i>Marine Pollution Bulletin</i> , 2014, 86, 111-121.	5.0	9
69	Evidence-based medicinal value of <i>Rudbeckia hirta</i> L. flowers. <i>Natural Product Research</i> , 2014, 28, 909-913.	1.8	9
70	Tortuosenes A and B, New Diterpenoid Metabolites from the Formosan Soft Coral <i>Sarcophyton tortuosum</i> . <i>Organic Letters</i> , 2014, 16, 1314-1317.	4.6	25
71	The Mechanism Underlying the Spasmolytic and Bronchodilatory Activities of the Flavonoid-rich Red Onion <i>Allium cepa</i> L. Peel Extract. <i>International Journal of Pharmacology</i> , 2014, 10, 82-89.	0.3	10
72	Can resistant coral-Symbiodinium associations enable coral communities to survive climate change? A study of a site exposed to long-term hot water input. <i>PeerJ</i> , 2014, 2, e327.	2.0	71

#	ARTICLE	IF	CITATIONS
73	Withanolide-Based Steroids from the Cultured Soft Coral <i>Sinularia brassica</i> . Journal of Natural Products, 2013, 76, 1902-1908.	3.0	29
74	Secondary Metabolites from the Soft Coral <i>Sinularia arborea</i> . Marine Drugs, 2013, 11, 3372-3380.	4.6	15
75	Eunicellin-Based Diterpenoids from the Formosan Soft Coral <i>Klyxum molle</i> with Inhibitory Activity on Superoxide Generation and Elastase Release by Neutrophils. Journal of Natural Products, 2013, 76, 1661-1667.	3.0	36
76	A novel antioxidant phenanthrenoid dimer from <i>Juncus acutus</i> L. Natural Product Research, 2013, 27, 155-163.	1.8	26
77	Sinulanorcembranolid A, a novel norcembranoidal diterpene from the octocoral <i>Sinularia gaweli</i> . Tetrahedron Letters, 2013, 54, 2267-2270.	1.4	11
78	A new highly oxygenated pseudoguaianolide with 5-LOX inhibitory activity from <i>Rudbeckia hirta</i> L. flowers. Natural Product Research, 2013, 27, 2281-2285.	1.8	6
79	Cytotoxic and Anti-Inflammatory Eunicellin-Based Diterpenoids from the Soft Coral <i>Cladiella krempfi</i> . Marine Drugs, 2013, 11, 788-799.	4.6	31
80	A New 5 β ,8 β -Epidioxysterol from the Soft Coral <i>Sinularia gaweli</i> . Molecules, 2013, 18, 2895-2903.	3.8	13
81	Sarcophytonins F and G, New Dihydrofuranocembranoids from a Dongsha Atoll Soft Coral <i>Sarcophyton</i> sp.. Bulletin of the Chemical Society of Japan, 2012, 85, 920-922.	3.2	10
82	Bioactive pregnane-type steroids from the soft coral <i>Scleronephthya gracillimum</i> . Tetrahedron, 2012, 68, 9694-9700.	1.9	16
83	Steroids from the Soft Coral <i>Sinularia crassa</i> . Marine Drugs, 2012, 10, 439-450.	4.6	37
84	Lochmolins A-G, New Sesquiterpenoids from the Soft Coral <i>Sinularia lochmodes</i> . Marine Drugs, 2012, 10, 1572-1581.	4.6	23
85	Sarcocrassocolides O, Bioactive Cembranoids from the Dongsha Atoll Soft Coral <i>Sarcophyton crassocaule</i> . Marine Drugs, 2012, 10, 617-626.	4.6	22
86	Briacavatolides C, New Briaranes from the Taiwanese Octocoral <i>Briareum excavatum</i> . Marine Drugs, 2012, 10, 1019-1026.	4.6	22
87	Edible Oils for Liver Protection: Hepatoprotective Potentiality of <i>Moringa Oleifera</i> Seed Oil against Chemical-Induced Hepatitis in Rats. Journal of Food Science, 2012, 77, T124-30.	3.1	31
88	Cytotoxic and anti-inflammatory diterpenoids from the Dongsha Atoll soft coral <i>Sinularia flexibilis</i> . Tetrahedron, 2012, 68, 244-249.	1.9	33
89	MULTI-BIOACTIVE METABOLITES FROM RUDBECKIA HIRTA L. FLOWERS. Reviews on Clinical Pharmacology and Drug Therapy, 2012, 10, 33-2.	0.6	0
90	Paraminabeolides F, Cytotoxic and Anti-inflammatory Marine Withanolides from the Soft Coral <i>Paraminabea acronocephala</i> . Journal of Natural Products, 2011, 74, 1132-1141.	3.0	46

#	ARTICLE	IF	CITATIONS
91	Klymollins Aâ€”H, Bioactive Eunicellin-Based Diterpenoids from the Formosan Soft Coral <i>Klyxum molle</i> . <i>Journal of Natural Products</i> , 2011, 74, 2467-2471.	3.0	31
92	Bioactive Eunicellin-Based Diterpenoids from the Soft Coral <i>Cladiella krempfi</i> . <i>Marine Drugs</i> , 2011, 9, 2036-2045.	4.6	34
93	Bioactive Cembranoids from the Dongsha Atoll Soft Coral <i>Sarcophyton crassocaule</i> . <i>Marine Drugs</i> , 2011, 9, 994-1006.	4.6	42
94	Nardosinane-Type Sesquiterpenoids from the Formosan Soft Coral <i>Paralemnalia thyrsoidea</i> . <i>Marine Drugs</i> , 2011, 9, 1543-1553.	4.6	25
95	Bioactive Cembranoids from the Soft Coral <i>Sinularia crassa</i> . <i>Marine Drugs</i> , 2011, 9, 1955-1968.	4.6	40
96	Bioactive Cembranoids from the Dongsha Atoll Soft Coral <i>Lobophytum crassum</i> . <i>Bulletin of the Chemical Society of Japan</i> , 2011, 84, 1102-1106.	3.2	12
97	Two New Cembranes from a Formosan Soft Coral <i>Sinularia facile</i> . <i>Bulletin of the Chemical Society of Japan</i> , 2011, 84, 1371-1373.	3.2	14
98	Sesquiterpenoids from the Formosan Soft Coral <i>Sinularia leptoclados</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 250-253.	1.3	20
99	The production of sexual and asexual larvae within single broods of the scleractinian coral, <i>Pocillopora damicornis</i> . <i>Marine Biology</i> , 2010, 157, 351-359.	1.5	67
100	Bioactive norditerpenoids from the soft coral <i>Sinularia gyrosa</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 3379-3386.	3.0	60
101	Sesquiterpene Lactones from <i>Daucus glaber</i> . <i>Helvetica Chimica Acta</i> , 2010, 93, 48-57.	1.6	9
102	Cucurbitacins from <i>Bryonia cretica</i> . <i>Phytochemistry Letters</i> , 2010, 3, 117-121.	1.2	12
103	Steroid and cembranoids from the Dongsha atoll soft coral <i>Lobophytum sarcophytoides</i> . <i>Tetrahedron</i> , 2010, 66, 7129-7135.	1.9	44
104	A novel symmetric sulfur-containing biscembranoid from the Formosan soft coral <i>Sinularia flexibilis</i> . <i>Tetrahedron Letters</i> , 2010, 51, 5764-5766.	1.4	44
105	Cytotoxic and anti-inflammatory cembranoids from the Dongsha Atoll soft coral <i>Sarcophyton crassocaule</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 1936-1941.	3.0	59
106	Hirsutalins Aâ””H, Eunicellin-Based Diterpenoids from the Soft Coral <i>Cladiella hirsuta</i> . <i>Journal of Natural Products</i> , 2010, 73, 1785-1791.	3.0	44
107	Antiviral and Anti-inflammatory Diterpenoids from the Soft Coral <i>Sinularia gyrosa</i> . <i>Journal of Natural Products</i> , 2010, 73, 1184-1187.	3.0	44
108	Cembranoids from the Octocoral <i>Sarcophyton ehrenbergi</i> . <i>Journal of Natural Products</i> , 2010, 73, 197-203.	3.0	39

#	ARTICLE	IF	CITATIONS
109	Revision of the Absolute Configuration at C(23) of Lanostanoids and Isolation of Secondary Metabolites from Formosan Soft Coral <i>Nephthea erecta</i> . <i>Chemistry and Biodiversity</i> , 2009, 6, 86-95.	2.1	32
110	Phenylpropanoid triesters from <i>Daucus glaber</i> . <i>Phytochemistry Letters</i> , 2009, 2, 188-191.	1.2	3
111	Subtidal sabellarid reefs in Hualien, eastern Taiwan. <i>Coral Reefs</i> , 2009, 28, 275-275.	2.2	5
112	Nanolobatolide, a New C ₁₈ Metabolite from the Formosan Soft Coral <i>Sinularia nanolobata</i> . <i>Organic Letters</i> , 2009, 11, 5030-5032.	4.6	31
113	Simplexins A, Eunicellin-Based Diterpenoids from the Soft Coral <i>Klyxum simplex</i> . <i>Journal of Natural Products</i> , 2009, 72, 994-1000.	3.0	51
114	New Terpenoids from the Soft Corals <i>Sinularia capillosa</i> and <i>Nephthea chabroli</i> . <i>Organic Letters</i> , 2009, 11, 4830-4833.	4.6	29
115	Unprecedented Hemiketal Cembranolides with Anti-inflammatory Activity from the Soft Coral <i>Lobophytum durum</i> . <i>Journal of Natural Products</i> , 2009, 72, 152-155.	3.0	43
116	Novel Norhumulene and Xeniaphyllane-Derived Terpenoids from a Formosan Soft Coral <i>Sinularia gibberosa</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 162-166.	1.3	19
117	Population genetic structure of the neon damselfish (<i>Pomacentrus coelestis</i>) in the northwestern Pacific Ocean. <i>Marine Biology</i> , 2008, 154, 745-753.	1.5	35
118	Durumolides A-E, anti-inflammatory and antibacterial cembranolides from the soft coral <i>Lobophytum durum</i> . <i>Tetrahedron</i> , 2008, 64, 9698-9704.	1.9	65
119	A C-3 Methylated Isocembranoid and 10-Oxocembranoids from a Formosan Soft Coral, <i>Sinularia grandilobata</i> . <i>Journal of Natural Products</i> , 2008, 71, 946-951.	3.0	40
120	Oxygenated Cembranoids from a Formosan Soft Coral <i>Sinularia gibberosa</i> . <i>Journal of Natural Products</i> , 2008, 71, 179-185.	3.0	44
121	Sesquiterpenoids-Related Metabolites from the Soft Coral <i>Sinularia</i> sp.. <i>Journal of the Chinese Chemical Society</i> , 2008, 55, 1286-1289.	1.4	11
122	Anti-Inflammatory Polyoxygenated Steroids from the Soft Coral <i>Sinularia</i> sp.. <i>Bulletin of the Chemical Society of Japan</i> , 2008, 81, 1616-1620.	3.2	20
123	Polyoxygenated Steroids from a Formosan Soft Coral <i>Sinularia facile</i> . <i>Bulletin of the Chemical Society of Japan</i> , 2008, 81, 1304-1307.	3.2	13
124	Four New Nonaxygenated C ₁₈ Dibenzocyclooctadiene Lignans from <i>Kadsura philippinensis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 280-283.	1.3	20
125	Phenanthrenoids from <i>Juncus acutus</i> L., New Natural Lipopolysaccharide-Inducible Nitric Oxide Synthase Inhibitors. <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 1264-1266.	1.3	32
126	Xeniaphyllane-Derived Terpenoids from the Formosan Soft Coral <i>Sinularia gibberosa</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 1471-1475.	1.3	14

#	ARTICLE	IF	CITATIONS
127	Glycolipids from the Formosan Soft Coral <i>Lobophytum crassum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 1720-1723.	1.3	24
128	Terpenoid-Related Metabolites from a Formosan Soft Coral <i>Nephthea chabrolii</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 594-597.	1.3	39
129	New Steroids from the Soft Coral <i>Nephthea chabrolii</i> . <i>Bulletin of the Chemical Society of Japan</i> , 2007, 80, 2208-2212.	3.2	10
130	New Norcembranoids from the Soft Coral <i>Sinularia Lochmodes</i> . <i>Journal of the Chinese Chemical Society</i> , 2007, 54, 1041-1044.	1.4	15
131	Sinugrandisterols, trihydroxysteroids from the soft coral <i>Sinularia grandilobata</i> . <i>Steroids</i> , 2007, 72, 368-374.	1.8	34
132	Physical and ecological processes of internal waves on an isolated reef ecosystem in the South China Sea. <i>Geophysical Research Letters</i> , 2007, 34, .	4.0	130
133	From the drawing board to the field: an example for establishing an MPA in Penghu, Taiwan. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2007, 17, 619-635.	2.0	12
134	Novel steroids from the soft coral <i>Nephthea chabrolii</i> . <i>Tetrahedron</i> , 2007, 63, 703-707.	1.9	27
135	Eight microsatellite loci in Clark's anemonefish, <i>Amphiprion clarkii</i> . <i>Molecular Ecology Notes</i> , 2007, 7, 1169-1171.	1.7	9
136	Dietary separation between two blennies and the Pacific gregory in northern Taiwan: evidence from stomach content and stable isotope analyses. <i>Marine Biology</i> , 2007, 151, 729-736.	1.5	21
137	C ₁₈ Dibenzocyclooctadiene Lignans from <i>Kadsuraphilippinensis</i> . <i>Journal of Natural Products</i> , 2006, 69, 963-966.	3.0	25
138	Manaarenolides, Diterpenoids from the Soft Coral <i>Sinularia manaarensis</i> . <i>Journal of Natural Products</i> , 2006, 69, 1134-1139.	3.0	73
139	Crassocolides, Cembranoids with atrans-Fused Lactone from the Soft Coral <i>Sarcophyton crassocaule</i> . <i>Journal of Natural Products</i> , 2006, 69, 1554-1559.	3.0	50
140	9,11-Secosterols from the Soft Corals <i>Sinularia lochmodes</i> and <i>Sinularia leptoclados</i> . <i>Journal of Natural Products</i> , 2006, 69, 850-852.	3.0	43
141	Polyoxygenated Sterols from the Formosan Soft Coral <i>Sinularia gibberosa</i> . <i>Journal of Natural Products</i> , 2006, 69, 1275-1279.	3.0	59
142	New ¹² C-Caryophyllene-Derived Terpenoids from the Formosan Soft Coral <i>Sinularia gibberosa</i> . <i>Bulletin of the Chemical Society of Japan</i> , 2006, 79, 1547-1551.	3.2	16
143	Metabolites with Cytotoxic Activity from the Formosan Soft Coral <i>Cladiella Australis</i> . <i>Journal of the Chinese Chemical Society</i> , 2006, 53, 489-494.	1.4	18
144	Sinugibberosides, new terpenoids with cyclic peroxyhemiketal from the soft coral <i>Sinularia gibberosa</i> . <i>Tetrahedron</i> , 2006, 62, 6802-6807.	1.9	21

#	ARTICLE	IF	CITATIONS
145	Novel cyclic sesquiterpene peroxides from the Formosan soft coral <i>Sinularia</i> sp.. <i>Tetrahedron Letters</i> , 2006, 47, 2175-2178.	1.4	28
146	Sinularianins A and B, novel sesquiterpenoids from the Formosan soft coral <i>Sinularia</i> sp.. <i>Tetrahedron Letters</i> , 2006, 47, 5889-5891.	1.4	33
147	Novel sesquiterpenoids from the Formosan soft coral <i>Paralemnalia thyrsoides</i> . <i>Tetrahedron Letters</i> , 2006, 47, 8751-8755.	1.4	38
148	New xenicane diterpenoids from <i>Xenia florida</i> . <i>Tetrahedron Letters</i> , 2005, 46, 4793-4796.	1.4	16
149	A novel chlorinated norsesquiterpenoid and two related new metabolites from the soft coral <i>Paralemnalia thyrsoides</i> . <i>Tetrahedron Letters</i> , 2005, 46, 7711-7714.	1.4	34
150	Genotyping the clonal structure of a gorgonian coral, <i>Junceella juncea</i> (Anthozoa: Octocorallia), using microsatellite loci. <i>Coral Reefs</i> , 2005, 24, 352-358.	2.2	7
151	Eunicellin-Based Diterpenoids, Australins A~D, Isolated from the Soft Coral <i>Cladiella australis</i> . <i>Journal of Natural Products</i> , 2005, 68, 1051-1055.	3.0	56
152	Sesquiterpenoids and Norsesquiterpenoids from the Formosan Soft Coral <i>Lemnalia laevis</i> . <i>Journal of Natural Products</i> , 2005, 68, 1749-1753.	3.0	27
153	Cytotoxic Clerodane Diterpenoids from <i>Casearia membranacea</i> . <i>Journal of Natural Products</i> , 2005, 68, 1665-1668.	3.0	30
154	Sinulochmodins A~C, Three Novel Terpenoids from the Soft Coral <i>Sinularia lochmodes</i> . <i>Organic Letters</i> , 2005, 7, 3813-3816.	4.6	82
155	Oxygenated Terpenoids from a Formosan Soft Coral <i>Sinularia gibberosa</i> . <i>Journal of Natural Products</i> , 2005, 68, 1208-1212.	3.0	37
156	Polyoxygenated Steroids from the Gorgonian <i>Isis hippuris</i> . <i>Journal of Natural Products</i> , 2005, 68, 880-885.	3.0	42
157	Meroditerpenoids from a Formosan Soft Coral <i>Nephthea chabrolii</i> . <i>Journal of Natural Products</i> , 2005, 68, 1651-1655.	3.0	27
158	Macroalgal assemblage structure on a coral reef in Nanwan Bay in southern Taiwan. <i>Botanica Marina</i> , 2004, 47, .	1.2	12
159	Local phase shift from <i>Acropora</i> -dominant to <i>Condylactis</i> -dominant community in the Tiao-Shi Reef, Kenting National Park, southern Taiwan. <i>Coral Reefs</i> , 2004, 23, 508.	2.2	29
160	Novel Polyhydroxysteroids from the Formosan Soft Coral <i>Sarcophyton glaucum</i> . <i>Journal of the Chinese Chemical Society</i> , 2004, 51, 217-220.	1.4	8
161	Novel Meroditerpenoid-Related Metabolites from the Formosan Soft Coral <i>Nephthea chabrolii</i> . <i>Journal of Natural Products</i> , 2004, 67, 2048-2052.	3.0	24
162	Scabrolides A~C, Three New Norditerpenoids from the Soft Coral <i>Sinularia scabra</i> . <i>Journal of Natural Products</i> , 2004, 67, 2079-2082.	3.0	67

#	ARTICLE	IF	CITATIONS
163	New $\hat{1}^2$ -Caryophyllene-Derived Terpenoids from the Soft Coral <i>Sinularia nanolobata</i> . <i>Journal of Natural Products</i> , 2004, 67, 592-597.	3.0	63
164	Pregnane-Based Steroids from a Formosan Gorgonian <i>Subergorgia mollis</i> . <i>Journal of the Chinese Chemical Society</i> , 2004, 51, 205-208.	1.4	10
165	Spatial and temporal variation of coral recruitment in Taiwan. <i>Coral Reefs</i> , 2003, 22, 224-228.	2.2	36
166	Five novel norcembranoids from <i>Sinularia leptoclados</i> and <i>S. parva</i> . <i>Tetrahedron</i> , 2003, 59, 7337-7344.	1.9	81
167	$1\hat{1}\pm, 3\hat{1}^2, 5\hat{1}^2$ -Trihydroxy-24-methylenecholestan-6-one: a novel steroid from a soft coral <i>Sinularia gibberosa</i> . <i>Steroids</i> , 2003, 68, 377-381.	1.8	32
168	Cannibalism within Mating Pairs of the Parasitic Isopod, <i>Ichthyoxenus fushanensis</i> . <i>Journal of Crustacean Biology</i> , 2003, 23, 662-668.	0.8	10
169	New Cytotoxic Xenia Diterpenoids from the Formosan Soft Coral <i>Xenia umbellata</i> . <i>Journal of Natural Products</i> , 2002, 65, 1882-1885.	3.0	26
170	Scabrolides A-D, Four New Norditerpenoids Isolated from the Soft Coral <i>Sinularia scabra</i> . <i>Journal of Natural Products</i> , 2002, 65, 1904-1908.	3.0	98
171	New Cytotoxic Constituents from the Formosan Soft Corals <i>Clavularia viridis</i> and <i>Clavularia violacea</i> . <i>Journal of Natural Products</i> , 2002, 65, 1535-1539.	3.0	32
172	Two New Subergane-Based Sesquiterpenes from a Taiwanese Gorgonian Coral <i>Subergorgia suberosa</i> . <i>Journal of Natural Products</i> , 2002, 65, 1033-1036.	3.0	35
173	Suberosols A-D, Four New Sesquiterpenes with $\hat{1}^2$ -Caryophyllene Skeletons from a Taiwanese Gorgonian Coral <i>Subergorgia suberosa</i> . <i>Journal of Natural Products</i> , 2002, 65, 887-891.	3.0	53
174	Cytotoxic Dolabellane Diterpenes from the Formosan Soft Coral <i>Clavularia inflata</i> . <i>Journal of Natural Products</i> , 2001, 64, 1028-1031.	3.0	45
175	Hippuristerone A, a novel polyoxygenated steroid from the gorgonian <i>Isis hippuris</i> . <i>Tetrahedron Letters</i> , 2000, 41, 7885-7888.	1.4	31
176	Is Large Body Size always Advantageous for Terrestrial Adaptation?. <i>Evolutionary Ecology</i> , 2000, 14, 61-78.	1.2	2
177	Cytotoxic Cembrenolides and Steroids from the Formosan Soft Coral <i>Sarcophyton crassocaule</i> . <i>Journal of Natural Products</i> , 2000, 63, 1634-1637.	3.0	59
178	Cytotoxic Cembrenolide Diterpenes from the Formosan Soft Coral <i>Lobophytum crassum</i> . <i>Journal of Natural Products</i> , 2000, 63, 884-885.	3.0	57
179	ICHTHYOXENUS FUSHANENSIS, NEW SPECIES (ISOPODA: CYMOTHOIDAE), PARASITE OF THE FRESH-WATER FISH VARICORHINUS BARBATULUS FROM NORTHERN TAIWAN. <i>Journal of Crustacean Biology</i> , 1999, 19, 917-923.	0.8	9
180	Why selection favors protandrous sex change for the parasitic isopod, <i>Ichthyoxenus fushanensis</i> (Isopoda: Cymothoidae). <i>Evolutionary Ecology</i> , 1999, 13, 327-338.	1.2	22

#	ARTICLE	IF	CITATIONS
181	Phytochemical Analysis of <i>Geigeria alata</i> and <i>Francoeuria crispa</i> Essential Oils. <i>Planta Medica</i> , 1997, 63, 479-482.	1.3	32
182	First Find of <i>Epigonichthys maldivensis</i> (Cooper) and Rediscovery of <i>E. lucayanus</i> (Andrews) from Nanwan Bay, Southern Taiwan (Cephalochordata). <i>Benthos Research</i> , 1997, 52, 103-109.	0.2	7
183	Pituranthoside from <i>Pituranthos triradiatus</i> . <i>Phytochemistry</i> , 1995, 40, 927-929.	2.9	16
184	Tannins of Tamaricaceous Plants. VI. Four New Trimeric Hydrolyzable Tannins from <i>Reaumuria hirtella</i> and <i>Tamarix pakistanica</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 1994, 42, 254-264.	1.3	12
185	Tannins of Tamaricaceous Plants. V. New Dimeric, Trimeric and Tetrameric Ellagitannins from <i>Reaumuria hirtella</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 1994, 42, 246-253.	1.3	16
186	Dimeric hydrolysable tannins from <i>Tamarix pakistanica</i> . <i>Phytochemistry</i> , 1993, 33, 197-202.	2.9	21
187	Patterns of Coral Distribution and Benthic Space Partitioning on the Fringing Reefs of Southern Taiwan. <i>Marine Ecology</i> , 1993, 14, 185-204.	1.1	40
188	Tannins of Tamaricaceous Plants. III. New Dimeric Hydrolyzable Tannins from <i>Reaumuria hirtella</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 1993, 41, 672-679.	1.3	26
189	Tannins of Tamaricaceous Plants. II. New Monomeric and Dimeric Hydrolyzable Tannins from <i>Reaumuria hirtella</i> and <i>Tamarix pakistanica</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 1991, 39, 2849-2854.	1.3	27
190	Structures of isorugosin E and hirtellin B, dimeric hydrolyzable tannins having a trisgalloyl group. <i>Tetrahedron</i> , 1991, 47, 3575-3584.	1.9	34