## Yichayaou Beloosesky

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7768971/publications.pdf

Version: 2024-02-01

45 papers 1,483 citations

393982 19 h-index 315357 38 g-index

47 all docs

47 docs citations

times ranked

47

2238 citing authors

#	Article	IF	CITATIONS
1	Frail Older Adults with Presymptomatic SARS-CoV-2 Infection: Clinical Course and Prognosis. Gerontology, 2022, 68, 1393-1401.	1.4	2
2	Association of Anemia with Dementia and Cognitive Decline among Community-Dwelling Elderly. Gerontology, 2022, 68, 1375-1383.	1.4	7
3	Chronic omeprazole use in the elderly is associated with decreased risk of dementia and cognitive decline. Digestive and Liver Disease, 2022, 54, 622-628.	0.4	6
4	Use of proton pump inhibitors is associated with lower rates of firstâ€time ischemic stroke in communityâ€dwelling elderly. British Journal of Clinical Pharmacology, 2021, 87, 1187-1193.	1.1	3
5	Characteristics and Outcomes of Hip Fracture Patients Hospitalized in an Orthogeriatric Unit Versus an Orthopedic Department: A Retrospective Cohort Study. Geriatric Orthopaedic Surgery and Rehabilitation, 2021, 12, 215145932098629.	0.6	4
6	Prediction of readmissions in the first post-operative year following hip fracture surgery. European Journal of Trauma and Emergency Surgery, 2020, 46, 939-946.	0.8	6
7	Some Nursing Screening Tools Can Be Used to Assess High-Risk Older Adults Who Undergo Colorectal Surgery for Cancer. Clinical Interventions in Aging, 2020, Volume 15, 1505-1511.	1.3	2
8	Lowering the upper limit of serum alanine aminotransferase levels may reveal significant liver disease in the elderly. PLoS ONE, 2019, 14, e0212737.	1.1	1
9	Rate and Outcome of Acute Kidney Injury Following Hip Fracture Surgery in Diabetic Older Patients Treated with Renin–Angiotensin–Aldosterone Antagonists. Drugs and Aging, 2019, 36, 667-674.	1.3	4
10	Characteristics of Patients With Satisfactory Functional Gain Following Total Joint Arthroplasty in a Postacute Rehabilitation Setting. Journal of Geriatric Physical Therapy, 2018, 41, 187-193.	0.6	5
11	Comparing the adequacy of the MNA-SF, NRS-2002 and MUST nutritional tools in assessing malnutrition in hip fracture operated elderly patients. Clinical Nutrition, 2017, 36, 912.	2.3	5
12	Association between mortality and blood pressure variability in hypertensive and normotensive elders: A cohort study. Journal of Clinical Hypertension, 2017, 19, 753-756.	1.0	8
13	High blood pressure variability predicts 30-day mortality but not 1-year mortality in hospitalized elderly patients. Blood Pressure, 2017, 26, 259-263.	0.7	2
14	Does Polypharmacy in Nursing Homes Affect Longâ€Term Mortality?. Journal of the American Geriatrics Society, 2016, 64, 1432-1438.	1.3	11
15	Association of glycated hemoglobin with hemoglobin levels in elderly nondiabetic subjects. European Journal of Internal Medicine, 2016, 36, 32-35.	1.0	16
16	Subclinical Thyroid Disease and Mortality in the Elderly: A Retrospective Cohort Study. American Journal of Medicine, 2016, 129, 423-430.	0.6	46
17	Comparing the adequacy of the MNA-SF, NRS-2002 and MUST nutritional tools in assessing malnutrition in hip fracture operated elderly patients. Clinical Nutrition, 2016, 35, 1053-1058.	2.3	76
18	Change in Systolic Blood Pressure During Stroke, Functional Status, and Long-Term Mortality in an Elderly Population. American Journal of Hypertension, 2016, 29, 432-438.	1.0	7

#	Article	IF	CITATIONS
19	The association between orthostatic hypertension and all-cause mortality in hospitalized elderly persons. Journal of Geriatric Cardiology, 2016, 13, 239-43.	0.2	18
20	Interâ€Arm Blood Pressure Difference in Hospitalized Elderly Patients Is Not Associated With Excess Mortality. Journal of Clinical Hypertension, 2015, 17, 786-791.	1.0	9
21	The Association in Elderly Hospitalized Patients, Between Psychotropic Drugs and Hip Fractures Resulting from Falls. Experimental Aging Research, 2015, 41, 546-555.	0.6	10
22	Rates, variability, and associated factors of polypharmacy in nursing home patients. Clinical Interventions in Aging, 2013, 8, 1585.	1.3	44
23	The relationship between nutritional status of hip fracture operated elderly patients and their functioning, comorbidity and outcome. Clinical Nutrition, 2012, 31, 917-921.	2.3	105
24	Looking Beyond Polypharmacy: Quantification of Medication Regimen Complexity in the Elderly. American Journal of Geriatric Pharmacotherapy, 2012, 10, 223-229.	3.0	83
25	Validity of the Medication-Based Disease Burden Index Compared with the Charlson Comorbidity Index and the Cumulative Illness Rating Scale for Geriatrics. Drugs and Aging, 2011, 28, 1007-1014.	1.3	44
26	Serum transforming growth factor beta-1 post hip fracture repair in elderly patients. Cytokine, 2011, 54, 56-60.	1.4	2
27	Hip fracture post-operation dysnatremia and Na+-courses in different cognitive and functional patient groups. Archives of Gerontology and Geriatrics, 2011, 53, 179-182.	1.4	22
28	Clinical characteristics and long-term mortality of occult hip fracture elderly patients. Injury, 2010, 41, 343-347.	0.7	18
29	Handgrip strength of the elderly after hip fracture repair correlates with functional outcome. Disability and Rehabilitation, 2010, 32, 367-373.	0.9	44
30	Geriatrics: Is There an Association Between Inappropriate Prescription Drug use and Adherence in Discharged Elderly Patients?. Annals of Pharmacotherapy, 2009, 43, 177-184.	0.9	40
31	The impact of geriatric consultation on the care of the elders in community clinics. Archives of Gerontology and Geriatrics, 2009, 49, 260-262.	1.4	12
32	Continuity and Adherence to Long-Term Drug Treatment by Geriatric Patients after Hospital Discharge. Drugs and Aging, 2008, 25, 861-870.	1.3	64
33	Relationship of In-Hospital Medication Modifications of Elderly Patients to Postdischarge Medications, Adherence, and Mortality. Annals of Pharmacotherapy, 2008, 42, 783-789.	0.9	75
34	Cytokines and C-Reactive Protein Production in Hip-Fracture-Operated Elderly Patients. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2007, 62, 420-426.	1.7	192
35	Different C-Reactive Protein Kinetics in Post-Operative Hip-Fractured Geriatric Patients with and without Complications. Gerontology, 2004, 50, 216-222.	1.4	71
36	Can functional status, after rehabilitation, independently predict long-term mortality of hip-fractured elderly patients?. Aging Clinical and Experimental Research, 2004, 16, 44-48.	1.4	19

#	Article	IF	CITATIONS
37	Pectoralis major rupture in the elderly. Clinical Imaging, 2003, 27, 261-264.	0.8	20
38	Electrolyte Disorders Following Oral Sodium Phosphate Administration for Bowel Cleansing in Elderly Patients. Archives of Internal Medicine, 2003, 163, 803.	4.3	159
39	Pectoralis Major Rupture in Elderly Patients. Clinical Orthopaedics and Related Research, 2003, 413, 164-169.	0.7	35
40	Brain abscess complicating cerebral infarct. Age and Ageing, 2002, 31, 477-480.	0.7	16
41	Cytokine Levels and Phagocytic Activity in Patients with Alzheimer's Disease. Gerontology, 2002, 48, 128-132.	1.4	21
42	Functional gain of hip fracture patients in different cognitive and functional groups. Clinical Rehabilitation, 2002, 16, 321-328.	1.0	97
43	Melatonin rhythms in stroke patients. Neuroscience Letters, 2002, 319, 103-106.	1.0	25
44	Vertebral osteomyelitis after abdominal colposacropexy. Acta Obstetricia Et Gynecologica Scandinavica, 2002, 81, 567-568.	1.3	11
45	Fracture of the hip after knee arthroplastyan unusual case with pain in the knee. Acta Orthopaedica, 2001, 72, 194-195.	1.4	13