

Jos de Keijser

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7769356/publications.pdf>

Version: 2024-02-01

31
papers

888
citations

567144

15
h-index

501076

28
g-index

31
all docs

31
docs citations

31
times ranked

722
citing authors

#	ARTICLE	IF	CITATIONS
1	Associations of dimensions of anger with distress following traumatic bereavement.. Psychological Trauma: Theory, Research, Practice, and Policy, 2024, 16, 176-183.	1.4	4
2	Valid measurement of DSM-5 persistent complex bereavement disorder and DSM-5-TR and ICD-11 prolonged grief disorder: The Traumatic Grief Inventory-Self Report Plus (TGI-SR+). Comprehensive Psychiatry, 2022, 112, 152281.	1.5	58
3	Traumatic stress, depression, and non-bereavement grief following non-fatal traffic accidents: Symptom patterns and correlates. PLoS ONE, 2022, 17, e0264497.	1.1	6
4	Enhancing the effect of psychotherapy through systematic client feedback in outpatient mental healthcare: A cluster randomized trial.. Psychotherapy Research, 2022, 32, 710-722.	1.1	16
5	Concurrent associations of dimensions of anger with posttraumatic stress, depression, and functional impairment following non-fatal traffic accidents. European Journal of Psychotraumatology, 2022, 13, 2068912.	0.9	0
6	Remotely Delivered Cognitive Behavior Therapy for Disturbed Grief During the COVID-19 Crisis: Challenges and Opportunities. Journal of Loss and Trauma, 2021, 26, 211-219.	0.9	21
7	Treatment gap in bereavement care: (Online) bereavement support needs and use after traumatic loss. Clinical Psychology and Psychotherapy, 2021, 28, 907-916.	1.4	19
8	Online treatment of persistent complex bereavement disorder, posttraumatic stress disorder, and depression symptoms in people who lost loved ones during the COVID-19 pandemic: study protocol for a randomized controlled trial and a controlled trial. HÅrgre Utbildning, 2021, 12, 1987687.	1.4	11
9	DSM-5-TR prolonged grief disorder and DSM-5 posttraumatic stress disorder are related, yet distinct: confirmatory factor analyses in traumatically bereaved people. HÅrgre Utbildning, 2021, 12, 1-14.	1.4	22
10	Trajectories of grief, depression, and posttraumatic stress in disaster-bereaved people. Depression and Anxiety, 2020, 37, 35-44.	2.0	83
11	Online cognitive-behavioural therapy for traumatically bereaved people: study protocol for a randomised waitlist-controlled trial. BMJ Open, 2020, 10, e035050.	0.8	11
12	Cognitive behavioural therapy and mindfulness for relatives of missing persons: a pilot study. Pilot and Feasibility Studies, 2019, 5, 93.	0.5	11
13	Reciprocal Associations Among Symptom Levels of Disturbed Grief, Posttraumatic Stress, and Depression Following Traumatic Loss: A Four-Wave Cross-Lagged Study. Clinical Psychological Science, 2019, 7, 1330-1339.	2.4	20
14	Systematic client feedback to brief therapy in basic mental healthcare: study protocol for a four-centre clinical trial. BMJ Open, 2019, 9, e025701.	0.8	4
15	Patterns, Predictors, and Prognostic Validity of Persistent Complex Bereavement Disorder Symptoms in Recently Bereaved Adults. Journal of Nervous and Mental Disease, 2019, 207, 913-920.	0.5	25
16	Further validation of the Traumatic Grief Inventory-Self Report (TGI-SR): A measure of persistent complex bereavement disorder and prolonged grief disorder. Death Studies, 2019, 43, 351-364.	1.8	76
17	Toward a Better Understanding of Psychological Symptoms in People Confronted With the Disappearance of a Loved One: A Systematic Review. Trauma, Violence, and Abuse, 2019, 20, 287-302.	3.9	29
18	Latent classes of posttraumatic stress symptoms in two samples of bereaved people.. International Journal of Stress Management, 2019, 26, 401-410.	0.9	7

#	ARTICLE	IF	CITATIONS
19	Treating complicated grief and posttraumatic stress in homicidally bereaved individuals: A randomized controlled trial. <i>Clinical Psychology and Psychotherapy</i> , 2018, 25, 497-508.	1.4	20
20	Iâ€™ve changed, but Iâ€™m not less happy: Interview study among nonclinical relatives of long-term missing persons. <i>Death Studies</i> , 2018, 42, 346-355.	1.8	9
21	Cognitive-Behavioral Correlates of Psychological Symptoms Among Relatives of Missing Persons. <i>International Journal of Cognitive Therapy</i> , 2018, 11, 311-324.	1.3	11
22	Prolonged grief, depression, and posttraumatic stress in disaster-bereaved individuals: latent class analysis. <i>HÅgre Utbildning</i> , 2017, 8, 1298311.	1.4	65
23	Cognitive therapy and eye movement desensitization and reprocessing for reducing psychopathology among disaster-bereaved individuals: study protocol for a randomized controlled trial. <i>HÅgre Utbildning</i> , 2017, 8, 1388710.	1.4	9
24	Grief rumination mediates the association between self-compassion and psychopathology in relatives of missing persons. <i>HÅgre Utbildning</i> , 2017, 8, 1378052.	1.4	30
25	Prolonged grief and post-traumatic stress among relatives of missing persons and homicidally bereaved individuals: A comparative study. <i>Journal of Affective Disorders</i> , 2017, 209, 1-2.	2.0	20
26	Evaluation of benefit to patients of training mental health professionals in suicide guidelines: Cluster randomised trial. <i>British Journal of Psychiatry</i> , 2016, 208, 477-483.	1.7	28
27	Cognitive behavioural therapy for psychopathology in relatives of missing persons: study protocol for a pilot randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2016, 2, 19.	0.5	9
28	Cognitiveâ€behavioral variables mediate the impact of violent loss on post-loss psychopathology.. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2015, 7, 382-390.	1.4	67
29	Psychopathology Among Homicidally Bereaved Individuals. <i>Trauma, Violence, and Abuse</i> , 2015, 16, 70-80.	3.9	31
30	Revenge and psychological adjustment after homicidal loss. <i>Aggressive Behavior</i> , 2014, 40, 504-511.	1.5	18
31	Prolonged Grief Disorder, depression, and posttraumatic stress disorder are distinguishable syndromes. <i>Journal of Affective Disorders</i> , 2010, 125, 374-378.	2.0	148