

# Marina Cella

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7769765/marina-cella-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147  
papers

26,677  
citations

81  
h-index

155  
g-index

155  
ext. papers

30,350  
ext. citations

14.9  
avg, IF

6.62  
L-index

#	Paper	IF	Citations
147	Single-cell analyses of Crohn's disease tissues reveal intestinal intraepithelial T cells heterogeneity and altered subset distributions. <i>Nature Communications</i> , <b>2021</b> , 12, 1921	17.4	13
146	Immunodeficiency and bone marrow failure with mosaic and germline TLR8 gain of function. <i>Blood</i> , <b>2021</b> , 137, 2450-2462	2.2	11
145	Visceral obesity and insulin resistance associate with CD36 deletion in lymphatic endothelial cells. <i>Nature Communications</i> , <b>2021</b> , 12, 3350	17.4	14
144	Spatial distribution of LTI-like cells in intestinal mucosa regulates type 3 innate immunity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2021</b> , 118,	11.5	3
143	Heterogeneity of meningeal B cells reveals a lymphopoietic niche at the CNS borders. <i>Science</i> , <b>2021</b> , 373,	33.3	67
142	Altered ratio of dendritic cell subsets in skin-draining lymph nodes promotes Th2-driven contact hypersensitivity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2021</b> , 118,	11.5	2
141	Intraepithelial ILC1-like cells: Front-line fighters in human head and neck squamous cell carcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2021</b> , 118,	11.5	2
140	Hobit confers tissue-dependent programs to type 1 innate lymphoid cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2021</b> , 118,	11.5	3
139	Leukemia Inhibitory Factor Inhibits Plasmacytoid Dendritic Cell Function and Development. <i>Journal of Immunology</i> , <b>2020</b> , 204, 2257-2268	5.3	3
138	Blood natural killer cell deficiency reveals an immunotherapy strategy for atopic dermatitis. <i>Science Translational Medicine</i> , <b>2020</b> , 12,	17.5	27
137	Human and mouse single-nucleus transcriptomics reveal TREM2-dependent and TREM2-independent cellular responses in Alzheimer's disease. <i>Nature Medicine</i> , <b>2020</b> , 26, 131-142	50.5	259
136	ILC2s are the predominant source of intestinal ILC-derived IL-10. <i>Journal of Experimental Medicine</i> , <b>2020</b> , 217,	16.6	53
135	IL-22 is required for the induction of bronchus-associated lymphoid tissue in tolerant lung allografts. <i>American Journal of Transplantation</i> , <b>2020</b> , 20, 1251-1261	8.7	8
134	The Intestinal Microbiome Restricts Alphavirus Infection and Dissemination through a Bile Acid-Type I IFN Signaling Axis. <i>Cell</i> , <b>2020</b> , 182, 901-918.e18	56.2	42
133	TREM2 Modulation Remodels the Tumor Myeloid Landscape Enhancing Anti-PD-1 Immunotherapy. <i>Cell</i> , <b>2020</b> , 182, 886-900.e17	56.2	95
132	T cells producing GM-CSF and IL-13 are enriched in the cerebrospinal fluid of relapsing MS patients. <i>Multiple Sclerosis Journal</i> , <b>2020</b> , 26, 1172-1186	5	6
131	Subsets of ILC3-ILC1-like cells generate a diversity spectrum of innate lymphoid cells in human mucosal tissues. <i>Nature Immunology</i> , <b>2019</b> , 20, 980-991	19.1	88

130	ILC3s integrate glycolysis and mitochondrial production of reactive oxygen species to fulfill activation demands. <i>Journal of Experimental Medicine</i> , <b>2019</b> , 216, 2231-2241	16.6	38
129	Gene Regulatory Programs Conferring Phenotypic Identities to Human NK Cells. <i>Cell</i> , <b>2019</b> , 176, 348-360.e12	56.2	67
128	Nuclear receptor ligands induce TREM-1 expression on dendritic cells: analysis of their role in tumors. <i>Oncot Immunology</i> , <b>2019</b> , 8, 1554967	7.2	7
127	Natural Killer Cells Control Tumor Growth by Sensing a Growth Factor. <i>Cell</i> , <b>2018</b> , 172, 534-548.e19	56.2	136
126	Jak3 deficiency blocks innate lymphoid cell development. <i>Mucosal Immunology</i> , <b>2018</b> , 11, 50-60	9.2	28
125	Human Innate lymphoid cells. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , <b>2018</b> , WCP2018, SY78-2	0	
124	Seq-ing out the Killers of Mice and Men. <i>Immunity</i> , <b>2018</b> , 49, 793-795	32.3	
123	The Tumor Necrosis Factor Superfamily Member RANKL Suppresses Effector Cytokine Production in Group 3 Innate Lymphoid Cells. <i>Immunity</i> , <b>2018</b> , 48, 1208-1219.e4	32.3	54
122	SMAD4 impedes the conversion of NK cells into ILC1-like cells by curtailing non-canonical TGF- $\beta$ signaling. <i>Nature Immunology</i> , <b>2017</b> , 18, 995-1003	19.1	182
121	TREM2 Maintains Microglial Metabolic Fitness in Alzheimer's Disease. <i>Cell</i> , <b>2017</b> , 170, 649-663.e13	56.2	441
120	induces gut intraepithelial CD4CD8 $\alpha$ cells. <i>Science</i> , <b>2017</b> , 357, 806-810	33.3	300
119	Microbiota induces tonic CCL2 systemic levels that control pDC trafficking in steady state. <i>Mucosal Immunology</i> , <b>2017</b> , 10, 936-945	9.2	19
118	Alzheimer's disease-associated TREM2 variants exhibit either decreased or increased ligand-dependent activation. <i>Alzheimers and Dementia</i> , <b>2017</b> , 13, 381-387	1.2	110
117	Two Distinct Myeloid Subsets at the Term Human Fetal-Maternal Interface. <i>Frontiers in Immunology</i> , <b>2017</b> , 8, 1357	8.4	9
116	The Transcription Factor AP4 Mediates Resolution of Chronic Viral Infection through Amplification of Germinal Center B Cell Responses. <i>Immunity</i> , <b>2016</b> , 45, 570-582	32.3	57
115	Type 1 Interferons Induce Changes in Core Metabolism that Are Critical for Immune Function. <i>Immunity</i> , <b>2016</b> , 44, 1325-36	32.3	162
114	O2-07-02: Trem2-Mediated Early Response by Resident Microglia Limits Diffusion and Toxicity of Amyloid Plaques <b>2016</b> , 12, P241-P242		
113	TREM2-mediated early microglial response limits diffusion and toxicity of amyloid plaques. <i>Journal of Experimental Medicine</i> , <b>2016</b> , 213, 667-75	16.6	367

112	Distinct Gene Regulatory Pathways for Human Innate versus Adaptive Lymphoid Cells. <i>Cell</i> , <b>2016</b> , 165, 1134-1146	56.2	108
111	Transforming Growth Factor- $\beta$ Signaling Guides the Differentiation of Innate Lymphoid Cells in Salivary Glands. <i>Immunity</i> , <b>2016</b> , 44, 1127-39	32.3	153
110	TREM2 lipid sensing sustains the microglial response in an Alzheimer's disease model. <i>Cell</i> , <b>2015</b> , 160, 1061-71	56.2	847
109	TREM-2 promotes macrophage survival and lung disease after respiratory viral infection. <i>Journal of Experimental Medicine</i> , <b>2015</b> , 212, 681-97	16.6	101
108	Unique and redundant functions of NKp46+ ILC3s in models of intestinal inflammation. <i>Journal of Experimental Medicine</i> , <b>2015</b> , 212, 1869-82	16.6	140
107	Aryl hydrocarbon receptor: Linking environment to immunity. <i>Seminars in Immunology</i> , <b>2015</b> , 27, 310-4	10.7	73
106	Modular expression analysis reveals functional conservation between human Langerhans cells and mouse cross-priming dendritic cells. <i>Journal of Experimental Medicine</i> , <b>2015</b> , 212, 743-57	16.6	40
105	Innate Lymphoid Cells in Mucosal Homeostasis, Infections, Autoimmune Disorders, and Tumors <b>2015</b> , 1003-1012		1
104	The Inhibitory Receptor NKG2A Sustains Virus-Specific CD8+ T Cells in Response to a Lethal Poxvirus Infection. <i>Immunity</i> , <b>2015</b> , 43, 1112-24	32.3	51
103	Albumin-associated free fatty acids induce macropinocytosis in podocytes. <i>Journal of Clinical Investigation</i> , <b>2015</b> , 125, 2307-16	15.9	53
102	Cutting edge: Salivary gland NK cells develop independently of Nfil3 in steady-state. <i>Journal of Immunology</i> , <b>2014</b> , 192, 4487-91	5.3	124
101	L-Myc expression by dendritic cells is required for optimal T-cell priming. <i>Nature</i> , <b>2014</b> , 507, 243-7	50.4	58
100	c-Myc-induced transcription factor AP4 is required for host protection mediated by CD8+ T cells. <i>Nature Immunology</i> , <b>2014</b> , 15, 884-93	19.1	69
99	Beyond NK cells: the expanding universe of innate lymphoid cells. <i>Frontiers in Immunology</i> , <b>2014</b> , 5, 282	8.4	39
98	Rodent herpesvirus Peru encodes a secreted chemokine decoy receptor. <i>Journal of Virology</i> , <b>2014</b> , 88, 538-46	6.6	13
97	Intraepithelial type 1 innate lymphoid cells are a unique subset of IL-12- and IL-15-responsive IFN- $\gamma$ -producing cells. <i>Immunity</i> , <b>2013</b> , 38, 769-81	32.3	640
96	Association between specific adipose tissue CD4+ T-cell populations and insulin resistance in obese individuals. <i>Gastroenterology</i> , <b>2013</b> , 145, 366-74.e1-3	13.3	173
95	CD2-associated protein regulates plasmacytoid dendritic cell migration, but is dispensable for their development and cytokine production. <i>Journal of Immunology</i> , <b>2013</b> , 191, 5933-40	5.3	20

94	Endoplasmic reticulum stress controls M2 macrophage differentiation and foam cell formation. <i>Journal of Biological Chemistry</i> , <b>2012</b> , 287, 11629-41	5.4	208
93	Timing and magnitude of type I interferon responses by distinct sensors impact CD8 T cell exhaustion and chronic viral infection. <i>Cell Host and Microbe</i> , <b>2012</b> , 11, 631-42	23.4	113
92	AHR and the Transcriptional Regulation of Type-17/22 ILC. <i>Frontiers in Immunology</i> , <b>2012</b> , 3, 10	8.4	26
91	IL-34 is a tissue-restricted ligand of CSF1R required for the development of Langerhans cells and microglia. <i>Nature Immunology</i> , <b>2012</b> , 13, 753-60	19.1	618
90	TREM2 and $\beta$ -catenin regulate bone homeostasis by controlling the rate of osteoclastogenesis. <i>Journal of Immunology</i> , <b>2012</b> , 188, 2612-21	5.3	95
89	AHR drives the development of gut ILC22 cells and postnatal lymphoid tissues via pathways dependent on and independent of Notch. <i>Nature Immunology</i> , <b>2011</b> , 13, 144-51	19.1	542
88	OSCAR is a collagen receptor that costimulates osteoclastogenesis in DAP12-deficient humans and mice. <i>Journal of Clinical Investigation</i> , <b>2011</b> , 121, 3505-16	15.9	147
87	Expansion of human NK-22 cells with IL-7, IL-2, and IL-1 $\beta$ reveals intrinsic functional plasticity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2010</b> , 107, 10961-6	11.5	260
86	Cutting edge: polyinosinic:polycytidylic acid boosts the generation of memory CD8 T cells through melanoma differentiation-associated protein 5 expressed in stromal cells. <i>Journal of Immunology</i> , <b>2010</b> , 184, 2751-5	5.3	65
85	Melanoma differentiation-associated gene 5 (MDA5) is involved in the innate immune response to Paramyxoviridae infection in vivo. <i>PLoS Pathogens</i> , <b>2010</b> , 6, e1000734	7.6	98
84	ITAM signaling in dendritic cells controls T helper cell priming by regulating MHC class II recycling. <i>Blood</i> , <b>2010</b> , 116, 3208-18	2.2	14
83	Loss of DNAM-1 contributes to CD8+ T-cell exhaustion in chronic HIV-1 infection. <i>European Journal of Immunology</i> , <b>2010</b> , 40, 949-54	6.1	40
82	Phospholipase C gamma 2 is critical for development of a murine model of inflammatory arthritis by affecting actin dynamics in dendritic cells. <i>PLoS ONE</i> , <b>2010</b> , 5, e8909	3.7	27
81	The mitogen-activated protein kinase scaffold KSR1 is required for recruitment of extracellular signal-regulated kinase to the immunological synapse. <i>Molecular and Cellular Biology</i> , <b>2009</b> , 29, 1554-64	4.8	19
80	Distinct and complementary functions of MDA5 and TLR3 in poly(I:C)-mediated activation of mouse NK cells. <i>Journal of Experimental Medicine</i> , <b>2009</b> , 206, 2967-76	16.6	162
79	Tumor-infiltrating regulatory dendritic cells inhibit CD8+ T cell function via L-arginine metabolism. <i>Cancer Research</i> , <b>2009</b> , 69, 3086-94	10.1	202
78	A novel molecular interaction for the adhesion of follicular CD4 T cells to follicular DC. <i>European Journal of Immunology</i> , <b>2009</b> , 39, 695-703	6.1	152
77	Requirement of phospholipase C-gamma2 (PLCgamma2) for Dectin-1-induced antigen presentation and induction of TH1/TH17 polarization. <i>European Journal of Immunology</i> , <b>2009</b> , 39, 1369-78	6.1	43

76	A human natural killer cell subset provides an innate source of IL-22 for mucosal immunity. <i>Nature</i> , <b>2009</b> , 457, 722-5	50.4	973
75	DNAM-1 promotes activation of cytotoxic lymphocytes by nonprofessional antigen-presenting cells and tumors. <i>Journal of Experimental Medicine</i> , <b>2008</b> , 205, 2965-73	16.6	234
74	Identification of soluble TREM-2 in the cerebrospinal fluid and its association with multiple sclerosis and CNS inflammation. <i>Brain</i> , <b>2008</b> , 131, 3081-91	11.2	180
73	HLA alleles determine differences in human natural killer cell responsiveness and potency. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2008</b> , 105, 3053-8	11.5	203
72	NK cell-activating receptors require PKC-theta for sustained signaling, transcriptional activation, and IFN-gamma secretion. <i>Blood</i> , <b>2008</b> , 112, 4109-16	2.2	52
71	Tumors induce regulatory dendritic cells that suppress CD8+ T cell antitumor immunity. <i>FASEB Journal</i> , <b>2008</b> , 22, 1078.4	0.9	
70	Blockade of TREM-2 exacerbates experimental autoimmune encephalomyelitis. <i>European Journal of Immunology</i> , <b>2007</b> , 37, 1290-301	6.1	196
69	Development and function of murine B220+CD11c+NK1.1+ cells identify them as a subset of NK cells. <i>Journal of Experimental Medicine</i> , <b>2007</b> , 204, 2561-8	16.6	136
68	Phosphatidylinositol 3-kinase activation is required to form the NKG2D immunological synapse. <i>Molecular and Cellular Biology</i> , <b>2007</b> , 27, 8583-99	4.8	39
67	FcRL6, a new ITIM-bearing receptor on cytolytic cells, is broadly expressed by lymphocytes following HIV-1 infection. <i>Blood</i> , <b>2007</b> , 109, 3786-93	2.2	31
66	p110gamma and p110delta phosphoinositide 3-kinase signaling pathways synergize to control development and functions of murine NK cells. <i>Immunity</i> , <b>2007</b> , 27, 214-27	32.3	85
65	Crosspresentation: plasmacytoid dendritic cells are in the business. <i>Immunity</i> , <b>2007</b> , 27, 419-21	32.3	25
64	Interferon-producing cells develop from murine CD31(high)/Ly6C(-) marrow progenitors. <i>Cellular Immunology</i> , <b>2006</b> , 242, 91-8	4.4	3
63	Cutting edge: TREM-2 attenuates macrophage activation. <i>Journal of Immunology</i> , <b>2006</b> , 177, 3520-4	5.3	431
62	Essential role of mda-5 in type I IFN responses to polyriboinosinic:polyribocytidylic acid and encephalomyocarditis picornavirus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2006</b> , 103, 8459-64	11.5	909
61	Vav1 controls DAP10-mediated natural cytotoxicity by regulating actin and microtubule dynamics. <i>Journal of Immunology</i> , <b>2006</b> , 177, 2349-55	5.3	77
60	Deficit of CD47 results in a defect of marginal zone dendritic cells, blunted immune response to particulate antigen and impairment of skin dendritic cell migration. <i>Journal of Immunology</i> , <b>2006</b> , 176, 5772-8	5.3	54
59	Bone marrow stromal cell antigen 2 is a specific marker of type I IFN-producing cells in the naive mouse, but a promiscuous cell surface antigen following IFN stimulation. <i>Journal of Immunology</i> , <b>2006</b> , 177, 3260-5	5.3	342

58	Complement-induced regulatory T cells suppress T-cell responses but allow for dendritic-cell maturation. <i>Blood</i> , <b>2006</b> , 107, 1497-504	2.2	50
57	Siglec-H is an IPC-specific receptor that modulates type I IFN secretion through DAP12. <i>Blood</i> , <b>2006</b> , 107, 2474-6	2.2	207
56	Adhesion of human T cells to antigen-presenting cells through SIRPbeta2-CD47 interaction costimulates T-cell proliferation. <i>Blood</i> , <b>2005</b> , 105, 2421-7	2.2	72
55	Plasmacytoid dendritic cells--virus experts of innate immunity. <i>Seminars in Immunology</i> , <b>2005</b> , 17, 253-61	10.7	153
54	Paradoxical inhibition of human natural interferon-producing cells by the activating receptor NKp44. <i>Blood</i> , <b>2005</b> , 106, 2076-82	2.2	127
53	The tumor suppressor TSLC1/NECL-2 triggers NK-cell and CD8+ T-cell responses through the cell-surface receptor CRTAM. <i>Blood</i> , <b>2005</b> , 106, 779-86	2.2	140
52	Plasmacytoid dendritic cells: in search of their niche in immune responses. <i>Immunologic Research</i> , <b>2005</b> , 32, 75-83	4.3	16
51	Dendritic cells respond to influenza virus through TLR7- and PKR-independent pathways. <i>European Journal of Immunology</i> , <b>2005</b> , 35, 236-42	6.1	102
50	Adhesive mechanisms governing interferon-producing cell recruitment into lymph nodes. <i>Journal of Experimental Medicine</i> , <b>2005</b> , 202, 687-96	16.6	96
49	Evidence for MR1 antigen presentation to mucosal-associated invariant T cells. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 21183-93	5.4	116
48	Cutting edge: CD96 (tactile) promotes NK cell-target cell adhesion by interacting with the poliovirus receptor (CD155). <i>Journal of Immunology</i> , <b>2004</b> , 172, 3994-8	5.3	258
47	Differential requirements for Vav proteins in DAP10- and ITAM-mediated NK cell cytotoxicity. <i>Journal of Experimental Medicine</i> , <b>2004</b> , 200, 817-23	16.6	99
46	Viral infection and Toll-like receptor agonists induce a differential expression of type I and lambda interferons in human plasmacytoid and monocyte-derived dendritic cells. <i>European Journal of Immunology</i> , <b>2004</b> , 34, 796-805	6.1	383
45	A cell-surface molecule selectively expressed on murine natural interferon-producing cells that blocks secretion of interferon-alpha. <i>Blood</i> , <b>2004</b> , 103, 4201-6	2.2	108
44	Natural Interferon Producing Cells Develop from Murine CD31+(high)/Ly6C- Marrow Progenitors.. <i>Blood</i> , <b>2004</b> , 104, 4169-4169	2.2	
43	Dendritic cells process and present antigens across a range of maturation states. <i>Journal of Immunology</i> , <b>2003</b> , 170, 5367-72	5.3	42
42	The HIV protease inhibitor indinavir reduces immature dendritic cell transendothelial migration. <i>European Journal of Immunology</i> , <b>2003</b> , 33, 2520-30	6.1	8
41	Plasmacytoid dendritic cells prime IFN-gamma-secreting melanoma-specific CD8 lymphocytes and are found in primary melanoma lesions. <i>European Journal of Immunology</i> , <b>2003</b> , 33, 1052-62	6.1	168



40	Recruitment of immature plasmacytoid dendritic cells (plasmacytoid monocytes) and myeloid dendritic cells in primary cutaneous melanomas. <i>Journal of Pathology</i> , <b>2003</b> , 200, 255-68	9.4	240
39	CD56bright natural killer cells are present in human lymph nodes and are activated by T cell-derived IL-2: a potential new link between adaptive and innate immunity. <i>Blood</i> , <b>2003</b> , 101, 3052-7	2.2	664
38	Impaired differentiation of osteoclasts in TREM-2-deficient individuals. <i>Journal of Experimental Medicine</i> , <b>2003</b> , 198, 645-51	16.6	180
37	Interferon-producing cells fail to induce proliferation of naive T cells but can promote expansion and T helper 1 differentiation of antigen-experienced unpolarized T cells. <i>Journal of Experimental Medicine</i> , <b>2003</b> , 197, 899-906	16.6	142
36	Interferon-producing cells: on the front line in immune responses against pathogens. <i>Current Opinion in Immunology</i> , <b>2002</b> , 14, 373-9	7.8	203
35	NKG2D recruits two distinct adapters to trigger NK cell activation and costimulation. <i>Nature Immunology</i> , <b>2002</b> , 3, 1150-5	19.1	342
34	An unusual Fc receptor-related protein expressed in human centroblasts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2002</b> , 99, 3776-81	11.5	39
33	Capture and transfer of simian immunodeficiency virus by macaque dendritic cells is enhanced by DC-SIGN. <i>Journal of Virology</i> , <b>2002</b> , 76, 11827-36	6.6	29
32	Virus-induced interferon alpha production by a dendritic cell subset in the absence of feedback signaling in vivo. <i>Journal of Experimental Medicine</i> , <b>2002</b> , 195, 507-16	16.6	206
31	IFN-producing cells respond to CXCR3 ligands in the presence of CXCL12 and secrete inflammatory chemokines upon activation. <i>Journal of Immunology</i> , <b>2002</b> , 169, 6079-83	5.3	128
30	Signal-regulatory protein alpha (SIRPalpha) but not SIRPbeta is involved in T-cell activation, binds to CD47 with high affinity, and is expressed on immature CD34(+)/CD38(-) hematopoietic cells. <i>Blood</i> , <b>2001</b> , 97, 2741-9	2.2	140
29	Activation of NK cell-mediated cytotoxicity by a SAP-independent receptor of the CD2 family. <i>Journal of Immunology</i> , <b>2001</b> , 167, 5517-21	5.3	150
28	The activatory receptor 2B4 is expressed in vivo by human CD8+ effector alpha beta T cells. <i>Journal of Immunology</i> , <b>2001</b> , 167, 6165-70	5.3	74
27	Ig-like transcript 2 (ILT2)/leukocyte Ig-like receptor 1 (LIR1) inhibits TCR signaling and actin cytoskeleton reorganization. <i>Journal of Immunology</i> , <b>2001</b> , 166, 2514-21	5.3	111
26	A DAP12-mediated pathway regulates expression of CC chemokine receptor 7 and maturation of human dendritic cells. <i>Journal of Experimental Medicine</i> , <b>2001</b> , 194, 1111-22	16.6	338
25	BDCA-2, a novel plasmacytoid dendritic cell-specific type II C-type lectin, mediates antigen capture and is a potent inhibitor of interferon alpha/beta induction. <i>Journal of Experimental Medicine</i> , <b>2001</b> , 194, 1823-34	16.6	603
24	Patients with X-linked lymphoproliferative disease have a defect in 2B4 receptor-mediated NK cell cytotoxicity. <i>European Journal of Immunology</i> , <b>2000</b> , 30, 3309-18	6.1	149
23	Plasmacytoid dendritic cells activated by influenza virus and CD40L drive a potent TH1 polarization. <i>Nature Immunology</i> , <b>2000</b> , 1, 305-10	19.1	650



22	Cloning human natural killer cells. <i>Methods in Molecular Biology</i> , <b>2000</b> , 121, 1-4	1.4	14
21	Cutting edge: signal-regulatory protein beta 1 is a DAP12-associated activating receptor expressed in myeloid cells. <i>Journal of Immunology</i> , <b>2000</b> , 164, 9-12	5.3	128
20	A family of inhibitory and activating Ig-like receptors that modulate function of lymphoid and myeloid cells. <i>Seminars in Immunology</i> , <b>2000</b> , 12, 121-7	10.7	111
19	Maturation, activation, and protection of dendritic cells induced by double-stranded RNA. <i>Journal of Experimental Medicine</i> , <b>1999</b> , 189, 821-9	16.6	607
18	Plasmacytoid monocytes migrate to inflamed lymph nodes and produce large amounts of type I interferon. <i>Nature Medicine</i> , <b>1999</b> , 5, 919-23	50.5	1387
17	Activating interactions in human NK cell recognition: the role of 2B4-CD48. <i>European Journal of Immunology</i> , <b>1999</b> , 29, 1676-83	6.1	197
16	Inhibition of dendritic cell maturation by herpes simplex virus. <i>European Journal of Immunology</i> , <b>1999</b> , 29, 3245-53	6.1	318
15	Association of a syndrome resembling Wegener's granulomatosis with low surface expression of HLA class-I molecules. <i>Lancet, The</i> , <b>1999</b> , 354, 1598-603	4.0	105
14	Identification of the CD85 antigen as ILT2, an inhibitory MHC class I receptor of the immunoglobulin superfamily. <i>Journal of Leukocyte Biology</i> , <b>1999</b> , 65, 841-5	6.5	44
13	Inhibitory and activating receptors involved in immune surveillance by human NK and myeloid cells. <i>Journal of Leukocyte Biology</i> , <b>1999</b> , 66, 718-22	6.5	52
12	Activating interactions in human NK cell recognition: the role of 2B4-CD48 <b>1999</b> , 29, 1676		1
11	Signaling through human killer cell activating receptors triggers tyrosine phosphorylation of an associated protein complex. <i>European Journal of Immunology</i> , <b>1998</b> , 28, 599-609	6.1	86
10	A common inhibitory receptor for major histocompatibility complex class I molecules on human lymphoid and myelomonocytic cells. <i>Journal of Experimental Medicine</i> , <b>1997</b> , 186, 1809-18	16.6	773
9	A novel inhibitory receptor (ILT3) expressed on monocytes, macrophages, and dendritic cells involved in antigen processing. <i>Journal of Experimental Medicine</i> , <b>1997</b> , 185, 1743-51	16.6	358
8	Identification of a committed T cell precursor population in adult human peripheral blood. <i>Journal of Experimental Medicine</i> , <b>1997</b> , 185, 875-84	16.6	59
7	CD34+ Hematopoietic Progenitors From Human Cord Blood Differentiate Along Two Independent Dendritic Cell Pathways in Response to Granulocyte-Macrophage Colony-Stimulating Factor Plus Tumor Necrosis Factor $\beta$ . Functional Analysis. <i>Blood</i> , <b>1997</b> , 90, 1458-1470	2.2	372
6	Inflammatory stimuli induce accumulation of MHC class II complexes on dendritic cells. <i>Nature</i> , <b>1997</b> , 388, 782-7	50.4	911
5	Origin, maturation and antigen presenting function of dendritic cells. <i>Current Opinion in Immunology</i> , <b>1997</b> , 9, 10-6	7.8	1134

4	The mannose receptor functions as a high capacity and broad specificity antigen receptor in human dendritic cells. <i>European Journal of Immunology</i> , <b>1997</b> , 27, 2417-25	6.1	330
3	Mechanisms underlying mismatch repair deficiencies in normal cells <b>1997</b> , 20, 305-309		3
2	Serial triggering of many T-cell receptors by a few peptide-MHC complexes. <i>Nature</i> , <b>1995</b> , 375, 148-51	50.4	961
1	Human T-cell receptor TCRAV, TCRBV, and TCRAJ sequences newly found in T-cell clones reactive with allogeneic HLA class II antigens. <i>Immunogenetics</i> , <b>1993</b> , 38, 67-70	3.2	10