

Lechosław Latos-Gra^{1/4}yński

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7770135/publications.pdf>

Version: 2024-02-01

274
papers

13,047
citations

25031

57
h-index

37202

96
g-index

312
all docs

312
docs citations

312
times ranked

3376
citing authors

#	ARTICLE	IF	CITATIONS
1	Phenanthrene cyclocarbonylation – core post-synthetic modification of phenanthriporphyrin. <i>Organic Chemistry Frontiers</i> , 2022, 9, 2968-2976.	4.5	7
2	Two-photon absorption of 28-hetero-2,7-naphthioporphyryns: expanded carbaporphyrinoid macrocycles. <i>RSC Advances</i> , 2022, 12, 19554-19560.	3.6	3
3	A flexible expanded heterocorrole: Tellura[22]porphyrin(6.1.1.0)., 2021, , 791-798.		0
4	21-Carbaporphyrin: a cyclopentadiene moiety entrapped into a porphyrin scaffold. <i>Journal of Porphyrins and Phthalocyanines</i> , 2020, 24, 1-20.	0.8	12
5	Expanded Carbaporphyrinoids. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 16874-16901.	13.8	49
6	A Pincer Motif Etched into a meta-Benziporphyrin Frame. <i>Topics in Organometallic Chemistry</i> , 2020, , 181.	0.7	1
7	Kinetic versus Thermodynamic Control Over Multiple Conformations of Diá€2,7â€naphthihexaphyrin(1.1.1.1.1.1). <i>Angewandte Chemie</i> , 2020, 132, 20312-20321.	2.0	5
8	Kinetic versus Thermodynamic Control Over Multiple Conformations of Diá€2,7â€naphthihexaphyrin(1.1.1.1.1.1). <i>Angewandte Chemie - International Edition</i> , 2020, 59, 20137-20146.	13.8	16
9	Dicarba[26]hexaporphyrinoids(1.1.1.1.1.1) with an Embedded Cyclopentene Moietyâ€”Conformational Switching. <i>Chemistry - A European Journal</i> , 2020, 26, 12272-12272.	3.3	0
10	Chemistry inside a Porphyrin Skeleton: Platinacyclopentadiene from Tellurophene. <i>Chemistry - A European Journal</i> , 2020, 26, 16011-16018.	3.3	15
11	Conformationâ€Dependent Response to the Protonation of Diphenanthriooctaphyrin(1.1.1.0.1.1.1.0): A Route to Pseudorotaxaneâ€Like Structures. <i>Chemistry - A European Journal</i> , 2020, 26, 8555-8566.	3.3	5
12	Expandierte Carbaporphyrinoide. <i>Angewandte Chemie</i> , 2020, 132, 17020-17049.	2.0	8
13	Dicarba[26]hexaporphyrinoids(1.1.1.1.1.1) with an Embedded Cyclopentene Moietyâ€”Conformational Switching. <i>Chemistry - A European Journal</i> , 2020, 26, 12322-12327.	3.3	4
14	An exocyclic Î€-system extension of the phenanthriporphyrin framework: towards azaaceneporphyrinoids. <i>Organic Chemistry Frontiers</i> , 2020, 7, 1430-1436.	4.5	10
15	28-Hetero-2,7-Naphthioporphyryns: Horizontal Expansion of the <i>m</i>-Benziporphyrin Macrocycle. <i>Organic Letters</i> , 2019, 21, 7009-7014.	4.6	25
16	Câ~H and Câ~M Activation, Aromaticity Tuning, and Coâ€â€â€Ru Interactions Confined in the Azuliporphyrin Framework. <i>Chemistry - A European Journal</i> , 2019, 25, 14536-14545.	3.3	4
17	Frontispiece: Shaping a Porphyrinoid Frame by Heteroatoms Extrusion: Formation of an Expanded [22]Triphyrin(6.6.0). <i>Chemistry - A European Journal</i> , 2019, 25, .	3.3	0
18	Expanded Porphyrin Contraction: From [22]Triphyrin(6.6.0) to [22]Triphyrin(6.5.0). <i>Chemistry - A European Journal</i> , 2019, 25, 11859-11863.	3.3	6

#	ARTICLE	IF	CITATIONS
19	A flexible expanded heterocorrole: Tellura[22]porphyrin(6.1.1.0). Journal of Porphyrins and Phthalocyanines, 2019, 23, 1470-1477.	0.8	0
20	Câ [~] H and Câ [~] M Activation, Aromaticity Tuning, and Coâ [~] ...â [~] ...Ru Interactions Confined in the Azuliporphyrin Framework. Chemistry - A European Journal, 2019, 25, 14479-14479.	3.3	1
21	Oxygenation of Phenanthriporphyrin and Copper(III) Phenanthriporphyrin: An Efficient Route to Phenanthribiliones. Inorganic Chemistry, 2019, 58, 12446-12456.	4.0	18
22	Shaping a Porphyrinoid Frame by Heteroatoms Extrusion: Formation of an Expanded [22]Triphyrin(6.6.0). Chemistry - A European Journal, 2019, 25, 10088-10097.	3.3	8
23	Diphenanthriooctaphyrin(1.1.1.0.1.1.1.0): Conformational Switching Controls the Stereochemical Dynamics of the Topologically Chiral System. Journal of the American Chemical Society, 2019, 141, 6060-6072.	13.7	41
24	A <i>meso</i>-Tetraarylâ [~] carbaporphyrin: Incorporation of a Cyclopentadiene Unit into a Porphyrin Architecture. Angewandte Chemie - International Edition, 2019, 58, 6089-6093.	13.8	21
25	A <i>meso</i>-Tetraarylâ [~] carbaporphyrin: Incorporation of a Cyclopentadiene Unit into a Porphyrin Architecture. Angewandte Chemie, 2019, 131, 6150-6154.	2.0	3
26	Organocopper(III) Phenanthriporphyrinâ [~] Exocyclic Transformations. Inorganic Chemistry, 2019, 58, 1451-1461.	4.0	20
27	Threeâ [~] Stage Aromaticity Switching in Boron(III) and Phosphorus(V) Nâ [~] Fused <i>p</i>-Benziporphyrin. Chemistry - A European Journal, 2019, 25, 200-204.	3.3	26
28	Helicenophyrins: Expanded Carbaporphyrins Incorporating Aza[5]helicene and Heptacyclic Sâ [~] Shaped Aza[5]helicene Motifs. Angewandte Chemie, 2018, 130, 4094-4098.	2.0	13
29	Helicenophyrins: Expanded Carbaporphyrins Incorporating Aza[5]helicene and Heptacyclic Sâ [~] Shaped Aza[5]helicene Motifs. Angewandte Chemie - International Edition, 2018, 57, 4030-4034.	13.8	31
30	Aromaticity switching via azulene transformations in azulene-bridged A,D-dithiahexaphyrin. Chemical Communications, 2018, 54, 1837-1840.	4.1	17
31	Frontispiece: Rhodiumâ [~] Induced Reversible Câ [~] C Bond Cleavage: Transformations of Rhodium(III) 22â [~] Alkylâ [~] mâ [~] benziporphyrins. Chemistry - A European Journal, 2018, 24, .	3.3	0
32	Rhodiumâ [~] Induced Reversible Câ [~] C Bond Cleavage: Transformations of Rhodium(III) 22â [~] Alkylâ [~] mâ [~] benziporphyrins. Chemistry - A European Journal, 2018, 24, 115-126.	3.3	16
33	Inversion Triggered by Protonationâ [~] A Rubyrin with Embedded Î±,Î²â [~] Pyridine Moieties. Angewandte Chemie, 2018, 130, 17108-17112.	2.0	6
34	Inversion Triggered by Protonationâ [~] A Rubyrin with Embedded Î±,Î²â [~] Pyridine Moieties. Angewandte Chemie - International Edition, 2018, 57, 16866-16870.	13.8	19
35	Incorporation of a <i>p</i>-Phenylene Unit into the Azuliporphyrinogens Frameâ [~] Oxidation and Ruthenium Cluster Coordination. Chemistry - A European Journal, 2018, 24, 14686-14692.	3.3	5
36	Aromaticity control <i>via</i> modifications of a macrocyclic frame: 5,6-dimethoxyphenanthriporphyrin and 5,6-dioxophenanthriporphyrin. Organic Chemistry Frontiers, 2018, 5, 3068-3076.	4.5	26

#	ARTICLE	IF	CITATIONS
37	Assessment of in vivo experiments: The newly synthesized porphyrin with proper light source enhanced effectiveness of PDT comparing to 5-ALA-mediated PDT. <i>Photodiagnosis and Photodynamic Therapy</i> , 2017, 18, 179-184.	2.6	8
38	Retrieving aromaticity of dithiadiazuliporphyrin by oxidation: illustration by experimental and theoretical investigation. <i>RSC Advances</i> , 2017, 7, 19502-19505.	3.6	4
39	Ruthenium(II) and Ruthenium(III) Complexes of <i>p</i> -Benziporphyrin: Merging Equatorial and Axial Organometallic Coordination. <i>Inorganic Chemistry</i> , 2017, 56, 10337-10352.	4.0	19
40	Flexible Porphyrinoids. <i>Chemical Reviews</i> , 2017, 117, 2839-2909.	47.7	201
41	Gold(III) Triggered Transformations of 22-Methylbenzporphyrin Involving an Effective Contraction of Benzene to Cyclopentadiene. <i>Chemistry - A European Journal</i> , 2017, 23, 2059-2066.	3.3	18
42	Incorporation of a Phenanthrene Subunit into a Sapphyrin Framework: Synthesis of Expanded Aceneporphyrinoids. <i>Chemistry - A European Journal</i> , 2016, 22, 7602-7608.	3.3	49
43	A Rhodium-Mediated Contraction of Benzene to Cyclopentadiene: Transformations of Rhodium(III) Benziporphyrin. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 1427-1431.	13.8	38
44	<i>meso</i> -N-Pyrrole as a Versatile Substituent Influencing the Optical Properties of Porphyrin. <i>Chemistry - an Asian Journal</i> , 2016, 11, 3329-3333.	3.3	17
45	A Mixed-Valence Bis-Phosphorus Complex Entrapped in a Oxatriphyrin(3.1.1) Surrounding. <i>European Journal of Organic Chemistry</i> , 2016, 2016, 3691-3695.	2.4	9
46	A Parallel-Displaced Directly Linked 21-Carba-23-Thiaporphyrin Dimer Incorporating a Dihydrofulvalene Motif. <i>Angewandte Chemie</i> , 2016, 128, 11397-11402.	2.0	4
47	A Parallel-Displaced Directly Linked 21-Carba-23-Thiaporphyrin Dimer Incorporating a Dihydrofulvalene Motif. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 11231-11236.	13.8	17
48	Coordination-Induced Molecular Tweezing: Ruthenium Clusters Docked at Azuliporphyrinogens. <i>Inorganic Chemistry</i> , 2016, 55, 12061-12073.	4.0	10
49	Carbocations Confined in a Thiatriazuliporphyrin Frame. <i>Chemistry - A European Journal</i> , 2016, 22, 6974-6980.	3.3	13
50	A Rhodium-Mediated Contraction of Benzene to Cyclopentadiene: Transformations of Rhodium(III) Benziporphyrin. <i>Angewandte Chemie</i> , 2016, 128, 1449-1453.	2.0	12
51	Palladium(II), Ruthenium(II), and Ruthenium(III) Complexes of 23-Thiaazuliporphyrin: The Case of Coordination-Induced Contraction. <i>Inorganic Chemistry</i> , 2016, 55, 1758-1769.	4.0	26
52	Aromaticity Switching in Porphyrinoids. <i>Chemistry - an Asian Journal</i> , 2015, 10, 1438-1451.	3.3	85
53	From <i>para</i> -Benziporphyrin to Rhodium(III) 21-Carba-23-Thiaporphyrins: Imprinting Rh ²⁺ , Rh ³⁺ , and Rh ²⁺ Coordination Motifs. <i>Chemistry - A European Journal</i> , 2015, 21, 12481-12487.	3.3	15
54	Möbius-Hückel topology switching in an expanded porphyrin cation radical as studied by EPR and ENDOR spectroscopy. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 6644-6652.	2.8	20

#	ARTICLE	IF	CITATIONS
55	Phenanthriporphyrin: An Antiaromatic Aceneporphyrinoid as a Ligand for a Hypervalent Organophosphorus(V) Moiety. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 4932-4936.	13.8	84
56	A fused meso-aminoporphyrin: a switchable near-IR chromophore. <i>Chemical Communications</i> , 2015, 51, 11362-11365.	4.1	35
57	Core chemistry and skeletal rearrangements of porphyrinoids and metalloporphyrinoids. <i>Chemical Society Reviews</i> , 2015, 44, 3588-3616.	38.1	136
58	Oxidation and Oxygenation of Carbonyl Ruthenium(II) Azuliporphyrin. <i>Inorganic Chemistry</i> , 2015, 54, 6184-6194.	4.0	19
59	Oxatriphyrins(2.1.1) Incorporating an <i>ortho</i> -Phenylene Motif. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 1906-1909.	13.8	53
60	Reversible Reduction of Oxatriphyrin(3.1.1) Adjusting the Coordination Abilities to the Central Ion. <i>Chemistry - A European Journal</i> , 2014, 20, 17500-17506.	3.3	21
61	Gold(III)-Mediated Contraction of Benzene to Cyclopentadiene: From <i>p</i> -Benziporphyrin to Gold(III) True Tetraarylcarbaporphyrin. <i>Chemistry - A European Journal</i> , 2014, 20, 1376-1382.	3.3	53
62	First Synthesis of Azachlorins and Azacorins with a N-Atom in <i>β</i> -Pyrrolic Positions. <i>Helvetica Chimica Acta</i> , 2014, 97, 188-196.	1.6	6
63	Synthesis and Switching the Aromatic Character of Oxatriphyrins(2.1.1). <i>Angewandte Chemie - International Edition</i> , 2014, 53, 2992-2996.	13.8	50
64	Towards True Carbaporphyrinoids: Synthesis of 21-Carba-23-thiaporphyrin. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 4885-4889.	13.8	42
65	The effect of π -conjugation in the macrocyclic ring on the photophysical properties of a series of thiaaceneporphyrinoids. <i>Chemical Communications</i> , 2014, 50, 8367-8369.	4.1	18
66	Merging of inner and outer ruthenium organometallic coordination motifs within an azuliporphyrin framework. <i>Chemical Communications</i> , 2014, 50, 9270-9272.	4.1	28
67	Hückel and Möbius Expanded <i>para</i> -Benziporphyrins: Synthesis and Aromaticity Switching. <i>Chemistry - A European Journal</i> , 2014, 20, 1985-1997.	3.3	72
68	Expanded Triphyrin Derived from a Carbacorrole Architecture. <i>European Journal of Organic Chemistry</i> , 2013, 2013, 2770-2774.	2.4	14
69	A Porphyrin Skeleton Containing a Palladacyclopentadiene. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 8898-8903.	13.8	30
70	Photooxidation of unhindered triarylcorroles. <i>Tetrahedron</i> , 2013, 69, 10445-10449.	1.9	13
71	Copper(II) Thiaethyneporphyrin and Copper(II) 21-Phosphoryl N-confused Porphyrin Hybrids. Intramolecular Copper(II)-Carbon Interaction Inside of a Porphyrinoid Surrounding. <i>Inorganic Chemistry</i> , 2013, 52, 2599-2606.	4.0	19
72	Ruthenocenoporphyrinoids: Conformation Determines Macrocyclic π -Conjugation Transmitted Across a d-Electron Metallocene. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 1044-1048.	13.8	37

#	ARTICLE	IF	CITATIONS
73	Incorporation of the 1,5-Naphthalene Subunit into Heteroporphyrin Structure: Toward Helical Aceneporphyrinoids. <i>Journal of Organic Chemistry</i> , 2013, 78, 5090-5095.	3.2	36
74	Core-modified hexaphyrin: synthesis and characterization of 31,34-disilahexaphyrinoid. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 3463.	2.8	9
75	Regioselective phosphorylation and thiophosphorylation of N-confused porphyrin: a route to hybrid carbaporphyrinoids. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 8064.	2.8	22
76	A Dynamic Library of Porphyrinic True Nanorings. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 11205-11207.	13.8	7
77	Nickel(II) and Palladium(II) Thiaethyneporphyrins. Intramolecular Metal(II)-CC Interaction inside a Porphyrinoid Frame. <i>Inorganic Chemistry</i> , 2012, 51, 3247-3260.	4.0	32
78	Toward aceneporphyrinoids: synthesis and transformations of palladium(ii) meso-anthriporphyrin. <i>Chemical Communications</i> , 2012, 48, 5004.	4.1	39
79	The role of nitrogen bridges perturbing the photophysical properties in the porphyrin framework. <i>Chemical Communications</i> , 2012, 48, 8643.	4.1	6
80	Fused Arene Ring Construction Around Pyrrole To Form 4,7-Disubstitued Indole. <i>European Journal of Organic Chemistry</i> , 2012, 2012, 4115-4122.	2.4	8
81	From 21,23-Dioxaporphyrin to a 3-Pyranone Dioxacorrole Skeleton: The Achmatowicz Rearrangement in the Porphyrin Frame. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 2500-2504.	13.8	23
82	Common Origin, Common Fate: Regular Porphyrin and N-Confused Porphyrin Yield an Identical Tetrapyrrolic Degradation Product. <i>Journal of Organic Chemistry</i> , 2011, 76, 9956-9961.	3.2	23
83	Conformational Flexibility of 1,4-Naphthiporphyrin Promotes a Palladium-Mediated Contraction of Naphthalene to Isoindene. <i>Organometallics</i> , 2011, 30, 4354-4363.	2.3	65
84	Origin of Ultrafast Radiationless Deactivation Dynamics of Free-Base Subpyrporphyrins. <i>Journal of Physical Chemistry Letters</i> , 2011, 2, 477-481.	4.6	29
85	Iron(II) Vacataporphyrins: A Variable Annulene Conformation inside a Regular Porphyrin Frame. <i>Inorganic Chemistry</i> , 2011, 50, 10956-10965.	4.0	19
86	Iron(III) mesoporphyrin IX and iron(III) deuteroporphyrin IX bind to the <i>Porphyromonas gingivalis</i> HmuY hemophore. <i>Biochemical and Biophysical Research Communications</i> , 2011, 411, 299-304.	2.1	18
87	Vacata- and divacataporphyrin: New photosensitizers for application in photodynamic therapy-an in vitro study. <i>Lasers in Surgery and Medicine</i> , 2011, 43, 607-613.	2.1	9
88	Figure Eights, Möbius Bands, and More: Conformation and Aromaticity of Porphyrinoids. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 4288-4340.	13.8	424
89	A Facile Palladium-Mediated Contraction of Benzene to Cyclopentadiene: Transformations of Palladium(II) p-Benziporphyrin. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 6587-6591.	13.8	82
90	Inside Cover: A Facile Palladium-Mediated Contraction of Benzene to Cyclopentadiene: Transformations of Palladium(II) p-Benziporphyrin (<i>Angew. Chem. Int. Ed.</i> 29/2011). <i>Angewandte Chemie - International Edition</i> , 2011, 50, 6422-6422.	13.8	1

#	ARTICLE	IF	CITATIONS
91	A Flexible Porphyrinâ€“Annulene Hybrid: A Nonporphyrin Conformation for<i>meso</i>â€“tetraaryldivacataporphyrin. Chemistry - A European Journal, 2011, 17, 3500-3511.	3.3	51
92	Photooxidation of Dithiaethyneporphyrin. European Journal of Organic Chemistry, 2010, 2010, 5688-5695.	2.4	8
93	Photooxidation of Nâ€“Confused Porphyrin: A Route to Nâ€“Confused Biliverdin Analogues. Chemistry - A European Journal, 2010, 16, 2679-2682.	3.3	19
94	Ï€â€“Conjugation Transmitted across a dâ€“Electron Metallocene in Ferrocenothiaporphyrin Macrocycles. Angewandte Chemie - International Edition, 2010, 49, 7665-7669.	13.8	42
95	Three-Level Topology Switching in a Molecular MÃ¶bius Band. Journal of the American Chemical Society, 2010, 132, 3140-3152.	13.7	132
96	Unusual Oxidation in the Course of Synthesis of N-Confused Nickel Tetrahydrobilins. Heterocycles, 2010, 82, 1503.	0.7	0
97	<i>N</i>â€“Fusion Approach in Construction of Contracted Carbaporphyrinoids: Formation of <i>N</i>â€“Fused Telluraporphyrin. Chemistry - A European Journal, 2009, 15, 10924-10929.	3.3	51
98	Tetraazuliporphyrin Tetracation. Angewandte Chemie - International Edition, 2009, 48, 3337-3341.	13.8	37
99	Aza-deficient porphyrin as a ligand. Coordination Chemistry Reviews, 2009, 253, 2036-2048.	18.8	28
100	Organocopper(II) Complex of 21-Diphenylphosphoryl-Carbaporpholactone Hybrid: A Side-On Coordination Mode of Copper(II). Journal of the American Chemical Society, 2009, 131, 7224-7225.	13.7	49
101	Intramolecular Rotation of Iron(II) Dithiaethyneporphyrin Double-Decker Complex: 1H NMR Studies. Inorganic Chemistry, 2009, 48, 7922-7930.	4.0	16
102	Regioselective Amination of Carbaporpholactone and <i>N</i>-Confused Porphyrin. Journal of Organic Chemistry, 2009, 74, 8547-8553.	3.2	40
103	Transformations of N-Confused Porphyrin Triggered by Insertion of Silicon(IV). Inorganic Chemistry, 2009, 48, 7394-7407.	4.0	34
104	Steric Control in the Synthesis of <i>p</i>-Benziporphyrins. Formation of a Doubly N-Confused Benzihexaphyrin Macrocycle. Organic Letters, 2009, 11, 3930-3933.	4.6	71
105	Heme environment in HmuY, the heme-binding protein of Porphyromonas gingivalis. Biochemical and Biophysical Research Communications, 2009, 383, 178-182.	2.1	38
106	Reactivity of Silole within a Coreâ€“Modified Porphyrin Environment: Synthesis of 21â€“Silaphlorin and its Conversion to Carbacorrole. Chemistry - A European Journal, 2008, 14, 4861-4874.	3.3	64
107	Unusual Loss of Substituents in the Course of Cyclization of Tetrahydrobilines to Dihydroporphyrins. Helvetica Chimica Acta, 2008, 91, 177-186.	1.6	5
108	Helical Porphyrinoids: Incorporation of Ferrocene Subunits into Macrocyclic Structures. European Journal of Organic Chemistry, 2008, 2008, 2601-2611.	2.4	20

#	ARTICLE	IF	CITATIONS
109	Phosphorus Complexes of N-Fused Porphyrin and Its Reduced Derivatives: New Isomers of Porphyrin Stabilized via Coordination. <i>Inorganic Chemistry</i> , 2008, 47, 6364-6374.	4.0	65
110	Palladium Vacataporphyrin Reveals Conformational Rearrangements Involving H _{1/4} ckel and M ⁺ bius Macrocyclic Topologies. <i>Journal of the American Chemical Society</i> , 2008, 130, 6182-6195.	13.7	126
111	Low-spin organoiron(III) N-confused pyriporphyrin. <i>Journal of Porphyrins and Phthalocyanines</i> , 2007, 11, 172-180.	0.8	9
112	22-Hydroxybenzporphyrin: Switching of Antiaromaticity by Phenol ⁺ Keto Tautomerization. <i>Journal of Organic Chemistry</i> , 2007, 72, 2259-2270.	3.2	61
113	Single-Boron Complexes of N-Confused and N-Fused Porphyrins. <i>Inorganic Chemistry</i> , 2007, 46, 6950-6957.	4.0	65
114	Copper(II) and Copper(III) Complexes of Pyrrole-Appended Oxacarbaporphyrin. <i>Inorganic Chemistry</i> , 2007, 46, 6575-6584.	4.0	82
115	Dioxadiazuliporphyrin: A Near-IR Redox Switchable Chromophore. <i>Journal of Organic Chemistry</i> , 2007, 72, 9501-9509.	3.2	44
116	Expanded Porphyrin with a Split Personality: A H _{1/4} ckel ⁺ M ⁺ bius Aromaticity Switch. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 7869-7873.	13.8	308
117	NMR Studies of Paramagnetic Metallocarbaporphyrinoids. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 2594-2608.	2.0	23
118	Dithiaethyneazuliporphyrin - a contracted heterocarbaporphyrin. <i>Chemical Communications</i> , 2006, , 3346-3348.	4.1	30
119	Cadmium(II) and Zinc(II) Complexes of S-Confused Thiaporphyrin. <i>Inorganic Chemistry</i> , 2006, 45, 8664-8671.	4.0	28
120	Iron Complexes of C- and N-Methylated 2-Aza-21-carbaporphyrin: NMR Studies. <i>Inorganic Chemistry</i> , 2006, 45, 9742-9747.	4.0	19
121	Iron Complexes of N-Confused Pyriporphyrin: NMR Studies. <i>Inorganic Chemistry</i> , 2006, 45, 7828-7834.	4.0	30
122	O-confusion approach in construction of carbaporphyrinoids. <i>Chemical Record</i> , 2006, 6, 64-78.	5.8	51
123	Subpyriporphyrin ⁺ A [14]Triphyrin(1.1.1) Homologue with an Embedded Pyridine Moiety. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 3670-3674.	13.8	129
124	Pyriporphyrin ⁺ A Porphyrin Homologue Containing A Built-in Pyridine Moiety. <i>European Journal of Organic Chemistry</i> , 2006, 2006, 3064-3068.	2.4	58
125	Core modified porphyrins ⁺ a macrocyclic platform for organometallic chemistry. <i>Coordination Chemistry Reviews</i> , 2005, 249, 2510-2533.	18.8	243
126	Carbaporphyrinoids Containing a Pyridine Moiety: 3-Aza-meta-benzporphyrin and 24-Thia-3-aza-meta-benzporphyrin. <i>European Journal of Organic Chemistry</i> , 2005, 2005, 5039-5048.	2.4	65

#	ARTICLE	IF	CITATIONS
127	Dithiaethyneporphyrin: An Atypical [18]Triphyrin(4.1.1) Frame for Contracted Porphyrins. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 5288-5291.	13.8	55
128	Benziporphyrins: Exploring Arene Chemistry in a Macrocyclic Environment. <i>ChemInform</i> , 2005, 36, no.	0.0	0
129	O-Confused Oxaporphyrin: An Intermediate in Formation of 3-Substituted 2-Oxa-21-Carbaporphyrins. <i>Journal of Organic Chemistry</i> , 2005, 70, 9123-9130.	3.2	47
130	Benziporphyrins: Exploring Arene Chemistry in a Macrocyclic Environment. <i>Accounts of Chemical Research</i> , 2005, 38, 88-98.	15.6	207
131	¹ H NMR Investigation of High-Spin and Low-Spin Iron(III)meso-Ethynylporphyrins. <i>Inorganic Chemistry</i> , 2005, 44, 4522-4533.	4.0	13
132	Dithiadiazuliporphyrin: Facile Generation of Carbaporphyrinoid Cation Radical and Dication. <i>Journal of the American Chemical Society</i> , 2005, 127, 13108-13109.	13.7	63
133	Cadmium(II) and Zinc(II) Complexes of Pyrrole-Appended Oxacarbaporphyrin: A Side-on Coordination Mode of O-Confused Carbaporphyrin. <i>Inorganic Chemistry</i> , 2005, 44, 9779-9786.	4.0	26
134	Cadmium(II), Nickel(II), and Zinc(II) Complexes of Vacataporphyrin: A Variable Annulene Conformation inside a Standard Porphyrin Frame. <i>Inorganic Chemistry</i> , 2005, 44, 8794-8803.	4.0	30
135	Bimetallic Figure-Eight Octaphyrins Split into Four-Pyrrolic Macrocycles. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 5124-5128.	13.8	39
136	Bimetallic Figure-Eight Octaphyrins Split into Four-Pyrrolic Macrocycles. <i>ChemInform</i> , 2004, 35, no.	0.0	0
137	Conformational Flexibility of Nickel(II) Benziporphyrins. <i>Inorganic Chemistry</i> , 2004, 43, 6654-6662.	4.0	52
138	Cadmium(II) and Nickel(II) Complexes of Benziporphyrins. A Study of Weak Intramolecular Metal ⁺ Arene Interactions. <i>Journal of the American Chemical Society</i> , 2004, 126, 4566-4580.	13.7	164
139	Formation of a Highly Oxidized Iron Biliverdin Complex upon Treatment of a Five-Coordinate Verdoheme with Dioxygen. <i>Journal of the American Chemical Society</i> , 2004, 126, 6210-6211.	13.7	40
140	Oxidation and Oxygenation of Iron Complexes of 2-Aza-21-carbaporphyrin. <i>Journal of the American Chemical Society</i> , 2004, 126, 4420-4431.	13.7	77
141	Reactivity of Iron(II) 5,10,15,20-Tetraaryl-21-oxaporphyrin with Arylmagnesium Bromide: Formation of Paramagnetic Six-Coordinate Complexes with Two Axial Aryl Groups. <i>Inorganic Chemistry</i> , 2004, 43, 5564-5571.	4.0	21
142	Iron and Copper Complexes of Tetraphenyl-m-benziporphyrin: Reactivity of the Internal C-H Bond. <i>Inorganic Chemistry</i> , 2004, 43, 4118-4120.	4.0	56
143	Facile Ring Opening of Iron(III) and Iron(II) Complexes of meso-Amino-octaethylporphyrin by Dioxygen. <i>Journal of the American Chemical Society</i> , 2004, 126, 646-654.	13.7	33
144	Metallobiliverdin Radicals-DFT Studies. <i>ChemPhysChem</i> , 2003, 4, 691-698.	2.1	18

#	ARTICLE	IF	CITATIONS
145	Pyrrole-Appended Derivatives of O-Confused Oxaporphyrins and Their Complexes with Nickel(II), Palladium(II), and Silver(III). <i>Chemistry - A European Journal</i> , 2003, 9, 4650-4660.	3.3	65
146	Remarkable Paramagnetically Shifted ¹ H and ² H NMR Spectra of Iron(II) Complexes of 2-Aza-21-carbaporphyrin: An Evidence for Agostic Interaction. <i>Inorganic Chemistry</i> , 2003, 42, 7348-7350.	4.0	40
147	Regioselective Pyridination of m-Benziporphyrin. <i>Organic Letters</i> , 2003, 5, 3379-3381.	4.6	40
148	Heme Cleavage with Remarkable Ease: Paramagnetic Intermediates Formed by Aerobic Oxidation of a Meso-Amino-Substituted Iron Porphyrin. <i>Journal of the American Chemical Society</i> , 2003, 125, 4674-4675.	13.7	26
149	Formation and Isolation of an Iron-Tripyrrole Complex from Heme Degradation. <i>Journal of the American Chemical Society</i> , 2003, 125, 12678-12679.	13.7	38
150	Core-Modified Porphyrin Incorporating a Phenolate Donor. Characterization of Pd(II), Ni(II), Zn(II), Cd(II), and Fe(III) Complexes. <i>Inorganic Chemistry</i> , 2003, 42, 6183-6193.	4.0	31
151	10,15-di(4-pyridyl)-5,20-di(4-tolyl)-21-thiaporphyrin as a building block for porphyrin coordination arrays. <i>Journal of Porphyrins and Phthalocyanines</i> , 2003, 07, 8-16.	0.8	8
152	Iron Complexes of 5,10,15,20-Tetraphenyl-21-oxaporphyrin. <i>Inorganic Chemistry</i> , 2002, 41, 5866-5873.	4.0	44
153	Reactivity of Iron Verdohemes with Phenylmagnesium Bromide. Formation of Paramagnetic Iron ^{III} -Phenyl Complexes. <i>Inorganic Chemistry</i> , 2002, 41, 1011-1014.	4.0	10
154	Five-Coordinate Iron(III) Porphycenes: ¹ H NMR, Magnetic, and Structural Studies. <i>Inorganic Chemistry</i> , 2002, 41, 1979-1988.	4.0	35
155	Tetraphenyl-p-benziporphyrin: A Carbaporphyrinoid with Two Linked Carbon Atoms in the Coordination Core. <i>Journal of the American Chemical Society</i> , 2002, 124, 3838-3839.	13.7	153
156	5,10,15-Triaryl-21,23-dioxacorrole and Its Isomer with a Protruding Furan Ring. <i>Journal of Organic Chemistry</i> , 2002, 67, 5644-5653.	3.2	58
157	meso-Substituent Effects on the Geometric and Electronic Structures of High-Spin and Low-Spin Iron(III) Complexes of Mono-meso-Substituted Octaethylporphyrins. <i>Inorganic Chemistry</i> , 2002, 41, 989-997.	4.0	28
158	A Direct Link between Annulene and Porphyrin Chemistry: 21-Vacataporphyrin. <i>Chemistry - A European Journal</i> , 2002, 8, 5403-5405.	3.3	94
159	Monomeric and Dimeric Iron(III) Complexes of 5-Hydroxy-10,15,20-triphenylporphyrin: Formation of Cyano and Pyridine Complexes of (5-Oxo-10,15,20-triphenylphlorin)iron. <i>European Journal of Inorganic Chemistry</i> , 2002, 2002, 1806-1815.	2.0	15
160	Oxophlorin and Metallooxophlorin Radicals: DFT Studies. <i>ChemPhysChem</i> , 2002, 3, 575-583.	2.1	14
161	Magnetic Circular Dichroism of 5,10,15,20-Tetraphenylsapphyrin. <i>ChemPhysChem</i> , 2002, 3, 849-855.	2.1	8
162	Palladium(II) Complexes of Oxybenzporphyrin. <i>Inorganic Chemistry</i> , 2001, 40, 6892-6900.	4.0	92

#	ARTICLE	IF	CITATIONS
163	Reactivity of Mono-Meso-Substituted Iron(II) Octaethylporphyrin Complexes with Hydrogen Peroxide in the Absence of Dioxygen. Evidence for Nucleophilic Attack on the Heme. <i>Journal of the American Chemical Society</i> , 2001, 123, 11719-11727.	13.7	44
164	25,27-Dithiasapphyrin and Pyrrole-Inverted Isomer of 21,23-Dithiaporphyrin from Condensation of Pyrrole and 2,5-Bis(p-tolylhydroxymethyl)thiophene. <i>Organic Letters</i> , 2001, 3, 1933-1936.	4.6	57
165	Verdoheme Reactivity. Remarkable Paramagnetically Shifted ¹ H NMR Spectra of Intermediates from the Addition of Hydroxide or Methoxide with Feland FelllVerdohemes. <i>Inorganic Chemistry</i> , 2001, 40, 4971-4977.	4.0	27
166	A transient form of 2-aza-21-carbaporphyrin prearranged for fusion: DFT studies. <i>Journal of Porphyrins and Phthalocyanines</i> , 2001, 05, 474-480.	0.8	17
167	Figure-Eight Tetrathiaoctaphyrin and Dihydotetrathiaoctaphyrin. <i>Chemistry - A European Journal</i> , 2001, 7, 5099-5112.	3.3	96
168	Tetraphenylbenzporphyrin – A Ligand for Organometallic Chemistry. <i>Chemistry - A European Journal</i> , 2001, 7, 5113-5117.	3.3	169
169	An Unorthodox Conformation of [18]porphyrin-(1.1.1.1) Heteroanalogue – 21,23-Ditelluraporphyrin with a Flipped Tellurophene Ring Financial support from the State Committee for Scientific Research KBN of Poland (Grant: 3 – T09A – 155 – 15) and the Foundation for Polish Science is gratefully acknowledged. <i>Angewandte Chemie - International Edition</i> , 2001, 40, 4466.	13.8	51
170	Thiaporphyrin with an Inverted Thiophene Ring – DFT Studies. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2001, 41, 209-213.	1.6	11
171	Poly- and oligometalloporphyrins associated through coordination. <i>Coordination Chemistry Reviews</i> , 2000, 204, 113-171.	18.8	250
172	Copper(II) Complexes of Inverted Porphyrin and Its Methylated Derivatives. <i>Inorganic Chemistry</i> , 2000, 39, 5475-5482.	4.0	137
173	Reactions of Nickel(II) 2,21-Dimethyl-2-aza-21-carbaporphyrin with Phenyl Grignard Reagents, Phenyllithium, and n-Butyllithium. <i>Inorganic Chemistry</i> , 2000, 39, 5639-5647.	4.0	41
174	Heme/Hydrogen Peroxide Reactivity: A Formation of Paramagnetic Iron Oxophlorin Isomers by Treatment of Iron Porphyrins with Hydrogen Peroxide. <i>Journal of the American Chemical Society</i> , 2000, 122, 12478-12486.	13.7	34
175	Pyrrole-Inverted Isomer of 5,10,15,20-Tetraaryl-21-Selenaporphyrin. <i>Journal of Organic Chemistry</i> , 2000, 65, 8188-8196.	3.2	54
176	Peroxo and Ferryl Intermediates Detected by ¹ H NMR Spectroscopy during the Oxygenation of Iron(II) Porphycene. <i>Inorganic Chemistry</i> , 2000, 39, 3247-3251.	4.0	22
177	An Integrated Approach to the Mid-Spin State (S = 3/2) in Six-Coordinate Iron(III) Chiorporphyrins. <i>Inorganic Chemistry</i> , 2000, 39, 3978-3987.	4.0	57
178	A tetraphenylthiaporphyrin with an inverted thiophene ring. <i>Tetrahedron Letters</i> , 1999, 40, 8457-8460.	1.4	56
179	Novel routes for the modification of iron porphyrins. <i>Coordination Chemistry Reviews</i> , 1999, 190-192, 109-125.	18.8	10
180	New potent sensitizers for photodynamic therapy: 21-oxaporphyrin, 21-thiaporphyrin and 21,23-dithiaporphyrin induce extensive tumor necrosis. <i>Journal of Cancer Research and Clinical Oncology</i> , 1999, 125, 563-568.	2.5	11

#	ARTICLE	IF	CITATIONS
181	Geometry and tautomerism of sapphyrin—DFT studies. Computational and Theoretical Chemistry, 1999, 490, 33-46.	1.5	31
182	NH tautomerization of 2,7,18,23-tetramethyl-3,8,12,13,17,22-hexaethylsapphyrin. Journal of the Chemical Society Perkin Transactions II, 1999, , 2189-2195.	0.9	20
183	¹ H NMR Investigations of Triphenylporphyrin Metal Complexes and Electronic Interactions in Iron(III) Complexes of meso—meso-Linked 5,5—Bis(10,15,20-triphenylporphyrin). Inorganic Chemistry, 1999, 38, 3040-3050.	4.0	55
184	Geometry and Tautomerism of 26,28-Dioxasapphyrin and 26,28-Dithiasapphyrin:—DFT Studies. Journal of Physical Chemistry A, 1999, 103, 3302-3309.	2.5	31
185	Formation and reactivity of paramagnetic organometallic nickel complexes of 21-oxa- and 21-selenaporphyrins— ¹ H NMR and EPR investigations. Inorganica Chimica Acta, 1998, 273, 184-190.	2.4	22
186	Crystal structure and molecular stereochemistry of the 1:2 adduct of anionic complex, dicyano-(5,10,15,20-tetramesityleneporphinato)-iron(II) with bis(triphenylphosphine)nitrogen (1+)-I ₂ , CDCl ₃ solvate {[(CN) ₂ Fe(II)(TMP)] [PPN] ₂ } · I ₂ · 2CDCl ₃ . Inorganica Chimica Acta, 1998, 277, 242-246.	2.4	17
187	Formation of stable π -aryliron(III) complexes from the reaction of chloroiron(III) octaphenyltetraazaporphyrinate with aryl Grignard reagents. Mendeleev Communications, 1998, 8, 143-145.	1.6	4
188	Characterisation of new 26,28-diheterosapphyrins: 5,10,15,20-tetraphenyl-26,28-dioxasapphyrin and 5,10,15,20-tetraphenyl-26,28-dithiasapphyrin. Journal of the Chemical Society Perkin Transactions II, 1998, , 969-976.	0.9	45
189	Protonation of 5,10,15,20-tetraphenylsapphyrin—identification of inverted and planar dicationic forms. Journal of the Chemical Society Perkin Transactions II, 1998, , 959-968.	0.9	51
190	Stabilization of the Less Common (dxzdyz) ⁴ (dxy) ¹ Iron(III) Porphyrin Ground Electronic State:— ¹ H NMR Investigations of Iron(III) 5,10,15,20-Tetracyclohexylporphyrin. Inorganic Chemistry, 1998, 37, 724-732.	4.0	48
191	Oxidation of Iron(III) Tetramesitylporphyrin with Dimethyldioxirane. Inorganic Chemistry, 1998, 37, 2984-2988.	4.0	18
192	Organonickel Complexes of 21,23-Dioxaporphyrin. Identification of the Paramagnetic Organonickel(II) Complex with Two <i>l</i> -1-Phenyl Ligands. Inorganic Chemistry, 1998, 37, 4179-4183.	4.0	24
193	Reactivity of the Verdoheme Analogues, 5-Oxaporphyrin Complexes of Cobalt(II) and Zinc(II), with Nucleophiles:—Opening of the Planar Macrocycle by Alkoxide Addition To Form Helical Complexes—Inorganic Chemistry, 1998, 37, 4493-4499.	4.0	40
194	Coupled Oxidation of Heme without Pyridine. Formation of Cyano Complexes of Iron Oxophlorin and 5-Oxaporphyrin (Verdoheme) from Octaethylheme. Inorganic Chemistry, 1997, 36, 3892-3897.	4.0	42
195	Structure and Stability of 2-Aza-21-carbaporphyrin Tautomers Prearranged for Coordination. Inorganic Chemistry, 1997, 36, 6287-6291.	4.0	65
196	Cyclic Metalloporphyrin Trimers:— ¹ H NMR Identification of Trimeric Heterometallic (Iron(III),) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147 T the Iron(III) 2-Hydroxy-5,10,15,20-tetra- <i>p</i> -tolylporphyrin Trimer1. Inorganic Chemistry, 1997, 36, 4548-4554.	4.0	39
197	Characterization of High-Spin and Low-Spin Iron(III) Quinoxalinotetraphenylporphyrin. Inorganic Chemistry, 1997, 36, 6299-6306.	4.0	39
198	Low-Spin Iron(III) Chiroporphyrins:— ¹ H NMR Studies of Cyanide and Substituted Imidazole Coordination. Inorganic Chemistry, 1997, 36, 5761-5771.	4.0	53

#	ARTICLE	IF	CITATIONS
199	EPR and ² H NMR Studies on the Oxidation of Nickel(II) Tetraphenylcarbaporphyrin To Form Novel Organometallic Nickel(III) Complexes. <i>Inorganic Chemistry</i> , 1997, 36, 840-845.	4.0	84
200	Crystal and Molecular Structure of Thiocarbonyl-ethoxo(tetraphenylporphyrinato)ruthenium(II), [Ru(TPP)(CS)(HOC ₂ H ₅)]. A Case of Centrosymmetricâ€“Noncentrosymmetric Ambiguity. <i>Acta Crystallographica Section B: Structural Science</i> , 1997, 53, 767-772.	1.8	1
201	Nickel Complexes of 21â€“Oxaporphyrin and 21, 23â€“Dioxaporphyrin. <i>Chemistry - A European Journal</i> , 1997, 3, 268-278.	3.3	106
202	5,20-Diphenyl-10,15-bis(p-tolyl)-21-selenaporphyrin and Its Nickel(II) Complexes1. <i>Inorganic Chemistry</i> , 1996, 35, 566-573.	4.0	67
203	Reactions of Nickel(II) 2-Aza-5,10,15,20-tetraphenyl-21- carbaporphyrin with Methyl Iodide. The First Structural Characterization of a Paramagnetic Organometallic Nickel(II) Complexâ€. <i>Journal of the American Chemical Society</i> , 1996, 118, 5690-5701.	13.7	172
204	Disproportionation of Iron(III) Porphyrin Î€-Cation Radicals in the Presence of Sterically Hindered Pyridines. Spectroscopic Detection of Asymmetric Highly Oxidized Intermediates. <i>Inorganic Chemistry</i> , 1996, 35, 1136-1147.	4.0	24
205	NMR Investigation of Î²-Substituted High-Spin and Low-Spin Iron(III) Tetraphenylporphyrins. <i>Inorganic Chemistry</i> , 1996, 35, 6861-6872.	4.0	36
206	Monomeric and Trimeric Manganese(III) Complexes of 2-Hydroxy-5,10,15,20-tetraphenylporphyrin. Synthesis and Characterization. <i>Inorganic Chemistry</i> , 1996, 35, 4812-4818.	4.0	35
207	Ä„nderung der ReaktivitÄt eines Tellurophens durch eine Porphyrinumgebung: Synthese und Oxidation von 21â€“telluraporphyrin. <i>Angewandte Chemie</i> , 1995, 107, 2467-2469.	2.0	17
208	5,10,15,20â€“Tetraphenylsapphyrinâ€“Identification of a Pentapyrrolic Expanded Porphyrin in the Rothmund Synthesis. <i>Chemistry - A European Journal</i> , 1995, 1, 68-73.	3.3	173
209	Alteration of the Reactivity of a Tellurophene Within a Core-Modified Porphyrin Environment: Synthesis and Oxidation of 21-Telluraporphyrin. <i>Angewandte Chemie International Edition in English</i> , 1995, 34, 2252-2254.	4.4	95
210	Spectroscopic detection of asymmetric highly oxidized intermediates in disproportionation reaction of iron(III) porphyrin Î€-cation radicals. <i>Journal of Inorganic Biochemistry</i> , 1995, 59, 501.	3.5	0
211	Synthesis and Characterization of High-Spin Iron(III) 2-Hydroxy-5,10,15,20-tetraphenylporphyrin. The Unprecedented Example of the Cyclic Iron Porphyrin Trimer. <i>Inorganic Chemistry</i> , 1995, 34, 1044-1053.	4.0	53
212	Synthesis and Characterization of Gallium(III) 2-Hydroxy-5,10,15,20-tetraphenylporphyrin. A Novel Example of a Cyclic Gallium(III) Porphyrin Trimer. <i>Inorganic Chemistry</i> , 1995, 34, 1054-1062.	4.0	41
213	5,20-BIS(4-Sulphophenyl)-10,15-Bis(2-Methoxy-4-Sulphophenyl)-21-Thiaporphyrin as a new Potent Sensitizer in Photodynamic Therapy. <i>Tumori</i> , 1995, 81, 364-369.	1.1	10
214	Chemistry of Iron Oxophlorins. 3. Reversible, One-Electron Oxidation of the Iron(III) Octaethyloxophlorin Dimer. <i>Inorganic Chemistry</i> , 1995, 34, 1395-1401.	4.0	20
215	Novel Reactions of Iron(III) Tetraphenylporphyrin .pi.-Cation Radicals with Pyridine. <i>Inorganic Chemistry</i> , 1995, 34, 718-727.	4.0	34
216	N-methyltetraphenylporphyrin with an inverted N-methylpyrrole ring: the first isomer of N-methyltetraphenylporphyrin. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1995, , 503-509.	0.9	112

#	ARTICLE	IF	CITATIONS
217	Tetra-p-tolylporphyrin with an Inverted Pyrrole Ring: A Novel Isomer of Porphyrin. <i>Angewandte Chemie International Edition in English</i> , 1994, 33, 779-781.	4.4	599
218	Monoinvertiertes Tetra- <i>p</i> -tolylporphyrin: ein neues Porphyrinisomer. <i>Angewandte Chemie</i> , 1994, 106, 805-808.	2.0	157
219	Palladium complexes of 21-thiaporphyrin: syntheses and characterization. <i>Inorganic Chemistry</i> , 1994, 33, 192-197.	4.0	55
220	Structural identification of paramagnetic iron porphyrins from Colorado coal with the use of 1D and 2D ¹ H NMR spectroscopy: geochemical implications on their origin from heme. <i>Organic Geochemistry</i> , 1994, 21, 1059-1068.	1.8	8
221	Cyanide Coordination to Iron(III) Porphyrins and Covalently Linked Diiron(III) Diporphyrins. <i>Inorganic Chemistry</i> , 1994, 33, 3576-3586.	4.0	17
222	Low-Valent Nickel Thiaporphyrins. Nuclear Magnetic Resonance and Electron Paramagnetic Resonance Studies. <i>Inorganic Chemistry</i> , 1994, 33, 1992-1999.	4.0	39
223	¹ H nuclear magnetic resonance studies of the reaction of iron(III) porphyrin cation radical with aryl Grignard reagents. <i>Magnetic Resonance in Chemistry</i> , 1993, 31, S47-S52.	1.9	10
224	Synthesis, characterization and reactivity of ruthenium tetraphenylporphyrin complexes containing the thiocarbonyl ligands. <i>Polyhedron</i> , 1993, 12, 821-829.	2.2	10
225	Acetylide complexes of diamagnetic gallium(III) and paramagnetic iron(III) porphyrins. <i>Inorganic Chemistry</i> , 1993, 32, 1124-1129.	4.0	26
226	Chemistry of iron oxophlorins. 2. Oxidation of the iron(III) octaethylloxophlorin dimer and observation of stepwise, two-electron oxidation of the oxophlorin macrocycle. <i>Journal of the American Chemical Society</i> , 1993, 115, 11846-11854.	13.7	29
227	Structural characterization of verdoheme analogs. Iron complexes of octaethylloxoporphyrin. <i>Journal of the American Chemical Society</i> , 1993, 115, 1422-1429.	13.7	79
228	Isolation and characterization of an iron biliverdin-type complex that is formed along with verdohemochrome during the coupled oxidation of iron(II) octaethylporphyrin. <i>Journal of the American Chemical Society</i> , 1993, 115, 9056-9061.	13.7	84
229	Nuclear magnetic resonance study of the molecular and electronic structure of nickel(II) tetraphenyl-21-thiaporphyrins. <i>Inorganic Chemistry</i> , 1992, 31, 1933-1940.	4.0	39
230	Geometric and electronic structure of paramagnetic tetraarylporphyrin complexes of chromium. <i>Inorganic Chemistry</i> , 1992, 31, 1148-1151.	4.0	13
231	Highly oxidized iron complexes of N-methyltetra-p-tolylporphyrin. <i>Journal of the American Chemical Society</i> , 1992, 114, 2230-2237.	13.7	25
232	Chemistry of iron oxophlorins. 1. Proton NMR and structural studies of five-coordinate iron(III) complexes. <i>Inorganic Chemistry</i> , 1992, 31, 2248-2255.	4.0	50
233	Paramagnetic σ -bonded phenylnickel(II) macrocyclic systems. Nuclear magnetic resonance identification of (σ -phenyl)nickel(II) 5,20-diphenyl-10,15-bis(<i>p</i> -tolyl)-21-thiaporphyrin and (σ -phenyl)nickel(II) N-methyltetraphenylporphyrin. <i>Inorganic Chemistry</i> , 1992, 31, 5231-5235.	4.0	38
234	Reactions of the iron(III) tetraphenylporphyrin π cation radical with triphenylphosphine and the nitrite anion. Formation of β -substituted iron(III) porphyrins. <i>Inorganic Chemistry</i> , 1991, 30, 3222-3230.	4.0	47

#	ARTICLE	IF	CITATIONS
235	Crystal and molecular structure of 21-thia-5,20-diphenyl-10,15-bis(p-nitrophenyl)-porphyrin and 21,23-dithiatetraphenylporphyrin. The influence of sulfur on the π -delocalization pattern. <i>Journal of Organic Chemistry</i> , 1991, 56, 4043-4045.	3.2	71
236	Ferrous porphyrins with an unusually large quadrupole splitting. <i>Hyperfine Interactions</i> , 1990, 52, 329-334.	0.5	0
237	Crystal and molecular structure of unsymmetrical N-methyl-substituted $\frac{1}{4}$ -oxo diiron(III) tetraphenylporphyrin. <i>Inorganica Chimica Acta</i> , 1990, 171, 205-212.	2.4	27
238	The direct characterisation of iron porphyrins from coal using paramagnetic shift effects on proton NMR spectra. <i>Journal of the Chemical Society Chemical Communications</i> , 1990, , 849-851.	2.0	4
239	Metalloporphyrins in coal. 4. TLC-NMR of iron porphyrins from coal: the direct characterization of coal hemes using paramagnetically shifted proton NMR spectroscopy. <i>Energy & Fuels</i> , 1990, 4, 710-716.	5.1	22
240	Proton NMR studies of the reduction of paramagnetic iron(III) alkyl porphyrin complexes to diamagnetic iron(II) alkyl complexes. <i>Organometallics</i> , 1990, 9, 2420-2421.	2.3	29
241	Nuclear magnetic resonance studies of the formation of tertiary alkyl complexes of iron(III) porphyrins and their reactions with dioxygen. <i>Journal of the American Chemical Society</i> , 1990, 112, 7382-7388.	13.7	33
242	Nuclear magnetic resonance studies of hydroquinone dianion bridged iron(III) porphyrin dimers. <i>Inorganic Chemistry</i> , 1990, 29, 3253-3256.	4.0	11
243	Reactions of aryliron(III) porphyrins with dioxygen. Formation of aryloxyiron(III) and aryliron(IV) complexes. <i>Journal of the American Chemical Society</i> , 1990, 112, 7566-7571.	13.7	50
244	Characterization of five- and six-coordinate iron(III) complexes of N-methylporphyrins. <i>Journal of the American Chemical Society</i> , 1990, 112, 7552-7558.	13.7	46
245	Spectrochemical and electrochemical studies of 21-thiatetra(p-tolyl)porphyrin and its copper(II) complexes. <i>Inorganica Chimica Acta</i> , 1989, 161, 153-163.	2.4	45
246	Synthesis and properties of binuclear nitride-bridged iron octaphenyltetraazaporphyrin. E.p.r. studies of dioxygen adduct formation. <i>Transition Metal Chemistry</i> , 1989, 14, 341-346.	1.4	25
247	Preparation and structural characterization of a six-coordinate 21-thiaporphyrin complex: Rh(III)(STPP)Cl ₂ (STPP = tetraphenyl-21-thiaporphyrin anion). <i>Inorganic Chemistry</i> , 1989, 28, 3328-3331.	4.0	55
248	Dioxygen insertion into iron(III)-carbon bonds. NMR studies of the formation and reactivity of alkylperoxo complexes of iron(III) porphyrins. <i>Journal of the American Chemical Society</i> , 1989, 111, 4357-4363.	13.7	83
249	Five-coordinate complexes of 21-thiaporphyrin. Preparations, spectra, and structures of iron(II), nickel(II), and copper(II) complexes. <i>Inorganic Chemistry</i> , 1989, 28, 1183-1188.	4.0	108
250	The first structural characterization of a nickel(I) macrocyclic system: structure of nickel(I) diphenyldi-p-toyl-21-thiaporphyrin. <i>Inorganic Chemistry</i> , 1989, 28, 4065-4066.	4.0	58
251	Studies of the reduction of the nickel(II) complex of 5,10,15,20-tetraphenyl-21-thiaporphyrin to form corresponding nickel(I) complexes. <i>Inorganic Chemistry</i> , 1989, 28, 3546-3552.	4.0	83
252	Studies of the chemical oxidation of Ru(II) complexes of porphyrins to form the corresponding Ru(IV) complexes. <i>Inorganica Chimica Acta</i> , 1988, 144, 213-216.	2.4	15

#	ARTICLE	IF	CITATIONS
253	Studies of the chemical oxidation of the iron(II) complex of N-methyltetraphenylporphyrin to form the corresponding symmetrical and unsymmetrical μ -oxo di-iron complexes. Journal of the Chemical Society Chemical Communications, 1988, , 1377-1378.	2.0	15
254	21-Thiatetra-p-tolylporphyrin and its copper(II) bicarbonate complex. Structural effects of copper-thiophene binding. Journal of the American Chemical Society, 1987, 109, 4428-4429.	13.7	149
255	Identification of intermediates and products in the reaction of porphyrin iron(III) alkyl complexes with dioxygen. Journal of the American Chemical Society, 1987, 109, 5846-5847.	13.7	39
256	NMR studies of mixed-ligand iron(III) dithiocarbamates. Polyhedron, 1985, 4, 1637-1641.	2.2	1
257	Electron spin resonance spectra of chloro(N-methyl-5,10,15,20-tetraphenyl-porphinato)copper(II) and manganese(II) complexes. Demethylation mechanism studies. Inorganica Chimica Acta, 1985, 106, 13-18.	2.4	11
258	Proton nuclear magnetic resonance characterization of chloro(N-methyl-5,10,15,20-tetraphenylporphyrinato)nickel(II) and chloro(N-methyloctaethylporphyrinato)nickel(II) complexes. Inorganic Chemistry, 1985, 24, 1681-1686.	4.0	39
259	Proton and deuterium nuclear magnetic resonance studies on iron(II) complexes of N-substituted porphyrins. Inorganic Chemistry, 1985, 24, 1437-1443.	4.0	35
260	Studies of the chemical oxidation of iron(II) complexes of N-methylporphyrins to form the corresponding iron(III) complexes. Inorganic Chemistry, 1985, 24, 2432-2436.	4.0	26
261	Oxidation of red ferryl [(FeIVO) ₂ +] porphyrin complexes to green ferryl [(FeIVO) ₂ +] porphyrin radical complexes. Journal of the American Chemical Society, 1985, 107, 2983-2985.	13.7	76
262	Proton nuclear magnetic resonance studies of iron porphyrin complexes with a vinyl carbene inserted between iron and a pyrrole nitrogen. Inorganic Chemistry, 1985, 24, 2651-2656.	4.0	32
263	Nuclear magnetic resonance studies of axial amine coordination in synthetic ferryl, (FeIVO) ₂ +, porphyrin complexes and in ferryl myoglobin. Journal of the American Chemical Society, 1985, 107, 3003-3007.	13.7	45
264	Proton nuclear magnetic resonance studies of chloro(N-methyl-5,10,15,20-tetraphenylporphinato)cobalt(II) and chloro(N-methyloctaethylporphinato)cobalt(II) complexes. Inorganic Chemistry, 1985, 24, 1104-1105.	4.0	6
265	Oxygenation patterns for iron(II) porphyrins. Peroxo and ferryl (FeIVO) intermediates detected by proton nuclear magnetic resonance spectroscopy during the oxygenation of (tetramesitylporphyrin)iron(II). Journal of the American Chemical Society, 1984, 106, 7779-7785.	13.7	160
266	Proton NMR characterization of the ferryl group in model heme complexes and hemoproteins: evidence for the FeIVO group in ferryl myoglobin and compound II of horseradish peroxidase. Journal of the American Chemical Society, 1983, 105, 782-787.	13.7	104
267	Oxygenation patterns for substituted meso-tetraphenylporphyrin complexes of iron(II). Spectroscopic detection of dioxygen complexes in the absence of amines. Journal of the American Chemical Society, 1982, 104, 5992-6000.	13.7	56
268	Preparation and characterization of some hydroxy complexes of iron(III) porphyrins. Inorganic Chemistry, 1982, 21, 2412-2418.	4.0	132
269	¹ H nuclear magnetic resonance studies of the Ni(II) and Co(II) complexes with diaminetetraacetic acids. Journal of Inorganic and Nuclear Chemistry, 1981, 43, 1249-1253.	0.5	2
270	NUCLEAR MAGNETIC RESONANCE STUDIES OF THE CONFIGURATION AND LIGAND REARRANGEMENT IN COMPLEXES OF NICKEL(II) AND COBALT(II) WITH DIETHYLENETRIAMINEPENTAAACETIC ACID AND TRIETHYLENETETRAAMINEHEXAACETIC ACID. Journal of Coordination Chemistry, 1980, 10, 159-169.	2.2	9

#	ARTICLE	IF	CITATIONS
271	PMR studies on oxygen-iron complexes. Journal of Molecular Structure, 1978, 46, 189-195.	3.6	2
272	NMR studies of the Zn(II) and Cd(II) interaction with leucylglycine peptide in aqueous solutions. Journal of Inorganic and Nuclear Chemistry, 1977, 39, 1269-1273.	0.5	3
273	PMR studies of nickel(II)-DTPA complexes aqueous solutions. Inorganica Chimica Acta, 1977, 21, 145-150.	2.4	7
274	PMR study of Cd(II) complexes with 2,2'-bipyridine. Chemical Physics Letters, 1975, 30, 358-362.	2.6	3