

Fuh-Gwo Yuan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7770210/fuh-gwo-yuan-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74
papers

2,249
citations

26
h-index

46
g-index

80
ext. papers

2,625
ext. citations

3.6
avg, IF

5.64
L-index

#	Paper	IF	Citations
74	Predictive Model of Dynamic Mechanical Properties of VE Damper Based on Acrylic Rubber/Graphene Oxide Composites Considering Aging Damage. <i>Journal of Aerospace Engineering</i> , 2022 , 35,	1.4	1
73	Augmented reality for enhanced visual inspection through knowledge-based deep learning. <i>Structural Health Monitoring</i> , 2021 , 20, 426-442	4.4	10
72	Impact diagnosis in stiffened structural panels using a deep learning approach. <i>Structural Health Monitoring</i> , 2021 , 20, 681-691	4.4	10
71	A probabilistic fatigue life prediction for adhesively bonded joints via ANNs-based hybrid model. <i>International Journal of Fatigue</i> , 2021 , 151, 106352	5	4
70	Enhanced ϵ Phase in Direct Ink Writing PVDF Thin Films by Intercalation of Graphene. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2020 , 30, 1497-1502	3.2	12
69	Visualization of hidden damage from scattered wavefield reconstructed using an integrated high-speed camera system. <i>Structural Health Monitoring</i> , 2020 , 147592172094080	4.4	5
68	Adaptive signal decomposition and dispersion removal based on the matching pursuit algorithm using dispersion-based dictionary for enhancing damage imaging. <i>Ultrasonics</i> , 2020 , 103, 106087	3.5	4
67	Damage imaging in a stiffened curved composite sandwich panel with wavenumber index via Riesz transform. <i>Structural Health Monitoring</i> , 2020 , 19, 902-916	4.4	11
66	Research on the Actuation Performance of 2D-Orthotropic Piezoelectric Composite Materials Linear Phased Array Transducer. <i>Journal of Nanoscience and Nanotechnology</i> , 2019 , 19, 5205-5210	1.3	2
65	3D printing of electroactive PVDF thin films with high ϵ phase content. <i>Smart Materials and Structures</i> , 2019 , 28, 065017	3.4	22
64	Energy-absorption performance of composite corrugated plates with corrugated-shape ditch plug initiator. <i>Polymer Composites</i> , 2019 , 40, 1708-1717	3	6
63	Guided Wave-based System for Real-time Cure Monitoring of Composites using Piezoelectric Discs and Phase-shifted Fiber Bragg Gratings. <i>Journal of Composite Materials</i> , 2019 , 53, 969-979	2.7	8
62	On nonlinear bending behavior of FG porous curved nanotubes. <i>International Journal of Engineering Science</i> , 2019 , 135, 58-74	5.7	88
61	Impact damage visualization in a honeycomb composite panel through laser inspection using zero-lag cross-correlation imaging condition. <i>Ultrasonics</i> , 2018 , 87, 152-165	3.5	18
60	Automated In-Process Cure Monitoring of Composite Laminates Using a Guided Wave-Based System With High-Temperature Piezoelectric Transducers. <i>Journal of Nondestructive Evaluation, Diagnostics and Prognostics of Engineering Systems</i> , 2018 , 1,	0.9	10
59	A semi-analytical approach for SH guided wave mode conversion from evanescent into propagating. <i>Ultrasonics</i> , 2018 , 84, 430-437	3.5	16
58	On vibrations of porous nanotubes. <i>International Journal of Engineering Science</i> , 2018 , 125, 23-35	5.7	77

57	IWSHM 2017: Damage-scattered wave extraction in an integral stiffened isotropic plate: a baseline-subtraction-free approach. <i>Structural Health Monitoring</i> , 2018 , 17, 1365-1376	4.4	4
56	Improvement of Progressive Damage Model to Predicting Crashworthy Composite Corrugated Plate. <i>Applied Composite Materials</i> , 2018 , 25, 45-66	2	22
55	Air-Coupled Nondestructive Evaluation Dissected. <i>Journal of Nondestructive Evaluation</i> , 2018 , 37, 1	2.1	5
54	Nonlinear bending and vibration analysis of functionally graded porous tubes via a nonlocal strain gradient theory. <i>Composite Structures</i> , 2018 , 203, 614-623	5.3	95
53	Extraction of guided wave dispersion curve in isotropic and anisotropic materials by Matrix Pencil method. <i>Ultrasonics</i> , 2018 , 89, 143-154	3.5	10
52	Enhanced damage imaging of a metallic plate using matching pursuit algorithm with multiple wavepaths. <i>Ultrasonics</i> , 2018 , 89, 84-101	3.5	8
51	On wave propagation of porous nanotubes. <i>International Journal of Engineering Science</i> , 2018 , 130, 62-74	5.7	57
50	Design and optimization of an OPFC ultrasonic linear phased array transducer. <i>International Journal of Mechanics and Materials in Design</i> , 2017 , 13, 57-69	2.5	10
49	Probabilistic fatigue damage prognosis using surrogate models trained via three-dimensional finite element analysis. <i>Structural Health Monitoring</i> , 2017 , 16, 291-308	4.4	23
48	Nonlinear analysis of bending, thermal buckling and post-buckling for functionally graded tubes by using a refined beam theory. <i>Composite Structures</i> , 2017 , 165, 74-82	5.3	53
47	Research on nonlinear bending behaviors of FGM infinite cylindrical shallow shells resting on elastic foundations in thermal environments. <i>Composite Structures</i> , 2017 , 170, 111-121	5.3	26
46	Lamb wave-based BVID imaging for a curved composite sandwich panel 2017 ,		3
45	Thermal buckling and post-buckling analysis of functionally graded beams based on a general higher-order shear deformation theory. <i>Applied Mathematical Modelling</i> , 2017 , 47, 340-357	4.5	74
44	On buckling and postbuckling behavior of nanotubes. <i>International Journal of Engineering Science</i> , 2017 , 121, 130-142	5.7	86
43	Lamb-wave-based two-dimensional areal scan damage imaging using reverse-time migration with a normalized zero-lag cross-correlation imaging condition. <i>Structural Health Monitoring</i> , 2017 , 16, 444-457	4.4	17
42	An enhanced performance of a horizontal diamagnetic levitation mechanismBased vibration energy harvester for low frequency applications. <i>Journal of Intelligent Material Systems and Structures</i> , 2017 , 28, 578-594	2.3	9
41	Imaging of local porosity/voids using a fully non-contact air-coupled transducer and laser Doppler vibrometer system. <i>Structural Health Monitoring</i> , 2017 , 16, 164-173	4.4	7
40	Damage Modes Recognition and Hilbert-Huang Transform Analyses of CFRP Laminates Utilizing Acoustic Emission Technique. <i>Applied Composite Materials</i> , 2016 , 23, 155-178	2	20

39	Non-contact ultrasonic technique for Lamb wave characterization in composite plates. <i>Ultrasonics</i> , 2016 , 64, 162-9	3.5	37
38	A quantitative damage imaging technique based on enhanced CCRTM for composite plates using 2D scan. <i>Smart Materials and Structures</i> , 2016 , 25, 105022	3.4	18
37	Lamb waves based fast subwavelength imaging using a DORT-MUSIC algorithm 2016 ,		1
36	Lamb wave-based subwavelength damage imaging using the DORT-MUSIC technique in metallic plates. <i>Structural Health Monitoring</i> , 2016 , 15, 65-80	4.4	40
35	Damage imaging using non-contact air-coupled transducer/laser Doppler vibrometer system. <i>Structural Health Monitoring</i> , 2016 , 15, 193-203	4.4	25
34	Guided torsional wave generation of a linear in-plane shear piezoelectric array in metallic pipes. <i>Ultrasonics</i> , 2016 , 65, 69-77	3.5	27
33	An anisotropic ultrasonic transducer for Lamb wave applications. <i>Smart Structures and Systems</i> , 2016 , 17, 1055-1065		3
32	Design of an Orthotropic Piezoelectric Composite Material Phased Array Transducer for Damage Detection in a Concrete Structure. <i>Research in Nondestructive Evaluation</i> , 2016 , 27, 204-215	0.9	8
31	Direct Measurement of Opening Mode Stress Intensity Factors Using Flexoelectric Strain Gradient Sensors. <i>Experimental Mechanics</i> , 2015 , 55, 313-320	2.6	9
30	A rapid, fully non-contact, hybrid system for generating Lamb wave dispersion curves. <i>Ultrasonics</i> , 2015 , 61, 62-70	3.5	33
29	Conversion of evanescent Lamb waves into propagating waves via a narrow aperture edge. <i>Journal of the Acoustical Society of America</i> , 2015 , 137, 3523-33	2.2	19
28	A lightweight yet sound-proof honeycomb acoustic metamaterial. <i>Applied Physics Letters</i> , 2015 , 106, 171905	3.4	140
27	Damage identification for composite structures using a cross-correlation reverse-time migration technique. <i>Structural Health Monitoring</i> , 2015 , 14, 558-570	4.4	38
26	Fundamental understanding of wave generation and reception using d(36) type piezoelectric transducers. <i>Ultrasonics</i> , 2015 , 57, 135-43	3.5	44
25	A trapezoidal flexoelectric accelerometer. <i>Journal of Intelligent Material Systems and Structures</i> , 2014 , 25, 271-277	2.3	38
24	Stabilizing carbon nanotube yarns using chemical vapor infiltration. <i>Composites Science and Technology</i> , 2014 , 90, 82-87	8.6	20
23	Miniature horizontal axis wind turbine system for multipurpose application. <i>Energy</i> , 2014 , 75, 216-224	7.9	18
22	Fabrication and measurement of a flexoelectric micro-pyramid composite. <i>AIP Advances</i> , 2014 , 4, 127115	1.5	8

21	Flexoelectricity in barium strontium titanate thin film. <i>Applied Physics Letters</i> , 2014 , 105, 142904	3.4	35
20	Guided wave generation, sensing and damage detection using in-plane shear piezoelectric wafers. <i>Smart Materials and Structures</i> , 2014 , 23, 015014	3.4	42
19	Focusing guided waves using surface bonded elastic metamaterials. <i>Applied Physics Letters</i> , 2013 , 103, 121901	3.4	107
18	Development of Time-Reversal Method for Impact Source Identification on Plate Structures. <i>Shock and Vibration</i> , 2013 , 20, 561-573	1.1	10
17	Flexoelectric strain gradient detection using Ba _{0.64} Sr _{0.36} TiO ₃ for sensing. <i>Applied Physics Letters</i> , 2012 , 101, 252903	3.4	60
16	Experimental study on identifying cracks of increasing size using ultrasonic excitation. <i>Structural Health Monitoring</i> , 2012 , 11, 95-108	4.4	7
15	Impact source identification in finite isotropic plates using a time-reversal method: experimental study. <i>Smart Materials and Structures</i> , 2012 , 21, 105025	3.4	21
14	Mechanical and electrical property improvement in CNT/Nylon composites through drawing and stretching. <i>Composites Science and Technology</i> , 2011 , 71, 1677-1683	8.6	106
13	Scaling effect of flexoelectric (Ba,Sr)TiO ₃ microcantilevers. <i>Physica Status Solidi - Rapid Research Letters</i> , 2011 , 5, 350-352	2.5	63
12	Producing superior composites by winding carbon nanotubes onto a mandrel under a poly(vinyl alcohol) spray. <i>Carbon</i> , 2011 , 49, 4786-4791	10.4	100
11	Uncertainty Reduction of Damage Growth Properties Using Structural Health Monitoring. <i>Journal of Aircraft</i> , 2010 , 47, 2030-2038	1.6	36
10	Impact source identification in finite isotropic plates using a time-reversal method: theoretical study. <i>Smart Materials and Structures</i> , 2010 , 19, 105028	3.4	20
9	Carbon nanotube yarn strain sensors. <i>Nanotechnology</i> , 2010 , 21, 305502	3.4	177
8	An intermetallic FeZr catalyst used for growing long carbon nanotube arrays. <i>Materials Letters</i> , 2010 , 64, 1947-1950	3.3	3
7	Damage Identification Using Electromagnetic Waves Based on Born Imaging Algorithm. <i>Journal of Engineering Mechanics - ASCE</i> , 2009 , 135, 717-728	2.4	1
6	Wave reflection and transmission in composite beams containing semi-infinite delamination. <i>Journal of Sound and Vibration</i> , 2008 , 313, 676-695	3.9	17
5	Damage imaging of reinforced concrete structures using electromagnetic migration algorithm. <i>International Journal of Solids and Structures</i> , 2006 , 43, 5886-5908	3.1	11
4	A higher order finite element for laminated beams. <i>Composite Structures</i> , 1990 , 14, 125-150	5.3	30

3	A cubic triangular finite element for flat plates with shear. <i>International Journal for Numerical Methods in Engineering</i> , 1989 , 28, 109-126	2.4	31
2	Higher-order finite element for short beams. <i>AIAA Journal</i> , 1988 , 26, 1415-1417	2.1	8
1	Fatigue Damage Diagnostics Prognostics Framework for Remaining Life Estimation in Adhesive Joints. <i>AIAA Journal</i> , 1-19	2.1	3