

# Jakob Manthey

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7770381/publications.pdf>

Version: 2024-02-01

112  
papers

3,646  
citations

185998

28  
h-index

161609

54  
g-index

131  
all docs

131  
docs citations

131  
times ranked

3984  
citing authors

#	ARTICLE	IF	CITATIONS
1	Global alcohol exposure between 1990 and 2017 and forecasts until 2030: a modelling study. <i>Lancet, The</i> , 2019, 393, 2493-2502.	6.3	498
2	Alcohol use in times of the <scp>COVID</scp> 19: Implications for monitoring and policy. <i>Drug and Alcohol Review</i> , 2020, 39, 301-304.	1.1	347
3	National, regional, and global burdens of disease from 2000 to 2016 attributable to alcohol use: a comparative risk assessment study. <i>Lancet Public Health, The</i> , 2020, 5, e51-e61.	4.7	287
4	Alcohol use disorder severity and reported reasons not to seek treatment: a cross-sectional study in European primary care practices. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2015, 10, 32.	1.0	185
5	Alcohol Use Disorders in Primary Health Care: What Do We Know and Where Do We Go?. <i>Alcohol and Alcoholism</i> , 2016, 51, 422-427.	0.9	124
6	Immediate impact of minimum unit pricing on alcohol purchases in Scotland: controlled interrupted time series analysis for 2015-18. <i>BMJ: British Medical Journal</i> , 2019, 366, l5274.	2.4	122
7	Alcohol consumption during the COVID-19 pandemic in Europe: a large-scale cross-sectional study in 21 countries. <i>Addiction</i> , 2021, 116, 3369-3380.	1.7	108
8	Alcohol dependence and treatment utilization in Europe – a representative cross-sectional study in primary care. <i>BMC Family Practice</i> , 2015, 16, 90.	2.9	93
9	General Practitioners Recognizing Alcohol Dependence: A Large Cross-Sectional Study in 6 European Countries. <i>Annals of Family Medicine</i> , 2015, 13, 28-32.	0.9	80
10	Public health monitoring of cannabis use in Europe: prevalence of use, cannabis potency, and treatment rates. <i>Lancet Regional Health - Europe, The</i> , 2021, 10, 100227.	3.0	80
11	Cannabis use in Europe: Current trends and public health concerns. <i>International Journal of Drug Policy</i> , 2019, 68, 93-96.	1.6	63
12	Use of alcohol, tobacco, cannabis, and other substances during the first wave of the SARS-CoV-2 pandemic in Europe: a survey on 36,000 European substance users. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2021, 16, 36.	1.0	60
13	Stigmatization of people with alcohol use disorders: An updated systematic review of population studies. <i>Alcoholism: Clinical and Experimental Research</i> , 2021, 45, 899-911.	1.4	59
14	Impact of minimum unit pricing on alcohol purchases in Scotland and Wales: controlled interrupted time series analyses. <i>Lancet Public Health, The</i> , 2021, 6, e557-e565.	4.7	59
15	The elusiveness of representativeness in general population surveys for alcohol. <i>Drug and Alcohol Review</i> , 2021, 40, 161-165.	1.1	58
16	What are the Economic Costs to Society Attributable to Alcohol Use? A Systematic Review and Modelling Study. <i>Pharmacoeconomics</i> , 2021, 39, 809-822.	1.7	52
17	The stigma of alcohol-related liver disease and its impact on healthcare. <i>Journal of Hepatology</i> , 2022, 77, 516-524.	1.8	50
18	Changes in alcohol use during the <scp>COVID</scp>-19 pandemic in Europe: A meta-analysis of observational studies. <i>Drug and Alcohol Review</i> , 2022, 41, 918-931.	1.1	49

#	ARTICLE	IF	CITATIONS
19	Why Is Per Capita Consumption Underestimated in Alcohol Surveys? Results from 39 Surveys in 23 European Countries. <i>Alcohol and Alcoholism</i> , 2020, 55, 554-563.	0.9	46
20	People with Alcohol Use Disorders in Specialized Care in Eight Different European Countries. <i>Alcohol and Alcoholism</i> , 2015, 50, 310-318.	0.9	45
21	Trends in substance use and in the attributable burden of disease and mortality in the WHO European Region, 2010–16. <i>European Journal of Public Health</i> , 2019, 29, 723-728.	0.1	45
22	The potential effects of an extended alcohol withdrawal treatment programme on morbidity and mortality among inpatients in the German city of Bremen: a simulation study. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2020, 15, 1.	1.0	44
23	The International Cannabis Toolkit (iCannToolkit): a multidisciplinary expert consensus on minimum standards for measuring cannabis use. <i>Addiction</i> , 2022, 117, 1510-1517.	1.7	44
24	Alcohol control policy measures and all-cause mortality in Lithuania: an interrupted time-series analysis. <i>Addiction</i> , 2021, 116, 2673-2684.	1.7	42
25	Who receives treatment for alcohol use disorders in the European Union? A cross-sectional representative study in primary and specialized health care. <i>European Psychiatry</i> , 2015, 30, 885-893.	0.1	40
26	Unrecorded alcohol use: a global modelling study based on nominal group assessments and survey data. <i>Addiction</i> , 2018, 113, 1231-1241.	1.7	39
27	Alcohol control policy and changes in alcohol-related traffic harm. <i>Addiction</i> , 2020, 115, 655-665.	1.7	35
28	National, regional and global mortality due to alcoholic cardiomyopathy in 2015. <i>Heart</i> , 2018, 104, 1663-1669.	1.2	31
29	Classifying Alcohol Control Policies with Respect to Expected Changes in Consumption and Alcohol-Attributable Harm: The Example of Lithuania, 2000–2019. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2419.	1.2	29
30	What is the best indicator of the harmful use of alcohol? A narrative review. <i>Drug and Alcohol Review</i> , 2020, 39, 624-631.	1.1	28
31	Impact of low and no alcohol beers on purchases of alcohol: interrupted time series analysis of British household shopping data, 2015–2018. <i>BMJ Open</i> , 2020, 10, e036371.	0.8	26
32	The role of alcohol in the management of hypertension in patients in European primary health care practices – a survey in the largest European Union countries. <i>BMC Family Practice</i> , 2016, 17, 130.	2.9	24
33	Alcohol use disorders in Europe: A comparison of general population and primary health care prevalence rates. <i>Journal of Substance Use</i> , 2016, 21, 478-484.	0.3	24
34	Towards new recommendations to reduce the burden of alcohol-induced hypertension in the European Union. <i>BMC Medicine</i> , 2017, 15, 173.	2.3	24
35	Alcohol consumption and attributable harm in middle-income South-East Asian countries: Epidemiology and policy options. <i>International Journal of Drug Policy</i> , 2020, 83, 102856.	1.6	24
36	Understanding the prevalence of lifetime abstinence from alcohol: An ecological study. <i>Drug and Alcohol Dependence</i> , 2017, 178, 126-129.	1.6	23

#	ARTICLE	IF	CITATIONS
37	Alcohol policy has saved lives in the Russian Federation. <i>International Journal of Drug Policy</i> , 2020, 80, 102636.	1.6	23
38	Barriers to Alcohol Screening Among Hypertensive Patients and the Role of Stigma: Lessons for the Implementation of Screening and Brief Interventions in European Primary Care Settings. <i>Alcohol and Alcoholism</i> , 2017, 52, 572-579.	0.9	21
39	Medical marijuana. What can we learn from the experiences in Canada, Germany and Thailand?. <i>International Journal of Drug Policy</i> , 2019, 74, 47-51.	1.6	20
40	Alcohol use disorders and the risk of progression of liver disease in people with hepatitis C virus infection – a systematic review. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2020, 15, 45.	1.0	19
41	Abstinence Among Alcohol Use Disorder Patients During the COVID-19 Pandemic: Insights From Spain. <i>Alcoholism: Clinical and Experimental Research</i> , 2021, 45, 802-807.	1.4	19
42	Risky Alcohol Use: The Impact on Health Service Use. <i>European Addiction Research</i> , 2018, 24, 234-244.	1.3	18
43	The role of alcohol use in the aetiology and progression of liver disease: A narrative review and a quantification. <i>Drug and Alcohol Review</i> , 2021, 40, 1377-1386.	1.1	18
44	Mortality from Alcoholic Cardiomyopathy: Exploring the Gap between Estimated and Civil Registry Data. <i>Journal of Clinical Medicine</i> , 2019, 8, 1137.	1.0	17
45	Changes in Alcohol Consumption during the COVID-19 Pandemic Are Dependent on Initial Consumption Level: Findings from Eight European Countries. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10547.	1.2	17
46	Identification of smokers, drinkers and risky drinkers by general practitioners. <i>Drug and Alcohol Dependence</i> , 2015, 154, 93-99.	1.6	16
47	Comparing Medical and Recreational Cannabis Users on Socio-Demographic, Substance and Medication Use, and Health and Disability Characteristics. <i>European Addiction Research</i> , 2017, 23, 129-135.	1.3	16
48	Implementing primary healthcare-based measurement, advice and treatment for heavy drinking and comorbid depression at the municipal level in three Latin American countries: final protocol for a quasiexperimental study (SCALA study). <i>BMJ Open</i> , 2020, 10, e038226.	0.8	16
49	Validation of a new patient-reported outcome instrument of health-related quality of life specific to patients with alcohol use disorder: the Alcohol Quality of Life Scale (AQoLS). <i>Quality of Life Research</i> , 2016, 25, 1549-1560.	1.5	15
50	Economic burden associated with alcohol dependence in a German primary care sample: a bottom-up study. <i>BMC Public Health</i> , 2016, 16, 906.	1.2	15
51	Clinical and Patient-Reported Outcomes of Direct-Acting Antivirals for the Treatment of Chronic Hepatitis C Among Patients on Opioid Agonist Treatment: A Real-world Prospective Cohort Study. <i>Open Forum Infectious Diseases</i> , 2020, 7, ofaa317.	0.4	15
52	Quantifying the global contribution of alcohol consumption to cardiomyopathy. <i>Population Health Metrics</i> , 2017, 15, 20.	1.3	14
53	Alcohol screening and alcohol interventions among patients with hypertension in primary health care: an empirical survey of German general practitioners. <i>Addiction Research and Theory</i> , 2017, 25, 285-292.	1.2	12
54	How Attitudes toward Alcohol Policies Differ across European Countries: Evidence from the Standardized European Alcohol Survey (SEAS). <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4461.	1.2	12

#	ARTICLE	IF	CITATIONS
55	Estimating alcohol-attributable fractions for injuries based on data from emergency department and observational studies: a comparison of two methods. <i>Addiction</i> , 2019, 114, 462-470.	1.7	12
56	Reducing the Harmful Use of Alcohol: Have International Targets Been Met?. <i>European Journal of Risk Regulation</i> , 2021, 12, 530-541.	0.8	12
57	Impact of alcohol on the progression of HCV-related liver disease: A systematic review and meta-analysis. <i>Journal of Hepatology</i> , 2021, 75, 536-546.	1.8	12
58	Meeting the Global NCD Target of at Least 10% Relative Reduction in the Harmful Use of Alcohol: Is the WHO European Region on Track?. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3423.	1.2	11
59	A new perspective on European drinking cultures: a model-based approach to determine variations in drinking practices among 19 European countries. <i>Addiction</i> , 2021, 116, 2016-2025.	1.7	11
60	Differential impact of minimum unit pricing on alcohol consumption between Scottish men and women: controlled interrupted time series analysis. <i>BMJ Open</i> , 2022, 12, e054161.	0.8	11
61	A systematic comparison of the global comparative risk assessments for alcohol. <i>Addiction</i> , 2021, 116, 2026-2038.	1.7	10
62	Impact of Training and Municipal Support on Primary Health Care-Based Measurement of Alcohol Consumption in Three Latin American Countries: 5-Month Outcome Results of the Quasi-experimental Randomized SCALA Trial. <i>Journal of General Internal Medicine</i> , 2021, 36, 2663-2671.	1.3	10
63	PrÄvalenz und Behandlungsraten von StÄrungen durch Alkoholkonsum in der primÄrÄrztlichen Versorgung in Deutschland. <i>Sucht</i> , 2016, 62, 233-243.	0.1	10
64	Assessment of alcoholic standard drinks using the Munich composite international diagnostic interview (MÄCIDI): An evaluation and subsequent revision. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	1.1	9
65	Cannabis and public health: a global experiment without control. <i>World Psychiatry</i> , 2020, 19, 192-194.	4.8	9
66	Unrecorded Alcohol Consumption in Seven European Union Countries. <i>European Addiction Research</i> , 2020, 26, 316-325.	1.3	8
67	Estimating the economic consequences of substance use and substance use disorders. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2021, 21, 869-876.	0.7	8
68	Validation of a screening test for alcohol use, the Russian Federation. <i>Bulletin of the World Health Organization</i> , 2021, 99, 496-505.	1.5	8
69	Can alcohol control policies reduce cirrhosis mortality? An interrupted time-series analysis in Lithuania. <i>Liver International</i> , 2022, 42, 765-774.	1.9	8
70	Self-reported changes in alcohol and tobacco use during COVID-19: findings from the eastern part of WHO European Region. <i>European Journal of Public Health</i> , 2022, 32, 474-480.	0.1	8
71	Evaluating the Impact of Alcohol Policy on Suicide Mortality: A Sex-Specific Time-Series Analysis for Lithuania. <i>Archives of Suicide Research</i> , 2023, 27, 339-352.	1.2	7
72	Identification of heavy drinking in the 10-item AUDIT: Results from a prospective study among 18-21 years old non-dependent German males. <i>Journal of Substance Abuse Treatment</i> , 2018, 86, 94-101.	1.5	6

#	ARTICLE	IF	CITATIONS
73	Future of surveys in the alcohol field. <i>Drug and Alcohol Review</i> , 2021, 40, 176-178.	1.1	6
74	Mid and long-term effects of a SBIRT program for at-risk drinkers attending to an emergency department. Follow-up results from a randomized controlled trial.. <i>European Journal of Emergency Medicine</i> , 2021, 28, 373-379.	0.5	6
75	Can alcohol consumption in Germany be reduced by alcohol screening, brief intervention and referral to treatment in primary health care? Results of a simulation study. <i>PLoS ONE</i> , 2021, 16, e0255843.	1.1	6
76	Alcohol consumption in India: a systematic review and modelling study for sub-national estimates of drinking patterns. <i>Addiction</i> , 2022, 117, 1871-1886.	1.7	6
77	Barriers to implement screening for alcohol consumption in Spanish hypertensive patients. <i>Family Practice</i> , 2018, 35, 295-301.	0.8	5
78	Gender Differences and the Role of Social Inequality in Alcohol's Harm to Others in Europe. <i>Journal of Studies on Alcohol and Drugs</i> , 2020, 81, 762-769.	0.6	5
79	Primary care-based screening and management of depression amongst heavy drinking patients: Interim secondary outcomes of a three-country quasi-experimental study in Latin America. <i>PLoS ONE</i> , 2021, 16, e0255594.	1.1	5
80	Standard units for cannabis dose: Why is it important to standardize cannabis dose for drug policy and how can we enhance its place on the public health agenda?. <i>International Journal of Drug Policy</i> , 2021, 97, 103350.	1.6	5
81	Supporting Future Cannabis Policy – Developing a Standard Joint Unit: A Brief Back-Casting Exercise. <i>Frontiers in Psychiatry</i> , 2021, 12, 675033.	1.3	4
82	Conducting a multi-country online alcohol survey in the time of the COVID-19 pandemic: Opportunities and challenges. <i>International Journal of Methods in Psychiatric Research</i> , 2021, 30, e1875.	1.1	4
83	A randomized controlled non-inferiority trial of primary care-based facilitated access to an alcohol reduction website (EFAR Spain). <i>Internet Interventions</i> , 2021, 26, 100446.	1.4	4
84	Tailored interventions to support the implementation of the German national guideline on screening, diagnosis and treatment of alcohol-related disorders: a project protocol. <i>Sucht</i> , 2019, 65, 373-381.	0.1	4
85	Changes in Alcoholic Beverage Choice and Risky Drinking among Adolescents in Europe 1999–2019. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10933.	1.2	4
86	Definition of a “standard joint equivalent”: Comment on “Who consumes most of the cannabis in Canada? Profiles of cannabis consumption by quantity”. <i>Drug and Alcohol Dependence</i> , 2020, 206, 107731.	1.6	3
87	Guidelines and reality in studies on the economic costs of alcohol use: a systematic review. <i>The International Journal of Alcohol and Drug Research</i> , 0, , .	0.9	3
88	Early, Chronic, and Acute Cannabis Exposure and Their Relationship With Cognitive and Behavioral Harms. <i>Frontiers in Psychiatry</i> , 2021, 12, 643556.	1.3	3
89	Perceived appropriateness of alcohol screening and brief advice programmes in Colombia, Mexico and Peru and barriers to their implementation in primary health care – a cross-sectional survey. <i>Primary Health Care Research and Development</i> , 2021, 22, e4.	0.5	3
90	The Alcohol-Attributable Burden of Disease in Canada from 2000 to 2016. <i>Canadian Journal of Addiction</i> , 2020, 11, 6-12.	0.2	3

#	ARTICLE	IF	CITATIONS
91	The iCannToolkit: a tool to embrace measurement of medicinal and non-medical cannabis use across licit, illicit and cross-cultural settings. <i>Addiction</i> , 2022, , .	1.7	3
92	Reduced alcohol consumption during the COVID-19 pandemic: Analyses of 17%000 patients seeking primary health care in Colombia and Mexico. <i>Journal of Global Health</i> , 2022, 12, 05002.	1.2	3
93	Changes in Alcohol Use in Denmark during the Initial Months of the COVID-19 Pandemic: Further Evidence of Polarization of Drinking Responses. <i>European Addiction Research</i> , 2022, 28, 297-308.	1.3	3
94	The role of standardized instruments in identifying older adults with alcohol problems. <i>International Psychogeriatrics</i> , 2017, 29, 351-352.	0.6	2
95	Alcohol control policies add to secular trends in all-cause mortality rates in young adults. <i>Scientific Reports</i> , 2021, 11, 15127.	1.6	2
96	Alcohol in Primary Care. Differential characteristics between alcohol-dependent patients who are receiving or not receiving treatment. <i>Revista De Psicologia De La Salud</i> , 2016, 28, 116-22.	0.2	2
97	OUP accepted manuscript. <i>Alcohol and Alcoholism</i> , 2021, , .	0.9	2
98	Cross-sectional study on the characteristics of unrecorded alcohol consumption in nine newly independent states between 2013 and 2017. <i>BMJ Open</i> , 2021, 11, e051874.	0.8	2
99	Rozpoznawanie uzaleÅ¼nienia od alkoholu przez lekarzy podstawowej opieki zdrowotnej: polskie wyniki europejskiego projektu badawczego Alcoholism in Primary Care. <i>Alkoholizm I Narkomania</i> , 2015, 28, 163-171.	0.3	1
100	Further considerations of the best indicator for the harmful use of alcohol. <i>Drug and Alcohol Review</i> , 2020, 39, 634-636.	1.1	1
101	Global Health Risk Factors: Alcohol Consumption. , 2021, , 679-717.		1
102	Controlled administration of cannabis to mitigate cannabis-attributable harm among recreational users: a quasi-experimental study in Germany. <i>F1000Research</i> , 2020, 9, 201.	0.8	1
103	Controlled administration of cannabis to mitigate cannabis-attributable harm among recreational users: a quasi-experimental study in Germany. <i>F1000Research</i> , 0, 9, 201.	0.8	1
104	Comparing subjective intoxication with risky single-occasion drinking in a European sample. <i>PLoS ONE</i> , 2020, 15, e0241433.	1.1	1
105	Costs of an Alcohol Measurement Intervention in Three Latin American Countries. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 700.	1.2	1
106	Interrupted time series analyses to assess the impact of alcohol control policy on socioeconomic inequalities in mortality in Lithuania: a study protocol. <i>BMJ Open</i> , 2021, 11, e053497.	0.8	1
107	The iCannToolkit: A consensus-based, flexible framework for measuring contemporary cannabis use. <i>Addiction</i> , 0, , .	1.7	1
108	Evaluation of alcohol policy control measures is key. <i>Addiction</i> , 2020, 115, 1590-1591.	1.7	0

#	ARTICLE	IF	CITATIONS
109	Anmerkungen zu ökonomische und intangible Kosten des Cannabiskonsums in Deutschland von Effertz et al., SUCHT (2016), 62(1), 31-41. Sucht, 2016, 62, 244-245.	0.1	0
110	Global Health Risk Factors: Alcohol Consumption. , 2020, , 1-39.		0
111	Gender Differences and the Role of Social Inequality in Alcohol's Harm to Others in Europe. Journal of Studies on Alcohol and Drugs, 2020, 81, 762-769.	0.6	0
112	The Impact of Alcohol Control Policy on Pneumonia Mortality in Lithuania: An Interrupted Time-Series Analysis. Epidemiology and Infection, 2022, , 1-25.	1.0	0