

Jilong Yang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/77707/jilong-yang-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70
papers

1,546
citations

21
h-index

38
g-index

79
ext. papers

1,827
ext. citations

5.6
avg, IF

4.64
L-index

#	Paper	IF	Citations
70	New molecular insights into osteosarcoma targeted therapy. <i>Current Opinion in Oncology</i> , 2013 , 25, 398-406	4.2	215
69	Geochemical and isotopic evidence for palaeo-seawater intrusion into the south coast aquifer of Laizhou Bay, China. <i>Applied Geochemistry</i> , 2011 , 26, 863-883	3.5	118
68	Histone deacetylase 6 in cancer. <i>Journal of Hematology and Oncology</i> , 2018 , 11, 111	22.4	117
67	Genetic aberrations in soft tissue leiomyosarcoma. <i>Cancer Letters</i> , 2009 , 275, 1-8	9.9	83
66	Genetic amplification of the vascular endothelial growth factor (VEGF) pathway genes, including VEGFA, in human osteosarcoma. <i>Cancer</i> , 2011 , 117, 4925-38	6.4	81
65	Genetic aberrations of gastrointestinal stromal tumors. <i>Cancer</i> , 2008 , 113, 1532-43	6.4	58
64	Genomic and molecular characterization of malignant peripheral nerve sheath tumor identifies the IGF1R pathway as a primary target for treatment. <i>Clinical Cancer Research</i> , 2011 , 17, 7563-73	12.9	52
63	Integrated proteomics and genomics analysis reveals a novel mesenchymal to epithelial reverting transition in leiomyosarcoma through regulation of slug. <i>Molecular and Cellular Proteomics</i> , 2010 , 9, 2405-13	7.6	48
62	Efficacy and safety of Apatinib in stage IV sarcomas: experience of a major sarcoma center in China. <i>Oncotarget</i> , 2017 , 8, 64471-64480	3.3	47
61	Deletion of the WWOX gene and frequent loss of its protein expression in human osteosarcoma. <i>Cancer Letters</i> , 2010 , 291, 31-8	9.9	45
60	Mesenchymal to epithelial transition in sarcomas. <i>European Journal of Cancer</i> , 2014 , 50, 593-601	7.5	40
59	Advances in targeted therapy for unresectable melanoma: new drugs and combinations. <i>Cancer Letters</i> , 2015 , 359, 1-8	9.9	37
58	The genetic basis for inactivation of Wnt pathway in human osteosarcoma. <i>BMC Cancer</i> , 2014 , 14, 450	4.8	36
57	APEX1 gene amplification and its protein overexpression in osteosarcoma: correlation with recurrence, metastasis, and survival. <i>Technology in Cancer Research and Treatment</i> , 2010 , 9, 161-9	2.7	33
56	Coexpression of CXCR4 and MMP9 predicts lung metastasis and poor prognosis in resected osteosarcoma. <i>Tumor Biology</i> , 2016 , 37, 5089-96	2.9	32
55	Integrative genomic characterization and a genomic staging system for gastrointestinal stromal tumors. <i>Cancer</i> , 2011 , 117, 380-9	6.4	32
54	Analysis of APC/beta-catenin genes mutations and Wnt signalling pathway in desmoid-type fibromatosis. <i>Pathology</i> , 2007 , 39, 319-25	1.6	32

53	Clinical and molecular prognostic predictors of malignant peripheral nerve sheath tumor. <i>Clinical and Translational Oncology</i> , 2014 , 16, 191-9	3.6	29
52	Characterization of FGFR signaling pathway as therapeutic targets for sarcoma patients. <i>Cancer Biology and Medicine</i> , 2016 , 13, 260-8	5.2	28
51	Roles of low-density lipoprotein receptor-related protein 1 in tumors. <i>Chinese Journal of Cancer</i> , 2016 , 35, 6		27
50	Correlation of WWOX, RUNX2 and VEGFA protein expression in human osteosarcoma. <i>BMC Medical Genomics</i> , 2013 , 6, 56	3.7	22
49	WWOX tumor suppressor gene. <i>Histology and Histopathology</i> , 2008 , 23, 877-82	1.4	20
48	Prognostic role of E-cadherin and Vimentin expression in various subtypes of soft tissue leiomyosarcomas. <i>Medical Oncology</i> , 2013 , 30, 401	3.7	18
47	The role of mesenchymal stem/progenitor cells in sarcoma: update and dispute. <i>Stem Cell Investigation</i> , 2014 , 1, 18	5.1	18
46	Genomic amplification and high expression of EGFR are key targetable oncogenic events in malignant peripheral nerve sheath tumor. <i>Journal of Hematology and Oncology</i> , 2013 , 6, 93	22.4	17
45	PLA2G16 Expression in Human Osteosarcoma Is Associated with Pulmonary Metastasis and Poor Prognosis. <i>PLoS ONE</i> , 2015 , 10, e0127236	3.7	17
44	Phase II trial of VEGFR2 inhibitor apatinib for metastatic sarcoma: focus on efficacy and safety. <i>Experimental and Molecular Medicine</i> , 2019 , 51, 1-11	12.8	16
43	IGFBP2 regulates PD-L1 expression by activating the EGFR-STAT3 signaling pathway in malignant melanoma. <i>Cancer Letters</i> , 2020 , 477, 19-30	9.9	16
42	Recurrent LRP1-SNRNP25 and KCNMB4-CCND3 fusion genes promote tumor cell motility in human osteosarcoma. <i>Journal of Hematology and Oncology</i> , 2014 , 7, 76	22.4	15
41	DNA methylation-mediated repression of exosomal miR-652-5p expression promotes oesophageal squamous cell carcinoma aggressiveness by targeting PARG and VEGF pathways. <i>PLoS Genetics</i> , 2020 , 16, e1008592	6	12
40	Recent translational research into targeted therapy for liposarcoma. <i>Stem Cell Investigation</i> , 2017 , 4, 21	5.1	12
39	The prognostic role of PRUNE2 in leiomyosarcoma. <i>Chinese Journal of Cancer</i> , 2013 , 32, 648-52		12
38	Apatinib as targeted therapy for sarcoma. <i>Oncotarget</i> , 2018 , 9, 24548-24560	3.3	12
37	BRAF mutation and its inhibitors in sarcoma treatment. <i>Cancer Medicine</i> , 2020 , 9, 4881-4896	4.8	11
36	Recombined humanized endostatin (Endostar) combined with chemotherapy for advanced bone and soft tissue sarcomas in stage IV. <i>Oncotarget</i> , 2017 , 8, 36716-36727	3.3	11

35	Prognostic roles for fibroblast growth factor receptor family members in malignant peripheral nerve sheath tumor. <i>Oncotarget</i> , 2016 , 7, 22234-44	3.3	11
34	Outcomes of surgery and/or combination chemotherapy for extraskeletal osteosarcoma: a single-center retrospective study from China. <i>Scientific Reports</i> , 2019 , 9, 4816	4.9	10
33	Clinical characteristics and prognostic indicators for metastatic melanoma: data from 446 patients in north China. <i>Tumor Biology</i> , 2016 , 37, 10339-48	2.9	10
32	EPS8 regulates proliferation, apoptosis and chemosensitivity in BCR-ABL positive cells via the BCR-ABL/PI3K/AKT/mTOR pathway. <i>Oncology Reports</i> , 2018 , 39, 119-128	3.5	10
31	Tumor rupture predicts early metastasis and poor prognosis in stage III soft tissue sarcomas. <i>World Journal of Surgery</i> , 2011 , 35, 1002-9	3.3	10
30	Chondroblastoma in the long bone diaphysis: a report of two cases with literature review. <i>Chinese Journal of Cancer</i> , 2012 , 31, 257-64		8
29	Novel anti-melanoma treatment: focus on immunotherapy. <i>Chinese Journal of Cancer</i> , 2014 , 33, 458-65		8
28	The role of T-box genes in the tumorigenesis and progression of cancer. <i>Oncology Letters</i> , 2016 , 12, 4305-4311	5.4	8
27	An integrated study of aberrant gene copy number and gene expression in GIST and LMS. <i>Technology in Cancer Research and Treatment</i> , 2010 , 9, 171-8	2.7	7
26	Investigation of osteosarcoma genomics and its impact on targeted therapy: an international collaboration to conquer human osteosarcoma. <i>Chinese Journal of Cancer</i> , 2014 , 33, 575-80		7
25	Genomic and molecular aberrations in malignant peripheral nerve sheath tumor and their roles in personalized target therapy. <i>Surgical Oncology</i> , 2013 , 22, e53-7	2.5	6
24	Clinical study of apatinib in the treatment of stage IV osteogenic sarcoma after failure of chemotherapy. <i>Cancer Biology and Medicine</i> , 2020 , 17, 501-512	5.2	6
23	Absence of gene mutations in KIT-positive carcinoma showing thymus-like elements of the thyroid. <i>Human Pathology</i> , 2012 , 43, 350-5	3.7	5
22	The new horizon of liquid biopsy in sarcoma: the potential utility of circulating tumor nucleic acids. <i>Journal of Cancer</i> , 2020 , 11, 5293-5308	4.5	5
21	Efficacy and safety of the VEGFR2 inhibitor Apatinib for metastatic soft tissue sarcoma: Chinese cohort data from NCT03121846. <i>Biomedicine and Pharmacotherapy</i> , 2020 , 122, 109587	7.5	4
20	The prognostic value of C-X-C motif chemokine receptor 4 in patients with sporadic malignant peripheral nerve sheath tumors. <i>Chinese Journal of Cancer</i> , 2017 , 36, 80		3
19	Clinicopathological features of pseudomyogenic hemangioendothelioma and precision therapy based on whole exome sequencing. <i>Cancer Communications</i> , 2020 , 40, 197-201	9.4	2
18	Construction, validation and visualization of a web-based nomogram for predicting the overall survival and cancer-specific survival of leiomyosarcoma patients with lung metastasis. <i>Journal of Thoracic Disease</i> , 2021 , 13, 3076-3092	2.6	2

17	Chemotherapy combined with antiangiogenesis drugs in stage IV sarcoma patients: Efficacy data from the largest cohort study from China.. <i>Journal of Clinical Oncology</i> , 2019 , 37, e22505-e22505	2.2	1
16	The prognostic significance of non-sentinel lymph node metastasis in cutaneous and acral melanoma patients-A multicenter retrospective study. <i>Cancer Communications</i> , 2020 , 40, 586-597	9.4	1
15	Efficacy and safety of JMT103 in patients with giant cell tumor of bone: A multicenter, single-arm, open-label, phase Ib/II study.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 11526-11526	2.2	1
14	Data analysis of PD-1 antibody in the treatment of melanoma patients. <i>Data in Brief</i> , 2020 , 30, 105523	1.2	1
13	Identification of significant genes with a poor prognosis in skin cutaneous malignant melanoma based on a bioinformatics analysis.. <i>Annals of Translational Medicine</i> , 2022 , 10, 448	3.2	1
12	Miscell: An efficient self-supervised learning approach for dissecting single-cell transcriptome. <i>iScience</i> , 2021 , 24, 103200	6.1	0
11	Development, Validation, and Visualization of A Web-Based Nomogram for Predicting the Recurrence-Free Survival Rate of Patients With Desmoid Tumors. <i>Frontiers in Oncology</i> , 2021 , 11, 634648	5.3	0
10	Postoperative Adjuvant Radiotherapy Can Delay the Recurrence of Desmoid Tumors After R0 Resection in Certain Subgroups. <i>Frontiers in Surgery</i> , 2021 , 8, 697793	2.3	0
9	Editorial Note: Genomic and Molecular Characterization of Malignant Peripheral Nerve Sheath Tumor Identifies the IGF1R Pathway as a Primary Target for Treatment. <i>Clinical Cancer Research</i> , 2019 , 25, 3195	12.9	
8	Abnormality of chromosome 8 in desmoid-type fibromatosis. <i>Chinese Medical Journal</i> , 2007 , 120, 838-840	0.9	
7	Chemotherapy Combined With Recombinant Human Endostatin (Endostar) Significantly Improves the Progression-Free Survival of Stage IV Soft Tissue Sarcomas.. <i>Frontiers in Oncology</i> , 2021 , 11, 778774	5.3	
6	Effect of miR-506 on pirarubicin sensitivity and on mesenchymal to epithelial transition and DNA damage homologous recombination repair process in leiomyosarcoma.. <i>Journal of Clinical Oncology</i> , 2019 , 37, e22503-e22503	2.2	
5	Chinese largest cohort data from NCT03120846: Efficacy and safety of VEGFR2 inhibitor apatinib for metastatic soft tissue sarcomas.. <i>Journal of Clinical Oncology</i> , 2019 , 37, e22532-e22532	2.2	
4	DNA methylation-mediated repression of exosomal miR-652-5p expression promotes oesophageal squamous cell carcinoma aggressiveness by targeting PARG and VEGF pathways 2020 , 16, e1008592		
3	DNA methylation-mediated repression of exosomal miR-652-5p expression promotes oesophageal squamous cell carcinoma aggressiveness by targeting PARG and VEGF pathways 2020 , 16, e1008592		
2	DNA methylation-mediated repression of exosomal miR-652-5p expression promotes oesophageal squamous cell carcinoma aggressiveness by targeting PARG and VEGF pathways 2020 , 16, e1008592		
1	DNA methylation-mediated repression of exosomal miR-652-5p expression promotes oesophageal squamous cell carcinoma aggressiveness by targeting PARG and VEGF pathways 2020 , 16, e1008592		