Michael Duchene

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7770862/publications.pdf

Version: 2024-02-01

172207 123241 3,780 66 29 61 citations h-index g-index papers 66 66 66 3187 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	The genome of the protist parasite Entamoeba histolytica. Nature, 2005, 433, 865-868.	13.7	783
2	Microarrayed allergen molecules: diagnostic gatekeepers for allergy treatment. FASEB Journal, 2002, 16, 414-416.	0.2	420
3	Molecular and Immunological Characterization of Arginine Kinase from the Indianmeal Moth, <i>Plodia interpunctella </i> , a Novel Cross-Reactive Invertebrate Pan-Allergen. Journal of Immunology, 2001, 167, 5470-5477.	0.4	176
4	Antiprotozoal activities of phospholipid analogues. Molecular and Biochemical Parasitology, 2003, 126, 165-172.	0.5	161
5	Recombinant allergens for immunoblot diagnosis of tree-pollen allergy. Journal of Allergy and Clinical Immunology, 1991, 88, 889-894.	1.5	156
6	Nitroimidazole Action in Entamoeba histolytica: A Central Role for Thioredoxin Reductase. PLoS Biology, 2007, 5, e211.	2.6	135
7	Properties of Tree and Grass Pollen Allergens: Reinvestigation of the Linkage between Solubility and Allergenicity. International Archives of Allergy and Immunology, 1993, 102, 160-169.	0.9	130
8	<i>Trichomonas vaginalis</i> : metronidazole and other nitroimidazole drugs are reduced by the flavin enzyme thioredoxin reductase and disrupt the cellular redox system. Implications for nitroimidazole toxicity and resistance. Molecular Microbiology, 2009, 72, 518-536.	1.2	125
9	Cytotoxic Activities of Alkylphosphocholines against Clinical Isolates of Acanthamoeba spp. Antimicrobial Agents and Chemotherapy, 2002, 46, 695-701.	1.4	109
10	Pyruvate:ferredoxin oxidoreductase and thioredoxin reductase are involved in 5-nitroimidazole activation while flavin metabolism is linked to 5-nitroimidazole resistance in Giardia lamblia. Journal of Antimicrobial Chemotherapy, 2011, 66, 1756-1765.	1.3	103
11	Complementary DNA cloning and expression in Escherichia coli of Aln g I, the major allergen in pollen of alder (Alnus glutinosa). Journal of Allergy and Clinical Immunology, 1992, 90, 909-917.	1.5	91
12	T-cell epitopes of Phl p 1, major pollen allergen of timothy grass (Phleum pratense): Evidence for crossreacting and non-crossreacting T-cell epitopes within grass group I allergens. Journal of Allergy and Clinical Immunology, 1995, 96, 986-996.	1.5	82
13	Protection against Invasive Amebiasis by a Single Monoclonal Antibody Directed against a Lipophosphoglycan Antigen Localized on the Surface of Entamoeba histolytica. Journal of Experimental Medicine, 1997, 186, 1557-1565.	4.2	67
14	IgE-binding capacity of recombinant timothy grass (Phleum pratense) pollen allergens. Journal of Allergy and Clinical Immunology, 1994, 94, 88-94.	1.5	61
15	Immunological and structural similarities among allergens: Prerequisite for a specific and component-based therapy of allergy. Immunology and Cell Biology, 1996, 74, 187-194.	1.0	57
16	Effects of procollagen peptides on the translation of type II collagen messenger ribonucleic acid and on collagen biosynthesis in chondrocytes. Biochemistry, 1981, 20, 3523-3527.	1.2	56
17	Major Role for Cysteine Proteases during the Early Phase of Acanthamoeba castellanii Encystment. Eukaryotic Cell, 2010, 9, 611-618.	3.4	52
18	Nitroimidazole drugs vary in their mode of action in the human parasite Giardia lamblia. International Journal for Parasitology: Drugs and Drug Resistance, 2012, 2, 166-170.	1.4	51

#	Article	IF	Citations
19	<i><scp>T</scp>richomonas vaginalis</i> flavin reductase 1 and its role in metronidazole resistance. Molecular Microbiology, 2014, 91, 198-208.	1.2	50
20	The flavin inhibitor diphenyleneiodonium renders Trichomonas vaginalis resistant to metronidazole, inhibits thioredoxin reductase and flavin reductase, and shuts off hydrogenosomal enzymatic pathways. Molecular and Biochemical Parasitology, 2010, 171, 17-24.	0.5	49
21	Profilin, a Novel Plant Pan-Allergen. International Archives of Allergy and Immunology, 1992, 99, 271-273.	0.9	46
22	Phosphorothioate Oligonucleotides Reduce Melanoma Growth in a SCID-hu Mouse Model by a Nonantisense Mechanism. Antisense Research and Development, 1995, 5, 271-277.	3.3	44
23	Common IgE-epitopes of recombinant Phl p I, the major timothy grass pollen allergen and natural group I grass pollen isoallergens. Molecular Immunology, 1996, 33, 417-426.	1.0	38
24	Acanthamoeba strains lose their abilities to encyst synchronously upon prolonged axenic culture. Parasitology Research, 2008, 102, 1069-1072.	0.6	36
25	Anti-Acanthamoeba efficacy and toxicity of miltefosine in an organotypic skin equivalent. Journal of Antimicrobial Chemotherapy, 2009, 64, 539-545.	1.3	36
26	Down-regulation of flavin reductase and alcohol dehydrogenase-1 (ADH1) in metronidazole-resistant isolates of Trichomonas vaginalis. Molecular and Biochemical Parasitology, 2012, 183, 177-183.	0.5	36
27	Pathogenic Entamoeba histolytica: cDNA cloning of a histone H3 with a divergent primary structure. Molecular and Biochemical Parasitology, 1993, 59, 315-322.	0.5	34
28	Levels of collagen mRNA in dedifferentiating chondrocytes. Experimental Cell Research, 1982, 142, 317-324.	1.2	33
29	<i>Entamoeba histolytica</i> : identification of thioredoxin-targeted proteins and analysis of serine acetyltransferase-1 as a prototype example. Biochemical Journal, 2013, 451, 277-288.	1.7	32
30	Acanthamoeba castellanii : growth on human cell layers reactivates attenuated properties after prolonged axenic culture. FEMS Microbiology Letters, 2009, 299, 121-127.	0.7	30
31	The basic isoform of profilin in pathogenic Entamoeba histolytica. cDNA Cloning, Heterologous Expression, and Actin-Binding Properties. FEBS Journal, 1995, 233, 976-981.	0.2	27
32	An intron-containing gene coding for a novel 39-kilodalton antigen of Entamoeba histolytica. Molecular and Biochemical Parasitology, 1994, 66, 181-185.	0.5	26
33	Sequence and organization of an unusual histone H4 gene in the human parasite Entamoeba histolytica. Molecular and Biochemical Parasitology, 1995, 71, 243-247.	0.5	26
34	Entamoeba histolytica: Analysis of the trophozoite proteome by two-dimensional polyacrylamide gel electrophoresis. Experimental Parasitology, 2005, 110, 191-195.	0.5	24
35	A Low Molecular Weight Allergen of White Birch <i>(Betula verrucosa)</i> Is Highly Homologous to Human Profilin. International Archives of Allergy and Immunology, 1991, 94, 368-370.	0.9	23
36	Differences in substrate specificity and kinetic properties of the recombinant hexokinases HXK1 and HXK2 from Entamoeba histolytica. Molecular and Biochemical Parasitology, 2000, 105, 71-80.	0.5	23

#	Article	IF	CITATIONS
37	A Monoclonal Antibody to the Amebic Lipophosphoglycan-Proteophosphoglycan Antigens Can Prevent Disease in Human Intestinal Xenografts Infected with Entamoeba histolytica. Infection and Immunity, 2002, 70, 5873-5876.	1.0	22
38	Entamoeba histolytica: Response of the parasite to metronidazole challenge on the levels of mRNA and protein expression. Experimental Parasitology, 2008, 120, 403-410.	0.5	19
39	Protection of immunosuppressed mice against translocation of Pseudomonas aeruginosa from the gut by oral immunization with recombinant Pseudomonas aeruginosa outer membrane protein I expressing Salmonella dublin. Vaccine, 1994, 12, 1215-1221.	1.7	18
40	Molecular analysis of two hexokinase isoenzymes from Entamoeba histolytica. Molecular and Biochemical Parasitology, 1995, 73, 189-198.	0.5	17
41	The sequence and organization of the core histone H3 and H4 genes in the early branching amitochondriate protistTrichomonas vaginalis. Journal of Molecular Evolution, 1996, 43, 563-571.	0.8	17
42	Antigenicity and immunogenicity of phage library-selected peptide mimics of the major surface proteophosphoglycan antigens of Entamoeba histolytica. Parasite Immunology, 2002, 24, 321-328.	0.7	17
43	Genetic Variation of Bordetella pertussis in Austria. PLoS ONE, 2015, 10, e0132623.	1.1	17
44	Molecular and biochemical characterization of phosphoglucomutases from Entamoeba histolytica and Entamoeba dispar1Note: Nucleotide sequence data from the Entamoeba phosphoglucomutases reported in this paper are available in the EMBL, GenBankâ,,¢ and DDJB data bases under the accession numbers Y14444 (E. histolytica) and Y14445 (E. dispar).1. Molecular and Biochemical Parasitology, 1997,	0.5	16
45	90, 121-129. Crystal and molecular structure of quinolinium trichlorodimethylstannate(IV). Journal of the Chemical Society Dalton Transactions, 1975, , 2230.	1.1	15
46	Association of autoantibodies against small nuclear ribonucleoproteins (snRNPs) with symptomatic Toxocara canis infestation. Parasite Immunology, 2004, 26, 327-333.	0.7	14
47	Entamoeba histolytica trophozoites transfer lipophosphopeptidoglycans to enteric cell layers. International Journal for Parasitology, 2004, 34, 549-556.	1.3	14
48	Expression in <i>Escherichia coli</i> and Purification of Folded rDer p 20, the Arginine Kinase From <i>Dermatophagoides pteronyssinus</i> A Possible Biomarker for Allergic Asthma. Allergy, Asthma and Immunology Research, 2021, 13, 154.	1.1	14
49	Molecular consequences of truncations of the first exon forin vitrosplicing of yeast actin pre-mRNA. Nucleic Acids Research, 1988, 16, 7233-7239.	6.5	13
50	Molecular Characterization of the cDNA Coding for Translation Elongation Factor-2 of Pathogenic Entamoeba histolytica. DNA and Cell Biology, 1993, 12, 89-96.	0.9	12
51	Humoral immune response against proteophosphoglycan surface antigens of Entamoeba histolyticaelicited by immunization with synthetic mimotope peptides. FEMS Immunology and Medical Microbiology, 2003, 37, 179-183.	2.7	12
52	In vitro activity of N-chlorotaurine (NCT) in combination with NH4Cl against Trichomonas vaginalis. International Journal of Antimicrobial Agents, 2011, 37, 171-173.	1.1	12
53	Thioredoxin from the Indianmeal Moth Plodia interpunctella: Cloning and Test of the Allergenic Potential in Mice. PLoS ONE, 2012, 7, e42026.	1.1	12
54	Recombinant dissection of myosin heavy chain of Toxocara canis shows strong clustering of antigenic regions. Parasitology Research, 2001, 87, 383-389.	0.6	11

#	Article	IF	CITATIONS
55	Anti-Leishmanial Activity of Plant-Derived Acridones, Flavaglines, and Sulfur-Containing Amides. Vector-Borne and Zoonotic Diseases, 2011, 11, 793-798.	0.6	11
56	Proteomic aspects of <i>Parachlamydia acanthamoebae</i> infection in <i>Acanthamoeba</i> spp ISME Journal, 2010, 4, 1366-1374.	4.4	10
57	Activity of methylgerambullin from Glycosmis species (Rutaceae) against Entamoeba histolytica and Giardia duodenalis in vitro. International Journal for Parasitology: Drugs and Drug Resistance, 2019, 10, 109-117.	1.4	10
58	Comparison of the proteome profiles of Entamoeba histolytica and its close but non-pathogenic relative Entamoeba dispar. Wiener Klinische Wochenschrift, 2006, 118, 37-41.	1.0	9
59	High antitrypanosomal activity of plant-derived sulphur-containing amides. International Journal of Antimicrobial Agents, 2010, 36, 570-572.	1.1	9
60	Unexpected properties of NADP-dependent secondary alcohol dehydrogenase (ADH-1) in Trichomonas vaginalis and other microaerophilic parasites. Experimental Parasitology, 2013, 134, 374-380.	0.5	9
61	In vitro synthesis and degradation of collagen by chick chondrocytes and fibroblasts. FEBS Letters, 1981, 135, 119-122.	1.3	8
62	Molecular and biochemical characterization of Entamoeba histolytica fructokinase. Parasitology Research, 2015, 114, 1939-1947.	0.6	5
63	Development of a pharmacodynamic screening model with Entamoeba histolytica. Wiener Klinische Wochenschrift, 2007, 119, 88-95.	1.0	4
64	A New Approach for Chemotherapy Against Entamoeba histolytica. Archives of Medical Research, 2000, 31, S6-S7.	1.5	3
65	Entamoeba histolytica: Construction and applications of subgenomic databases. Experimental Parasitology, 2005, 110, 178-183.	0.5	2
66	Isolation of Phage Mimotopes Mimicking a Protective Epitope of GPI-Linked Proteophosphoglycan Antigens of Entamoeba histolytica. Archives of Medical Research, 2000, 31, S309-S310.	1.5	0