VirgÃ-nia S. Lemos

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7772108/publications.pdf

Version: 2024-02-01

110	4,393	32	63
papers	citations	h-index	g-index
111	111	111	5478
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Blockade of protease-activated receptor 2 attenuates allergen-mediated acute lung inflammation and leukocyte recruitment in mice. Journal of Biosciences, 2022, 47, 1 .	1.1	2
2	Proteolytic activity of Triatoma infestans saliva associated with PAR-2 activation and vasodilation. Journal of Venomous Animals and Toxins Including Tropical Diseases, 2021, 27, e20200098.	1.4	5
3	Experimental Periodontal Disease Triggers Coronary Endothelial Dysfunction in Middle-Aged Rats: Preventive Effect of a Prebiotic \hat{l}^2 -Glucan. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 1398-1406.	3.6	2
4	TNF- \hat{l} ±, CXCL-1 and IL-1 \hat{l}^2 as activators of the opioid system involved in peripheral analgesic control in mice. European Journal of Pharmacology, 2021, 896, 173900.	3.5	4
5	Sex Differences in the Vasodilation Mediated by G Protein-Coupled Estrogen Receptor (GPER) in Hypertensive Rats. Frontiers in Physiology, 2021, 12, 659291.	2.8	8
6	The synthetic peptide PnPP-19 potentiates erectile function via nNOS and iNOS. Nitric Oxide - Biology and Chemistry, 2021, 113-114, 23-30.	2.7	4
7	Gluten exacerbates atherosclerotic plaque formation in ApoE mice with diet-induced obesity. Nutrition, 2020, 75-76, 110658.	2.4	8
8	Role of the $\hat{l}\pm7$ Nicotinic Acetylcholine Receptor in the Pathophysiology of Atherosclerosis. Frontiers in Physiology, 2020, 11, 621769.	2.8	22
9	Effects of progesterone treatment on endothelium-dependent coronary relaxation in ovariectomized rats. Life Sciences, 2020, 247, 117391.	4.3	3
10	Decreased expression of neuronal nitric oxide synthase contributes to the endothelial dysfunction associated with cigarette smoking in human. Nitric Oxide - Biology and Chemistry, 2020, 98, 20-28.	2.7	5
11	Sex differences in progesterone-induced relaxation in the coronary bed from normotensive rats. Journal of Molecular Endocrinology, 2020, 64, 91-102.	2.5	3
12	Activation of Cav1.2 and BKCa is involved in the downregulation of caffeine-induced contraction in mice mesenteric arteries. Life Sciences, 2019, 231, 116555.	4.3	2
13	Evidence for the involvement of opioid and cannabinoid systems in the peripheral antinociception mediated by resveratrol. Toxicology and Applied Pharmacology, 2019, 369, 30-38.	2.8	9
14	The Cyclitol L-(+)-Bornesitol as an Active Marker for the Cardiovascular Activity of the Brazilian Medicinal Plant <i>Hancornia speciosa</i> . Biological and Pharmaceutical Bulletin, 2019, 42, 2076-2082.	1.4	8
15	Sodium butyrate modulates adipocyte expansion, adipogenesis, and insulin receptor signaling by upregulation of PPAR- \hat{I}^3 in obese Apo E knockout mice. Nutrition, 2018, 47, 75-82.	2.4	40
16	The novel organic mononitrate NDHP attenuates hypertension and endothelial dysfunction in hypertensive rats. Redox Biology, 2018, 15, 182-191.	9.0	12
17	Neuronal nitric oxide synthase contributes to the normalization of blood pressure in medicated hypertensive patients. Nitric Oxide - Biology and Chemistry, 2018, 80, 98-107.	2.7	5
18	Sex difference in GPER expression does not change vascular relaxation or reactive oxygen species generation in rat mesenteric resistance arteries. Life Sciences, 2018, 211, 198-205.	4.3	12

#	Article	IF	CITATIONS
19	Activation of eNOS by D-pinitol Induces an Endothelium-Dependent Vasodilatation in Mouse Mesenteric Artery. Frontiers in Pharmacology, 2018, 9, 528.	3.5	13
20	A high-refined carbohydrate diet facilitates compulsive-like behavior in mice through the nitric oxide pathway. Nitric Oxide - Biology and Chemistry, 2018, 80, 61-69.	2.7	7
21	The synthetic peptide PnPP-19 induces peripheral antinociception via activation of NO/cGMP/KATP pathway: Role of eNOS and nNOS. Nitric Oxide - Biology and Chemistry, 2017, 64, 31-38.	2.7	17
22	Vascular function in asthmatic children and adolescents. Respiratory Research, 2017, 18, 17.	3.6	20
23	Neuronal nitric oxide synthase-derived hydrogen peroxide effect in grafts used in human coronary bypass surgery. Clinical Science, 2017, 131, 1015-1026.	4.3	10
24	GPER agonist dilates mesenteric arteries via PI3K-Akt-eNOS and potassium channels in both sexes. Life Sciences, 2017, 183, 21-27.	4.3	28
25	Exercise modulates the aortic renin-angiotensin system independently of estrogen therapy in ovariectomized hypertensive rats. Peptides, 2017, 87, 41-49.	2.4	13
26	Vascular Kinin B1 and B2 Receptors Determine Endothelial Dysfunction through Neuronal Nitric Oxide Synthase. Frontiers in Physiology, 2017, 8, 228.	2.8	8
27	ÓXIDO NÃTRICO E DINÃ,MICA DE CA2+ EM CARDIOMIÓCITOS: INFLUÊNCIA DA CAPACIDADE DE EXERCÃCIO. Revista Brasileira De Medicina Do Esporte, 2016, 22, 31-34.	0.2	0
28	Neuronal Nitric Oxide Synthase in Vascular Physiology and Diseases. Frontiers in Physiology, 2016, 7, 206.	2.8	101
29	Obesity, Inflammation, and Exercise Training: Relative Contribution of iNOS and eNOS in the Modulation of Vascular Function in the Mouse Aorta. Frontiers in Physiology, 2016, 7, 386.	2.8	36
30	Oral butyrate reduces oxidative stress in atherosclerotic lesion sites by a mechanism involving NADPH oxidase down-regulation in endothelial cells. Journal of Nutritional Biochemistry, 2016, 34, 99-105.	4.2	85
31	Serca2a and Na+/Ca2+ exchanger are involved in left ventricular function following cardiac remodelling of female rats treated with anabolic androgenic steroid. Toxicology and Applied Pharmacology, 2016, 301, 22-30.	2.8	7
32	Structure-related blockage of calcium channels by vasodilator alkamides in mice mesenteric artery. Vascular Pharmacology, 2016, 82, 60-65.	2.1	10
33	Endothelial dysfunction in DOCA-salt-hypertensive mice: role of neuronal nitric oxide synthase-derived hydrogen peroxide. Clinical Science, 2016, 130, 895-906.	4.3	30
34	Potent antihypertensive effect of Hancornia speciosa leaves extract. Phytomedicine, 2016, 23, 214-219.	5.3	28
35	Fullerene-Derivatives as Therapeutic Agents in Respiratory System and Neurodegenerative Disorders. Nanomedicine and Nanotoxicology, 2016, , 71-84.	0.2	3
36	Mechanisms of vascular dysfunction in acute phase of Trypanosoma cruzi infection in mice. Vascular Pharmacology, 2016, 82, 73-81.	2.1	20

#	Article	IF	Citations
37	Pomegranate Extract Enhances Endothelium-Dependent Coronary Relaxation in Isolated Perfused Hearts from Spontaneously Hypertensive Ovariectomized Rats. Frontiers in Pharmacology, 2016, 7, 522.	3.5	18
38	Vascular effects of flavonoids. Current Medicinal Chemistry, 2015, 23, 87-102.	2.4	34
39	The new nitric oxide donor cyclohexane nitrate induces vasorelaxation, hypotension, and antihypertensive effects via NO/cGMP/PKG pathway. Frontiers in Physiology, 2015, 6, 243.	2.8	11
40	Hancornia speciosa Gomes (Apocynaceae) as a potential anti-diabetic drug. Journal of Ethnopharmacology, 2015, 161, 30-35.	4.1	58
41	Dihydrogoniothalamin, an Endothelium and NO-Dependent Vasodilator Drug Isolated from Aniba panurensis. Planta Medica, 2015, 81, 1375-1381.	1.3	3
42	Mas receptor overexpression increased Ang-(1–7) relaxation response in renovascular hypertensive rat carotid. Peptides, 2015, 71, 250-258.	2.4	13
43	Proteinase-activated receptor 2 blockade impairs CCL11- or allergen-induced eosinophil recruitment in experimental pleurisy. European Journal of Pharmacology, 2014, 740, 627-633.	3.5	10
44	Thiamine deficiency leads to reduced nitric oxide production and vascular dysfunction in rats. Nutrition, Metabolism and Cardiovascular Diseases, 2014, 24, 183-188.	2.6	13
45	Butyrate impairs atherogenesis by reducing plaque inflammation and vulnerability and decreasing NFκB activation. Nutrition, Metabolism and Cardiovascular Diseases, 2014, 24, 606-613.	2.6	191
46	3â€Hydroxyâ€3â€methylglutaryl coenzyme <scp>A</scp> reductase inhibitor (fluvastatin) decreases inflammatory angiogenesis in mice. Apmis, 2013, 121, 422-430.	2.0	7
47	Mast Cell Tryptase Induces Eosinophil Recruitment in the Pleural Cavity of Mice via Proteinase-Activated Receptor 2. Inflammation, 2013, 36, 1260-1267.	3.8	21
48	ADP is a vasodilator component from Lasiodora sp. mygalomorph spider venom. Toxicon, 2013, 72, 102-112.	1.6	18
49	Mechanism of the Antihypertensive and Vasorelaxant Effects of the Flavonoid Tiliroside in Resistance Arteries. Planta Medica, 2013, 79, 1003-1008.	1.3	24
50	Mechanism of the Vasodilator Effect of Mono-oxygenated Xanthones: A Structure-Activity Relationship Study. Planta Medica, 2013, 79, 1495-1500.	1.3	9
51	Effects of Chronic Swimming Training and Oestrogen Therapy on Coronary Vascular Reactivity and Expression of Antioxidant Enzymes in Ovariectomized Rats. PLoS ONE, 2013, 8, e64806.	2.5	24
52	Paraquat Poisoning Induces TNF-α-Dependent iNOS/NO Mediated Hyporesponsiveness of the Aorta to Vasoconstrictors in Rats. PLoS ONE, 2013, 8, e73562.	2.5	26
53	Inhibition of <i>α</i> -Glucosidase and Hypoglycemic Effect of Stilbenes from the Amazonian Plant <i>Deguelia rufescens</i> var. <i>urucu</i> (Ducke) A. M. G. Azevedo (Leguminosae). Planta Medica, 2012, 78, 36-38.	1.3	18
54	Swim training attenuates oxidative damage and promotes neuroprotection in cerebral cortical slices submitted to oxygen glucose deprivation. Journal of Neurochemistry, 2012, 123, 317-324.	3.9	23

#	Article	IF	CITATIONS
55	Short-term in vivo inhibition of nitric oxide synthase with <scp>L</scp> -NAME influences the contractile function of single left ventricular myocytes in rats. Canadian Journal of Physiology and Pharmacology, 2011, 89, 305-310.	1.4	5
56	Hancornia speciosa Gomes induces hypotensive effect through inhibition of ACE and increase on NO. Journal of Ethnopharmacology, 2011, 137, 709-713.	4.1	55
57	Endothelial Nitric Oxide-Dependent Vasorelaxant Effect of Isotirumalin, a Dihydroflavonol from Derris urucu, on the Rat Aorta. Biological and Pharmaceutical Bulletin, 2011, 34, 1499-1500.	1.4	5
58	Implantâ€induced intraperitoneal inflammatory angiogenesis is attenuated by fluvastatin. Clinical and Experimental Pharmacology and Physiology, 2011, 38, 262-268.	1.9	11
59	Decreased production of neuronal NOSâ€derived hydrogen peroxide contributes to endothelial dysfunction in atherosclerosis. British Journal of Pharmacology, 2011, 164, 1738-1748.	5.4	57
60	Curine, a bisbenzylisoquinoline alkaloid, blocks L-type Ca2+ channels and decreases intracellular Ca2+ transients in A7r5 cells. European Journal of Pharmacology, 2011, 669, 100-107.	3.5	30
61	L-NAME Treatment Enhances Exercise-induced Content of Myocardial Heat Shock Protein 72 (Hsp72) in Rats. Cellular Physiology and Biochemistry, 2011, 27, 479-486.	1.6	4
62	Swimming training improves the vasodilator effect of angiotensin-($1\hat{a}\in$ "7) in the aorta of spontaneously hypertensive rat. Journal of Applied Physiology, 2011, 111, 1272-1277.	2.5	40
63	Mechanism of the vasodilator effect of 12-O-methylcurine in rat aortic rings. Journal of Pharmacy and Pharmacology, 2010, 54, 853-858.	2.4	9
64	Mechanism of the vasodilator effect of Euxanthone in rat small mesenteric arteries. Phytomedicine, 2010, 17, 690-692.	5.3	8
65	The flavonoid dioclein reduces the production of pro-inflammatory mediators in vitro by inhibiting PDE4 activity and scavenging reactive oxygen species. European Journal of Pharmacology, 2010, 633, 85-92.	3.5	13
66	Relative contribution of eNOS and nNOS to endothelium-dependent vasodilation in the mouse aorta. European Journal of Pharmacology, 2010, 643, 260-266.	3. 5	66
67	Phosphatidylinositol 3â€kinaseâ€i upâ€regulates Lâ€type Ca ²⁺ currents and increases vascular contractility in a mouse model of type 1 diabetes. British Journal of Pharmacology, 2010, 161, 1458-1471.	5.4	41
68	Cardiac oxidative stress is involved in heart failure induced by thiamine deprivation in rats. American Journal of Physiology - Heart and Circulatory Physiology, 2010, 298, H2039-H2045.	3.2	53
69	Phosphoinositide-3 Kinase \hat{l}^3 Activity Contributes to Sepsis and Organ Damage by Altering Neutrophil Recruitment. American Journal of Respiratory and Critical Care Medicine, 2010, 182, 762-773.	5. 6	55
70	Increased expression of endothelial iNOS accounts for hyporesponsiveness of pulmonary artery to vasoconstrictors after paraquat poisoning. Toxicology in Vitro, 2010, 24, 1019-1025.	2.4	9
71	Vasodilator and Antioxidant Effect of Xanthones Isolated from Brazilian Medicinal Plants. Planta Medica, 2009, 75, 145-148.	1.3	9
72	Exercise capacity is related to calcium transients in ventricular cardiomyocytes. Journal of Applied Physiology, 2009, 107, 593-598.	2.5	35

#	Article	IF	CITATIONS
73	The flavonoid dioclein is a selective inhibitor of cyclic nucleotide phosphodiesterase type 1 (PDE1) and a cGMP-dependent protein kinase (PKG) vasorelaxant in human vascular tissue. European Journal of Pharmacology, 2009, 620, 78-83.	3.5	32
74	(S)-reticuline induces vasorelaxation through the blockade of L-type Ca2+ channels. Naunyn-Schmiedeberg's Archives of Pharmacology, 2009, 379, 115-125.	3.0	17
75	Complexation with \hat{l}^2 -cyclodextrin confers oral activity on the flavonoid dioclein. International Journal of Pharmaceutics, 2009, 367, 133-139.	5.2	36
76	Triterpenes and phenolic compounds isolated from the aerial parts of <i>Herissantia tiubae </i> and evaluation of 5,4′,-dihydroxy-3,6,7,8,3′-pentamethoxyflavone as a modulator of bacterial drug resistance. Pharmaceutical Biology, 2009, 47, 279-284.	2.9	15
77	Exercise training improves heat balance during exercise depending on tail vasodilatation mediated by modification in vascular reactivity. FASEB Journal, 2009, 23, 955.34.	0.5	0
78	Neuronal nitric oxide synthase-derived hydrogen peroxide is a major endothelium-dependent relaxing factor. American Journal of Physiology - Heart and Circulatory Physiology, 2008, 295, H2503-H2511.	3.2	84
79	Transient Receptor Potential Channel 6–Mediated, Localized Cytosolic [Na ⁺] Transients Drive Na ⁺ Ca ²⁺ Exchanger–Mediated Ca ²⁺ Entry in Purinergically Stimulated Aorta Smooth Muscle Cells. Circulation Research, 2007, 101, 1030-1038.	4.5	134
80	Evidence for a new angiotensin- $(1\hat{a} \in 7)$ receptor subtype in the aorta of Sprague $\hat{a} \in D$ awley rats. Peptides, 2007, 28, 702-707.	2.4	92
81	Na+ entry via TRPC6 causes Ca2+ entry via NCX reversal in ATP stimulated smooth muscle cells. Biochemical and Biophysical Research Communications, 2007, 352, 130-134.	2.1	77
82	Nitric oxide-dependent vasodilatation by ethanolic extract of Hancornia speciosa via phosphatidyl-inositol 3-kinase. Journal of Ethnopharmacology, 2007, 109, 161-164.	4.1	51
83	Prevention of changes in airway function facilitates Strongyloides venezuelensis infection in rats. Microbes and Infection, 2007, 9, 813-820.	1.9	13
84	Increased vascular contractility in isolated vessels from cigarette smoking rats is mediated by basal endothelin release. Vascular Pharmacology, 2007, 46, 35-42.	2.1	28
85	Endothelium-dependent vasodilation induced by Hancornia speciosa in rat superior mesenteric artery. Phytomedicine, 2007, 14, 473-478.	5.3	47
86	Physicochemical study of floranol, its copper(II) and iron(III) complexes, and their inhibitory effect on LDL oxidation. Journal of Inorganic Biochemistry, 2007, 101, 935-943.	3.5	45
87	Activation of Nitric Oxide Modulator Effect by Isometric Contraction in Rat Resistance Arteries. Journal of Cardiovascular Pharmacology, 2006, 47, 51-54.	1.9	6
88	Vascular effects of 7-epiclusianone, a prenylated benzophenone from Rheedia gardneriana, on the rat aorta. Phytomedicine, 2006, 13, 442-445.	5.3	39
89	Structure and Vasorelaxant Activity of Floranol, a Flavonoid Isolated from the Roots of Dioclea grandiflora. Chemistry and Biodiversity, 2006, 3, 635-645.	2.1	6
90	Inhibitory Effect of the Norlignan 2-(2′-Hydroxy-4′,6′-dimethoxyphenyl)-5-[(E)-propenyl]benzofuran fromKrameria tomentosaon Acetylcholine-Induced Relaxation of the Rat Aorta. Planta Medica, 2006, 72, 78-81.	1.3	2

#	Article	IF	Citations
91	Antiarrhythmogenic and Antioxidant Effect of the Flavonoid Dioclein in a Model of Cardiac Ischemia/Reperfusion. Planta Medica, 2006, 72, 300-303.	1.3	10
92	The Endothelium-Dependent Vasodilator Effect of the Nonpeptide Ang(1-7) Mimic AVE 0991 Is Abolished in the Aorta of Mas-Knockout Mice. Journal of Cardiovascular Pharmacology, 2005, 46, 274-279.	1.9	113
93	Mechanism Involved in the Spasmolytic Effect of a Mixture of Two Triterpenes, Cycloartenol and Cycloeucalenol, Isolated fromHerissanthia tiubaein the Guinea-Pig Ileum. Planta Medica, 2005, 71, 1025-1029.	1.3	5
94	Effects of the Brazilian phytopharmaceutical product lerobina \hat{A}^{\otimes} on lipid metabolism and intestinal tonus. Journal of Ethnopharmacology, 2005, 102, 137-142.	4.1	21
95	Mechanisms Involved in the Vasodilator Effect of the Flavanol Floranol in Rat Small Mesenteric Arteries. Planta Medica, 2004, 70, 465-467.	1.3	11
96	Endothelium dysfunction in LDL receptor knockout mice: a role for H ₂ O ₂ . British Journal of Pharmacology, 2003, 138, 1215-1220.	5.4	37
97	Angiotensin-($1\hat{a}\in$ "7) is an endogenous ligand for the G protein-coupled receptor Mas. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 8258-8263.	7.1	1,555
98	Characterization of a New Selective Antagonist for Angiotensin-($1\hat{a}\in$ "7), d -Pro 7 -Angiotensin-($1\hat{a}\in$ "7). Hypertension, 2003, 41, 737-743.	2.7	74
99	Mechanism of Endothelium-Dependent Vasodilation Induced by a Proanthocyanidin-Rich Fraction from Ouratea semiserrata. Planta Medica, 2002, 68, 412-415.	1.3	26
100	Mechanisms Involved in the Vasodilator Effect of Curine in Rat Resistance Arteries. Planta Medica, 2002, 68, 1049-1051.	1.3	17
101	Increase on the coronary flow induced by dioclein in isolated rat heart. Life Sciences, 2002, 70, 1121-1128.	4.3	9
102	Total assignments of 1H and 13C NMR spectra of a new prenylated flavanone from Dioclea grandiflora. Magnetic Resonance in Chemistry, 2002, 40, 793-794.	1.9	6
103	Angiotensin-(1-7) is involved in the endothelium-dependent modulation of phenylephrine-induced contraction in the aorta of mRen-2 transgenic rats. British Journal of Pharmacology, 2002, 135, 1743-1748.	5.4	35
104	Pharmacological evidence for the activation of potassium channels as the mechanism involved in the hypotensive and vasorelaxant effect of dioclein in rat small resistance arteries. British Journal of Pharmacology, 2001, 133, 849-858.	5.4	34
105	Dioclein, a new nitric oxide- and endothelium-dependent vasodilator flavonoid. European Journal of Pharmacology, 1999, 386, 41-46.	3.5	40
106	European Neuroscience AssociationPre- and post-synaptic muscarinic receptors in thin slices of rat adrenal gland. European Journal of Neuroscience, 1998, 10, 3535-3545.	2.6	21
107	Neuropeptide Y modulates ATP-induced increases in internal calcium via the adenylate cyclase/protein kinase A system in a human neuroblastoma cell line. Biochemical Journal, 1997, 321, 439-444.	3.7	6
108	Inhibition of [Ca2+]iTransients in Rat Adrenal Chromaffin Cells by Neuropeptide Y Role for a cGMP-dependent Protein Kinase-activated K+Conductance. European Journal of Neuroscience, 1997, 9, 1144-1152.	2.6	10

#	Article	IF	CITATIONS
109	Neuropeptide Y2-type receptor-mediated activation of large-conductance Ca2+-sensitive K+ channels in a human neuroblastoma cell line. Pflugers Archiv European Journal of Physiology, 1995, 430, 534-540.	2.8	12
110	Pharmacological studies on Aristolochia papillaris Mast. (Aristolochiaceae). Journal of Ethnopharmacology, 1993, 40, 141-145.	4.1	11