

Ricardo Cordeiro

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/777285/publications.pdf>

Version: 2024-02-01

19

papers

438

citations

933447

10

h-index

794594

19

g-index

19

all docs

19

docs citations

19

times ranked

573

citing authors

#	ARTICLE	IF	CITATIONS
1	Restructuring of the "Macaronesia" biogeographic unit: A marine multi-taxon biogeographical approach. <i>Scientific Reports</i> , 2019, 9, 15792.	3.3	88
2	Palaeoecology, taphonomy, and preservation of a lower Pliocene shell bed (coquina) from a volcanic oceanic island (Santa Maria Island, Azores). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 430, 57-73.	2.3	44
3	Persististrombus coronatus (Mollusca: Strombidae) in the lower Pliocene of Santa Maria Island (Azores, NE Atlantic): Paleoecology, paleoclimatology and paleobiogeographic implications. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 441, 912-923.	2.3	44
4	A review of the MIS 5e highstand deposits from Santa Maria Island (Azores, NE Atlantic): palaeobiodiversity, palaeoecology and palaeobiogeography. <i>Quaternary Science Reviews</i> , 2015, 114, 126-148.	3.0	43
5	Global change impacts on large-scale biogeographic patterns of marine organisms on Atlantic oceanic islands. <i>Marine Pollution Bulletin</i> , 2018, 126, 101-112.	5.0	36
6	Towards a "Sea-Level Sensitive" dynamic model: impact of island ontogeny and glacio-eustasy on global patterns of marine island biogeography. <i>Biological Reviews</i> , 2019, 94, 1116-1142.	10.4	33
7	Vertically-oriented trace fossil Macaronichnus segregatis from Neogene of Santa Maria Island (Azores; NE Atlantic) records vertical fluctuations of the coastal groundwater mixing zone on a small oceanic island. <i>Geobios</i> , 2016, 49, 229-241.	1.4	30
8	FEEDING TRACES OF RECENT RAY FISH AND OCCURRENCES OF THE TRACE FOSSIL PISCICHNUS WAIATEMATA FROM THE PLIOCENE OF SANTA MARIA ISLAND, AZORES (NORTHEAST ATLANTIC). <i>Palaios</i> , 2018, 33, 361-375.	1.3	27
9	< i>Phorcus sauciatus</i> (Koch, 1845) (Gastropoda: Trochidae) in Santa Maria, Azores archipelago: the onset of a biological invasion. <i>Journal of Molluscan Studies</i> , 2015, 81, 516-521.	1.2	15
10	New species of Rissoidae (Mollusca, Gastropoda) from the Archipelago of the Azores (northeast) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3	1.1	12
11	Untangling the origin of the newcomer Phorcus sauciatus (Mollusca: Gastropoda) in a remote Atlantic archipelago. <i>Marine Biology</i> , 2021, 168, 1.	1.5	11
12	The trace fossil Diopatrichnus santamariensis nov. isp. "A shell armored tube from Pliocene sediments of Santa Maria Island, Azores (NE Atlantic Ocean). <i>Geobios</i> , 2017, 50, 459-469.	1.4	10
13	Pliocene and Late Pleistocene actinopterygian fishes from Santa Maria Island, Azores (NE Atlantic) Tj ETQq1 1 0.784314 rgBT /Overlock 10 1526-1542.	1.5	10
14	Neogene marine sediments and biota encapsulated between lava flows on Santa Maria Island (Azores,) Tj ETQq0 0 0 rgBT /Overlock 10 Sedimentology, 2020, 67, 3595-3618.	3.1	9
15	Intertidal or subtidal/circalittoral species: which appeared first? A phylogenetic approach to the evolution of non-planktrophic species in Atlantic Archipelagos. <i>Marine Biology</i> , 2019, 166, 1.	1.5	7
16	Pliocene and late Pleistocene (MIS 5e) decapod crustaceans from Santa Maria Island (Azores) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147 Quaternary Science, 2021, 36, 91-109.	2.1	6
17	Comment on "Island biogeography: patterns of marine shallow-water organisms" by Hachih < i>et al</i>, < i>Journal of Biogeography</i> (2015). <i>Journal of Biogeography</i> , 2016, 43, 2515-2516.	3.0	5
18	New records for the opisthobranch fauna of the Archipelago of the Azores (north-east Atlantic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62	1.2	4

#	ARTICLE	IF	CITATIONS
19	The Echinoderm Fauna of the Azores (NE Atlantic Ocean). Zootaxa, 2019, 4639, 1-231.	0.5	4