

Ricardo Cordeiro

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/777285/publications.pdf>

Version: 2024-02-01

19
papers

438
citations

933447

10
h-index

794594

19
g-index

19
all docs

19
docs citations

19
times ranked

573
citing authors

#	ARTICLE	IF	CITATIONS
1	Pliocene and late Pleistocene (MIS 5e) decapod crustaceans from Santa Maria Island (Azores) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Quaternary Science, 2021, 36, 91-109.	2.1	6
2	Untangling the origin of the newcomer <i>Phorcus sauciatu</i> s (Mollusca: Gastropoda) in a remote Atlantic archipelago. Marine Biology, 2021, 168, 1.	1.5	11
3	Neogene marine sediments and biota encapsulated between lava flows on Santa Maria Island (Azores,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Sedimentology, 2020, 67, 3595-3618.	3.1	9
4	Pliocene and Late Pleistocene actinopterygian fishes from Santa Maria Island, Azores (NE Atlantic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 1526-1542.	1.5	10
5	The Echinoderm Fauna of the Azores (NE Atlantic Ocean). Zootaxa, 2019, 4639, 1-231.	0.5	4
6	Intertidal or subtidal/circalittoral species: which appeared first? A phylogenetic approach to the evolution of non-planktotrophic species in Atlantic Archipelagos. Marine Biology, 2019, 166, 1.	1.5	7
7	Restructuring of the "Macaronesia" biogeographic unit: A marine multi-taxon biogeographical approach. Scientific Reports, 2019, 9, 15792.	3.3	88
8	Towards a "Sea-Level Sensitive" dynamic model: impact of island ontogeny and glacioeustasy on global patterns of marine island biogeography. Biological Reviews, 2019, 94, 1116-1142.	10.4	33
9	Global change impacts on large-scale biogeographic patterns of marine organisms on Atlantic oceanic islands. Marine Pollution Bulletin, 2018, 126, 101-112.	5.0	36
10	FEEDING TRACES OF RECENT RAY FISH AND OCCURRENCES OF THE TRACE FOSSIL PISCICHNUS WAITEMATA FROM THE PLIOCENE OF SANTA MARIA ISLAND, AZORES (NORTHEAST ATLANTIC). Palaios, 2018, 33, 361-375.	1.3	27
11	The trace fossil <i>Diopatrachus</i> <i>antamariensis</i> nov. isp. "A shell armored tube from Pliocene sediments of Santa Maria Island, Azores (NE Atlantic Ocean). Geobios, 2017, 50, 459-469.	1.4	10
12	Vertically-oriented trace fossil <i>Macaronichnus</i> <i>segregatis</i> from Neogene of Santa Maria Island (Azores; NE Atlantic) records vertical fluctuations of the coastal groundwater mixing zone on a small oceanic island. Geobios, 2016, 49, 229-241.	1.4	30
13	Comment on "Island biogeography: patterns of marine shallow-water organisms" by Hachich et al., Journal of Biogeography (2015). Journal of Biogeography, 2016, 43, 2515-2516.	3.0	5
14	<i>Persististrombus coronatus</i> (Mollusca: Strombidae) in the lower Pliocene of Santa Maria Island (Azores, NE Atlantic): Paleoeology, paleoclimatology and paleobiogeographic implications. Palaeogeography, Palaeoclimatology, Palaeoecology, 2016, 441, 912-923.	2.3	44
15	New species of Rissoidae (Mollusca, Gastropoda) from the Archipelago of the Azores (northeast) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.1	12
16	<i>Phorcus sauciatu</i> s (Koch, 1845) (Gastropoda: Trochidae) in Santa Maria, Azores archipelago: the onset of a biological invasion. Journal of Molluscan Studies, 2015, 81, 516-521.	1.2	15
17	A review of the MIS 5e highstand deposits from Santa Maria Island (Azores, NE Atlantic): palaeobiodiversity, palaeoecology and palaeobiogeography. Quaternary Science Reviews, 2015, 114, 126-148.	3.0	43
18	Palaeoecology, taphonomy, and preservation of a lower Pliocene shell bed (coquina) from a volcanic oceanic island (Santa Maria Island, Azores). Palaeogeography, Palaeoclimatology, Palaeoecology, 2015, 430, 57-73.	2.3	44

#	ARTICLE	IF	CITATIONS
19	New records for the opisthobranch fauna of the Archipelago of the Azores (north-east Atlantic) Tj ETQq1 1 0.784314rgBT /Oyerlock 10	1.2	4