

# Sampson Panajiotidis

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7773039/publications.pdf>

Version: 2024-02-01

20  
papers

302  
citations

1307594

7  
h-index

996975

15  
g-index

23  
all docs

23  
docs citations

23  
times ranked

504  
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparing pollen spectra from modified Tauber traps and moss samples: examples from a selection of woodlands across Europe. <i>Vegetation History and Archaeobotany</i> , 2010, 19, 271-283.	2.1	65
2	Long-term trends of land use and demography in Greece: A comparative study. <i>Holocene</i> , 2019, 29, 742-760.	1.7	58
3	The Eurasian Modern Pollen Database (EMPD), version 2. <i>Earth System Science Data</i> , 2020, 12, 2423-2445.	9.9	34
4	Palaeoecological data indicates land-use changes across Europe linked to spatial heterogeneity in mortality during the Black Death pandemic. <i>Nature Ecology and Evolution</i> , 2022, 6, 297-306.	7.8	33
5	Toxicity effects of olive-mill wastewater on growth, photosynthesis and pollen morphology of spinach plants. <i>Ecotoxicology and Environmental Safety</i> , 2012, 80, 69-75.	6.0	30
6	An eight-year record of pollen deposition in the Pieria mountains (N. Greece) and its significance for interpreting fossil pollen assemblages. <i>Review of Palaeobotany and Palynology</i> , 2006, 141, 231-243.	1.5	23
7	20,000 years of interactions between climate, vegetation and land use in Northern Greece. <i>Vegetation History and Archaeobotany</i> , 2020, 29, 75-90.	2.1	21
8	Five decades of rapid forest spread in the Pieria Mountains (N. Greece) reconstructed by means of high-resolution pollen analysis and aerial photographs. <i>Vegetation History and Archaeobotany</i> , 2008, 17, 639-652.	2.1	7
9	Testing the potential of pollen assemblages to capture composition, diversity and ecological gradients of surrounding vegetation in two biogeographical regions of southeastern Europe. <i>Vegetation History and Archaeobotany</i> , 0, , 1.	2.1	6
10	Patterns in recent and Holocene pollen accumulation rates across Europe – the Pollen Monitoring Programme Database as a tool for vegetation reconstruction. <i>Biogeosciences</i> , 2021, 18, 4511-4534.	3.3	5
11	Pollen morphology in relation to the taxonomy and phylogeny of some native Greek <i>Aegilops</i> species. <i>Grana</i> , 2000, 39, 126-132.	0.8	4
12	8. Mount Voras (north-west Greece). <i>Grana</i> , 2009, 48, 316-318.	0.8	4
13	Impact of Grazing on Diversity of Semi-Arid Rangelands in Crete Island in the Context of Climatic Change. <i>Plants</i> , 2022, 11, 982.	3.5	4
14	4. Mount Paiko (northern Greece). <i>Grana</i> , 2008, 47, 316-318.	0.8	1
15	9. Flambouro, Pieria Mountains (northern Greece). <i>Grana</i> , 2010, 49, 76-78.	0.8	1
16	Human-landscape interactions in Halkidiki (NC Greece) over the last 3.5 millennia, revealed through palynological, and archaeological-historical archives. <i>Journal of Archaeological Science: Reports</i> , 2016, 7, 138-145.	0.5	1
17	<i>Colchicum tulakii</i> (Colchicaceae), a new species from central Macedonia, northeastern Greece. <i>Nordic Journal of Botany</i> , 2021, 39, .	0.5	1
18	Pollen Morphology and its Contribution to the Taxonomy of Some Native Greek <i>aegilops</i> Species.. , 1998, , 109-112.		1

#	ARTICLE	IF	CITATIONS
19	Forest management and landscape history: exploitation of Scarus oak forest in Lefkada (Santa-Maura) island under Venetian and British rule (eighteenth to mid-nineteenth century). <i>Landscape History</i> , 2021, 42, 79-98.	0.1	0
20	Pollen Morphology and its Contribution to the Taxonomy of Some Native Greek aegilops Species.. , 1998, , 105-108.		0