

# Hongjian Sun

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7773260/hongjian-sun-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

93  
papers

1,361  
citations

21  
h-index

31  
g-index

97  
ext. papers

1,533  
ext. citations

3.2  
avg, IF

4.73  
L-index

#	Paper	IF	Citations
93	Synthesis and Reactivity of Silyl Iron, Cobalt, and Nickel Complexes Bearing a [PSiP]-Pincer Ligand via Si-H Bond Activation. <i>Organometallics</i> , <b>2013</b> , 32, 3227-3237	3.8	103
92	Activation of sp <sup>3</sup> Carbon-Hydrogen Bonds by Cobalt and Iron Complexes and Subsequent C-C Bond Formation. <i>Organometallics</i> , <b>2009</b> , 28, 6090-6095	3.8	56
91	Synthesis and Catalytic Property of Iron Pincer Complexes Generated by Csp <sup>3</sup> -H Activation. <i>Organometallics</i> , <b>2014</b> , 33, 3535-3539	3.8	52
90	Synergistic Effect of a Low-Valent Cobalt Complex and a Trimethylphosphine Ligand on Selective C-H Bond Activation of Perfluorinated Toluene. <i>Organometallics</i> , <b>2009</b> , 28, 5771-5776	3.8	51
89	Synthesis and Reactivity of a Hydrido CNC Pincer Cobalt(III) Complex and Its Application in Hydrosilylation of Aldehydes and Ketones. <i>Organometallics</i> , <b>2015</b> , 34, 1479-1486	3.8	41
88	Synthesis and Catalytic Application in Hydrosilylation of the Complex mer-Hydrido(2-mercaptobenzoyl)tris(trimethylphosphine)cobalt(III). <i>Organometallics</i> , <b>2013</b> , 32, 5235-5238	3.8	38
87	Synthesis and Reactivity of N-Heterocyclic PSiP Pincer Iron and Cobalt Complexes and Catalytic Application of Cobalt Hydride in Kumada Coupling Reactions. <i>Organometallics</i> , <b>2016</b> , 35, 357-363	3.8	33
86	Transition-Metal-Free Synthesis of Fluorinated Arenes from Perfluorinated Arenes Coupled with Grignard Reagents. <i>Organometallics</i> , <b>2014</b> , 33, 1079-1081	3.8	33
85	Synthesis of [POCOP]-pincer iron and cobalt complexes via Csp <sup>3</sup> -H activation and catalytic application of iron hydride in hydrosilylation reactions. <i>RSC Advances</i> , <b>2015</b> , 5, 15660-15667	3.7	32
84	Cyclometalation Reactions Involving C-H Bond Activation of ortho-Chlorinated Substrates with Imine as Anchoring Groups by Cobalt Complexes. <i>Organometallics</i> , <b>2008</b> , 27, 270-275	3.8	31
83	Synthesis and Catalytic Activity of Iron Hydride Ligated with Bidentate N-Heterocyclic Silylenes for Hydroboration of Carbonyl Compounds. <i>Organometallics</i> , <b>2019</b> , 38, 268-277	3.8	31
82	Hydrosilylation of aldehydes and ketones catalyzed by hydrido iron complexes bearing imine ligands. <i>Dalton Transactions</i> , <b>2014</b> , 43, 11716-22	4.3	30
81	Selectively catalytic hydrodefluorination of perfluoroarenes by Co(PMe <sub>3</sub> ) <sub>4</sub> with sodium formate as reducing agent and mechanism study. <i>Dalton Transactions</i> , <b>2013</b> , 42, 13048-53	4.3	30
80	[C <sub>2</sub> NN]-pincer nickel(II) complexes of N-heterocyclic carbene (NHC): synthesis and catalysis of the Kumada reaction of unactivated C-Cl bonds. <i>Dalton Transactions</i> , <b>2014</b> , 43, 9410-3	4.3	29
79	Imine-assisted C-F bond activation using low-valent cobalt compounds supported by trimethylphosphine ligands and formation of novel organic fluorides. <i>Dalton Transactions</i> , <b>2010</b> , 39, 9523-9	4.3	29
78	Insertion of Alkynes into Ni-H Bonds: Synthesis of Novel Vinyl Nickel(II) and Dinuclear Vinyl Nickel(II) Complexes Containing a [P, S]-Ligand. <i>Organometallics</i> , <b>2007</b> , 26, 566-570	3.8	27
77	A new PC(sp <sup>3</sup> )P ligand and its coordination chemistry with low-valent iron, cobalt and nickel complexes. <i>Dalton Transactions</i> , <b>2014</b> , 43, 8595-8	4.3	26

76	Efficient reductive dehydration of primary amides to nitriles catalyzed by hydrido thiophenolato iron(II) complexes under hydrosilylation conditions. <i>Catalysis Communications</i> , <b>2016</b> , 86, 148-150	3.2	26
75	N <sub>2</sub> Silylation Catalyzed by a Bis(silylene)-Based [SiCSi] Pincer Hydrido Iron(II) Dinitrogen Complex. <i>Organometallics</i> , <b>2020</b> , 39, 757-766	3.8	25
74	Simple Synthesis and Structure Characterization of a Stable Niobium(V) Phosphoniomethylidyne Complex. <i>Organometallics</i> , <b>2005</b> , 24, 4699-4701	3.8	24
73	Selective C-F/C-H bond activation of fluoroarenes by cobalt complex supported with phosphine ligands. <i>Dalton Transactions</i> , <b>2013</b> , 42, 5740-8	4.3	22
72	Sonogashira reactions of alkyl halides catalyzed by NHC [CNN] pincer nickel(II) complexes. <i>New Journal of Chemistry</i> , <b>2018</b> , 42, 11465-11470	3.6	21
71	Synthesis of Iron Hydrides by Selective C $\equiv$ H/C $\equiv$ N Bond Activation in Fluoroarylimines and Their Applications in Catalytic Reduction Reactions. <i>European Journal of Inorganic Chemistry</i> , <b>2015</b> , 2015, 2732-2743 <sup>2,3</sup> 20		
70	Syntheses and catalytic application of hydrido iron(II) complexes with [P,S]-chelating ligands in hydrosilylation of aldehydes and ketones. <i>RSC Advances</i> , <b>2015</b> , 5, 52000-52006	3.7	19
69	Synthesis of NHC Pincer Hydrido Nickel Complexes and Their Catalytic Applications in Hydrodehalogenation. <i>Organometallics</i> , <b>2018</b> , 37, 539-544	3.8	19
68	Effect of anchoring group and valent of cobalt center on the competitive cleavage of C $\equiv$ H or C $\equiv$ N bond activation. <i>Journal of Organometallic Chemistry</i> , <b>2010</b> , 695, 1873-1877	2.3	19
67	Facile Synthesis of Bis(isoindolinone) through Carbonylative Cyclization and Dimerization of Phenylimine with Nickel(0) Complexes. <i>Organometallics</i> , <b>2008</b> , 27, 1944-1947	3.8	19
66	Transfer hydrogenation of aldehydes catalyzed by silyl hydrido iron complexes bearing a [PSiP] pincer ligand.. <i>RSC Advances</i> , <b>2018</b> , 8, 14092-14099	3.7	18
65	Synthesis of silyl iron hydride via Si-H activation and its dual catalytic application in the hydrosilylation of carbonyl compounds and dehydration of benzamides. <i>Dalton Transactions</i> , <b>2018</b> , 47, 4352-4359	4.3	18
64	Synthesis and catalytic activity of N-heterocyclic silylene (NHSi) cobalt hydride for Kumada coupling reactions. <i>Dalton Transactions</i> , <b>2018</b> , 47, 2581-2588	4.3	18
63	Selective C $\equiv$ H and C $\equiv$ N Activation of Fluoroarenes by Fe(PMe <sub>3</sub> ) <sub>4</sub> and Catalytic Performance of Iron Hydride in Hydrosilylation of Carbonyl Compounds. <i>Organometallics</i> , <b>2016</b> , 35, 3538-3545	3.8	16
62	Nickel(II) complexes of amine functionalized N-heterocyclic carbenes (NHCs), synthesis and catalysis in Kumada coupling of aryl chlorides. <i>Journal of Organometallic Chemistry</i> , <b>2016</b> , 820, 41-45	2.3	16
61	Dehydration of primary amides to nitriles catalyzed by [CNC]-pincer hydrido cobalt(III) complexes. <i>Catalysis Communications</i> , <b>2019</b> , 120, 72-75	3.2	16
60	Synthesis and catalytic application of [PPP]-pincer iron, nickel and cobalt complexes for the hydrosilylation of aldehydes and ketones. <i>New Journal of Chemistry</i> , <b>2018</b> , 42, 16583-16590	3.6	16
59	Imine Nitrogen Bridged Binuclear Nickel Complexes via N $\equiv$ H Bond Activation: Synthesis, Characterization, Unexpected C,N-Coupling Reaction, and Their Catalytic Application in Hydrosilylation of Aldehydes. <i>Organometallics</i> , <b>2015</b> , 34, 5175-5182	3.8	15

58	Selective activation of C-F and C-H bonds with iron complexes, the relevant mechanism study by DFT calculations and study on the chemical properties of hydrido iron complex. <i>Dalton Transactions</i> , <b>2013</b> , 42, 3417-28	4.3	15
57	N-Assisted Carbon-Hydrogen Bond Activation by Cobalt(I) Complexes. <i>Organometallics</i> , <b>2008</b> , 27, 5434-5437	4.3	14
56	Activation of CO <sub>2</sub> , CS <sub>2</sub> , and Dehydrogenation of Formic Acid Catalyzed by Iron(II) Hydride Complexes. <i>European Journal of Inorganic Chemistry</i> , <b>2016</b> , 2016, 5205-5214	2.3	13
55	C-Cl bond activation and catalytic hydrodechlorination of hexachlorobenzene by cobalt and nickel complexes with sodium formate as a reducing agent. <i>Dalton Transactions</i> , <b>2014</b> , 43, 6660-6	4.3	13
54	C-Cl bond activation of ortho-chlorinated benzamides by nickel and cobalt compounds supported with phosphine ligands. <i>Dalton Transactions</i> , <b>2012</b> , 41, 8715-22	4.3	12
53	Synthesis and characterization of stable tripodal silyl iron and nickel complexes. <i>Inorganica Chimica Acta</i> , <b>2015</b> , 430, 161-167	2.7	11
52	[CNC]-Pincer Cobalt Hydride Catalyzed Distinct Selective Hydrosilylation of Aryl Alkene and Alkyl Alkene. <i>Organometallics</i> , <b>2020</b> , 39, 2455-2463	3.8	11
51	Synthesis and Characterization of Iron, Cobalt, and Nickel [PNP] Pincer Amido Complexes by NHC Activation. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , <b>2015</b> , 641, 2435-2439	1.3	11
50	Synthesis of Vinylnickel and Nickelcyclopropane Complexes Containing a Chelate [P,Se]-Ligand. <i>European Journal of Inorganic Chemistry</i> , <b>2015</b> , 2015, 3139-3145	2.3	11
49	Transfer hydrogenation of ketones catalyzed by nickel complexes bearing an NHC [CNN] pincer ligand. <i>Applied Organometallic Chemistry</i> , <b>2019</b> , 33, e4932	3.1	10
48	An Air-Stable N-Heterocyclic [PSiP] Pincer Iron Hydride and an Analogous Nitrogen Iron Hydride: Synthesis and Catalytic Dehydration of Primary Amides to Nitriles. <i>Organometallics</i> , <b>2020</b> , 39, 824-833	3.8	10
47	Lewis acid promoted dehydration of amides to nitriles catalyzed by [PSiP]-pincer iron hydrides. <i>Applied Organometallic Chemistry</i> , <b>2020</b> , 34, e5466	3.1	10
46	Cobalt-catalyzed Selective C-F Bond Activation and Alkylation of Polyfluoroaryl Imines. <i>Chinese Journal of Chemistry</i> , <b>2013</b> , 31, 927-932	4.9	10
45	Synthesis of new thiophenolato hydrido iron(II) complexes and their substitution reactions with alkynes. <i>Polyhedron</i> , <b>2009</b> , 28, 3823-3827	2.7	10
44	Synthesis and X-ray Crystal Structures of Acenaphthenequinone-based $\eta^2$ -Diimine Palladium Complexes and a Novel V-shape Tripalladium Cluster. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , <b>2008</b> , 634, 1517-1521	1.3	10
43	Formation and Crystal Structure of Stable Five-coordinate Diorgano Cobalt(III) Complexes. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , <b>2005</b> , 631, 1929-1931	1.3	10
42	Synthesis and characterization of novel organonickel and organocobalt complexes via carbon-chlorine bond activation. <i>Journal of Organometallic Chemistry</i> , <b>2013</b> , 743, 114-122	2.3	9
41	Formation of PCP pincer cobalt complexes with cobaltcyclopropane moieties via double Csp <sup>3</sup> -H bond activation. <i>RSC Advances</i> , <b>2015</b> , 5, 19402-19408	3.7	9

40	Synthesis of 2-Mercaptobenzaldehyde, 2-Mercaptocyclohex-1-enecarboxaldehydes and 3-Mercaptoacrylaldehydes. <i>Chinese Journal of Chemistry</i> , <b>2012</b> , 30, 2495-2500	4.9	9
39	The Effect of Substituents on the Formation of Silyl [PSiP] Pincer Cobalt(I) Complexes and Catalytic Application in Both Nitrogen Silylation and Alkene Hydrosilylation. <i>Inorganic Chemistry</i> , <b>2020</b> , 59, 16489-16499	5.1	9
38	Computational rationalization of the selective C-H and C-F activations of fluoroaromatic imines and ketones by cobalt complexes. <i>Organic and Biomolecular Chemistry</i> , <b>2014</b> , 12, 1897-907	3.9	8
37	Efficient transfer hydrogenation of carbonyl compounds catalyzed by selenophenolato hydrido iron(II) complexes. <i>Catalysis Communications</i> , <b>2019</b> , 124, 32-35	3.2	7
36	The selective activation of a C-F bond with an auxiliary strong Lewis acid: a method to change the activation preference of C-F and C-H bonds. <i>Dalton Transactions</i> , <b>2016</b> , 45, 18133-18141	4.3	7
35	Reactions of Trimethylphosphane-Supported Cobalt Complexes with Salicylaldehydes [Formation and Structures of Cobalt Compounds Containing Salicylaldehydato [N:O] Ligands. <i>European Journal of Inorganic Chemistry</i> , <b>2006</b> , 2006, 4362-4367	2.3	7
34	Regioselective ortho-Metallation of 2-Diphenylphosphanylpyridine and (2-(2-Diphenylphosphanyl)phenyl)-1,3-dioxalane with Methyltetrakis(trimethylphosphane)cobalt(I). <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , <b>2009</b> , 635, 99-105	1.3	6
33	Synthesis and Properties of Nickel(II) Complexes Containing Trimethylphosphine and Thiophenolato-Ligands. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , <b>2007</b> , 633, 2305-2309	1.3	6
32	Selectivity Reverse of Hydrosilylation of Aryl Alkenes Realized by Pyridine N-Oxide with [PSiP] Pincer Cobalt(III) Hydride as Catalyst. <i>Inorganic Chemistry</i> , <b>2021</b> , 60, 4551-4562	5.1	6
31	Synthesis of a Silyl Cobalt Hydride and Its Catalytic Performance in Kumada Coupling Reactions. <i>Chemistry - an Asian Journal</i> , <b>2017</b> , 12, 1234-1239	4.5	5
30	Preparation of hydrido [CNC]-pincer cobalt complexes via selective C <sub>H</sub> /C <sub>H</sub> bond activation and their catalytic performances. <i>New Journal of Chemistry</i> , <b>2018</b> , 42, 15578-15586	3.6	5
29	Synthesis of Dinuclear Cobalt Complexes Containing Trimethylphosphine and Thiophenolato Ligands. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , <b>2011</b> , 637, 430-435	1.3	5
28	Efficient dehydration of primary amides to nitriles catalyzed by phosphorus-chalcogen chelated iron hydrides. <i>Applied Organometallic Chemistry</i> , <b>2020</b> , 34, e5337	3.1	5
27	Formation of 2-Azaallyl Cobalt(I) Complexes by Csp <sup>3</sup> H Bond Activation. <i>Organometallics</i> , <b>2017</b> , 36, 975-988	3.8	4
26	Vinyl/Phenyl Exchange Reaction within Vinyl Nickel Complexes Bearing Chelate [P, S]-Ligands. <i>Organometallics</i> , <b>2017</b> , 36, 4246-4255	3.8	4
25	[P,C]-Chelate Cobalt(III) Hydride Catalyzed Hydrosilylation of Alkenes. <i>Organometallics</i> , <b>2021</b> , 40, 2836-2843	3.3	4
24	Pyridine N-oxide promoted hydrosilylation of carbonyl compounds catalyzed by [PSiP]-pincer iron hydrides. <i>Dalton Transactions</i> , <b>2020</b> , 49, 9349-9354	4.3	3
23	Synthesis, photophysical and thin-film self-assembly properties of novel fluorescent molecules with carbon-carbon triple bonds. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2014</b> , 133, 229-40	4.4	3

22	Synthesis and Characterization of Bis(2-iminopyrrolyl) Iron(II) Complexes by N≡N Bond Activation. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , <b>2015</b> , 641, 1959-1963	1.3	3
21	Reaction of the Acyl(hydrido)cobalt(III) Complex with 2-Propyn-1-ol. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , <b>2007</b> , 633, 2310-2313	1.3	3
20	Unexpected Formation of a $\pi$ -Coordinate Schiff Base Cobalt(0) Complex. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , <b>2006</b> , 632, 501-504	1.3	3
19	Catalytic Effect of Iron Hydrides on Dehydration of Primary Amides to Nitriles. <i>Chinese Journal of Organic Chemistry</i> , <b>2019</b> , 39, 2941	3	3
18	Progress in the preparation and characterization of silylene iron, cobalt and nickel complexes. <i>Dalton Transactions</i> , <b>2021</b> , 50, 6766-6772	4.3	3
17	Solvent-Free Hydrosilylation of Alkenes Catalyzed by Well-Defined Low-Valent Cobalt Catalysts. <i>Organometallics</i> , <b>2021</b> , 40, 286-293	3.8	3
16	Physics and Dynamics Characteristics and Energy Analysis of Freeze-Thaw Limestone. <i>Advances in Civil Engineering</i> , <b>2020</b> , 2020, 1-12	1.3	2
15	Preparation of organocobalt complexes through C≡N/C≡N bond activation of polyfluoroaryl imines. <i>Inorganic Chemistry Communication</i> , <b>2014</b> , 43, 110-113	3.1	2
14	Synthesis and Structure of Novel Dimethylcobalt(III) Complexes Containing Trimethylphosphine and Salicylaldiminato(N:O) Ligands. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , <b>2005</b> , 631, 3096-3099	1.3	2
13	[P, C] Chelate Cobalt(I)-Catalyzed Distinct Selective Hydrosilylation of Alkenes under Mild Conditions. <i>Organometallics</i> , <b>2022</b> , 41, 698-705	3.8	2
12	Introduction of (2-CF <sub>3</sub> )Phenyl Group via Nickel-catalyzed C≡N Bond Activation and Arylation. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , <b>2015</b> , 641, 838-841	1.3	1
11	Phosphine-assisted C≡N bond activation in Schiff bases and formation of novel organo cobalt complexes bearing Schiff base ligands. <i>New Journal of Chemistry</i> , <b>2018</b> , 42, 4646-4652	3.6	1
10	Syntheses and properties of 2-azaallyl Iron(I) complexes via Csp <sup>3</sup> -H bond activation. <i>Journal of Organometallic Chemistry</i> , <b>2018</b> , 868, 61-65	2.3	1
9	Synthesis and Characterization of Diorganocobalt Chlorides by Aliphatic Vinylic C≡N Bond Activation. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , <b>2016</b> , 642, 866-869	1.3	1
8	Synthesis and reactivity of iron hydride with [P, Se]-chelate ligand. <i>Journal of Organometallic Chemistry</i> , <b>2017</b> , 853, 107-112	2.3	1
7	Synthesis of Dinuclear Nickel Complexes from Dimethyltris(trimethylphosphine)nickel(II) via N≡N Bond Activation. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , <b>2015</b> , 641, 669-672	1.3	1
6	Synthesis of silyl iron dinitrogen complexes for activation of dihydrogen and catalytic silylation of dinitrogen. <i>Dalton Transactions</i> , <b>2021</b> , 50, 17594-17602	4.3	1
5	Nickel-Catalyzed Sonogashira Coupling Reactions of Nonactivated Alkyl Chlorides under Mild Conditions. <i>Organometallics</i> , <b>2021</b> , 40, 2240-2245	3.8	1

- |   |  |
|---|--|
| 4 | Synthesis and properties of [PCP] pincer silylene cobalt(I) complexes. <i>New Journal of Chemistry</i> , 3.6 1   |
| 3 | Synthesis and catalytic activity of N-heterocyclic silylene (NHSi) iron (II) hydride for hydrosilylation of aldehydes and ketones. <i>Applied Organometallic Chemistry</i> , <b>2021</b> , 35, e6286 3.1 0 |
| 2 | Synthesis and Structure of Low-valent $\eta$ -Cinnamaldehyde Cobalt Complexes. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , <b>2017</b> , 643, 712-716 1.3                                  |
| 1 | E-Selective Hydrothiolation of Terminal Arylallenes with Arylthiols Catalyzed by Ni (PMe <sub>3</sub> ) <sub>4</sub> . <i>Applied Organometallic Chemistry</i> , <b>2020</b> , 34, e5291 3.1               |