## Enrique Ambrocio-Ortiz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7774555/publications.pdf

Version: 2024-02-01

933410 642715 30 582 10 23 citations g-index h-index papers 30 30 30 916 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	SERPINE1 rs6092 Variant Is Related to Plasma Coagulation Proteins in Patients with Severe COVID-19 from a Tertiary Care Hospital. Biology, 2022, 11, 595.	2.8	5
2	Differential Genomic Profile in TERT, DSP, and FAM13A Between COPD Patients With Emphysema, IPF, and CPFE Syndrome. Frontiers in Medicine, 2021, 8, 725144.	2.6	13
3	Protective Role of Genetic Variants in HSP90 Genes-Complex in COPD Secondary to Biomass-Burning Smoke Exposure and Non-Severe COPD Forms in Tobacco Smoking Subjects. Current Issues in Molecular Biology, 2021, 43, 887-899.	2.4	5
4	Angiotensin-Converting Enzyme 2 (ACE2) in the Context of Respiratory Diseases and Its Importance in Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Infection. Pharmaceuticals, 2021, 14, 805.	3.8	7
5	MUC5B promoter variant rs35705950 and rheumatoid arthritis associated interstitial lung disease survival and progression. Seminars in Arthritis and Rheumatism, 2021, 51, 996-1004.	3.4	17
6	Effect of BCG Revaccination on Occupationally Exposed Medical Personnel Vaccinated against SARS-CoV-2. Cells, 2021, 10, 3179.	4.1	20
7	Genetic Susceptibility to Antisynthetase Syndrome Associated With Single-Nucleotide Variants in the IL1B Gene That Lead Variation in IL- $1\hat{l}^2$ Serum Levels. Frontiers in Medicine, 2020, 7, 547186.	2.6	8
8	Polymorphisms in Processing and Antigen Presentation-Related Genes and Their Association with Host Susceptibility to Influenza A/H1N1 2009 Pandemic in a Mexican Mestizo Population. Viruses, 2020, 12, 1224.	3.3	3
9	The SNP rs13147758 in the HHIP Gene Is Associated With COPD Susceptibility, Serum, and Sputum Protein Levels in Smokers. Frontiers in Genetics, 2020, 11, 882.	2.3	7
10	A major genetic determinant of autoimmune diseases is associated with the presence of autoantibodies in hypersensitivity pneumonitis. European Respiratory Journal, 2020, 56, 1901380.	6.7	16
11	Single Nucleotide and Copy-Number Variants in IL4 and IL13 Are Not Associated with Asthma Susceptibility or Inflammatory Markers: A Case-Control Study in a Mexican-Mestizo Population. Diagnostics, 2020, 10, 273.	2.6	2
12	<p>Heterozygous Genotype rs17580 AT (PiS) in <em>SERPINA1</em> is Associated with COPD Secondary to Biomass-Burning and Tobacco Smoking: A Case–Control and Populational Study</p> . International Journal of COPD, 2020, Volume 15, 1181-1190.	2.3	6
13	Genetic variants in IL17A and serum levels of IL-17A are associated with COPD related to tobacco smoking and biomass burning. Scientific Reports, 2020, 10, 784.	3.3	11
14	HLA Allele and Haplotype Frequencies in Three Urban Mexican Populations: Genetic Diversity for the Approach of Genomic Medicine. Diagnostics, 2020, 10, 47.	2.6	5
15	IL10 rs1800872 Is Associated with Non-Steroidal Anti-Inflammatory Drugs Exacerbated Respiratory Disease in Mexican-Mestizo Patients. Biomolecules, 2020, 10, 104.	4.0	6
16	MMP2 Polymorphism Affects Plasma Matrix Metalloproteinase (MMP)-2 Levels, and Correlates with the Decline in Lung Function in Hypersensitivity Pneumonitis Positive to Autoantibodies Patients Biomolecules, 2019, 9, 574.	4.0	4
17	Genetic variants as risk factors for cigarette smoking at an early age and relapse to smoking cessation treatment: A pilot study. Gene, 2019, 694, 93-96.	2.2	10
18	Allergic sensitization increases the amount of extracellular ATP hydrolyzed by guinea pig leukocytes. Purinergic Signalling, 2019, 15, 69-76.	2.2	8

#	Article	IF	CITATIONS
19	Effect of SNPs in HSP Family Genes, Variation in the mRNA and Intracellular Hsp Levels in COPD Secondary to Tobacco Smoking and Biomass-Burning Smoke. Frontiers in Genetics, 2019, 10, 1307.	2.3	18
20	Influence of proinflammatory cytokine gene polymorphisms on the risk of COPD and the levels of plasma protein. Cytokine, 2018, 111, 364-370.	3.2	14
21	<i>MUC5B</i> Promoter Variant and Rheumatoid Arthritis with Interstitial Lung Disease. New England Journal of Medicine, 2018, 379, 2209-2219.	27.0	326
22	MS4A2-rs573790 Is Associated With Aspirin-Exacerbated Respiratory Disease: Replicative Study Using a Candidate Gene Strategy. Frontiers in Genetics, 2018, 9, 363.	2.3	7
23	<em>TNF</em> promoter polymorphisms are associated with genetic susceptibility in COPD secondary to tobacco smoking and biomass burning. International Journal of COPD, 2018, Volume 13, 627-637.	2.3	17
24	HLA class II alleles and haplotypes are associated to the presence autoantibodies and mortality in Hypersensitivity Pneumonitis patients , $2018,  ,  .$		0
25	HTR2A genetic variants as risk factors for cigarette smoking at an early age and relapse to smoking cessation treatment , $2018,  ,  .$		0
26	Data on polymorphisms in CYP2A6 associated to risk and predispose to smoking related variables. Data in Brief, 2017, 15, 86-91.	1.0	5
27	Genetic polymorphisms in CYP2A6 are associated with a risk of cigarette smoking and predispose to smoking at younger ages. Gene, 2017, 628, 205-210.	2.2	23
28	Polymorphisms in HTR2A and DRD4 Predispose to Smoking and Smoking Quantity. PLoS ONE, 2017, 12, e0170019.	2.5	19
29	Heterozygous genotype rs17580 AT (PiS) in SERPINA1 is associated to COPD secondary to biomass and tobacco smoke. , 2017, , .		0
30	NTPDase activity in circulatory eosinophils from patients with allergic asthma. , 2017, , .		0